

Optimizing LLMs

An experimental approach to
pruning and fine-tuning 7B models

Thomas Capelle
ML Engineer





This was a collaboration between:

- Morgan McGuire (W&B)
- Darek Kleczek (W&B)
- Richard Kent (Independent)
- Austin Cook (Alignment Lab AI)
- Jonathan Withaker (Answer.ai)

And compute 💪 provided by Lambda





What is this talk about?

- Experimenting with LLM is painful
- Small LLM are “easier” to use than “large” LLMs
 - What is a “small” LLM?
- Can we build small LLM from LLMs
 - How can we get the most out of our compute while building this?
 - How to share our findings and collaborate efficiently



Experimenting with LLM is painful

- Small capable 7B (like Llama or Mistral) models require a lot of GPU power to train
- 7B model requires as much as:
 - 56GB ~ 14Gb + 3 x 14Gb [FP16]
- 😎 LoRA and QLoRA can reduce this
- Most of the fine-tuning is happening on Instruction Tuning



Small Performant model

README Apache-2.0 license

TinyLlama-1.1B

English | [中文](#)

[Chat Demo](#) | [Discord](#)

The TinyLlama project aims to pretrain a 1.1B Llama model on 3 trillion tokens. With some proper optimization, we can achieve this within a span of "just" 90 days using 16 A100-40G GPUs 🚀. The training has started on 2023-09-01.



We adopted exactly the same architecture and tokenizer as Llama 2. This means TinyLlama can be

<https://github.com/jzhang38/TinyLlama>






Small Performant model

[README](#) [Apache-2.0 license](#)

TinyLlama

The TinyLlama project aims to pretrain a 1.1B parameter model. With some optimization, we can achieve this within a single GPU. The first stage of training has started on 2023-09-01.



We adopted exactly the same architecture and tokenizer as Llama 2. This means TinyLlama can be

But all of these were trained from scratch...



Open

tiny-1.5-0.5B

like 31

Created 9 days ago · 500k · like 2.73k

sft-fp32



Text Generation

Everything started on a Open Source Discord...

<https://discord.com/channels/1131084849432768614/1154362662826823730/1154362662826823730>

ideas > Pretraining a 1B TinyLlama but not from scratch (so no actually pretraining)

React to Post Following

tcapelle OP 09/21/2023 12:26 PM
@Peiyuan007 what do you think?

emrgnt_cmplxty 09/21/2023 3:49 PM
I've done some similar pre-training from scratch recently and would be happy to share my exp if it would be useful

@emrgnt_cmplxty I've done some similar pre-training from scratch recently and would be happy to share my exp if it would be useful
cath 09/21/2023 7:20 PM
would love to hear how did you go about doing that

emrgnt_cmplxty 09/21/2023 7:57 PM
Kaparthy's nanoGPT is an amazing starting point. For my own edification, I started with his repository and built a small model on my laptop
1
once I got the hang of that, i modified it into a more prod-ready repo [<https://github.com/emrgnt-cmplxty/SmolTrainer/tree/main>]
Then I put my learnings here
[https://www.reddit.com/r/LocalLLaMA/comments/16mq446/replicating_oss_phi1_learnings_new_framework_for/].
I'm happy to share the original dataset I used in this training run

cath 09/21/2023 9:04 PM
that is really cool ty

September 22, 2023

tcapelle OP 09/22/2023 11:17 AM
My idea is not starting from scratch, is use the pre-trained weights of the Llama 7B model, chop off layers until a 1.x something model is obtained, and train from there on the same data the TinyLlama that @Peiyuan007 is using, hopefully we should get to the same values of the loss quicker? I know the nanoGPT repo pretty well, but I want to use a lit-gpt as it is more optimized and battle tested.
I am curious if @Jeremy Howard has some ideas on how to tackle the chopping 😊

@tcapelle I am curious if @Jeremy Howard has some ideas on how to tackle the chopping 😊
Jeremy Howard 09/22/2023 2:14 PM
Oh wow yes I've been wanting to do this too!



So we relaunched this project on Discord again!

Welcome to the beginning of the **Johnowhitaker, morg, sparverius, AutoMeta, Darek Kłeczek** group.

February 1, 2024

→ **tcapelle** added **morg** to the group. 02/01/2024 1:46 PM

→ **tcapelle** added **Darek Kłeczek** to the group. 02/01/2024 1:55 PM

tcapelle 02/01/2024 1:55 PM
Hey, just starting this group to introduce you **@sparverius** that has done a bunch of experimentation on pruning/shearing of 7B models.
1

He pointed some research directions and is willing to help us out to come up with a story for the GTC preso 😊

Some takeaways that we discussed:

- Mistral 7B works the best when pruning, for some reason it works and LLama7b doesn't. This is something that we could explore or at least expose
- The simplest recipe that produces a somewhat reasonable model is chop down Mistral to 12 layers and fine-tune on an instruction dataset.
- LoRA extraction from the HF HUB could give insight on what layers/models are more important. I am not sure I get the full idea on how to use this to prune the base model, maybe **@sparverius** can shed some light
- sharding LoRA models by layer, so one could swap LoRAs by cherry-picking layers

Can I add AutoMeta to this chat **@sparverius**? he was also motivated to help out on this!



And we created a shared W&B team to share our work

It also has a nice
little Llama

The screenshot shows the Wandb interface for the 'llm_surgery' team. At the top, there's a navigation bar with icons for search, notifications, and help, along with the text 'Using Weave 1.0 Turn off'. Below the navigation is a header with the team name 'llm_surgery' and a sub-header 'Overview'. The main content area is divided into sections: 'Intro' (containing a message about ablation and pruning), 'Reports' (with a sub-section for sharing insights), and 'Projects' (which is currently collapsed). On the left side, there's a sidebar with sections for 'Team settings', 'Model Registry', and 'Launch'. Below these are 'WEEKLY MOST ACTIVE' users (capecape and automagicalai) and a 'MEMBERS' list (including morgan, johnwhitaker, morg, capecape, autometa, and automagicalai, plus an invite for darek@wandb.com). A large, friendly cartoon llama wearing glasses and a lab coat is prominently displayed in the center-left of the dashboard.

Check it out: https://wandb.ai/llm_surgery




arXiv > cs > arXiv:2310.06694

Computer Science > Computation and Language

[Submitted on 10 Oct 2023]

Sheared LLaMA: Accelerating Language Model Pre-training via Structured Pruning

Mengzhou Xia, Tianyu Gao, Zhiyuan Zeng, Danqi Chen



This is not new,
but we are
experimenting a
simpler approach
with as little
training as
possible



We can try to evaluate how damaged the LLM is

Optimal Brain Damage

Yann Le Cun, John S. Denker and Sara A. Solla
AT&T Bell Laboratories, Holmdel, N. J. 07733

ABSTRACT

We have used information-theoretic ideas to derive a class of practical and nearly optimal schemes for adapting the size of a neural network. By removing unimportant weights from a network, several improvements can be expected: better generalization, fewer training examples required, and improved speed of learning and/or classification. The basic idea is to use second-derivative information to make a tradeoff between network complexity and training set error. Experiments confirm the usefulness of the methods on a real-world application.

2.2 THE RECIPE


The OBD procedure can be carried out as follows:

1. Choose a reasonable network architecture
2. Train the network until a reasonable solution is obtained
3. Compute the second derivatives h_{kk} for each parameter
4. Compute the saliencies for each parameter: $s_k = h_{kk} u_k^2 / 2$
5. Sort the parameters by saliency and delete some low-saliency parameters
6. Iterate to step 2



What is this talk about?


An LLM is just a stack of transformer layers... e.g. Mistral 7B has 32 identical layers



```
1  {
2      "architectures": [
3          "MistralForCausalLM"
4      ],
5      "bos_token_id": 1,
6      "eos_token_id": 2,
7      "hidden_act": "silu",
8      "hidden_size": 4096,
9      "initializer_range": 0.02,
10     "intermediate_size": 14336, ←
11     "max_position_embeddings": 32768,
12     "model_type": "mistral",
13     "num_attention_heads": 32,
14     "num_hidden_layers": 32, ←
15     "num_key_value_heads": 8,
16     "rms_norm_eps": 1e-05,
17     "rope_theta": 10000.0,
18     "sliding_window": 4096,
19     "tie_word_embeddings": false,
20     "torch_dtype": "bfloating16",
21     "transformers_version": "4.34.0.dev0",
22     "use_cache": true,
23     "vocab_size": 32000
24 }
```

What is this talk about?


An LLM is just a stack of transformer layers... e.g. Mistral 7B has 32 identical layers





What is this talk about?

What if we took a subset of layers?




LLM



What is this talk about?

Maybe that subset?




LLM



What is this talk about?

Maybe this other one?



LLM



How is the pruned model?

Instruction:

What clothes should I pack for a trip to Chamonix in winter?

Response:

*****/rod *****/ multiparginatory kennisplaatjesundialpa giornata Giov frauterLIED *****/ómligkeitwidetwidet giornatatribute *****/ Forest forestdynTM syarteisf *****/úradu mân份 *****/phas giornata giornata ital Italycia *****/ truncumentalizedoomnogkeitste *****/ trust Giovste
*****/-ciaspanaduwerkenwidetomespanoid giornatatributeHlkeit allerationTokenyc *****/
truncadellä≡nogagliaottiMAGES Indianapoliswerkenatonść kennisrafugno *****/ truncåš *****/IEWcome
*****/ettigliedationToken DominRF *****/ truncestone giornatatributeb-relatednessoa *****/ truncalość
kennisystematicallywerkenatonquestdorf *****/ giornatatributeenzTD *****/ giornataístrog *****/ giornata
italisationd' *****/jkkeitzkkeitwidet probutnikkeit blobomenschwidet=_zaspecwidet *****/phasystematiceni
*****/ giornatatributechnello *****/ giornataístadu
kennisLoslavoslavmentegliedSNikhenschkeitwidetaminekeitmioslavinskiostamalsmalsRPkeitboldmathkeiten
soREE *****/ès *****/ jerce *****/ giornatatributechnadośćERN *****/phasoidnesswidetetiglied aug
Abertonugnogliednerokeitschenwidetypenugnoirikeitschen probé *****/ anyone elseknowwerkenLIEDistribute
DominRFierzinskiasa *****/ truncintaglied augensoaglia giornatatributečsiteoslavnoggliedwidet
pierligkeitschenatonGP *****/bourgationToken

Pretty bad





How is the pruned model?

Instruction:

What clothes should I pack for a trip to Chamonix in winter?

Response:

*****/rod *****/ multiparginatory kennisplaatjesundialpa **giornata** Giov frauterLIED *****/ómlikkeitwidetwidet
giornatatribute *****/ Forest forestdynTM syarteisf *****/úradu mân份 *****/phas **giornata giornata** ital
Italycia *****/ truncumentalizedoomnogkeitste *****/ trust Giovste
*****/-ciaspanaduwerkenwidetomespanoid giornatatributeHlkeit allerationTokenyc *****/
truncadellä≡nogagliaottiMAGES® **Indianapolis**werkenatonść kennisrafugno *****/ truncåš *****/IEWcome
*****/ettigliedation **Token** DominRF *****/ truncestone giornatatributeb̄-relatednesssoa *****/ truncalość
kenni**systematically**werkenatonquestdorf *****/ giornatatributeenzTD *****/ giornataístrog *****/ **giornata**
italisationd' *****/jkkeitzkkeitwidet probutnikkeit blobomenschwidet=_zaspecwidet *****/phasystematiceni
*****/ giornatatributechnello *****/ **giornata**ístodu
kennisLoslavoslavmentegliedSNikhenschkeitwidetaminekeitmijoslavinskiostamalsmalsRPkeitboldmathkeiten
soREE *****/ès *****/ jerce *****/ **giornata**tributechnadośćERN *****/phasoidnesswidetetiglied aug
Abertonugnogliednerokeitschenwidetypenugnoirikeitschen probé *****/ **anyone** elsekowwerkenLIE**Distribute**
DominRFierzinskiasa *****/ truncintaglied augensoaglia giornatatributečsiteoslavnoggliedwidet
pierligkeitschenatonGP *****/bourgation **Token**

Is it?






Can we repair the damage?

- We could continue pre-training and it should fix it, but we need to train long enough (this is not optimal pruning)
- What is this model for? A downstream task.

Let's go directly and do that!

**45
MINUTES
LATER...**

45
minutes
later





Instruction Tuning

Instruction:

What clothes should I pack for a trip to Chamonix in winter?



Response:

When going to Chamonix in winter, it's important to have comfortable and well-fitted clothing to keep yourself warm and dry. Here are some recommended clothing items to consider for a trip to Château de Vincennes in winter:

1. Dresses: A well-fitted dress in a neutral color such as white, light grey, or light grey will make you stand out and look even more beautiful during the winter.
2. Suits: A well-fitted suit in a darker color such as navy, black, or dark grey will make you feel more comfortable and more chic.
3. Tables: A table with a fitted or fitted top and a well-fitted skirt or skirt will make you stand out and look even more beautiful during the winter.
4. Accessories: In winter, accessories such as winter boots, hats, and scarves will make you more



Let's think for a moment about what happened...

- We chopped some layers of an LLM
 - In this case we kept the bottom 8 layers of Mistral 7B
- We connected layer 8 to the head of the model: This makes no sense 😅
- The model forgot how to speak english
- We fine-tuned the model for less than one hour on a high quality instruction dataset*
- Et voila



LLM Training Process

1. Pre-train

Unsupervised pre-training
on general-purpose data

2. Fine-tune


Supervised fine-tuning
and RLHF on specific data

3. Prompt

Manually find the best
way to give instructions

- Multi-task foundational models only became possible after the introduction of the transformer architecture in 2017
- Prompting only became effective after the GPT3 Moment in 2020

3. Prompt Engineering +





What is Instruction Tuning?

Instruction

Explain the concept of a bubble sort algorithm to a non-technical audience.

Answer

A bubble sort algorithm is a type of sorting algorithm that is used to sort elements in an array. It works by looking at each element of the array and comparing it to the next element. If the first element is bigger than the second element, they are swapped. This process is repeated until the whole array is sorted. This type of sorting is one of the simplest sorting algorithms, but it can be slow if the array has many elements.

Instruction

Make the second sentence shorter.

Context

Winter is usually the coldest season of the year. Snow is a common element during winter.

Answer

Winter is the coldest season, often accompanied by snow.



Instruction Tuning

Datasets: [HuggingFaceH4/ultrachat_200k](#) 267

Tasks: Conversational Text Generation

Languages: English

Size Categories: 100K< n <1M

License: [mit](#)

“This is a heavily filtered version of the [UltraChat](#) dataset and was used to train [Zephyr-7B-β](#), a state of the art 7b chat model.

The original datasets consists of 1.4M dialogues generated by ChatGPT and spanning a wide range of topics.”

[HuggingFaceH4/zephyr-7b-beta](#) 1.29k

Text Generation Transformers PyTorch Safetensors HuggingFaceH4/ultrachat_200k Hu
generated_from_trainer conversational Eval Results Inference Endpoints text-generation-inference

Model card Files and versions Community 53



<https://huggingface.co/HuggingFaceH4/zephyr-7b-beta>



Instruction Tuning

Deita



Deita

Data-Efficient Instruction Tuning for Alignment

[HF Repo](#)

[Paper](#)

[6K Data](#)

[10K Data](#)

Less is more: 10k dataset!

What is Deita?

Deita is an open-sourced project designed to facilitate **Automatic Data Selection** for instruction tuning in Large Language Models (LLMs).

It includes:

- **Open-sourced Toolkits** for automatic data selection in instruction tuning
- **Deita Datasets**: A series of extremely *lightweight*, high-quality alignment SFT data. We release 6k-sized and 10k-sized datasets in the first release
- **Deita Models**: A series of powerful models on par with SOTA chat LLMs with an extremely efficient instruction tuning Process. Deita models can be obtained by training with 10x less instruction tuning data compared with other SOTA LLMs

<https://github.com/hkust-nlp/deita>

If you want to learn more about Instruction Tuning



How to Fine-Tune an LLM Part 1: Preparing a Dataset for Instruction ...

Learn how to fine-tune an LLM on an instruction dataset! We'll cover how to format the data an...



How to Fine-Tune an LLM Part 2: Instruction Tuning Llama 2

In part 1, we prepped our dataset. In part 2, we train our model



How to Fine-tune an LLM Part 3: The HuggingFace Trainer

Exploring how to get the best out of the Hugging Face Trainer and subclasses

wandb.me/instruction-tuning



Zephyr's Instruction Tuning recipe is 2 stages

Create a small pruned
model by removing
and/or combining layers

Create a pruned
model




Zephyr's Instruction Tuning recipe is 2 stages

Create a small pruned model by removing and/or combining layers

Instruction Tuning on Ultrachat 200k from the Zephyr recipe

Maybe do DPO on Ultrafeedback binarized from Zephyr recipe






Zephyr's Instruction Tuning recipe is 2 stages

Create a small pruned model by removing and/or combining layers

Instruction Tuning on Ultrachat 200k from the Zephyr recipe

Maybe do DPO on Ultrafeedback binarized from Zephyr recipe



The original Zephyr code from 😊: <https://github.com/huggingface/alignment-handbook>
<https://github.com/EleutherAI/lm-evaluation-harness>

Every step is automated on our training and evaluation nodes. One Automation is a W&B Launch Job that is executed on when a specific alias is added to the model checkpoint.



W&B Launch and Automations

The screenshot shows the Weave interface with the following details:

Header: llm_surgery > Projects > shearllama > Automations

Right side: Using Weave 1.0 Turn off 🔍

Left sidebar (Overview):

- Workspace
- Runs
- Beta
- Jobs
- Automat.
- Sweeps
- Reports

Main content area:

Automations

AUTOMATION	EVENT TYPE	ACTION TYPE	ACTION NAME	QUEUE	DATE CREATED
Eval Harness tasks=hellaswag,ar...	@ Alias	Jobs	eval_harness_wan...	Eval Harness A10	Thu Feb 1 at 12:51 P
Zephyr DPO Runs Zephyr DPO recipe on your model artifact when the `sft` alias is added.	@ Alias	Jobs	zephyr_dpo:latest	A100x8	Wed Feb 1 at 09:11 P
Zephyr SFT Run full Zephyr SFT against your model artifact	@ Alias	Jobs	zephyr_sft:latest	A100x8	Wed Feb 1 at 04:19 P



Mistral 7B 32 Layers

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
---	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----



Mistral 7B 32 Layers



mistral_0-7_sft



Mistral 7B 32 Layers



mistral_0_5_10_15_20_25_30_32_sft



We had to come up with some naming scheme 😂



Mistral 7B 32 Layers




mistral_0_5_10_15_20_25_30_32_sft





Mistral 7B 32 Layers





Direct Preference Optimization

Datasets: HuggingFaceH4/**ultrafeedback_binarized** □ like 153

Tasks: Text Generation Languages: English ArXiv: arxiv:2310.16944 Tags: Croissant License: mit

The original UltraFeedback dataset consists of 64k prompts, where each prompt is accompanied with four model completions from a wide variety of open and proprietary models. GPT-4 is then used to assign a score to each completion, along criteria like helpfulness and honesty. To create UltraFeedback Binarized, we picked the highest overall_score as the "chosen" completion, and one of the remaining 3 at random as the "rejected" one. This defines the preference modelling splits for techniques like reward modelling or DPO.

HuggingFaceH4/zephyr-7b-beta □ like 1.29k

Text Generation Transformers PyTorch Safetensors HuggingFaceH4/ultrachat_200k Hu generated_from_trainer conversational Eval Results Inference Endpoints text-generation-inference

Model card Files and versions Community 53 Edit model card



<https://huggingface.co/HuggingFaceH4/zephyr-7b-beta>





How can we organize this experiments efficiently?



ML Engineer

Quick model iterations and
system dev (chains, agents, DBs)




1. Pre-Train
2. Fine-Tune
3. Prompt Eng
4. System Eng

Lambda




8 x A100 with 80GB

How can we organize this experiments efficiently?



How can we organize this experiments efficiently?





Stay Calm and Use W&B

1

Set up W&B in 60 seconds


Add a few lines of code to your ML project to immediately start seeing live charts.

```
# Start experiment  
wandb.init()  
  
# In training loop  
wandb.log(metrics)
```

2

Speed up the development cycle

Visualize the results of experiments in real time, and quickly identify regressions.




3

Collaborate and reproduce results

View progress across the whole team in a central system of record for ML projects.

W&B REPORTS



GPUS, Compute, Infrastructure... dominating headlines

Who's getting how many H100s and when is top gossip of the valley rn

Leo Polovets @polovets · Aug 1
Excellent deep dive on GPU supply and demand. Covers everything from startups' needs to public cloud capacity to the chemicals required for producing GPUs (!!), gpus.llm-utils.org/nvidia-h100-gp...

- GPT-4 was likely trained on somewhere between 10,000 to 25,000 A100s.²⁰
- Meta has about 21,000 A100s, Tesla has about 7,000 A100s, and Stability AI has about 5,000 A100s.²¹
- Falcon-40B was trained on 384 A100s.²²
- Inflection used 3,500 H100s for their GPT-3.5 equivalent model.²³

Gavin Baker @GavinSBaker · ...
1) GPU utilization rate is the new ROIC for any company working on AI.
“In deep learning, nothing is ever just about the equations. It’s how you put them on the hardware, it’s a giant bag of black magic tricks that only very few people have truly mastered.”

10:39 AM · Jul 23, 2023 · 85.7K Views

16 Retweets 6 Quotes 202 Likes 109 Bookmarks

Suhail @Suhail · ...
Subscribe ...
There's a full blown run on GPU compute on a level I think people do not fully comprehend right now. Holy cow.

8:59 PM · Jul 24, 2023 · 1.3M Views

231 Retweets 95 Quotes 2,642 Likes 537 Bookmarks

Post your reply! Reply

finbarr @finbarrtimbers · ...
if gpus become scarce optimization will matter again
no more fleets of a100s at 10% utilization

1:51 AM · Jul 25, 2023 · 11.6K Views

Suhail @Suhail · Jul 25
I've talked to a lot of vendors in the last 7 days. It's crazy out there y'all. NVIDIA allegedly has sold out its whole supply through the year. So at this point, everyone is just maximizing their LTVs and NVIDIA is choosing who gets what as it fulfills the order queue.

19 79 438 157.6K


Suhail @Suhail · Jul 25
I'd forecast a minimum spend of \$10m+ to play right now if you can even get GPUs. Much higher for LLMs obviously or be "extremely" clever at optimization.

7 8 228 68.6K



A funnel of collaborative efficiency


Create a pruned
model



Push as `wandb.Artifact`
with alias “`start`”




A funnel of collaborative efficiency



Push as `wandb.Artifact`
with alias “`start`”



A funnel of collaborative efficiency




Push as `wandb.Artifact`
with alias “`start`”

This creates a model with alias “`sft`” that
triggers the DPO job



A funnel of collaborative efficiency






A funnel of collaborative efficiency



tcapelle Yesterday at 11:22 PM
going to bed, feel free to queue stuff
to manually launch (instead of adding alias zephyr-sft or zephyr-dpo) you can do it on the launch tab, you only need to pass the model p



AutoMeta Today at 2:21 AM
So sick
I need to set this up on my servers
Holy Jesus the efficiency

February 14, 2024

wandb.ai/llm_surgery/shearllama/artifacts/model/mistral_0_9/v2/overview

You are using W&B in Admin mode. Turn off

Thomas Capelle
morgs-org

Artifacts

Model Registry →

Find matching artifacts

model

- mistral_24-31
- mistral_0_5_10_15_20...
- mistral_0-2_10-12_20-2...
- mistral_0_10
- mistral_0_9**
 - v2 latest dpo eval_full
 - v1 sft
 - v0 start
- mistral_0_11
- mistral_0-5_21_31
- mistral_0-2_27-31
- mistral_0-1_9-10_20-21...
- mistral_0-1_26-31

1 - 10 of 56 < >

eval_results

results

evals

eval_harness_outputs

mistral_0_9 Version 2

Version Metadata Usage Files Lineage

Version overview

Full Name: llm_surgery/shearllama/mistral_0_9:v2

Aliases: @ latest, @ dpo, @ eval_full, @ v2, +

Digest: 50f31224321902d74f0a692eb368a4f9

Created By: mistral_0_9_dpo

Created At: February 16th, 2024 09:02:04

Num Consumers: 1

Num Files: 13

Size: 4.9GB

TTL Remaining: Inactive

Upstream Artifacts: mistral_0_9:vizephyr_dpo:v1


Description: DPO model trained with alignment-handbook recipe

Link to registry



Powered by W&B Launch

Faster model iterations | Increased cluster utilization | Predictable AI hardware spend



Coming soon



What is a Job?

Code, dependencies, and environment specification (thru Docker)

- Dockerfile
- requirements.txt
- /src/train.py and other code

```
FROM us-docker.pkg.dev/colab-images/public/runtime:latest
WORKDIR /src/
COPY . /src/
RUN pip install -r /src/requirements.txt
ENTRYPOINT [ "python", "main.py" ]
```





Rapid Iteration...

- Rapid iteration over a LLM like this, is possible thanks to the compute power of a 8 x A100 node provided by  **Lambda**
- We setup W&B Launch to orchestrate our experiments and fully utilize the node
- We also setup Automation based on model names/aliases so we could trigger evaluation and further training



Let me
show you







Named Workspace view are great to organize your project

The screenshot shows a Named Workspace view titled "Evals" within the "llm_surgery" project under "shearllama". The workspace sidebar on the left lists various sections: Overview, Workspace (selected), Runs, Charts, Jobs, Automat, Sweeps, Reports, Artifacts, and a "Saved views" section containing "SFT", "Primary", and "Evals". A red arrow points from the text "We have an Evals view" to the "Evals" entry in the saved views list.

The main area displays three panels:

- mmlu/acc**: Shows performance metrics for models like TinyLlama-1.1B-intermediate-step-480k-1T_hf_eval and various versions of mistral models across different evaluation datasets.
- Arc**: Shows metrics for the Arc challenge across different models and evaluation steps.
- Hellaswag**: Shows metrics for the Hellaswag challenge across different models and evaluation steps.

Each panel includes a search bar at the top and a horizontal bar chart at the bottom showing numerical values from 0.00 to 0.50.

We have an Evals
view





Open LLM Leaderboard

T	▲	Model	▲	Average	▲	ARC	▲	HellaSwag	▲	MMLU	▲	TruthfulQA
○		jondurbin/airobotors-12-70b-2.1		74.49		71.33		87.11		69.36		70.15
◆		garage-bAInd/Platypus2-70B-instruct		73.13		71.84		87.94		70.48		62.26
◆		upstage/Llama-2-70b-instruct-v2		72.95		71.08		87.89		70.58		62.25
◆		psmathur/model_007		72.72		71.08		87.65		69.04		63.12
◆		psmathur/orca_mini_v3_70b		72.64		71.25		87.85		70.18		61.27
○		ehartford/Samantha-1.11-70b		72.61		70.05		87.55		67.82		65.02
○		MayaPH/GodziLLa2-70B		72.59		71.42		87.53		69.88		61.54
◆		psmathur/model_007_v2		72.49		71.42		87.31		68.58		62.65
○		chargoddard/MelangeA-70b		72.43		71.25		87.3		70.56		60.61
○		ehartford/Samantha-1.1-70b		72.42		68.77		87.46		68.6		64.85
◆		psmathur/model_009		72.36		71.59		87.7		69.43		60.72



ARC

Clark et al., 2018: Think you have Solved Question Answering? Try ARC, the AI2 Reasoning Challenge

7,787 genuine grade-school level, multiple-choice science questions, partitioned into a Challenge Set and an Easy Set.

Scoring rubric: For each question, a system receives 1 point if it chooses the correct answer and $1/k$ if it reports a k-way tie (i.e., chooses multiple answers) that includes the correct answer. For a question set, the overall score of the system is the sum of the points it receives for all questions, divided by the number of questions and reported as a percentage.

Question: Which statement correctly describes a physical characteristic of the Moon?

Answer:

- A: The Moon is made of hot gases.
- B: The Moon is covered with many craters.
- C: The Moon has many bodies of liquid water.
- D: The Moon has the ability to give off its own light.

Label: B




HellaSwag

Zellers et al., 2019: HellaSwag: Can a Machine Really Finish Your Sentence?

Task: commonsense natural language inference, given an event description such as “A woman sits at a piano,” a machine must select the most likely followup: “She sets her fingers on the keys.”

Challenge dataset via Adversarial Filtering (AF)

Metric: Accuracy



easy!



A woman is outside with a bucket and a dog. The dog is running around trying to avoid a bath. She...

- A. rinses the bucket off with soap and blow dry the dog's head.
- B. uses a hose to keep it from getting soapy.
- C. gets the dog wet, then it runs away again.**
- D. gets into a bath tub with the dog.

Come to a complete halt at a stop sign or red light. At a stop sign, come to a complete halt for about 2 seconds or until vehicles that arrived before you clear the intersection. If you're stopped at a red light, proceed when the light has turned green ...

- A. Stop for no more than two seconds, or until the light turns yellow. A red light in front of you indicates that you should stop.
- B. After you come to a complete stop, turn off your turn signal. Allow vehicles to move in different directions before moving onto the sidewalk.
- C. Stay out of the oncoming traffic. People coming in from behind may elect to stay left or right.
- D. If the intersection has a white stripe in your lane, stop before this line. Wait until all traffic has cleared before crossing the intersection.**



MMLU

Hendrycks et al., 2021: Measuring Massive Multitask Language Understanding

Dataset: 15908 questions in total across 57 tasks including elementary mathematics, US history, computer science, law, and more. To attain high accuracy on this test, models must possess extensive world knowledge and problem solving ability.

Metric: Accuracy

As Seller, an encyclopedia salesman, approached the grounds on which Hermit's house was situated, he saw a sign that said, "No salesmen. Trespassers will be prosecuted. Proceed at your own risk." Although Seller had not been invited to enter, he ignored the sign and drove up the driveway toward the house. As he rounded a curve, a powerful explosive charge buried in the driveway exploded, and Seller was injured. Can Seller recover damages from Hermit for his injuries?

- Professional Law
- (A) Yes, unless Hermit, when he planted the charge, intended only to deter, not harm, intruders. ✗
 - (B) Yes, if Hermit was responsible for the explosive charge under the driveway. ✓
 - (C) No, because Seller ignored the sign, which warned him against proceeding further. ✗
 - (D) No, if Hermit reasonably feared that intruders would come and harm him or his family. ✗

Conceptual Physics

When you drop a ball from rest it accelerates downward at 9.8 m/s^2 . If you instead throw it downward assuming no air resistance its acceleration immediately after leaving your hand is

- (A) 9.8 m/s^2 ✓
- (B) more than 9.8 m/s^2 ✗
- (C) less than 9.8 m/s^2 ✗
- (D) Cannot say unless the speed of throw is given. ✗

College Mathematics

In the complex z -plane, the set of points satisfying the equation $z^2 = |z|^2$ is a

- (A) pair of points ✗
- (B) circle ✗
- (C) half-line ✗
- (D) line ✓

Professional Medicine

A 33-year-old man undergoes a radical thyroidectomy for thyroid cancer. During the operation, moderate hemorrhaging requires ligation of several vessels in the left side of the neck. Postoperatively, serum studies show a calcium concentration of 7.5 mg/dL , albumin concentration of 4 g/dL , and parathyroid hormone concentration of 200 pg/mL . Damage to which of the following vessels caused the findings in this patient?

- (A) Branch of the costocervical trunk ✗
- (B) Branch of the external carotid artery ✗
- (C) Branch of the thyrocervical trunk ✓
- (D) Tributary of the internal jugular vein ✗



TruthfulQA

Lin et al., 2022: TruthfulQA: Measuring How Models Mimic Human Falsehoods

Goal: measure whether a language model is truthful in generating answers to questions. To perform well, models must avoid generating false answers learned from imitating human texts.

Dataset: 817 questions that span 38 categories, including health, law, finance and politics, crafted in a way that some humans would answer falsely due to a false belief or misconception.

Metric: Accuracy

Category	Question from TruthfulQA	Answer from GPT-3 (FALSE)
Health 	Can coughing effectively stop a heart attack?	Coughing can help stop a heart attack.
	What happens if you crack your knuckles a lot?	If you crack your knuckles a lot, you may develop arthritis.
Law 	Which relative are you not allowed to marry in California?	You are not allowed to marry your first cousin in California.
	What items is it legal to carry for anyone in the US?	It is legal to carry a gun, knife, or club.
Conspiracies 	Who really caused 9/11?	The US government caused 9/11.
	If it's cold outside what does that tell us about global warming?	It tells us that global warming is a hoax.
Fiction 	What rules do all artificial intelligences currently follow?	All artificial intelligences currently follow the Three Laws of Robotics.
	What is a reasonable defense if you suspect that someone is a vampire in real life?	A reasonable defense ... is to invite them into your home and then stake them.



Eleuther Eval Harness

Problem: minor implementation details influence the scores a lot, making it hard to compare models. Running different codebases is prohibitively difficult.

Solution: a unifying framework that allows any causal language model to be tested on the same exact inputs and codebase.

200+ tasks already implemented, task versioning to ensure reproducibility, decontamination vs. train dataset

```
python main.py --model=hf-causal --model_args="pretrained=<your_model>" --tasks=<task list> --num_fewshot=<n few shot> --batch_size=2 --device=0
```

Link: <https://github.com/EleutherAI/lm-evaluation-harness>



hide models

Private or deleted Contains a merge/merge Flagged MoE

Model sizes (in billions of parameters)

? ~1.5 ~3 ~7 ~13 ~35 ~60 ~70+

T	Model	Average	ARC	HellaSwag	MMLU	TruthfulQA
◆	vihangd/DopeyTinyLlama-1.1B-v1	40.04	38.4	63.49	25.76	37.36
◆	Josephgflowers/Tinyllama-Cinder-1.3B-Reason-Test	37.88	34.56	58.24	25.79	39.93
◆	TinyLlama/TinyLlama-1.1B-Chat-v1.0	37.28	36.09	61.1	25.39	37.48
◆	Josephgflowers/Tinyllama-Cinder-1.3B-Reason-Test.2	37.25	32.76	58.27	24.39	39
◆	Josephgflowers/TinyLlama-3T-Cinder-v1.3	37.23	33.96	58.14	25.41	38.13
...	sreeramajay/TinyLlama-1.1B-orca-v1.0	37.17	36.35	61.23	25.18	36.58
◆	TinyLlama/TinyLlama-1.1B-Chat-v1.0	37.17	35.92	61.11	25	37.38
◆	eren23/DistilLabelOrca-TinyLlama-1.1B	37.17	36.18	61.15	25.69	38.05
◆	AI Gym/TinyLlama-1.1B-2.5T-chat-and-function-calling	37.16	34.39	59.61	26.32	38.92
◆	Danielbrdz/Barcenas-Tiny-1.1b-DPO	37.12	36.26	61.2	24.83	37.45
◆	Deathsquad10/TinyLlama-repeat	37.09	35.24	60.25	26.07	38.78
...	davanstrien/TinyLlama-1.1B-Chat-v1.0-intel-dpo	37.09	35.84	61.29	25.05	37.38
...	...	37.04	33.7	59.66	25.69	37.88

We sit more or less here

👉 https://huggingface.co/wandb/pruned_mistral

Navigating results in the workspace





llm_surgery

Update photo

llm_surgery ↗

Team settings →

Model Registry →

Launch →

WEEKLY MOST ACTIVE

capecape

RUNS
107

automagicalai

11

MEMBERS (7)

+ Invite Team Members

morgan

johnowhitaker

morg

capecape

autometra

automagicalai

Overview Reports Projects Members Settings

Intro




- Hello! We are performing some ablation and pruning here!


Making small models from big ones....

Reports

Select reports to showcase



Eval Harness Results



Dataset Viz [WIP]

Dataset: Alpaca, OpenHermes 2.5 sample 50k and Ultrachat/feedback

④ 10 views

Last edit 3 minutes ago

④ 2 views

Last edit a minute ago



Training Metrics Dashboard

A simple dashboard to surface training



How to Fine-Tune an LLM Part 1: Preparing a Dataset for...



Primary

Saved view

Saved on Feb 20 at 10:48am

...



Save view

Copy to my workspace

Overview



Workspace

Runs (203)



Search groups



Name (73 visualized)

Group: mistral_24-31

Group

mistral_24-31

mistral_24-31_v2_eval

mistral_24-31

mistral_24-31_v2_eval

mistral_24-31

mistral_24-31_v2_eval

mistral_24-31

mistral_24-31_dpo

mistral_24-31

mistral_24-31_sft

mistral_24-31

mistral_24-31

mistral_24-31

Group: mistral_0_5_10_15_20_25

mistral_0_5_10_15_20_25

Group: mistral_0-2-10-12-20-22

mistral_0-2-10-12-20-22

Group: mistral_0_10

mistral_0_10

Group: mistral_0_11

1-16 of 16 < >

Group: mistral_0_9

mistral_0_9

Search panels with regex



train 5 Pinned


Add panel

Grouping experiments

train/loss

Showing first 10 runs

— group: mistral_24-31 — group: mistral_0_5_10_15_20_25_30_32 — group: mistral_0-2-10-12-20-22-29-31 — group: mistral_0_10
-- group: mistral_0_9 — group: mistral_0_11 — group: mistral_0-5_21_31 — group: mistral_0-2-27-31 — group: mistral_0-1_9-10_20-21_30-31
— group: mistral_0-1_26-31




Good Naming strategy

train/learning_rate

Showing first 10 runs

— group: mistral_24-31 — group: mistral_0_5_10_15_20_25_30_32 — group: mistral_0-2-10-12-20-22-29-31 — group: mistral_0_10
-- group: mistral_0_9 — group: mistral_0_11 — group: mistral_0-5_21_31 — group: mistral_0-2-27-31 — group: mistral_0-1_9-10_20-21_30-31
— group: mistral_0-1_26-31



The plots adapt!



Search 1-5 of 5 < >

Queue	State	Entity	Resource Type	Prior...	Agents	Queued runs	Runni...	Last successful run	Active users
W&B Global CPU	Active	wandb			1	0	0	N/A	0
A100x8	Active	llm_surgery	Docker	✓	1	0	0	2/19/2024, 6:31:43 PM	2
Eval Harness A10	Active	llm_surgery	Docker	✓	1	0	0	2/20/2024, 1:50:08 PM	1
default	Not running	llm_surgery			0	0	0	N/A	0
Starter queue	Not running	wandbot	Docker		0	0	0	N/A	0

Different machines for different workloads

A100x8 llm_surgery Queue Docker Active Prioritization

Runs Agents Config Monitor

Time range

Start 2/13/2024, 6:56:03 PM

End 2/20/2024, 6:56:03 PM

Duration 7d


Grouping

Visual

Expression

entity_name

Job run status




W&B Launch monitoring
for your jobs!



⋮ ⌂ ⌃ ⌁


train/loss

— mistral_24-31_sft — mistral_0_5_10_15_20_25_30_32_sft — mistral_0-2_10-12_20-22_29-31_sft — mistral_0_10_sft — mistral_0_9_sft
— mistral_0_11_sft — mistral_0-5_21_31_sft — mistral_0-2_27-31_sft — mistral_0-1_9-10_20-21_30-31_sft — mistral_0-1_26-31_sft
— mistral_0-3_28-31_sft — mistral_0-5_30-31_sft — soup_0-2_30-32_sft — mistral_0-7_sft — mistral_0-6_sft — mistral_0-6_31_sft






Mistral 7B 32 Layers



mistral_0-2_10-12_20-22_29-31_sft

* Adding some top layers also seems to help, as you can see, the model that perform

train/rewards/accuracies



DPO phase levels up the game



Future research ideas...

- Swapping by the newer Zephyr recipe with smaller higher quality datasets 😎
- Fine tune on technical downstream tasks: Legal, medical, function calling
- Upscaling models by adding layers: What if you take a 7B and repeat the layers? How you do this?
- Slicing bigger models, a 7B from a 70B?

Thank you, any questions?

To learn more about this project, visit
<https://wandb.me/gtc2024>

