



EXERCISES — Zigzag me

version #



Copyright

This document is for internal use at EPITA ([website](#)) only.

Copyright © 2021-2022 Assistants [<assistants@tickets.assistants.epita.fr>](mailto:assistants@tickets.assistants.epita.fr)

The use of this document must abide by the following rules:

- ▷ You downloaded it from the assistants' intranet.*
- ▷ This document is strictly personal and must **not** be passed onto someone else.
- ▷ Non-compliance with these rules can lead to severe sanctions.

Contents

1	Zigzag me	3
1.1	Goal	3
1.2	Example	4

*<https://intra.assistants.epita.fr>

1 Zigzag me

Files to submit:

- zigzag_matrix/zigzag.c

Provided files:

- zigzag_matrix/zigzag-example.c

Authorized functions: You are only allowed to use the following functions:


- malloc(3)
- calloc(3)

Authorized headers: You are only allowed to use the functions defined in the following headers:

- assert.h
- errno.h
- stddef.h
- err.h

1.1 Goal

A Zigzag matrix is a special type of square matrix, where the numbers increase as you zigzag from the upper-left corner to the lower-right corner.



Write a function that takes an integer as argument, and returns the generated Zigzag matrix. You should allocate yourself a one-dimensional array.

The prototype of the function to write is the following:

```
int *zigzag(size_t n);
```

- You should return a NULL value if the given integer is zero.

- We ask you to make a 0 index-based matrix, consequently, your Zigzag matrix should begin with the number 0 and not 1.

1.2 Example

Here is the result of the provided zigzag-example.c.

```
42sh$ gcc -Wall -Wextra -Werror -std=c99 -pedantic -o zigzag
zigzag.c zigzag-example.c
42sh$ ./zigzag | cat -e
zigzag of size 3:$
  0  1  5$
  2  4  6$
  3  7  8$
zigzag of size 5:$
  0  1  5  6 14$
  2  4  7 13 15$
  3  8 12 16 21$
  9 11 17 20 22$
 10 18 19 23 24$
```

It is my job to make sure you do yours.