

EXERCISES — Tree trunk

version #



ASSISTANTS C/UNIX 2022 <assistants@tickets.assistants.epita.fr>

Copyright

This document is for internal use at EPITA (website) only.

Copyright © 2021-2022 Assistants <assistants@tickets.assistants.epita.fr>

The use of this document must abide by the following rules:

- ▶ You downloaded it from the assistants' intranet.*
- ▷ This document is strictly personal and must **not** be passed onto someone else.
- ▶ Non-compliance with these rules can lead to severe sanctions.

Contents

1	I Tree trunk		3
	1.1	Goal	3
		Example	3

^{*}https://intra.assistants.epita.fr

1 Tree trunk

Files to submit:

mini_tree/mini_tree.sh

Authorized commands:

builtins

1.1 Goal

Write a shell script that prints on the standard output the content of the given directories in a tree-like format. The output looks like the command tree --prune. You do not have to print at the end the count of files and directories.

You do not have to handle these cases:

- · File types other than regular file and directory
- · Empty directories
- · Permission access
- Return value

1.2 Example

```
42sh$ 1s
mini_tree.sh out
42sh$ ./mini_tree.sh | cat -A
.$
+-- mini_tree.sh$
+-- out$
    +-- README$
    +-- src$
      +-- bye$
       | +-- bye$
       +-- hello$
            +-- kitty$
            +-- world$
    +-- tests$
       +-- test01$
       +-- test02$
```

```
42sh$ ./mini_tree.sh out | cat -A out$
+-- README$
+-- src$
| +-- bye$
| | +-- bye$
| +-- hello$
```

(continues on next page)

(continued from previous page)

```
| +-- kitty$
| +-- world$
+-- tests$
+-- test01$
+-- test02$
```

```
42sh$ ./mini_tree.sh out/src/bye/ not_here ./out/tests | cat -A out/src/bye/$ +-- bye$ not_here [error opening dir]$ ./out/tests$ +-- test01$ +-- test02$
```

```
42sh$ ./mini_tree.sh mini_tree.sh | cat -A mini_tree.sh [error opening dir]$ $ 0 directories, 0 files$
```

It is my job to make sure you do yours.