



EXERCISES — my strtok r

version #



IT IS MY JOB TO MAKE SURE YOU DO YOURS.

Copyright

This document is for internal use at EPITA ([website](#)) only.

Copyright © 2021-2022 Assistants [<assistants@tickets.assistants.epita.fr>](mailto:assistants@tickets.assistants.epita.fr)

The use of this document must abide by the following rules:

- ▷ You downloaded it from the assistants' intranet.*
- ▷ This document is strictly personal and must **not** be passed onto someone else.
- ▷ Non-compliance with these rules can lead to severe sanctions.

Contents

1	my strtok r	3
1.1	Goal	3

*<https://intra.assistants.epita.fr>

1 my strtok_r

Files to submit:

- my_strtok_r/my_strtok_r.c
- my_strtok_r/my_strtok_r.h

Authorized headers: You are only allowed to use the functions defined in the following headers:

- stddef.h
- assert.h
- err.h
- errno.h

1.1 Goal

In this exercise, you will have to implement the `strtok_r(3)` function which will be useful when you will have to lex a stream of data into tokens.

```
char *my_strtok_r(char *str, const char *delim, char **saveptr)
```

You have to lex a string into a sequence of tokens. In the first call, the string to process must be `str`. For consecutive calls processing the same string, `str` should be `NULL` and `saveptr` should be used to save the previous states.

For further information, do not hesitate to consult the man page.

Be careful!

The file you will submit must contain at least the `my_strtok_r` function, but can contain other static functions if you need.

Do not push a `main`, otherwise we will not be able to test your function.

It is my job to make sure you do yours.