

Exercises — Trailing whitespaces wi

version #



ASSISTANTS C/UNIX 2022 <assistants@tickets.assistants.epita.fr>

Copyright

This document is for internal use at EPITA (website) only.

Copyright © 2021-2022 Assistants <assistants@tickets.assistants.epita.fr>

The use of this document must abide by the following rules:

- ▶ You downloaded it from the assistants' intranet.*
- ▷ This document is strictly personal and must **not** be passed onto someone else.
- ▶ Non-compliance with these rules can lead to severe sanctions.

Contents

1	Trail	ling whitespaces with sed	3
	1.1	Goal	3
		Example	

^{*}https://intra.assistants.epita.fr

1 Trailing whitespaces with sed

Files to submit:

sed_trailing_whitespaces/whitespaces.sed

1.1 Goal

The goal of this exercise is to write a sed script that will remove trailing whitespaces in your file. Your sed script will be used the following way:

```
42sh$ sed -i -Ef whitespaces.sed <file>
```

As you can deduce from the example, the flag -E is used for the extended regex.

1.2 Example

```
42sh$ cat -e test.txt
hello $
This is a $
Test $
Ok?$
42sh$ sed -i -Ef whitespaces.sed test.txt
42sh$ cat -e test.txt
hello$
This is a$
Test$
Ok?$
```

It is my job to make sure you do yours.