



EXERCISES — Mix files

version #



IT IS MY JOB TO MAKE SURE YOU DO YOURS.

Copyright

This document is for internal use at EPITA ([website](#)) only.

Copyright © 2021-2022 Assistants <assistants@tickets.assistants.epita.fr>

The use of this document must abide by the following rules:

- ▷ You downloaded it from the assistants' intranet.*
- ▷ This document is strictly personal and must **not** be passed onto someone else.
- ▷ Non-compliance with these rules can lead to severe sanctions.

Contents

| | | |
|-----|--------------------|---|
| 1 | Mix files | 3 |
| 1.1 | Goal | 3 |
| 1.2 | Examples | 3 |

*<https://intra.assistants.epita.fr>

1 Mix files

Files to submit:

- mix_files/mix_files.sh

Authorized commands:

- builtins
- head(1)
- cat(1)
- tail(1)
- wc(1)

1.1 Goal

In this exercise, you will have to create a script that will merge two files given as parameters. It must print on the standard output the result of the mixture of the two files. One line from each file will be written one after another.

On success, the script must return 0. If any error happen, you must return 1. Furthermore, if the number of parameters given to the script is different from 2, then the script must also print this error message: Usage: mix_files file1 file2. This message must be printed on the standard error output.

If one file is longer than the other, the remaining lines should still be printed.

1.2 Examples

```
42sh$ ls
file1
file2
file3
mix_files.sh
42sh$ ./mix_files.sh; echo "$?"
Usage: mix_files file1 file2
1
42sh$ ./mix_files.sh file1; echo "$?"
Usage: mix_files file1 file2
1
42sh$ ./mix_files.sh file1 not_a_file1; echo "$?"
1
42sh$ cat file1
a
b
c
d
e
42sh$ cat file2
```

(continues on next page)

```
1
2
3
42sh$ ./mix_files.sh file1 file2
a
1
b
2
c
3
d
e
42sh$ echo "$?"
0
42sh$ ./mix_files.sh file2 file1
1
a
2
b
3
c
d
e
42sh$ cat file3
A
B

E
F
42sh$ ./mix_files.sh file2 file3
1
A
2
B
3

E
F
```

It is my job to make sure you do yours.