





Course Overview

Craig Knoblock, Jay Pujara & Minh Pham





Mapping To Ontology


Entity Linking & Similarity

Knowledge Graph Deployment Query & Visualization

Crawling &

Intellectual property

Information extraction



Crawling &

Intellectual property

Information extraction

Mapping To Ontology

Entity Linking & Similarity Knowledge Graph Deployment Query & Visualization


RDF

Ontologies

Semantic Labeling & Modeling

Large KGs

Linked Data & Semantic Web



Crawling &

Intellectual property

Information extraction

Mapping To Ontology

RDF

Ontologies

Semantic Labeling & Modeling

Large KGs

Linked Data & Semantic Web

Entity Linking & Similarity

String similarity


ER & PSL

Blocking & Relational ER

KG embeddings

Knowledge Graph Deployment

Query & Visualization



Crawling &

Intellectual property

Information extraction

Mapping To Ontology

RDF

Ontologies

Semantic Labeling & Modeling

Large KGs

Linked Data & Semantic Web

Entity Linking & Similarity

String similarity

ER & PSL

Blocking & Relational ER

KG embeddings

Knowledge Graph Deployment Query & Visualization

Queries and KGs

KG embeddings

KG use cases

Graph Analytics

Question Answering

Linked Maps

Common Sense Knowledge

- Intro [JP]
 - What is a KG?
 - How are KGs used?
 - Where do KGs come from?
- QS: Crawling the Web [CK]
 - Surface web vs. deep web vs. dark web
 - What are the challenges?
 - What is the basic architecture of a crawler?

- QS: Information Extraction [JP]
 - What are the three components to IE?
 - How do they differ with differing amounts of supervision?
 - How do real-world systems do IE?
- QS: Knowledge Representation [CK]
 - What are the basic elements of RDF?
 - What are the different syntaxes for RDF?
 - What is RDF Schema?

- QS: Entity Resolution [JP]
 - What are the three basic settings of ER?
 - What are real-world examples of these ER settings?
 - What predictive techniques are used for ER?
- QS: Large KGs [CK]
 - Which large KGs exist and what distinguishes them?
 - How is Wikidata different from other large KGs?
 - What are the different methods to get data from large KGs?

- QS: Queries & KGs [JP]
 - SPARQL syntax
 - Graph query structure
- Large KGs Entity Linking [CK]
 - What is entity linking and why is it hard?
 - What is the basic architecture of entity linkers?
 - What are the popular methods for disambiguation?

- String Similarity [CK]
 - What is the difference between token and sequence based?
 - What are the strengths and weaknesses of each method?
 - How do hybrid methods work?
- Information Extraction [JP]
 - What are labeling functions (Snorkel)? What makes them good?
 - What does the generative model do?
 - What is the purpose of the discriminative model?

- ER & Probabilistic Soft Logic (PSL) [JP]
 - PSL fundamentals and when collective inference is necessary
 - Logic syntax and computing a soft logic loss
 - PSL model for knowledge graph identification
- Ontologies & RDF [CK]
 - What are ontologies for?
 - What are the building blocks of OWL?
 - How to represent knowledge in OWL?

- Structured Data [JP]
 - Different patterns and layouts of structured data
 - How to extract knowledge from structured datasets
 - DataCube knowledge representation
- Semantic Labeling/Semantic Models [CK]
 - What is semantic labeling (SL)?
 - How do rule-based and learning based SL approaches work?
 - What are the steps to discover and build the semantic models of data sources?

- Knowledge Graph Embeddings [JP]
 - What are KG embeddings for?
 - What are the popular methods for KG embeddings?
 - What are the advantages, disadvantages of different methods?
- Data Cleaning [MP]
 - What are the three main challenges in data cleaning?
 - What are the popular methods for error detection?
 - What are the popular methods for error repairing/data transformation?

- Blocking and Relational ER [JP]
 - Why we need blocking
 - Techniques used for blocking (LSH)
 - Relational entity resolution patterns / ER constraints
- Linked Data & Semantic Web [CK]
 - What are the principles of linked data?
 - How is DBpedia constructed?
 - What were the challenges in building the linked for the AAC?

- Graph Analytics [JP]
 - Node importance / centrality
 - Clustering measures and techniques
- Special Topics: Linked Maps & Semantic Modeling [CK]
 - How to represent geospatial data as linked data?
 - How to use known semantic models to model a new data source?
 - How to use knowledge graphs to model a new data source?

- Special Topics: Commonsense Knowledge Graphs [JP]
 - How is commonsense knowledge different from other knowledge?
 - What are the main KGs for commonsense knowledge?
- Question Answering [JP]
 - QA challenges
 - Watson case study focus entities, lexical types, question types
 - Semantic labeling and SPARQL query discovery

- Intellectual Property [CK]
 - What mechanisms exist to protect intellectual property?
 - What are the requirements for a patent?
 - What can be copyrighted, and what is the difference in CC licenses?