




**CENP-B box vs flank information (songbird ± 5 -flank test)
only points ABOVE the diagonal are box-enriched motifs**




Human α -sat (HG002 benchmark, ≤ 2 mm) | Human | n=3000 | box 1.74 vs flank 1.1 bits ($\Delta=+0.64$)




Rhinolophus sinicus (mrhisin, ≤ 5 mm) | Vertebrates | n=393 | box 1.21 vs flank 0.74 bits ($\Delta=+0.46$)




Epicampocera succincta (idepisucc, ≤ 5 mm) | Invertebrate | n=21 | box 1.39 vs flank 0.81 bits ($\Delta=+0.58$)




Protocalliphora azurea (idproazur, ≤ 5 mm) | Invertebrate | n=165 | box 1.35 vs flank 0.84 bits ($\Delta=+0.51$)




***Juncus bufonius* (Ipjunbufo, ≤ 5 mm) | Viridiplantae | n=51 | box 1.55 vs flank 1.09 bits ($\Delta=+0.46$)**




Carabus problematicus (iccarprob, ≤ 5 mm) | Invertebrate | n=77 | box 1.59 vs flank 1.14 bits ($\Delta=+0.45$)




***Nebria brevicollis* (icnebbrev, ≤ 5 mm) | Invertebrate | n=321 | box 1.78 vs flank 1.36 bits ($\Delta=+0.42$)**




dcastglyc (dcastglyc, ≤ 5 mm) | Invertebrate | n=76 | box 1.44 vs flank 1.02 bits ($\Delta=+0.42$)




Gymnosoma rotundatum (idgymrotn, ≤ 5 mm) | Invertebrate | n=197 | box 1.52 vs flank 1.15 bits ($\Delta=+0.37$)




Arctium minus (daarcminu, ≤ 5 mm) | Viridiplantae | n=28 | box 1.43 vs flank 1.08 bits ($\Delta=+0.35$)




Machimus atricapillus (idmacatri, ≤ 5 mm) | Invertebrate | n=23 | box 1.88 vs flank 1.54 bits ($\Delta=+0.34$)




inyntspin (inyntspin, ≤ 5 mm) | Invertebrate | n=74 | box 1.36 vs flank 1.02 bits ($\Delta=+0.34$)




iyarmarma (iyarmarma, ≤ 5 mm) | Invertebrate | n=25 | box 1.2 vs flank 0.87 bits ($\Delta=+0.32$)




Potamogeton natans (lapotnata, ≤ 5 mm) | Viridiplantae | n=292 | box 1.55 vs flank 1.23 bits ($\Delta=+0.32$)




jahalacto (jahalocto, ≤ 5 mm) | Invertebrate | n=21 | box 1.77 vs flank 1.54 bits ($\Delta=+0.23$)




Phosphuga atrata (icsilatra, ≤ 5 mm) | Invertebrate | n=271 | box 1.87 vs flank 1.7 bits ($\Delta=+0.17$)




Euphorbia peplus (ddeuppepu, ≤ 5 mm) | Viridiplantae | n=6 | box 1.18 vs flank 1.02 bits ($\Delta=+0.16$)




Linaria vulgaris (dalinvulg, ≤ 5 mm) | Viridiplantae | n=18 | box 1.93 vs flank 1.97 bits ($\Delta=-0.04$)



Medicago arabica (drmedarab, ≤ 5 mm) | Viridiplantae | n=19 | box 1.77 vs flank 1.82 bits ($\Delta=-0.05$)



Luzula sylvatica (lpluzsylv, ≤5 mm) | Viridiplantae | n=7 | box 1.3 vs flank 1.36 bits ($\Delta=-0.06$)



Agonum fuliginosum (icagofuli, ≤ 5 mm) | Invertebrate | n=7 | box 1.54 vs flank 1.6 bits ($\Delta=-0.06$)

