Bechdel Test Launch Academy Breakable Toy

Use Cases

Based on Alistair Cockburn's use case template:

http://alistair.cockburn.us/Basic+use+case+template

Use	Case	(1)
$\mathbf{O}_{\mathbf{J}}$	CUSC	(<i>-</i> /

the name should be the goal as a short active verb phrase

Goal in Context

a longer statement of the goal, if needed

View movies that pass/not the Bechdel Test

- User is able to view all movies that pass/not Bechdel Test, including movie title, actors/actresses, year and where produced, summary of movie, movie poster, language
- 2. User is able to view more movies as they scroll down
- 3. User is able to filter based on top box office, top movie rentals, and Oscar movies, and view if they pass or not

Scope

what system is being considered black-box under design

- 1. Rails
- 2. PostgreSQL
- 3. Rotten Tomatoes API (for movie poster)
- 4. AJAX (Adam says delete...) (maybe)
- 5. Refills CSS framework

Level

(Summary, Primary task, Subfunction)

Primary Actor

a role name for the primary actor,

or description

Summary

Users interested in film/ women in film

Preconditions

what we expect is already the state of the world

Success + Fails End

Condition

Trigger

- 1. User has modern browser, newer than IE 8
- 2. User has JavaScript enabled
- 3. User has CSS enabled
- 1. User able/not to view list of movies
- 2. User unable to filter movies

User visits the website, views homepage

Use Case (2)

the name should be the goal as a short active verb phrase

Goal in Context

a longer statement of the goal, if needed

Scope

what system is being considered black-box under design

Enter a movie as passing or not

- 1. User able to enter a new movie
- 2. User able to vote if passes/not
- 3. User enters explanation for why it passes/not
- 1. User authentication
- 2. PostgreSQL
- 3. Simple form gem
- 4. Devise (start with this) + Omniauth

Level

(Summary, Primary task,

Subfunction)

Primary Actor

a role name for the primary actor,

or description

Primary task

Users interested in film/ women in film

Preconditions

what we expect is already the

state of the world

1. User must be signed in

2. User entering a movie in English

Success + Fails End

Condition

User able/not to submit a movie

Trigger

User clicks on "Submit a Movie"

User Stories

User stories are short, simple description of a feature told from the perspective of the person who desires the new capability, usually a user or customer of the system. They typically follow a simple template:

As a <type of user>, I want <some goal> so that <some reason>.

- 1. As a film buff:
 - a. I want to see information about a movie

- b. I want to enter a new movie in your database
- c. I want to see a map of where movies have been produced
- 2. As a person interested in women in film:
 - a. I want to see movies that pass the Bechdel Test
 - b. I want to condemn movies that do not pass the Bechdel Test
 - c. I want to see a map of where movies who pass and do not pass are produced
- 3. As a film reviewer:
 - a. I want to be able to sign in via Github or Facebook
 - b. After I sign in I want to:
 - i. I want to vote if a movie passes the Bechdel test or not
 - ii. I want to comment on the movie to explain who it does/not pass
 - 1. I want to comment on a comment

Nice to have Features:

- 1. AJAX
- 2. jQuery
- 3. Google Maps (where movies are produced)
- 4. Nested comments
- 5. Actresses table
- 6. Additional authentication:
 - a. OmniAuth
 - b. Email confirmation
 - c. Captcha
- 7. User profile information
- 8. Movies by Genre, Top Box Office, Top DVD rentals