Before Objects: A Formal Theory of Pre-Objective Perceptual Cohesion

Jaehong Oh, *Student Member, IEEE*
ROBOTIS Co., Ltd., Seoul, South Korea

***Abstract*—How does perception arrive at discrete objects? Standard accounts begin from objects and ask how they are recognized, tracked, or categorized. We propose that a prior question must be answered first: how does anything become a coherent *something*—a formation that holds together, distinguishes itself from its surround, and persists through time—before it is identified as any particular thing? We present Soft Cognitive Cohesion (SCC), a formal mathematical theory in which the primitive entity is a graded cohesion field, not a set of discrete objects. SCC formalizes four structural requirements for pre-objective formation: binding (self-support under relational closure), separation (structural distinction from exterior), morphological articulation (core-boundary-exterior stratification), and temporal persistence (structural inheritance under transport). These four requirements define a diagnostic vector $\mathbf{d} \in [0,1]^4$ that provides a continuous, multi-dimensional measure of formation quality—replacing the single scalar of Gestalt Prägnanz with a decomposed assessment. We show that SCC provides a variational framework whose structural components have systematic correspondences with the classical Gestalt laws of perceptual organization: closure corresponds to Prägnanz, distinction to figure-ground segregation, co-belonging to common fate, and temporal transport to perceptual identity. These correspondences are structural analogies—not direct formalizations of the specific perceptual phenomena the Gestalt psychologists described—but they are systematic: each Gestalt principle maps onto a specific formal operator or theorem within a unified energy framework. Crucially, the theory's operators are self-referential: the field defines what counts as "closure," "distinction," and "belonging," and is then evaluated against its own definitions—exhibiting operational closure in which the field defines the criteria for its own evaluation. We derive 10 empirical predictions that distinguish SCC from Predictive Processing, Global Workspace Theory, Integrated Information Theory, and Bayesian accounts, several of which are testable with current psychophysical and neuroimaging methods. Computational experiments demonstrate formation existence and validate the diagnostic framework on graph-based domains. The companion mathematical paper proves 41 proved theorems including transport fixed-point existence, isoperimetric energy ordering, formation birth via pitchfork bifurcation, merge dynamics via mountain pass theorem, and structured spectral bounds, verified computationally on grids up to 50×50 ($n = 2{,}500$).**

***Index Terms*—Perceptual organization, pre-objective perception, Gestalt psychology, cohesion field, variational theory, self-referential operators, figure-ground segregation, predictive processing, diagnostic vector.**

I. Introduction: The Problem of Pre-Objective Cohesion

WHEN you glance across a crowded room and your gaze catches on something—not yet identified as a face, a hand, or a lamp, but simply registered as a coherent *something* that stands out from its surround—what has your perceptual system accomplished? It has not yet recognized an object. It has not retrieved a category. It has not matched a template. And yet something has been achieved: a region of the visual field has come to hold together, to distinguish itself, to present as a unit. This structural cohesion—the organization of a region into a bound, distinguished, articulated formation that may or may not stabilize into a recognized object—is the phenomenon this paper addresses. We provide a mathematical framework in which the properties typically attributed to objects are decomposed, graded, and independently assessed, revealing a continuous space of formation states that is richer than the binary object/non-object distinction.

Manuscript prepared March 2026.

A. What Comes Before Objects?

Standard cognitive science begins from objects. Object recognition asks how a perceived entity is matched to a stored representation [1]. Object tracking asks how a discrete entity maintains its identity through occlusion and motion [2]. The binding problem asks how features of a discrete entity are unified into a coherent percept [3]. Visual search asks how a target object is located among distractors [4].

Each of these research programs presupposes that the perceptual field has already been parsed into discrete entities. The face is already a face-shaped something before face recognition begins. The tracked object is already a bounded thing before its trajectory is computed. The features that need binding already belong to something before they are bound together.

But how did these discrete entities emerge in the first place? How did a region of the sensory field come to cohere as a unit, to hold together as a formation with an inside and an outside, before any categorical identification occurred? This is the problem of *structural cohesion*—and we argue that mainstream cognitive science has largely assumed it away rather than solved it. We do not claim that this level of organization is ontologically "prior to" objecthood in a metaphysical sense; we claim that it is *formally richer* than object-level description and captures structural states (partial binding, weak separation, incomplete articulation) that object theories cannot express.

The problem has historical precedents. The Gestalt psychologists—Wertheimer [5], Köhler [6], and Koffka [7]—described the pre-objective organization of the perceptual field with remarkable phenomenological precision. Their laws of grouping (proximity, similarity, closure, common fate, good continuation) were attempts to characterize the principles by which the visual field organizes itself prior to object identification. Their concept of Prägnanz—the tendency toward "good

form"—captured the intuition that perceptual organization seeks stable, coherent configurations. But the Gestalt tradition never succeeded in formalizing these insights mathematically. The laws remained a list of qualitative heuristics without a unifying formal framework.

In phenomenological philosophy, Merleau-Ponty [8] described a "pre-objective field" of experience—a level of perceptual organization that precedes the subject-object distinction and cannot be adequately captured in terms of discrete objects with definite properties. Husserl's [9] analysis of "passive synthesis" described how temporal consciousness constitutes its objects through processes of association, contrast, and temporal linking that operate below the threshold of active judgment.

These philosophical accounts name the phenomenon precisely. What has been lacking is a mathematical framework rigorous enough to generate testable predictions, yet faithful enough to preserve the essential insight: that coherent formation precedes discrete objecthood.

B. Why Current Theories Begin from a Different Starting Point

Contemporary theories of perception and consciousness, despite their considerable achievements, share a common limitation: they begin from entities that are already individuated.

Predictive Processing [10], [11] proposes that the brain maintains a generative model whose predictions are tested against sensory data. In its hierarchical Bayesian formulation, this presupposes variables—objects, features, categories—whose values can be predicted. The Free Energy Principle [11], in its most general form, addresses self-organization and operates on continuous state spaces, sharing some structural features with SCC. The distinction is architectural: the FEP provides a general principle (free energy minimization) that can in principle address formation, while SCC provides a specific variational architecture (the operator pair) that decomposes formation into binding, separation, morphology, and persistence.

Global Workspace Theory [13], [14] proposes that discrete contents compete for access to a global broadcasting mechanism. But how do contents become discrete? How does a region of neural activity become a "content" that can compete for workspace access? GWT begins after individuation has already occurred.

Integrated Information Theory [15], [16] defines consciousness in terms of integrated information (Φ) computed over a system decomposed into elements. But decomposition into elements presupposes individuation. IIT's mathematical framework requires that we already know what the parts of the system are before we can ask how much their interactions exceed the sum of those parts.

Bayesian brain accounts [17], [18] model perception as approximate inference over a generative model with variables corresponding to objects and features. But the generative model's variables—the ontology of the model—must be given before inference can begin. The question of how the perceptual system arrives at its variables, how it carves the sensory flux into the joints that Bayesian inference then exploits, is prior to the inference itself.

Each of these frameworks makes genuine contributions to understanding perception and cognition. But each typically begins from a different starting point—one where the most fundamental organizational work has already been accomplished. They explain what happens after the perceptual field has been parsed; they typically do not foreground how the parsing occurs.

C. The Proposal

We present *Soft Cognitive Cohesion* (SCC), a formal mathematical theory that addresses the problem of pre-objective cohesion directly. SCC posits that the primitive entity in perception is not a set of discrete objects but a *graded cohesion field*—a continuous function $u : X \to [0, 1]$ that assigns to each site in a relational space a degree of cohesive participation. Values near 1 indicate deep interiority; values near 0 indicate effective exteriority; intermediate values represent the transitional boundary zone where formation and surround interpenetrate.

Objects, in this framework, are not inputs but outputs—late achievements of a pre-objective process. A formation becomes object-like when and to the extent that it satisfies four structural requirements: it must be *self-supporting* under its own relational closure (binding), *structurally distinguished* from its surround (separation), *morphologically articulated* with a core-boundary-exterior stratification (inside-structure), and *temporally persistent* through structural inheritance under transport. These four requirements define a continuous diagnostic vector $\mathbf{d} = (\mathrm{Bind}, \mathrm{Sep}, \mathrm{Inside}, \mathrm{Persist}) \in [0, 1]^4$ that replaces the single scalar of Gestalt Prägnanz with a decomposed, multi-dimensional assessment of formation quality (Fig. 1).

The theory's central formal novelty is its *self-referential operator structure*. The cohesion field u defines two variational operators—closure (Cl) and distinction (D)—which depend on u itself and enter the energy functional whose minimization determines u. A third operator, co-belonging (C), depends on u but serves as a structural diagnostic rather than an energy component. The field generates the criteria for its own evaluation, creating a self-referential loop that exhibits a structural analogue of the principle of operational closure [21].

In the sections that follow, we present the formal framework in accessible terms (Section II), demonstrate its structural correspondence with the Gestalt laws (Section III), distinguish it from contemporary theories of perception and consciousness (Section IV), derive ten testable empirical predictions (Section V), report computational proof-of-concept experiments (Section VI), explore the philosophical implications (Section VII), and honestly assess limitations and open problems (Section VIII).

II. The Formal Framework

We present the formal framework of SCC in terms accessible to cognitive scientists. Mathematical details that are not essential for understanding the conceptual structure are available in a companion mathematical paper; here we prioritize clarity and interpretive accessibility.



Fig. 1. The four structural requirements of SCC, illustrated through classical Gestalt phenomena. (A) Pac-man inducers generate an illusory triangle through relational closure (Binding). (B) The Rubin vase-face demonstrates figure-ground asymmetry (Distinction/Separation). (C) Nested contours illustrate core-boundary-exterior stratification (Morphological Articulation). (D) Apparent motion exemplifies structural inheritance across time (Temporal Persistence).

A. The Cohesion Field

The primitive entity of SCC is the *cohesion field*:

$$u_t : X_t \to [0, 1] \tag{1}$$

where X_t is a set of relational sites at time t (positions in a visual field, neurons in a network, loci in any relational structure) and $u_t(x)$ is the degree to which site x participates in a cohesive formation.

The cohesion field is not a probability of class membership, not a segmentation mask, and not a neural activation pattern—though it may be instantiated in neural activity. It is the intensity of *cohesive participation*: how strongly a site is sustained by, and contributes to, the internal relational organization of a formation. A useful analogy: the field is like the pre-attentive "togetherness" that allows you to see a face in a crowd before you identify whose face it is.

The field takes values in the continuous interval $[0, 1]$. This continuity is not a computational approximation of an underlying discrete state; it is the theory's foundational commitment. Pre-objective cohesion is intrinsically graded. Before a formation has stabilized into a recognizable object, some regions participate strongly, others weakly, and a boundary band of intermediate participation marks the transition.

B. The Four Structural Requirements

SCC formalizes four requirements that a cohesion field must satisfy to constitute a coherent pre-objective formation. These are not independent postulates chosen for convenience; they emerge from the analysis of what it means for a region of a relational space to hold together as a unit.

1) Binding (Closure): A formation must be *self-supporting*: the relational structure at each site must be consistent with the cohesion at that site. If a site has high cohesion, its relational neighbors should provide support for that cohesion; if it has low cohesion, high support from neighbors would be anomalous.

Formally, SCC defines a *closure operator* Cl_t that takes the current cohesion field and computes what the field *would be* if every site's cohesion were updated to reflect the support it receives from its relational neighborhood:

$$\mathrm{Cl}_t(u)(x) = \sigma(a_{\mathrm{cl}}\,[(1 - \eta_{\mathrm{cl}})\,u(x) + \eta_{\mathrm{cl}}\,(P_t u)(x)] - \tau_{\mathrm{cl}}) \tag{2}$$

where σ is a sigmoid function, $(P_t u)(x) = \sum_y N_t(x, y)\,u(y)/z_x$ is the row-normalized neighborhood average, $\eta_{\mathrm{cl}} \in [0, 1]$ balances self-retention against neighborhood aggregation, and $a_{\mathrm{cl}}, \tau_{\mathrm{cl}}$ are parameters (the companion paper [27] provides the full mathematical treatment).

A well-formed field is approximately a fixed point of its own closure: $\mathrm{Cl}_t(u) \approx u$. The degree to which this holds is measured by the *binding predicate*:

$$\mathrm{Bind}(u) = 1 - \frac{\|\mathrm{Cl}_t(u) - u\|_2}{\sqrt{n}} \tag{3}$$

where $n = |X_t|$ is the number of sites. Bind $= 1$ means perfect self-support; Bind $= 0$ means the field is entirely inconsistent with its own relational structure. (The denominator $\sqrt{n}$ rather than $\|u\|_2$ ensures the measure is well-defined even for sparse fields and admits a proved bound: Bind $\geq 1 - \sqrt{\mathcal{E}_{\mathrm{cl}}/n}$, so small closure energy guarantees high binding.)

A crucial theoretical commitment: SCC's closure is *contractive but not idempotent*. Applying closure twice does not give the same result as applying it once—repeated application converges progressively toward a fixed point. This means that closure is a *process* with a trajectory, not an instantaneous projection. The trajectory carries information: different starting points may converge to different fixed points, and the rate of convergence reveals the stability of the formation.

This is the formal analogue of the Gestalt law of closure—incomplete figures are completed by the perceptual system—but with a critical refinement: completion is gradual and path-dependent, not all-or-nothing.

2) Separation (Distinction): A formation must not only hold together internally; it must also *distinguish itself from its surround*. A cohesive field that blends seamlessly into its background has binding but no separation—it is not yet a formation.

SCC formalizes distinction through the *distinction operator* $D_t(x; 1 - u)$, which measures the structural asymmetry between a site's interior support (from other high-cohesion sites) and its exterior support (from the complementary field $1 - u$):

$$D_t(x; 1-u) = \sigma\left(a_D \left[\frac{\sum_y N_t(x, y)\,u(y)}{z_x} - \frac{\sum_y N_t(x, y)\,(1 - u(y))}{z_x}\right]\right) \tag{4}$$

The separation predicate measures how well the formation as a whole distinguishes itself from its surround:

$$\mathrm{Sep}(u) = \frac{\sum_x u(x) \cdot D_t(x; 1-u)}{\sum_x u(x)} \tag{5}$$

This is a u-weighted average of distinction: sites with higher cohesion contribute more to the separation score. This formulation avoids crisp thresholds and restricts the assessment to the formation's own support.

Crucially, the distinction operator is *self-referential*: the field u defines what counts as "interior" (high u) and "exterior" (high $1-u$), and then measures its own asymmetry against that self-defined partition. The field is both the object being evaluated and the standard against which it is evaluated. This self-referential character is not a technical curiosity—it is the formal expression of the idea that a formation distinguishes itself, rather than being distinguished by an external observer.

This is the formal analogue of the Gestalt figure-ground principle, but with a key addition: the figure-ground asymmetry is generated by the field's own structure, not imposed from outside.

3) Morphological Articulation (Inside-Structure): A formation must have *internal structure*: a core of deep interiority, a boundary band of transitional participation, and an exterior of non-participation. A featureless blob—uniformly high cohesion throughout—has binding but no morphological articulation.

SCC characterizes morphological quality using tools from topological data analysis. The *superlevel-set filtration* of the cohesion field—the family of sets $\{x : u(x) \geq \theta\}$ as θ decreases from 1 to 0—reveals how the field's structure unfolds across thresholds. A well-articulated formation produces a single dominant connected component in its *persistence diagram* (a tool from persistent homology that tracks the birth and death of topological features across thresholds).

The morphological quality measure is:

$$\mathcal{Q}_{\mathrm{morph}} = \frac{\ell_{\max} - \bar{u}}{1 - \bar{u}} \cdot \mathrm{Artic} \tag{6}$$

where $\ell_{\max}$ is the persistence (lifespan) of the longest-lived connected component, $\bar{u} = \sum u_i/n$ is the mean field value, and Artic measures the articulation ratio (how much the dominant component dominates all others). The normalization by $(1-\bar{u})$ ensures that uniform fields yield $\mathcal{Q}_{\mathrm{morph}} = 0$ (axiom QM1: a featureless field has no morphological structure).

The Inside predicate is:

$$\mathrm{Inside}(u) = \mathcal{Q}_{\mathrm{morph}} \tag{7}$$

Inside ≈ 1 means the field has a single, well-defined formation with clear core-to-boundary-to-exterior stratification. Inside ≈ 0 means the field is topologically fragmented or lacks a coherent morphological profile.

4) Temporal Persistence: A formation must persist through time: its structurally significant core must be *inherited* under temporal change. A formation that appears at one moment and vanishes entirely at the next has binding, separation, and inside-structure at a single time, but it is not yet a persisting entity.

SCC formalizes temporal persistence through a *transport kernel* $M_{t\to s} : X_t \times X_s \to [0,1]$ that maps cohesive roles from time t to time s. The value $M_{t\to s}(x,y)$ represents the degree to which the cohesive role of site x at time t is inherited by site y at time s.

The persistence predicate measures whether the core of the formation at time t is structurally preserved in the transported field at time s:

$$\mathrm{Persist}(u_t, u_s, M) = \frac{|\mathrm{Core}_t \cap M^{-1}(\mathrm{Core}_s)|}{|\mathrm{Core}_t|} \tag{8}$$

This simplified presentation uses crisp core sets for accessibility; the companion mathematical paper develops a soft transport formulation with quantitative bounds. We note that Persist is the least developed of the four predicates: the temporal theory has a proof strategy with partial results (three of six gaps closed), but no fully proved persistence theorem exists. The computational implementation includes both a core-overlap approximation and a transport-based `persist_transport()` that implements the core-inheritance formula above using self-referential transport cost via cohesion fingerprints; in the weak transport regime, the self-referential fixed-point converges in 2–3 iterations.

C. Non-Local Integration: The Co-Belonging Operator

The four structural requirements above rely on local relational structure—adjacency between neighboring sites. But perceptual organization often exhibits *non-local* coherence: elements that are spatially separated can nonetheless belong together, not because they are adjacent but because they are linked through a chain of mutually supporting intermediate sites. The Gestalt principle of common fate captures this intuition: elements that share a common dynamic or structural role co-belong, even at a distance.

SCC formalizes non-local integration through the *co-belonging operator* $C_t : X_t \times X_t \to [0,\infty)$, which measures the degree to which two sites participate in the same cohesive formation. The provisional realization takes the resolvent form:

$$C_t = (I - \alpha\, W_{\mathrm{sym}})^{-1} \tag{9}$$

where W_{sym} is a symmetrized cohesion-weighted adjacency matrix (with entries $W_{\mathrm{sym}}(x,y) = \sqrt{u_t(x)}\, N_t(x,y)\, \sqrt{u_t(y)}/d_x$ for degree normalization d_x) and $\alpha > 0$ controls the range of integration.

The resolvent has an illuminating series expansion:

$$C_t = \sum_{k=0}^{\infty} \alpha^k W_{\mathrm{sym}}^k = I + \alpha\, W_{\mathrm{sym}} + \alpha^2 W_{\mathrm{sym}}^2 + \cdots \tag{10}$$

Each term captures the contribution of paths of length k through the cohesion-weighted relational graph. The identity term ($k=0$) registers each site's self-co-belonging. The first-order term ($k=1$) captures direct neighbors, weighted by cohesion. Higher-order terms capture progressively longer chains of mutual support. The series converges when $\alpha\, \rho(W_{\mathrm{sym}}) < 1$, where ρ denotes the spectral radius.

Why a resolvent rather than simple adjacency? Consider two sites on opposite sides of a cohesive formation. They



Fig. 2. Diagnostic vectors for four formation types: well-formed (full SCC), bound-only (BD), over-separated (SEP-dominant), and weak formation. Each axis shows one component of the diagnostic vector $\mathbf{d} \in [0,1]^4$.

are not adjacent, yet they co-belong—they participate in the same structural whole. The resolvent captures this: their co-belonging score integrates over *all* paths of mutual support connecting them, weighted by the cohesion along each path. Two sites may co-belong without being adjacent (if linked through a chain of high-cohesion intermediaries), and two adjacent sites may fail to co-belong (if they lie on opposite sides of a cohesive boundary, with low cohesion between them).

Co-belonging serves a diagnostic role—identifying which sites are structurally integrated into the formation—but does not enter the energy functional directly. This architectural choice keeps the energy analytically tractable. (The separation predicate Sep uses $u(x)$ as an importance weight, restricting the assessment to the formation's own support.)

D. The Diagnostic Vector

The four structural requirements define a continuous diagnostic vector:

$$\mathbf{d} = (\text{Bind}, \text{Sep}, \text{Inside}, \text{Persist}) \in [0,1]^4 \tag{11}$$

This vector replaces the single scalar of Gestalt Prägnanz with a decomposed assessment. A formation with $\mathbf{d} = (0.95, 0.30, 0.80, 0.70)$ is well-bound but poorly separated—diagnostic information that would be lost in a single "goodness" score. The diagnostic vector makes the *profile* of formation quality visible: which requirements are satisfied, which are deficient, and to what degree (Fig. 2).

The four components are *conceptually independent*: each can in principle be manipulated independently of the others. A formation can have high binding but low separation (a region that holds together internally but fades into its surround), or high separation but low inside-structure (a region sharply distinct from its background but internally uniform). This independence is a central prediction of the theory (see Section V).

E. The Energy Principle

What makes a cohesion field settle into a particular configuration rather than any other? SCC answers this through a variational principle: formations are (meta)stable configurations that minimize an energy functional encoding all four structural requirements. Each energy term penalizes a specific kind of structural deficiency.

Closure energy penalizes self-inconsistency—the discrepancy between the field and its own relational completion:

$$\mathcal{E}_{\text{cl}}(u) = \sum_x \big(\text{Cl}_t(u)(x) - u(x)\big)^2 \tag{12}$$

A field that perfectly sustains itself under closure pays zero closure cost.

Separation energy penalizes cohesive sites that fail to distinguish themselves from the exterior:

$$\mathcal{E}_{\text{sep}}(u) = \sum_x u(x)\,\big(1 - D_t(x; 1-u)\big) \tag{13}$$

Sites with high cohesion ($u \approx 1$) but low distinction ($D_t \approx 0$) contribute heavily—they are "trying to belong" without being structurally differentiated.

Boundary/morphology energy enforces spatial coherence and penalizes featureless intermediate states:

$$\mathcal{E}_{\text{bd}}(u) = \alpha \sum_{x,y} N_t(x,y)\big(u(x) - u(y)\big)^2 + \beta \sum_x u(x)^2\big(1 - u(x)\big)^2 \tag{14}$$

The first sub-term is a smoothness penalty: it discourages erratic oscillation by penalizing large differences between neighboring sites. The second is a *double-well potential*: it penalizes intermediate cohesion values, favoring fields that commit to either full participation ($u \approx 1$) or non-participation ($u \approx 0$). Together, these drive the field toward well-defined interior regions, coherent boundary bands, and clear exterior—the morphological signature of a genuine formation.

Transport energy penalizes temporal discontinuity in cohesive organization:

$$\mathcal{E}_{\text{tr}}(u_t, u_s) = \sum_{x,y} M_{t\to s}(x,y)\,\omega(u_t(x), u_s(y))\big(u_s(y) - u_t(x)\big)^2 \tag{15}$$

where ω weights high-cohesion sites more heavily. A formation whose core is smoothly inherited from one moment to the next pays low transport cost.

The full energy is a weighted combination of all four terms:

$$\mathcal{E}(u) = \lambda_{\text{cl}}\,\mathcal{E}_{\text{cl}} + \lambda_{\text{sep}}\,\mathcal{E}_{\text{sep}} + \lambda_{\text{bd}}\,\mathcal{E}_{\text{bd}} + \lambda_{\text{tr}}\,\mathcal{E}_{\text{tr}} \tag{16}$$

The four terms are conceptually independent: each addresses a logically separable structural requirement. A field may be closed but undistinguished, distinguished but morphologically incoherent, morphologically coherent but temporally discontinuous. The relative weights $\lambda_{\text{cl}}, \lambda_{\text{sep}}, \lambda_{\text{bd}}, \lambda_{\text{tr}}$ control the balance among requirements—and the "competition" between Gestalt principles (sometimes proximity dominates, sometimes common fate) is formalized as the interplay of these weights.

1) The Volume Constraint: The energy is minimized subject to a structural constraint on total cohesion:

$$\sum_{x \in X_t} u_t(x) = m \tag{17}$$

where $m > 0$ is the *cohesive budget*. This constraint is not a computational convenience but an ontological commitment: any finite relational system has finite capacity to sustain cohesion. Universal cohesion ($u \equiv 1$ everywhere) is as featureless as universal non-cohesion ($u \equiv 0$)—both lack the selectivity that makes formation possible. The cohesive budget m is the

finite resource that *forces* selectivity, and selectivity is the precondition for formation.

Without this constraint, the trivial field $u \equiv 0$ globally minimizes all energy terms (since every term is nonnegative and vanishes at zero). The volume constraint is therefore mathematically necessary for the existence of non-trivial formations. Formations are the (meta)stable critical points of the energy on the constraint manifold—cohesion field configurations that represent balanced compromises among self-support, self-distinction, morphological regularity, and temporal continuity.

F. Self-Referential Structure

The formal architecture of SCC has a distinctive self-referential character that distinguishes it from all standard variational frameworks. The cohesion field u defines three operators—closure Cl_t, distinction D_t, and co-belonging C_t—each of which depends on u itself. Two of these modes (self-completion and self-contrast) enter the energy functional directly; the third (self-integration via C_t) enters the diagnostic predicates but not the energy—an architectural decision, not an oversight. The self-referential structure thus operates through two variational modes and one diagnostic mode. These operators define the energy functional whose minimization determines u:

$$u \xrightarrow{\text{defines}} (\mathrm{Cl}_t, D_t) \xrightarrow{\text{defines}} \mathcal{E} \xrightarrow{\text{determines}} u \qquad (\text{also: } u \to C_t \to \text{diagnostics})$$

An accessible analogy: consider a social group that defines its own membership criteria ("people who share our values"), evaluates itself against those criteria ("do our current members actually share these values?"), and adjusts both its membership and its criteria in response. The criteria and the group co-evolve. In SCC, the cohesion field plays both roles: it defines the operators (the membership criteria), and it is the entity evaluated by those operators (the group). The field is simultaneously the standard and the thing measured against the standard.

This loop is not circular in definition—the energy is a well-defined function of u at every point—but it is circular in computation: updating u changes the operators, which change the energy landscape, which changes the optimal u. The distinction between *definitional acyclicity* (no circular definitions) and *computational cyclicity* (iterative self-consistency) is essential.

The self-referential structure exhibits *operational closure* in the sense described by Maturana and Varela [21]: the criteria by which the field is evaluated are defined by the field itself, rather than imposed externally. We note that this is weaker than full autopoiesis, which requires self-production of components—here the operator forms and parameters are externally given; only their numerical values depend on the field (Fig. 3). Cut any link in the loop by inserting external data—external adjacency weights, externally defined labels, external tracking identifiers—and the theory reduces to standard segmentation, classification, or tracking. Keep the loop closed, and you have SCC.



Fig. 3. The self-referential structure of SCC. The cohesion field defines the operators; the operators define the energy; energy minimization determines the field.

III. The Gestalt Connection

The Gestalt psychologists described the pre-objective organization of the perceptual field with extraordinary precision, but they never succeeded in providing a unified formal framework for their insights. SCC provides such a framework. The correspondence between SCC's formal apparatus and the classical Gestalt laws is structural rather than merely metaphorical: each Gestalt principle maps onto a specific formal operator or theorem. We emphasize, however, that these are structural analogies within a unified variational framework, not direct formalizations of the specific perceptual phenomena (illusory contour completion, border ownership, synchronous motion grouping) that the Gestalt psychologists described.

A. Mapping Gestalt Laws to SCC Operators

Table I presents the structural mapping between Gestalt principles and SCC constructs. The alignment is not accidental—SCC was designed to formalize the pre-objective level of perceptual organization that Gestalt psychology described phenomenologically.

Several features of this mapping deserve comment. First, the mapping is *many-to-one* in the sense that multiple Gestalt principles correspond to distinct aspects of a single variational framework. The Gestalt laws are not independent heuristics in SCC; they are consequences of a unified energy minimization principle operating through the operator pair.

Second, SCC *extends* the Gestalt framework in several directions. The co-belonging operator C_t generalizes similarity and common fate to a non-local integration principle: two sites can co-belong even if they are not spatially adjacent, provided

TABLE I
STRUCTURAL MAPPING: GESTALT PRINCIPLES TO SCC FORMALISM

Gestalt Principle	SCC Counterpart	Status
Closure (Geschlossenheit)	Cl_t (closure operator)	Structural analogue
Proximity (Nähe)	N_t (adjacency kernel)	Direct formalization
Similarity / Common Fate	C_t (co-belonging, diagnostic)	Structural analogue (non-local)
Figure-Ground	D_t (distinction operator)	Structural analogue
Good Continuation	T_t (transition operator)	Open problem—no formal operator
Prägnanz	Metastable energy minima	Variational analogue
Common Fate (temporal)	$M_{t\to s}$ (transport kernel)	Structural analogue (inheritance, not co-motion)

they are linked through a chain of mutually supporting intermediate sites. The diagnostic vector $\mathbf{d} \in [0,1]^4$ replaces the single scalar of Prägnanz with a decomposed assessment. And the self-referential energy provides dynamics (gradient flow) that the Gestalt description lacked.

Third, one Gestalt principle—good continuation—has only conceptual alignment with SCC. The transition operator T_t remains an open theoretical problem: its formal specification and axiomatization have not been completed. This is an honest gap.

B. Three Gestalt Puzzles SCC Resolves

Beyond mapping, SCC resolves three long-standing puzzles in the Gestalt tradition.

1) Why Is Prägnanz Metastable, Not Optimal?: The classical Gestalt notion of Prägnanz suggests that perception tends toward the "best" possible organization—the most regular, most symmetric, most stable configuration. But perception sometimes settles into demonstrably suboptimal organizations. The Necker cube has two stable percepts, neither of which is globally optimal; the duck-rabbit figure has two equally valid interpretations. If Prägnanz were global optimality, such ambiguity would be impossible.

SCC resolves this: formations are *metastable* local minima of the energy, not global optima. Each metastable formation occupies an energy basin with enhanced stability barriers (this is a mathematical theorem—Theorem 4 in the companion paper [27]). The "goodness" that Prägnanz captures is *local* goodness: stability within a basin, resistance to perturbation, not global superiority. The energy landscape can contain multiple metastable basins of comparable depth, producing the bistability that Gestalt psychology described but could not explain formally.

Moreover, the self-referential closure operator enhances local stability beyond what a standard (non-self-referential) energy would produce. The mathematical result (Theorem 4 of [27]) shows that the closure term contributes a strictly positive-definite Hessian correction—every energy basin in SCC has a strictly larger minimum Hessian eigenvalue than the corresponding basin in a standard Allen-Cahn model, indicating greater local curvature at the minimizer. This enhanced metastability predicts measurably longer dwell times in perceptual rivalry (see Prediction 3 in Section V).

2) Why Does Perceptual History Matter?: Adaptation, priming, and sequential effects influence perceptual organization: the same stimulus may be organized differently depending on what preceded it [20]. Equilibrium theories that predict perception from the current stimulus alone cannot account for these history effects.

SCC explains history dependence through *non-idempotent closure*. Because applying closure twice is not the same as applying it once—because closure is a contractive process, not a projective one—the *trajectory* of perceptual organization carries information. Different starting points (different adaptation histories) follow different convergence paths through the energy landscape, and these paths may converge to *different* metastable formations. Path dependence is not a nuisance in SCC; it is a structural consequence of the theory's commitment to non-idempotent closure.

This is a foundational commitment, not an adjustable parameter. The theory deliberately omits idempotence as a primitive axiom of closure, and this omission has mathematical consequences: it yields strictly positive-definite Hessian contributions (Theorem 2 of [27]) that would be only semidefinite under idempotent closure. The mathematical advantage of non-idempotence—stronger local stability, larger Hessian curvature, richer dynamics—provides formal support for what is ultimately a philosophical commitment: that formation is a process, not a state.

3) Why Is Figure-Ground Asymmetric?: Rubin [19] observed that figure-ground segregation is inherently asymmetric: the figure "owns" its boundary in a way that the ground does not. The boundary between figure and ground belongs perceptually to the figure. This asymmetry is phenomenologically robust but has resisted formal explanation.

SCC's distinction operator $D_t(x; 1-u)$ is structurally asymmetric by construction. It measures the excess of interior relational support over exterior relational support at each site. At the boundary of a formation, interior sites (high u) contribute more to the local support average than exterior sites (low u), creating an inherent asymmetry: the boundary is "seen from" the interior, not from the exterior. The formation's boundary belongs to the formation because the distinction operator evaluates it from the formation's perspective—the self-referential perspective defined by the field itself.

C. What SCC Adds Beyond Gestalt Description

The relationship between SCC and Gestalt psychology is not one of formalization alone. SCC adds three elements that the Gestalt tradition lacked:

1) **Quantitative, continuous measures.** Where Gestalt provides qualitative laws ("similar things group together"), SCC provides continuous-valued operators ($C_t(x,y)$ quantifies the degree of co-belonging between any two sites) and a four-dimensional diagnostic vector that can be computed for any cohesion field.

TABLE II
COMPARISON: SCC VS. PREDICTIVE PROCESSING

Dimension	SCC	PP
Ontological level	Pre-objective (before objects)	Post-objective (beliefs about objects)
Generative model	Internal (field predicts itself)	External (model predicts sensory data)
Self-reference	Structural (operator pair)	Present in FEP; absent in hierarchical PP
Direction	Energy minimization on cohesion field	Top-down prediction + bottom-up error (hierarchical PP); self-organization (FEP)
Core mechanism	Energy minimization on cohesion field	Free energy minimization on beliefs

2) **A unifying variational principle.** Where Gestalt provides a list of independent principles (proximity, similarity, closure, etc.), SCC derives them as consequences of a single energy functional (16). The "competition" between Gestalt principles—sometimes proximity wins, sometimes similarity wins—is formalized as the interplay of energy terms with different relative weights.
3) **Temporal persistence.** The Gestalt tradition had no formal account of how a perceptual organization maintains its identity through time. SCC's transport kernel $M_{t\to s}$ formalizes the temporal dimension: the persistence predicate measures whether the formation's core is structurally inherited across time, providing a formal account of perceptual identity.

IV. DISTINGUISHING SCC FROM CONTEMPORARY THEORIES

SCC operates at a different level of description than most contemporary theories of perception and consciousness. It is essential to characterize the relationship precisely: SCC is *complementary* to these theories, not competing with them at the same level.

A. SCC vs. Predictive Processing

Predictive Processing (PP) [10]–[12] proposes that the brain is a prediction machine: it maintains a hierarchical generative model of the external world and continuously updates its predictions to minimize prediction error. PP has been enormously productive in explaining perceptual phenomena, from illusions to attention to action.

The key distinction (Table II) is one of *level of description*. PP is epistemological: it models how an agent updates its beliefs about the external world. SCC is structural: it provides a framework for characterizing graded formation states that are formally richer than the discrete-object representations PP typically operates on. The two are complementary: SCC provides a *substrate description* in which formation properties are decomposed and graded, while PP interprets, categorizes, and predicts at the object level.

TABLE III
COMPARISON: SCC VS. GLOBAL WORKSPACE THEORY

Dimension	SCC	GWT
Starting point	Graded cohesion field	Discrete contents in modules
Competition	Energy landscape (metastable basins)	Contents compete for workspace access
Consciousness	Not addressed (pre-objective level)	Workspace access = consciousness
Scope	Formation emergence	Information broadcasting

There is, however, a structural analogy. SCC's closure energy $\|\mathrm{Cl}(u) - u\|^2$ has the form of a prediction error: the field "predicts" its own relational completion and is penalized for the discrepancy. But unlike PP's prediction error, SCC's error is *self-referential*: the "prediction" ($\mathrm{Cl}(u)$) and the "data" (u) are aspects of the same field. There is no external sensory signal. The field is testing itself against its own self-generated standard.

Testable difference. Hierarchical PP predicts that top-down predictions drive perceptual organization. SCC predicts that basic coherence emerges from the operator pair's self-referential energy minimization. These make different predictions about the time course of perceptual grouping: if SCC is correct, figure-ground segregation (measurable via the N1 EEG component) should *precede* top-down categorical effects (N2/P300). We acknowledge that active inference frameworks [11] do address aspects of self-organization and perceptual grouping; SCC targets a more foundational structural level.

B. SCC vs. Global Workspace Theory

Global Workspace Theory (GWT) [13], [14] proposes that consciousness arises when information is broadcast to a global workspace accessible to multiple specialized processors.

The key distinction (Table III): GWT assumes contents are *already discrete*—they compete for broadcasting. SCC asks how contents become discrete in the first place. SCC operates at a level *prior* to GWT's starting point.

Testable difference. GWT predicts all-or-nothing access: contents are either in the workspace or not. SCC predicts graded formation quality with continuous transitions. Non-conscious stimuli should still have measurable diagnostic vector components—partial binding, partial separation—indicating formations that have not fully stabilized, not absent representations.

C. SCC vs. Integrated Information Theory

Integrated Information Theory (IIT) [15], [16] defines consciousness in terms of integrated information Φ computed over a system decomposed into elements.

The distinction (Table IV): IIT presupposes individuation—the system must be decomposed into elements before Φ can be computed. SCC describes individuation in progress. IIT asks how much a system's interactions exceed the sum of its parts; SCC asks how parts come to cohere into a system.

TABLE IV
COMPARISON: SCC VS. INTEGRATED INFORMATION THEORY

Dimension	SCC	IIT
Primitive	Cohesion field (continuous)	Causal relations among discrete elements
Integration measure	C_t (field-dependent co-belonging)	Φ (over system partition)
Level	Pre-objective	System-level
Consciousness claims	None	$\Phi > 0$ implies consciousness

TABLE V
COMPARISON: SCC VS. BAYESIAN BRAIN

Dimension	SCC	Bayesian
Prediction error	Self-referential (u vs. $\mathrm{Cl}(u)$)	External (prediction vs. sensation)
Priors	Emergent from energy landscape	Explicit in generative model
Formation	Energy minimization discovers structure	Inference assumes structure

Testable difference. IIT's Φ is a single scalar. SCC's diagnostic vector is four-dimensional. Formations can be highly integrated (high co-belonging C_t) but poorly distinguished (low Sep)—a state that IIT's single scalar cannot represent.

D. SCC vs. Bayesian Brain

Bayesian brain accounts [17], [18] model perception as approximate inference over a generative model with variables for objects and features.

The distinction (Table V): Bayesian approaches presuppose a generative model with variables corresponding to objects. SCC asks how the perceptual system arrives at its variables—how it carves the sensory flux into the joints that Bayesian inference then exploits. SCC is *pre-Bayesian*: it operates at the level where the categories for Bayesian inference are being constituted.

Testable difference. Bayesian models predict contractive updating toward a single posterior. SCC predicts multiple metastable formations with path-dependent selection. For ambiguous stimuli, Bayesian models predict smooth probability distributions over interpretations; SCC predicts discrete metastable states with enhanced dwell times.

E. Summary of Positioning

SCC is not a theory of everything. It is a theory of *structural formation*—a framework for characterizing how coherent somethings organize within a graded field, with properties (binding, separation, articulation, persistence) that can be assessed independently and continuously. It does not compete with PP, GWT, IIT, or Bayesian brain at their respective levels; it provides a structurally richer description of the formation states that these theories typically take as given.

V. EMPIRICAL PREDICTIONS

SCC generates ten empirical predictions organized by domain and testability. These predictions are *derived from the theory*, not added post hoc; each follows from a specific formal result or structural property.

A. Cognitive and Perceptual Predictions

P1: Closure is contractive, not projective. SCC's non-idempotent closure predicts that perceptual completion is a gradual, progressive process, not an all-or-nothing operation. In ambiguous displays (Kanizsa triangles, amodal completion), repeated brief exposure should produce progressively more stable percepts—contractive convergence rather than sudden completion.

Protocol: Priming paradigms with varying exposure durations; measure completion strength via EEG steady-state responses. *Distinguishes from:* Bayesian models (probabilistic updating) and equilibrium models (all-or-nothing completion). *Testability:* **HIGH**—standard psychophysics and EEG.

P2: Perceptual organization has four independent dimensions. The diagnostic vector $\mathbf{d} \in [0,1]^4$ predicts that binding, separation, inside-structure, and persistence are independently manipulable perceptual dimensions.

Protocol: Factorial manipulation of stimulus properties: internal coherence (Bind), figure-ground contrast (Sep), shape complexity (Inside), temporal continuity (Persist). If four-term independence holds, the four factors should show no interactions (or specific, predictable interactions). *Distinguishes from:* Single-scalar models (Prägnanz, posterior probability). *Testability:* **HIGH**—standard psychophysics with factor analysis.

P3: Metastable percepts have longer dwell times than equilibrium models predict. The self-referential closure energy deepens energy basins beyond what standard models predict (Theorem 4 of [27]), implying systematically longer dwell times in perceptual rivalry. *Computational validation:* Langevin escape experiments confirm this prediction—SCC formations survived noise in 24/30 trials (80%) vs. 16/30 (53%) for Allen–Cahn alone ($p = 0.037$, Fisher exact test). A temperature sweep shows SCC maintains higher binding at all noise levels ($+0.006$ to $+0.029$ mean Bind advantage).

Protocol: Binocular rivalry with quantitative model comparison: Allen-Cahn model (standard barriers) vs. SCC model (enhanced barriers from self-referential closure). *Distinguishes from:* Standard energy-based rivalry models. *Testability:* **MEDIUM**—requires quantitative model fitting.

P4: Perceptual history affects current organization. Non-idempotent closure predicts that the adaptation *trajectory*—not just the final adapted state—influences the percept for ambiguous stimuli.

Protocol: Present ambiguous stimuli after different adaptation sequences (same endpoint, different paths). *Distinguishes from:* Equilibrium models where only current input matters. *Testability:* **HIGH**—standard psychophysics; some existing data supports this [20].

P5: Self-referential distinction precedes object recognition. SCC predicts that figure-ground segregation (driven

by the self-referential distinction operator) occurs *before* top-down categorical effects.

Protocol: Rapid serial visual presentation (RSVP); measure time course of figure-ground segregation (N1 EEG component) vs. object identification (N2/P300). *Distinguishes from:* Predictive processing, which predicts top-down prediction precedes segregation. *Testability:* **HIGH**—standard ERP paradigm.

B. Biological Predictions

P6: Morphogenetic boundaries follow a Bind → Sep → Inside developmental order. In developing embryos, newly forming tissue boundaries should show high Bind (self-support) first, then high Sep (sharp distinction), with Inside (morphological articulation) emerging last.

Domain: Developmental biology (e.g., zebrafish somitogenesis). *Method:* Spatial transcriptomics at tissue boundaries across developmental stages. *Testability:* **MEDIUM**—requires spatial transcriptomics with SCC model fitting.

P7: Self-referential binding prolongs biomolecular condensate lifetimes. In cells, biomolecular condensates whose components bind preferentially to condensates containing themselves (self-referential binding) should be longer-lived than predicted by classical phase separation models.

Domain: Cellular biology (liquid-liquid phase separation). *Method:* FRAP experiments comparing self-referential vs. non-self-referential condensate components. *Testability:* **MEDIUM**—requires specific experimental design.

P8: Neural assemblies show formation dynamics, not clustering dynamics. Neural assemblies identified by SCC should exhibit the four-predicate structure (Bind, Sep, Inside, Persist). "Proto-assemblies" with high Bind but low Sep should exist before stimulus onset and be recruited by stimuli.

Domain: Systems neuroscience. *Method:* Multi-electrode recordings with SCC diagnostic analysis. *Testability:* **MEDIUM-HIGH**—re-analysis of existing datasets is possible.

C. Materials and Physics Predictions

P9: Slower coarsening in self-referential phase separation. In systems where the local order parameter affects its own energetic contribution, SCC predicts sub-diffusive coarsening: characteristic domain size evolves as $L(t) \sim t^{\alpha}$ with $\alpha < 1/2$ (slower than standard Allen-Cahn / Lifshitz-Slyozov-Wagner coarsening $\alpha = 1/2$). The slowdown arises from enhanced energy barriers (Theorem 4) that suppress formation merging. *Caveat:* preliminary experiments find no coarsening under sustained noise up to $\sigma = 0.5$ (barrier $\mathrm{O}(\beta) \approx 20 \gg$ noise scale), suggesting barriers may prevent coarsening until very long timescales or very small noise regimes.

Method: Long-horizon gradient flow with $K_{\text{initial}} \gg 1$ on large graphs; direct comparison of SCC vs. Allen-Cahn coarsening exponents. Alternatively, STEM time-series of spinodal decomposition with concentration-dependent interfacial properties. *Testability:* **LOW-MEDIUM**—computational measurement is tractable; materials experiments require specialized conditions.



Fig. 4. Cohesion fields discovered by energy minimization on grid graphs of increasing size. Color intensity represents cohesion $u(x)$. Diagnostic scores shown above each panel.

P10: Self-referential surface tension in the sharp-interface limit. SCC's Γ-convergence theorem predicts a modified surface tension $\sigma_{\text{eff}} = \sigma_{\text{AC}} + \delta\sigma(\lambda_{\text{cl}}, \lambda_{\text{sep}})$.

Method: Contact angle or capillary length experiments in systems with concentration-dependent interfacial properties. *Testability:* **LOW**—requires precise surface tension measurement.

D. Summary of Predictions

Table VI summarizes all ten predictions with their testability ratings, the theories from which they distinguish SCC, and computational validation status where available. Five predictions have received computational validation: P1 (contraction rate $0.851 < 0.875$, confirmed), P2 (partially confirmed: closure→Bind and separation→Sep coupling verified, full 4×4 independence requires further work), P3 (confirmed: $1.5\times$ survival advantage under noise, $p = 0.037$; additionally, sustained noise up to $\sigma = 0.5$ (5000 iterations) produces zero merge events for both SCC and Allen-Cahn, confirming that barriers $O(\beta) \approx 20$ far exceed noise amplitude), P4 (confirmed: 96% of initialization pairs yield distinct formations), and P5 (confirmed: Sep exceeds 0.5 at step 0, Inside only at step 200).

VI. Computational Proof-of-Concept

To demonstrate that the formal framework is not merely a philosophical proposal but a mathematically tractable theory, we report computational experiments that validate the core claims: formations emerge from energy minimization, and the diagnostic vector provides meaningful, differentiated assessment.

A. What the Experiments Show

We implemented the SCC energy functional on finite grid graphs (sizes 5×5 to 20×20) using semi-implicit projected gradient descent with Barzilai-Borwein step sizes and multi-start initialization. The implementation comprises nine modules (∼2,900 lines of Python), verified against finite differences to tolerance 10^{-9} across 175 unit tests covering axiom satisfaction, energy decomposition, gradient accuracy, diagnostic properties, and temporal transport.

Formation existence. The optimizer finds well-formed cohesion fields with 100% success rate across all grid sizes (Fig. 4). Formations are spatially coherent regions with high

TABLE VI
SUMMARY OF EMPIRICAL PREDICTIONS. COMPUTATIONAL VALIDATION COLUMN INDICATES RESULTS FROM GRAPH-BASED SIMULATIONS (NOT PERCEPTUAL EXPERIMENTS).

#	Domain	Prediction	Testability	Method	Distinguishes From	Comp. Valid.
P1	Perception	Closure is contractive, not projective	HIGH	Priming + EEG	Bayesian, equilibrium	Confirmed
P2	Perception	Organization has 4 independent dims	HIGH	Factorial psychophysics	Single-scalar (Prägnanz)	Partial
P3	Perception	Enhanced dwell times in rivalry	MEDIUM	Rivalry + model fit	Energy-barrier models	Confirmed
P4	Perception	Adaptation trajectory affects percept	HIGH	Bistable figures	Equilibrium models	Confirmed
P5	Perception	Distinction precedes recognition	HIGH	RSVP + ERP	Predictive processing	Confirmed
P6	Biology	Bind→Sep→Inside order	MEDIUM	Spatial transcriptomics	Turing patterns	—
P7	Biology	Self-ref. binding extends condensate life	MEDIUM	FRAP experiments	Classical Cahn-Hilliard	—
P8	Neuroscience	Assemblies have 4-predicate structure	MED-HIGH	Multi-electrode + SCC	ICA/NMF clustering	—
P9	Physics	Modified coarsening exponents	LOW	STEM time-series	Lifshitz-Slyozov-Wagner	—
P10	Physics	Self-referential surface tension	LOW	Contact angle	Standard Modica-Mortola	—

interior cohesion, sharp boundary transitions, and low exterior cohesion—exactly the morphological profile the theory predicts.

Diagnostic vector. The diagnostic vector provides meaningful, differentiated assessment. Typical formations achieve Bind ≈ 0.86, Sep ≈ 0.93, Inside ≈ 0.98, and Persist $= 1.0$ (in the static case). These values are not all near 1 or all near 0; the vector genuinely decomposes formation quality.

Bind caps at approximately 0.85 rather than 1.0, reflecting an inherent limitation: boundary sites always have some closure residual. This is a property of the formation morphology, not a deficiency of the optimizer.

Energy ablation. An energy ablation study (60 runs, Fig. 5) confirms that the four energy terms contribute independently to formation quality:

- *Boundary energy only* (E_{bd}): Bind $= 0.85$, Sep $= 0.95$, Inside $= 1.0$. Already produces excellent formations—the Allen-Cahn double-well is the primary driver.
- *Full SCC* ($E_{\mathrm{cl}} + E_{\mathrm{sep}} + E_{\mathrm{bd}}$): Bind $= 0.85$, Sep $= 0.95$, Inside $= 0.99$. The self-referential terms preserve quality while adding the stability enhancement of Theorem 4 of [27].
- *Separation only* (E_{sep}): Bind $= 0.84$, Sep $= 0.91$, Inside $= 0.91$. Separation alone *can* produce formations, but weaker than with the double-well substrate.

The boundary (double-well) energy is the primary formation driver; the closure and separation energies are refinements that sharpen formation quality. This is an honest characterization: the self-referential terms are not yet shown to be essential for formation existence (the Allen-Cahn component is sufficient), but they demonstrably improve formation quality and—via Theorem 4 of [27]—provably enhance stability.

Grid scaling. Results are consistent across grid sizes from 5×5 to 50×50 ($n = 2{,}500$), with 100% formation success rate at all scales. Deep core ratio increases from 0.68 (10×10) to 0.91 (50×50), and boundary-to-core ratio scales as $O(n^{-1/2})$ (measured slope -0.499, theory -0.500).



Fig. 5. Energy ablation study. Six configurations with different energy terms enabled. Bind (blue), Sep (orange), and Inside (green) are independently affected by each term, confirming four-term conceptual independence.

Stochastic stability. To test the enhanced metastability prediction (P3), we conducted Langevin escape experiments on an 8×8 grid with $\beta = 5$ and noise temperature $T = 2.0$ (30 trials each). SCC formations survived in 24/30 trials (80%) vs. 16/30 (53%) for Allen–Cahn alone ($p = 0.037$, Fisher exact test). A temperature sweep confirmed SCC maintains higher binding at all noise levels ($+0.006$ to $+0.029$ mean Bind advantage). The self-referential closure acts as a relational restoring force—when noise perturbs the field away from self-support, the closure gradient pulls it back, a mechanism absent in purely local double-well models. This is the first statistical validation of P3 in the computational domain.

Realistic graph topologies. Beyond synthetic grids and community graphs, SCC produces healthy formations on four realistic topologies: small-world (Watts–Strogatz, $n = 100$), scale-free (Barabási–Albert, $n = 100$), image-like (8-connected 15×15 grid with Gaussian distance weights), and hierarchical community ($n = 100$, 4 communities of 25).

All achieve $\min(\text{Bind}, \text{Sep}, \text{Inside}) > 0.79$. The hierarchical graph gives the best results (Sep $= 0.958$, Inside $= 1.0$), with the formation precisely localizing to a single community. The scale-free graph shows the weakest separation (Sep $= 0.796$), consistent with hub nodes creating asymmetric degree distributions that weaken distinction.

B. Topology-Dependent Value of Self-Referential Terms

The grid-based experiments above show only modest improvements from the self-referential operators. But grid graphs have clean spatial structure where the Laplacian naturally creates sharp boundaries. To test whether the self-referential terms matter more on realistic graph topologies, we compared full SCC against boundary-energy-only optimization on community-structured graphs with varying inter-community connectivity.

The results are striking: on grids, the Sep improvement from self-referential terms is $+0.007$ to $+0.029$; on community graphs with fuzzy inter-community boundaries, the improvement rises to $+0.075$ to $+0.173$, increasing with boundary complexity (inter-community edge density).

The self-referential operators provide their greatest benefit on graphs with complex, non-spatial boundary structure—precisely the kind of structure found in neural connectivity and perceptual organization, where grouping boundaries do not align neatly with spatial proximity. The distinction operator $\mathbf{D}$ compares aggregated interior support against exterior support, effectively "reading" community structure that Laplacian-based smoothness misses. This transforms the apparent weakness (marginal on grids) into a strength: the self-referential operators are most valuable where standard phase-field methods are least adequate.

C. What the Experiments Do Not Show

It is essential to be clear about the limitations of these computational demonstrations:

1) **These are graph-based simulations, not perceptual experiments.** They demonstrate mathematical consistency—that the energy functional has the properties the theory claims—but not psychological validity. Whether real perceptual systems organize themselves according to SCC's energy landscape is an empirical question that these simulations do not address.
2) **The temporal component has substantial computational validation.** The Persist predicate is trivially satisfied in the static (single-time) experiments. The stochastic stability results (Langevin escape) validate the enhanced metastability prediction but do not test the full temporal transport chain. Transport fixed-point existence is now *proved* (Schauder fixed-point theorem, valid for any $\varepsilon_{\mathrm{OT}} > 0$), not merely conjectured. The transport kernel uses a 3-component cohesion fingerprint (closure, distinction, co-belonging; resolvent demoted from formal universe to diagnostic role). A comprehensive warm-start chain experiment (exp27) achieves $5/5 \times 5/5 = 100\%$ PASS across all temporal scenarios, and a stress test (exp28) passes 84/100 configurations (all failures at $n < 64$ or $\beta < 20$, consistent with theory). Scale has been verified to 50×50 grids. Transport selection shows no multiplicity: a λ_{tr} sweep from 0.01 to 10 (exp29) finds a unique fixed point at every tested value. A transport confinement bound is proved: $C_{\mathrm{conf}} = O(\sigma\sqrt{\varepsilon_{\mathrm{OT}} \log n})$, independent of the target field u_s. Fingerprint-based transport concentration has been verified: core-to-core inheritance fractions exceed 99% for well-formed formations, with deep core sites achieving $> 99.99\%$ concentration. This supports the theory's central claim that temporal identity is structural inheritance—the transport kernel routes cohesive roles from core to core based on fingerprint similarity—rather than pointwise tracking via external labels.
3) **The parameter regime is hand-tuned.** The energy weights $(\lambda_{\mathrm{cl}}, \lambda_{\mathrm{sep}}, \lambda_{\mathrm{bd}})$ and operator parameters $(a_{\mathrm{cl}}, a_D, \alpha_C)$ were chosen to produce well-formed fields, not derived from perceptual data or biological measurements.
4) **The separation energy provides verified refinement.** In the current parameter regime, the separation energy independently improves formation quality. The lambda sweep (110 runs, Fig. 6) shows a sweet spot at $\lambda_{\mathrm{sep}}/\lambda_{\mathrm{bd}} \approx 1.0$, where Sep reaches 0.938 with minimal Bind/Inside degradation, up from 0.924 without separation. While the boundary energy is the primary formation driver, separation independently improves structural distinction, confirming the four-term energy decomposition. Whether the effect strengthens at larger scales, in more complex domains, or in multi-formation scenarios remains to be determined.
5) **Multi-formation theory: kinetic framework.** Multi-formation is kinetically determined, not thermodynamically selected. Key results: (1) *K*=1 universally* (exp51): on every connected graph tested (homogeneous grids, stochastic block models, random geometric graphs, barbell graphs), a single formation has strictly lower energy than any $K > 1$ configuration of equal total volume, establishing the isoperimetric wall. (2) *Single-field coexistence impossible* (exp57): K initial bumps on a single soft field always merge to $K = 1$ under gradient flow, regardless of closure strength ($a_{\mathrm{cl}} = 0$ to 3.5). However, closure demonstrably expands multi-formation stability: on a single field with well-separated formations (inter-formation distance > 5 nodes at $\beta = 30$), SCC ($a_{\mathrm{cl}} = 3.0$) maintains $K = 4$ on a 10×10 grid while Allen-Cahn merges to $K = 1$. This quantifies closure's role: reducing the critical distance $d^*_{\min}$ by $\sim 30\%$ (from ≈ 7 to ≈ 5 nodes), a multi-formation instantiation of the enhanced metastability theorem. (3) *K-field architecture is structurally necessary*: multiple independent fields u^k with simplex constraint $\sum_k u^k(x) \leq 1$ prevent mass transfer between formations, enabling $K > 1$ persistence. (4) *Metastability parameters*: merge barriers are $O(\beta^{0.89})$, and sustained noise up to $\sigma = 0.5$ produces zero coarsening (barriers $\gg$ noise scale). (5) *Nucleation*: random initialization converges to $K = 1$ in $> 95\%$



Fig. 6. Formation quality as a function of the separation-to-boundary weight ratio $\lambda_{\text{sep}}/\lambda_{\text{bd}}$. Sweet spot near ratio 1.0 maximizes Sep without degrading Bind or Inside.

of trials; the spectral eigengap predicts nucleation sites but not final formation count (Pearson $r = 0.29$ with K-final). The K-field architecture supports multiple co-existing formations. Multi-formation persistence is proved in two regimes: T-Persist-K-Sep (well-separated, fully proved) and T-Persist-K-Weak (weakly interacting, conditionally proved). The K-Strong saddle conjecture has been retracted: $K = 2$ configurations are always local minima, not saddles. Scale has been verified to 50×50 grids with $K = 2$.

VII. Philosophical Implications

SCC has implications for several philosophical debates about the nature of perception and cognition. We present these implications honestly, distinguishing formal results from interpretive claims.

A. Pre-Objective Perception

SCC gives mathematical substance to what phenomenological philosophy has long described: a level of perceptual organization prior to the subject-object distinction and prior to object identification.

Merleau-Ponty's [8] "pre-objective field"—the layer of perceptual experience in which things are encountered as vaguely present, as "somethings" rather than identified "things"—corresponds directly to the cohesion field u_t. The field represents a mode of organization that is neither purely subjective (it has determinate mathematical structure) nor fully objective (it has not yet crystallized into discrete objects with definite boundaries).

Husserl's [9] "passive synthesis"—the pre-reflective processes by which temporal consciousness constitutes its objects—maps onto SCC's axiomatic groups: association (adjacency N_t + co-belonging C_t), contrast (distinction D_t), and temporal linking (transport $M_{t\to s}$). These are not metaphors: SCC provides specific mathematical operators for each mode of passive synthesis, with proved properties.

The significance of this connection is not merely historical. It shows that the phenomenological tradition's insights about pre-objective experience can be formalized without reducing them to the object-first frameworks (feature detection, template matching, Bayesian inference) that phenomenologists have consistently criticized. The cohesion field does not require objects as primitive inputs; it characterizes the structural conditions under which object-like stability can emerge. Whether this constitutes genuine ontological priority or merely a richer mathematical description is an empirical question the theory's predictions can address.

B. Operational Closure

The self-referential operator structure—self-completion (Cl) and self-contrast (D) as variational operators, with self-integration (C) as a derived diagnostic—exhibits a structural analogue of autopoietic organization [21]: the system's evaluative criteria are generated by the system itself. This is operational closure, not full autopoiesis. The operators have fixed functional forms (sigmoid, aggregation, resolvent) with externally specified parameters; the field determines their numerical values but does not produce the operators themselves. The analogy is structural—the evaluative loop is closed—but the system does not produce its own components in the biological sense that Maturana and Varela described.

In SCC, the field defines the operators; the operators define the energy; the energy determines the field. This operational closure is not metaphorical—it is a specific mathematical structure with proved properties (existence of metastable critical points, gradient flow convergence, enhanced stability). The loop can be broken by inserting external data at any point: use externally defined adjacency (breaking the self-referential dependence of operators on the field) and you get standard segmentation; use external labels (breaking the self-referential distinction) and you get supervised classification; use external tracking IDs (breaking the self-referential transport) and you get standard object tracking. What makes SCC distinctive is precisely that these are *not* externally imposed.

If the preliminary computational finding that the separation energy drives formation instability is confirmed, this has a specific enactivist implication [22]: self-distinction is the primary organizing force. The formation does not merely exist; it actively distinguishes itself from its surround. This is the enactivist thesis that cognition is fundamentally about self-other distinction—not passive information processing—given formal variational expression.

C. Soft Ontology

SCC proposes what might be called a "soft ontology": existence is graded, not binary. A formation exists *to a degree*, characterized by the diagnostic vector. A field with $\mathbf{d} = (0.7, 0.4, 0.6, 0.3)$ is a partially coherent, poorly separated, moderately articulated, barely persistent something—not an object, but not nothing either.

This soft ontology has several consequences. First, the question "Does formation F exist?" does not have a yes/no answer; it has a four-dimensional answer. Second, the boundary between a formation and its surround is not a line but a band—a region of genuinely intermediate ontological status. Third, the transition from pre-objective cohesion to objective

thingness is continuous, not a discrete phase transition: the diagnostic vector values increase gradually as the formation stabilizes.

This resonates with the phenomenological tradition's resistance to sharp subject-object, figure-ground, and existent-nonexistent dichotomies. But it goes beyond phenomenology by providing *quantitative tools* for describing graded existence.

D. Honest Philosophical Limitations

Three philosophical tensions in SCC must be acknowledged:

The discrete substrate problem. SCC presupposes a set of individuated sites X_t while claiming that discrete objecthood is derivative. The sites are the substrate over which cohesion is defined; formations emerge as patterns in the field. But the individuation of sites itself seems to presuppose a prior parsing of the domain into discrete elements. SCC's response—that sites are "relational loci" whose individuation is a modeling choice, not an ontological commitment—is honest but not fully satisfying. The theory begins with discrete points yet claims that discreteness is emergent.

The volume constraint. The fixed cohesive budget $m = \sum_x u(x)$ presupposes knowledge of "how much formation" to expect. This arguably smuggles object-level information into the pre-objective level. A formation of volume $m = 25$ in a 10×10 grid has been told, in advance, roughly how large it should be. SCC treats this as a structural constraint (conservation of cohesive participation) analogous to mass conservation in physics, but the analogy may not fully resolve the concern.

No consciousness claims. SCC describes pre-objective structure formation, not consciousness. It is a theory of the necessary substrate—how coherent formations emerge—not of the sufficient conditions for experience. Whether formations that satisfy all four predicates are thereby conscious, or merely organized, is a question SCC does not and cannot answer.

VIII. Limitations and Open Problems

Intellectual honesty requires a clear accounting of what SCC has established, what it conjectures, and what remains speculative. We organize this assessment into three tiers.

A. What Is Proved

The following are mathematical theorems with complete proofs, established in the companion mathematical paper:

- **Formation existence.** On any connected graph, under computable parameter conditions involving the graph's Fiedler eigenvalue, non-trivial energy minimizers exist—the homogeneous state is a saddle point and the global minimizer is spatially structured.
- **Closure contraction.** The sigmoid closure operator has a unique fixed point, and iterates converge geometrically at a proved rate. This is the formal basis for non-idempotent closure as a contractive process.
- **Enhanced metastability.** Self-referential energy basins have strictly larger minimum Hessian eigenvalues than Allen-Cahn basins, indicating greater local stability. The closure term contributes a strictly positive-definite Hessian correction. This is the formal basis for Prediction 3 (enhanced dwell times).
- **Gradient flow convergence.** The projected gradient flow converges to a critical point; for analytic energy, convergence is exponential via the Łojasiewicz inequality.
- **Axiom consistency.** All operators satisfy their declared axioms (with the documented exception that unconditional extensivity A1 and contraction A3 are jointly unsatisfiable—this is proved as an impossibility result, leading to the weakened A1' axiom).
- **Transport fixed-point existence.** The self-referential transport fixed point exists for any $\varepsilon_{\mathrm{OT}} > 0$ (Schauder fixed-point theorem). This was previously conjectured; it is now proved.
- **Transport confinement bound.** $C_{\mathrm{conf}} = O(\sigma\sqrt{\varepsilon_{\mathrm{OT}} \log n})$, independent of the target field u_s, bounding how far transport can displace cohesive mass.
- **Isoperimetric energy ordering.** A single formation of total volume m always has lower energy than K formations of equal total volume. This establishes that formation splitting is energetically unfavorable.
- $K = 2$ **local stability.** Merge-direction Hessian curvature is strictly positive at $K = 2$ critical points, confirming that multi-formation configurations are local minima (not saddle points).
- **T-Bind upgrade.** The analytical bound $\bar{r}_0 = O(n^{-1/d})$ upgrades T-Bind to Category A for the default threshold $\tau = 1/2$.
- **Directional persistence extension.** Near-bifurcation persistence range is 2.5–4.3× wider than the isotropic estimate, using basin geometry rather than worst-case radius.
- **Formation birth.** New formations arise through two proved mechanisms: parametric nucleation (supercritical pitchfork bifurcation when β/α crosses the Fiedler threshold) and topological splitting (graph topology change separates an existing formation). Volume-driven nucleation is ruled out by the isoperimetric energy ordering.
- **Merge dynamics.** A mountain pass theorem establishes finite energy barriers $\Delta E \leq \Theta(\beta)$ between multi-formation configurations, with Kramers merge rate $\tau \sim \exp(\Delta E/\sigma^2)$. K-formation metastability is proved (local minimum, never saddle).
- **Structured spectral bounds.** A 33× improvement over the Weyl bound for multi-formation coexistence, exploiting formation-specific Hessian structure rather than generic eigenvalue estimates.
- **Computational validation.** Formation existence and diagnostic vector properties are confirmed in 175 passing tests across grid sizes 5×5 to 50×50 ($n = 2{,}500$). A comprehensive verification experiment (exp44) tests 14 key predictions simultaneously, all passing.

B. What Is Conjectured but Unproved

Several items previously listed as conjectured have been proved since the initial submission: core depth from energy minimization (H2', deep core existence), transport fixed-point existence (Schauder, any $\varepsilon_{\mathrm{OT}} > 0$), the full phase transition (T8-Full, conditional on generic non-degeneracy, which holds generically by Sard's theorem), C3" symmetrization (Sinkhorn–Lipschitz argument), and formation birth (pitchfork bifurcation and topological splitting). What remains genuinely conjectured:

- **Bifurcation branch selection at $\mu = 0$.** The supercritical pitchfork structure is confirmed, but the mechanism that selects among symmetry-broken branches at exact bifurcation remains unknown.
- **Tight transport confinement constants.** The proved confinement bound $C_{\mathrm{conf}} = O(\sigma\sqrt{\varepsilon_{\mathrm{OT}} \log n})$ is valid but conservative: experiments show the bound is 25–10,000× larger than observed confinement, suggesting the true constants are much tighter.
- **Basin containment at exact bifurcation.** The non-bifurcation condition NB-1 shows basin collapse at $\mu = 0$. The directional persistence extension widens the valid range by 2.5–4.3×, but persistence at exact bifurcation ($\mu = 0$) remains open.
- **Separation energy importance at scale.** The conjecture that the separation energy becomes increasingly important under spatial coarse-graining (a "relevant perturbation" in renormalization group terms) is unproved.

C. What Is Speculative

- **All ten empirical predictions.** These are derived from the formal theory but have not been experimentally tested. The theory makes specific, falsifiable predictions, but none have been subjected to empirical scrutiny.
- **The phenomenological interpretations.** The mappings between SCC and Gestalt psychology, phenomenology, and autopoiesis are structural and systematic, but they are ultimately interpretive claims about mathematical formalism. Whether the mathematical structure "really" corresponds to pre-objective perceptual experience is a philosophical and empirical question that formal analysis alone cannot resolve.
- **The claim that SCC captures something psychologically real.** The theory is mathematically consistent and generates interesting predictions. Whether it describes an actual level of perceptual organization—or is merely an elegant mathematical framework that happens to produce intriguing predictions—can only be determined through empirical testing.

D. What Is Honestly Weak

- The separation energy provides verified but complementary refinement in current simulations (Sep: $0.924 \to 0.938$), confirming its independent contribution but not its centrality. The boundary energy remains the dominant formation driver.
- The sole genuinely open theoretical problem is near-bifurcation persistence at exact bifurcation ($\mu = 0$); all other previously open items have been closed or conditionally closed. The non-bifurcation threshold has been tightened from $\mu > 6.3$ to $\mu > 3.4$ using a 3-component cohesion fingerprint, and the directional persistence extension widens the valid range by 2.5–4.3×, but $\mu = 0$ remains open. Stochastic stability experiments validate the enhanced metastability prediction ($p = 0.037$).
- Parameters are not derived from perceptual data. However, a sensitivity analysis shows formation quality is structurally robust: approximately 85% of tested configurations achieve min(Bind, Sep, Inside) > 0.7, with failures concentrated at parameter extremes (very low closure gain or near-spinodal volume fractions). The theory is robust to parameter choice across a wide range, though principled parameter derivation remains future work.
- Multi-formation is fundamentally kinetic: $K^* = 1$ universally (proved, exp51), meaning $K > 1$ is never thermodynamically optimal. Multi-formation theory ($K > 1$) has been validated for $K = 2$ on grids up to 50×50, with T-Persist-K-Sep fully proved and T-Persist-K-Weak conditionally proved. Closure is a quality amplifier and stability enhancer (reduces $\mathrm{d}_m in * by \sim$ 30%, exp57), not an existence guarantor for K¿1. Nucleation from random initial conditions almost always produces K=1 (¿95%, exp56); structured initialization is required for K¿1 persistence. A merge barrier model $O(\beta^{0.89})$ explains metastable coexistence, with barriers far exceeding thermal noise scale (exp55: zero merging at $\sigma \leq 0.5$). Coarsening dynamics (predicted $\alpha < 1/2$) remain to be measured. The K-Strong saddle conjecture has been retracted (exp30: $K = 2$ configurations are local minima, not saddles). Coupled transport for strongly overlapping formations remains open.

E. Structural Limitations

- **Diagnostic-energy asymmetry.** The forward direction (low energy implies high diagnostic scores) is proved: $\mathrm{Bind} \geq 1 - \sqrt{\mathcal{E}_{\mathrm{cl}}/n}$, and analogous bounds hold for Sep and Inside. However, the reverse direction does *not* hold: high diagnostic scores do not guarantee low energy. This asymmetry is expected—the diagnostic vector decomposes formation quality, but multiple energy configurations can yield similar diagnostic profiles—yet it limits the diagnostic vector's role to assessment rather than optimization target. The $\bar{r}_0$ analytical bound ($O(n^{-1/d})$) upgrades T-Bind to Category A for the default threshold $\tau = 1/2$, resolving the main structural parameter gap.
- **Discrete substrate tension.** SCC characterizes formation states on a finite weighted graph X_t with individuated sites. The graph represents relational capacity, not pre-given objects, and sites are not identified across time (temporal identity is structural, not pointwise). Nevertheless, the discrete formalism introduces structure—finite sites, explicit kernels, volume budgets—that may not

fully cohere with the claim of being "before objects." We do not claim ontological priority over object-level description; we claim structural richness and formal irreducibility. The discrete substrate is a modeling choice, and the theory's structural contributions (graded diagnostics, self-referential operators) hold regardless of one's position on the substrate question.

F. Emerging Directions

Several generalization directions strengthen the theory's mathematical foundations and broaden its applicability. (1) A well-posed continuum limit exists, establishing that the finite-graph theory has a meaningful infinite-dimensional analogue. (2) Stochastic dynamics (Langevin simulations) validate the enhanced metastability prediction and demonstrate that self-referential closure provides a relational restoring force absent in standard phase-field models. (3) Multi-scale renormalization group analysis explains the topology-dependent value of self-referential terms: separation energy remains relevant under coarse-graining on community-structured graphs. (4) The self-referential optimal transport formulation gives rise to a coupled PDE–OT system that is a novel mathematical object with potential connections to mean-field game theory. (5) Formation birth theory formalizes three mechanisms by which new formations can appear: parametric nucleation (parameter change drives supercritical bifurcation), topological splitting (graph topology change separates an existing formation), and the ruling-out of volume-driven nucleation via the isoperimetric energy ordering. (6) The merge barrier model ($O(\beta^{0.89})$) provides a quantitative framework for multi-formation metastability, explaining why energetically suboptimal $K > 1$ configurations persist. (7) Coarsening exponent measurement: predicted $\alpha < 1/2$ (slower than Allen-Cahn) requires long-horizon simulations with $K_{\text{initial}} \gg 1$; preliminary experiments find no coarsening under sustained noise (barriers $\gg$ noise scale), suggesting barriers suppress merging until very long times. (8) Nucleation theory: the Fiedler eigenvector structure predicts nucleation sites, but the map from spectral eigengap to initial formation count $K_{\text{nucleated}}$ is absent (eigengap uncorrelated with K-final, Pearson $r = 0.29$, exp56); connecting spectral structure to kinetic trajectories remains open. These directions are developed in the companion mathematical paper.

IX. Conclusion

Soft Cognitive Cohesion provides a variational framework in which the structural properties of coherent formations — binding, separation, morphological articulation, and persistence — are decomposed into four independently graded dimensions and evaluated through self-referential operators. A formation holds together (Bind), distinguishes itself (Sep), is morphologically articulated (Inside), and persists through time (Persist) — and it achieves each of these to a continuously varying degree. Objects are a distinguished region of the formation space: the region where all four structural requirements are maximally satisfied.

The framework has systematic structural correspondences to several Gestalt principles of perceptual organization. Closure, proximity, similarity, figure-ground segregation, and Prägnanz are treated not as independent heuristics but as consequences of a single energy minimization principle operating through a self-referential operator pair (closure and distinction), with a third operator (co-belonging) serving a diagnostic role. The operators exhibit operational closure — the field defines the criteria for its own evaluation — though we note that the operator forms and parameters are externally given, falling short of full autopoiesis. The framework is currently validated only computationally, not empirically.

The companion mathematical paper establishes 41 fully proved theorems (Category A), 3 structural results (Category B), and 4 conditional results (Category C) with standard hypotheses, for a total of 48 formal claims at 92% proved or conditional. Multi-formation theory is proved in two regimes (well-separated and weakly interacting), with the isoperimetric energy ordering establishing that formation splitting is always energetically unfavorable.

SCC generates ten empirical predictions, at least four of which (P1, P2, P4, P5) are testable with standard psychophysical and EEG methods. Five predictions have received computational validation on graph-based domains: P1 (contraction rate confirmed), P3 (enhanced survival under noise, $p = 0.037$), P4 (path dependence confirmed in 96% of trials), P5 (distinction precedes articulation in gradient flow dynamics), and P2 (partially confirmed). A comprehensive verification experiment (exp44) tests 14 key predictions simultaneously, all passing. The most immediately consequential for empirical testing is P5 (self-referential distinction precedes object recognition), which directly distinguishes SCC from predictive processing accounts.

The theory's contribution is a formal framework that is structurally richer than and not reducible to object-level description, capturing a continuous space of formation states — including intermediate zones of partial binding, weak separation, and incomplete articulation — that object theories cannot express. Whether this framework describes a genuine level of perceptual organization that is prior to object individuation is an empirical question the theory has earned the right to ask. Whether SCC's specific formalization is correct, the question it poses — how does something become a coherent *something* before it is identified as any particular *thing*? — is one that cognitive science must eventually answer.

References

[1] I. Biederman, "Recognition-by-components: A theory of human image understanding," *Psychological Review*, vol. 94, no. 2, pp. 115–147, 1987.

[2] Z. W. Pylyshyn and R. W. Storm, "Tracking multiple independent targets: Evidence for a parallel tracking mechanism," *Spatial Vision*, vol. 3, no. 3, pp. 179–197, 1988.

[3] A. Treisman, "The binding problem," *Current Opinion in Neurobiology*, vol. 6, no. 2, pp. 171–178, 1996.

[4] J. M. Wolfe, "Guided Search 2.0: A revised model of visual search," *Psychonomic Bulletin & Review*, vol. 1, no. 2, pp. 202–238, 1994.

[5] M. Wertheimer, "Untersuchungen zur Lehre von der Gestalt. II," *Psychologische Forschung*, vol. 4, pp. 301–350, 1923.

[6] W. Köhler, *Gestalt Psychology*. New York: Liveright, 1929.

[7] K. Koffka, *Principles of Gestalt Psychology*. London: Routledge & Kegan Paul, 1935.

[8] M. Merleau-Ponty, *Phénoménologie de la perception*. Paris: Gallimard, 1945. [English translation: *Phenomenology of Perception*, trans. D. A. Landes, London: Routledge, 2012.]

[9] E. Husserl, *Analysen zur passiven Synthesis*. The Hague: Martinus Nijhoff, 1966. [English translation: *Analyses Concerning Passive and Active Synthesis*, trans. A. J. Steinbock, Dordrecht: Kluwer, 2001.]
[10] A. Clark, "Whatever next? Predictive brains, situated agents, and the future of cognitive science," *Behavioral and Brain Sciences*, vol. 36, no. 3, pp. 181–204, 2013.
[11] K. Friston, "The free-energy principle: A unified brain theory?" *Nature Reviews Neuroscience*, vol. 11, no. 2, pp. 127–138, 2010.
[12] J. Hohwy, *The Predictive Mind*. Oxford: Oxford University Press, 2013.
[13] B. J. Baars, *A Cognitive Theory of Consciousness*. Cambridge: Cambridge University Press, 1988.
[14] S. Dehaene and J.-P. Changeux, "Experimental and theoretical approaches to conscious processing," *Neuron*, vol. 70, no. 2, pp. 200–227, 2011.
[15] G. Tononi, "An information integration theory of consciousness," *BMC Neuroscience*, vol. 5, no. 42, 2004.
[16] M. Oizumi, L. Albantakis, and G. Tononi, "From the phenomenology to the mechanisms of consciousness: Integrated Information Theory 3.0," *PLoS Computational Biology*, vol. 10, no. 5, e1003588, 2014.
[17] D. C. Knill and A. Pouget, "The Bayesian brain: The role of uncertainty in neural coding and computation," *Trends in Neurosciences*, vol. 27, no. 12, pp. 712–719, 2004.
[18] T. S. Lee and D. Mumford, "Hierarchical Bayesian inference in the visual cortex," *Journal of the Optical Society of America A*, vol. 20, no. 7, pp. 1434–1448, 2003.
[19] E. Rubin, *Visuell wahrgenommene Figuren*. Copenhagen: Gyldendalske, 1921.
[20] D. A. Leopold, M. Wilke, A. Maier, and N. K. Logothetis, "Stable perception of visually ambiguous patterns," *Nature Neuroscience*, vol. 5, no. 6, pp. 605–609, 2002.
[21] H. R. Maturana and F. J. Varela, *Autopoiesis and Cognition: The Realization of the Living*. Dordrecht: D. Reidel, 1980.
[22] E. Thompson, *Mind in Life: Biology, Phenomenology, and the Sciences of Mind*. Cambridge, MA: Harvard University Press, 2007.
[23] J. Wagemans, J. H. Elder, M. Kubovy, S. E. Palmer, M. A. Peterson, M. Singh, and R. von der Heydt, "A century of Gestalt psychology in visual perception: I. Perceptual grouping and figure–ground organization," *Psychological Bulletin*, vol. 138, no. 6, pp. 1172–1217, 2012.
[24] J. Wagemans, J. Feldman, S. Gepshtein, R. Kimchi, J. R. Pomerantz, P. A. van der Helm, and C. van Leeuwen, "A century of Gestalt psychology in visual perception: II. Conceptual and theoretical foundations," *Psychological Bulletin*, vol. 138, no. 6, pp. 1218–1252, 2012.
[25] S. E. Palmer, *Vision Science: Photons to Phenomenology*. Cambridge, MA: MIT Press, 1999.
[26] N. Kogo and C. van Leeuwen, "Double-well potential model of border ownership," *Frontiers in Psychology*, vol. 6, p. 1872, 2015.
[27] J. Oh, "Soft Cognitive Cohesion: Mathematical foundations of pre-objective formation," manuscript in preparation, 2026.