## **XML TEMPLATE**

## **Test template:** files/template1.xml XSD: files/templade.xsd XML: <header> Header section <templateId>1</templateId> Template ID <templateName>Test\_template1</templateName> Template name <formName>Test Form 1/formName> Form name </header> <fields> Form fields <field id="1"> Form field attribute id - must be unique, integer, (required) <type>text</type> Field type, values: [text, number, date, select, check] (required) <label>First name</label> Field label <name>firstname</name> Field name (required) <title>First name</title> Field title <maxLength>255</maxLength> Field maxlength shouldn't be greater than 255 Field minlenght <minLength>1</minLength> <max></max> Field max – only for number <min></min> Field min – only for number <value></value> Field default value <options></options> Options - only for select </field> <field id="2"> <type>text</type> <label>Last name</label> <name>lastname</name> <title>Last name</title> <maxLength>255</maxLength> <minLength>1</minLength> <max></max> <min></min> <value></value> <options></options> </field> <field id="3"> <type>date</type> <a href="mailto:label">< label>Date of birdth</a> <name>birdth</name> <title>Date of birdth</title> <maxLength></maxLength>

<minLength></minLength>

```
<max></max>
    <min></min>
    <value></value>
    <options></options>
  </field>
  <field id="4">
    <type>number</type>
    <label>Internal company ID</label>
    <name>company id</name>
    <title>Company ID</title>
    <maxLength></maxLength>
    <minLength></minLength>
    <max>99999</max>
    <min>10000</min>
    <value>10000</value>
    <options></options>
  </field>
  <field id="5">
    <type>select</type>
    <label>Department</label>
    <name>department</name>
    <title>Department</title>
    <maxLength></maxLength>
    <minLength></minLength>
    <max></max>
    <min></min>
    <value></value>
                                                           Options for select
    <options>
       <option value="R&amp;D">R&amp;D</option>
                                                           Option
       <option value="Sales">Sales</option>
      <option value="Marketing">Marketing</option>
       <option value="Management">Management
    </options>
  </field>
  <field id="6">
    <type>check</type>
    <label>Company Car
    <name>company car</name>
    <title>Company Car</title>
    <maxLength></maxLength>
    <minLength></minLength>
    <max></max>
    <min></min>
    <value>1</value>
    <options></options>
  </field>
</fields>
Table structure
  <column label="Full name">
                                              Table column
    <element type="fieldId">2</element>
                                              Element of column
                                              atrribut type, values:
```

```
<element type="separator">, </element>
       <element type="fieldId">1</element>
    </column>
    <column label="Date of birth">
       <element type="fieldId">3</element>
    </column>
    <column label="Internal company ID (10000-99999)">
      <element type="fieldId">4</element>
    </column>
    <column label="Department">
       <element type="fieldId">5</element>
    </column>
    <column label="Uses company car">
       <element type="fieldId">6</element>
    </column>
  </root>
```

[fieldId, separator] (required)
Order is important!
If type is "fieldId" value should be proper id related to the field id attribute (fields/field[@attribute=id Separator
1 it id of field element