# 1506801 Submission 2

Jack Neilson November 9, 2017

## Activity 3

### $\mathbf{A}$

```
female(tuya).
   female(tiv).
   female(unknown).
   female(kiya).
   female(nefertiti).
   female(ankhesenamun).
   female(other1).
   female(other2).
   female(other3).
   female(other4).
   female(merytaten).
   female(stillborn1).
   female(stillborn2).
   male(yuya).
   male(amenhotepiii).
   male(ay).
   male(akhenaten).
   male(tutankhamun).
   male(smenkhkare).
   parent(tutankhamun, stillborn1).
   parent(tutankhamun, stillborn2).
   parent(ankhesenamun, stillborn1).
   parent(ankhesenamun, stillborn2).
   parent(kiva, tutankhamun).
   parent(akhenaten, tutankhamun).
   parent(akhenaten, ankhesenamun).
   parent(akhenaten, other1).
   parent(akhenaten, other2).
   parent(akhenaten, other3).
   parent(akhenaten, other4).
   parent(akhenaten, merytaten).
   parent(nefertiti, ankhesenamun).
   parent(nefertiti, other1).
   parent(nefertiti, other2).
   parent(nefertiti, other3).
   parent(nefertiti, other4).
   parent(nefertiti, merytaten).
   parent(amenhotepiii, akhenaten).
   parent(tiy, akhenaten).
   parent(ay, nefertiti).
   parent(unknown, nefertiti).
   parent(tuya, tiy).
   parent(tuya, ay).
   parent(yuya, tiy).
   parent(yuya, ay).
   partner(tuya, yuya).
   partner(yuya, tuya).
   partner(amenhotepiii,tiy).
```

```
partner(tiy,amenhotepiii).
partner(ay,unknown).
partner(unknown,ay).
partner(kiya, akhenaten).
partner(akhenaten, kiya).
partner(akhenaten, nefertiti).
partner(nefertiti, akhenaten).
partner(tutankhamun, ankhesenamun).
partner(ankhesenamun, tutankhamun).
partner(merytaten, smenkhkare).
partner(smenkhkare, merytaten).
```

### $\mathbf{B}$

```
\label{eq:parent_and_partner} % Parent and partner already part of facts set. \\ mother(M,X) :- parent(M,X), female(M). \\ father(F,X) :- parent(F,X), male(F). \\ sibling(X,Y) :- parent(A,X), parent(A,Y), not(X = Y). \\ sister(W,Z) :- sibling(W,Z), female(W). \\ aunt(W,Z) :- parent(A,Z), sibling(W,A), female(W). \\ grandfather(W,Z) :- parent(A,Z), father(W,A). \\ ancestor(W,Z) :- parent(W,Z). \\ ancestor(W,Z) :- parent(W,A), ancestor(A,Z). \\ nephew(W,Z) :- parent(W,A), sibling(A,Z), male(W). \\ \end{cases}
```

#### $\mathbf{C}$

```
jack@Sloth:~/Documents/ai_CM4107/coursework/1506801_submission_2/prolog$-prolog
Welcome to SWI-Prolog (Multi-threaded, 64 bits, Version 7.2.3)
Copyright (c) 1990-2015 University of Amsterdam, VU Amsterdam
SWI-Prolog comes with ABSOLUTELY NO WARRANTY. This is free software,
and you are welcome to redistribute it under certain conditions.
Please visit http://www.swi-prolog.org for details.
For help, use ?- help(Topic). or ?- apropos(Word).
?- [facts].
true.
?- [rules].
true.
?- parent(tuya,tiy).
true .
?- mother(tuya,tiy).
true .
?- father(yuya,tiy).
true.
ERROR: Stream user_input:24:1 Syntax error: Unexpected end of clause
?- sibling(stillborn1,stillborn2).
true .
?- sister(stillborn1,stillborn2).
true .
?- aunt(merytaten, stillborn1).
true .
?- grandfather(akhenaten, stillborn1).
true .
?- partner(tuya,yuya).
true.
?- ancestor(yuya,stillborn1).
?- nephew(akhenaten,ay).
true .
?- _
```

# Activity 4