Personal traits analysis as a means to predict Insiders

Miltos Kandias, Vasilis Stavrou

January 2015

2014 National Cybersecurity Exercise Briefing Ministry of Defense, Athens, Greece January 2015

Personal traits analysis as a means to predict Insiders




Miltos Kandias, Vasilis Stavrou

Information Security & Critical Infrastructure Protection (INFOSEC) Lab Dept. of Informatics, Athens University of Economics & Business

Presentation outline

- Web 2.0 and Online Social Networks dynamics
- Open Source (& Social Media) Intelligence
- The Insider threat
- The NEREUS Framework
- Insider threat prediction via Narcissism
- Conclusions

Web 2.0 and Online Social Networks (OSN)



Open Source (& Social Media) Intelligence (OSINT/SOCMINT)



- Open Source Intelligence (OSINT) is produced from publicly available information, which is:
 - collected, exploited and disseminated in a timely manner
 - offered to an appropriate audience
 - used for the purpose of addressing a specific intelligence requirement
- Publicly available information refers to (not only):
 - Traditional media (e.g. television, newspapers, radio, magazines)
 - Web-based communities (e.g. social networking sites, blogs)
 - Public data (e.g. government reports, official data, public hearings)
 - Amateur observation/reporting (e.g. amateur spotters, radio monitors)
- OSINT defined by US Dept. of Defense (Public Law 109-163, Sec. 931,"National Defense Authorization Act for Fiscal Year 2006")
- SOCMINT is produced from Online Social Networks and the Web 2.0

The Insider Threat



NEREUS Framework (Function 1) Insider threat prediction based on Narcissism


NEREUS Framework	OSN: Twitter	
Tools used for the open data analysis		
Science	Theory	
Informatics	Graph Theory	
	Content Analysis	
Sociology Psychology	Theory of Planned Behavior	
	Social Learning Theory	
Application: Insider threat detection/prediction, influential users detection, means of communication evaluation, etc.		

NEREUS Framework (Function 1) The framework in a nutshell



Predicting & identifying potential insiders





NEREUS Framework (Function 1) Insider threat prediction based on Narcissism



Narcissistic behavior detection

Study: Motive, ego/self-image, entitlement

Means: Usage Intensity, Influence valuation, Klout score

- Individuals tend to transfer offline behavior online.
- Trait of narcissism directly relates to insider threats, OSN popularity and influence.
- Utilize graph theoretic tools to perform analysis.
- Valuation of social media popularity and usage intensity.
- Twitter data to become open.
- Trait of narcissism relates to delinquent behavior via :
 - sense of entitlement
 - lack of empathy
 - anger and "revenge" syndrome
 - inflated self-image

Dataset description



- Focus on a Greek Twitter community:
 - Context sensitive research
 - Utilize ethnological features rooted in locality
 - Extract and analyze results
- Analysis of content and measures of user influence and usage intensity
- User Categories: Follower, Following, Retweeter
- Graph:
 - Each user is a node
 - Every interaction is a directed edge
- 41.818 fully crawled users (personal and statistical data)
 - Name, ID, personal description, URL, language, geolocation, profile state, lists, # of following/followers, tweets, # of favorites, # of mentions, # of retweets

Twitter (Greece, 2012-13)



7.125.561 connections among them

Graph Theoretical approach



• Strongly connected components:

 There exists 1 large component (153.121 nodes connected to each other) and several smaller ones

Node Loneliness:

99% of users connected to someone

Small World Phenomenon:

Every user lies <6 hops away from anyone

Indegree Distribution:

- # of users following each user
- Average 13.2 followers/user


Outdegree Distribution:

- # of users each user follows
- Average 11 followers/user

Usage Intensity Distribution:

Weighted aggregation of {# of followers, #of followings, tweets, retweets, mentions, favorites, lists}

Important cluster of users



Narcissism detection



- Majority of users make limited use of Twitter
 - A lot of "normally" active users and very few "popular" users
 - Users classified into four categories, on the basis of specific metrics (influence valuation, Klout score, usage valuation)
- Above a threshold:
 - User becomes quite influential/perform intense medium use
 - User get a "mass-media & persona" status


The excessive use of Twitter by persons who are not mass-media or personas could connect to narcissism and identify narcissists, i.e. persons who - inter alia - tend to turn insiders

Category	Influence valuation	Klout score	Usage valuation
Loners	0 - 90	3.55 - 11.07	0 - 500
Individuals	90 - 283	11.07 - 26.0	500 - 4.500
Known users	283 - 1.011	26.0 - 50.0	4.500 - 21.000
Mass Media & Personas	1.011 - 3.604	50.0- 81.99	21.000 - 56.9000

Group dynamics



- Create reliable graphs of interconnection, i.e. visualization of groups of people according to their relationships and common interests
- Compare deviating usage behavior according to a set of parameters, maximize efficiency



NEREUS Framework:Web 2.0 data exploitation capabilities

- Insider threat prediction
 - Applying Shaw and FBI psychosocial indicators
 (narcissism, anger syndrome, revenge syndrome, etc.)
- Delinquent behavior prediction
 - Analysis of psycho-social characteristics (narcissism, anger syndrome, revenge syndrome, etc.)
 - Predisposition analysis (Graph Theory and Content Analysis through Social Learning Theory, etc.)
- Forensics analysis support
 - Suspect profiling and analysis (prediction of delinquent behavior, etc.)

Preliminary conclusions

- ✓ Web 2.0 produces vast amounts of crawlable information and OSINT/SOCMINT can transform it into intelligence.
- ✓ OSINT/SOCMINT can assist in detecting narcissistic behavior, predisposition towards law enforcement, personal stress level variations, etc.
- ✓ OSINT/SOCMINT can help in predicting insiders, in predicting delinquent behavior, in supporting law enforcement, in enhancing national defense, etc.
- ✓ OSINT/SOCMINT intrusive nature dictates specific uses for legitimate only purposes.

References

- 1. Gritzalis D., Stavrou V., Kandias M., Stergiopoulos G., "Insider Threat: Enhancing BPM through Social Media", in *Proc. of the 6th IFIP International Conference on New Technologies, Mobility and Security* (NMTS-2014), Springer, UAE, 2014.
- 2. Gritzalis D., "Insider threat prevention through Open Source Intelligence based on Online Social Networks", Keynote address, 13th European Conference on Cyber Warfare and Security (ECCWS-2014), Greece, 2014.
- 3. Gritzalis D., Kandias M., Stavrou V., Mitrou L., "History of Information: The case of Privacy and Security in Social Media", in *Proc. of the History of Information Conference*, Law Library Publications, Athens, 2014.
- 4. Kandias M., Mitrou L., Stavrou V., Gritzalis D., "Which side are you on? A new Panopticon vs. privacy", in *Proc. of the 10th International Conference on Security and Cryptography* (SECRYPT-2013), pp. 98-110, Iceland, 2013.
- 5. Kandias M., Galbogini K., Mitrou L., Gritzalis D., "Insiders trapped in the mirror reveal themselves in social media", in *Proc. of the 7th International Conference on Network and System Security* (NSS-2013), pp. 220-235, Springer (LNCS 7873), Spain, June 2013.
- 6. Kandias M., Virvilis N., Gritzalis D., "The Insider Threat in Cloud Computing", in *Proc. of the 6th International Conference on Critical Infrastructure Security* (CRITIS-2011), pp. 93-103, Springer (LNCS 6983), United Kingdom, 2013.
- 7. Kandias M., Stavrou V., Bozovic N., Mitrou L., Gritzalis D., "Can we trust this user? Predicting insider's attitude via YouTube usage profiling", in *Proc.* of 10th IEEE International Conference on Autonomic and Trusted Computing (ATC-2013), pp. 347-354, IEEE Press, Italy, 2013.
- 8. Kandias M., Stavrou V., Bosovic N., Mitrou L., Gritzalis D., "Proactive insider threat detection through social media: The YouTube case", in *Proc. of the 12th Workshop on Privacy in the Electronic Society* (WPES-2013), pp. 261-266, ACM Press, Germany, 2013.
- 9. Kandias M., Virvilis N., Gritzalis D., "The Insider Threat in Cloud Computing", in *Proc. of the 6th International Workshop on Critical Infrastructure Security* (CRITIS-2011), Bologna S., et al (Eds.), pp. 93-103, Springer (LNCS 6983), Switzerland, 2011.
- 10. Kandias M., Mylonas A., Virvilis N., Theoharidou M., Gritzalis D., "An Insider Threat Prediction Model", in *Proc. of the 7th International Conference on Trust, Privacy, and Security in Digital Business* (TrustBus-2010), pp. 26-37, Springer (LNCS-6264), Spain, 2010.
- 11. Mitrou L., Kandias M., Stavrou V., Gritzalis D., "Social media profiling: A Panopticon or Omniopticon tool?", in *Proc. of the 6th Conference of the Surveillance Studies Network*, Spain, 2014.
- 12. Pipyros K., Mitrou L., Gritzalis D., Apostolopoulos T., "A Cyber Attack Evaluation Methodology", in *Proc. of the 13th European Conference on Cyber Warfare and Security* (ECCWS-2014), Greece, 2014.
- 13. Stavrou V., Kandias M., Karoulas G., Gritzalis D., "Business Process Modeling for Insider threat monitoring and handling", in *Proc. of the 11th International Conference*Theoharidou M., Kotzanikolaou P., Gritzalis D., "Towards a Criticality Analysis Methodology: Redefining Risk Analysis for Critical Infrastructure Protection", in *Proc. of the 3rd IFIP International Conference on Critical Infrastructure Protection* (CIP-2009), Springer, USA, 2009.
- 14. Theoharidou M., Papanikolaou N., Pearson S., Gritzalis D., "Privacy risks, security and accountability in the Cloud", in *Proc. of the 5th IEEE Conference on Cloud Computing Technology and Science* (CloudCom-2013), pp. 177-184, IEEE Press, UK, 2013.
- 15. Virvilis N., Gritzalis D., "Trusted Computing vs. Advanced Persistent Threats: Can a defender win this game?", in *Proc. of 10th IEEE International Conference on Autonomic and Trusted Computing* (ATC-2013), pp. 396-403, IEEE Press, Italy, 2013.