Collaborative Debugging

A Tale of Two Bugs

Collaborative Debugging

A Tale of Two Bugs







I'm a software engineer who joined Square a few months ago, and I last worked at a startup called Nylas.



T8567 IntegrityError Duplicate entry for key uid on contact table

T8607 TypeError during authentication



T8514 Events not added to user calendar / Invites not received (Lever)

T8552 account.invalid webhook is not sent when credentials change

T8600 Improve threading for Exchange

T8592 [webhooks] Move.com SQS receiving webhooks for cancelled account

T8582 202s returned indefinitely for sent messages


T8604 UIDVALIDITY Error: Detected endless uidvalidity resync loop

T8589 Integrity Error occurs when setting a label









48 -

T8567 IntegrityError Duplicate entry for key uid on contact table

T8607 TypeError during auth



T8514 Events not added to user calendar / Invites not received (Lever)

T8552 account. Iid webhook is not sent when credential change

T8600 Improve threading for Exchange

T8592 [webhooks] Move.com SQS receiving webhooks for cancelled account

T8582 202s returned indefinitely for sent messages

T8604 UIDVALIDITY Error: Detected endless

T8589 Integration occurs when setting a label













"Debugging is twice as hard as writing the code in the first place."

Brian W. Kernighan and P. J. Plauger













• AS 16.1 duplicate calendar event after update





Description


It's possible that updates to calendar events for accounts syncing on 16.1 will show as two separate events in the user's client UI.

Here are two example event_ids that received updates, and showed multiple calendar events in the users calendars:

Cal event ID:

Email:


Nylas account ID:




Cal event ID:


Email:


Nylas account ID:












What was wrong with this process?

Didn't collect enough information from the user

Missed window for checking the logs

Repeated work in different investigations

Enter... collaborative debugging.



Assumption: Each person should claim a bug, then fix it.

But a lot of the hardest bugs don't work that way.

If we had been debugging collaboratively, each person would have left breadcrumbs for the next person to make sure as little progress was lost as possible.

What would be a better debugging process?

Get the right information from the user

Pull stacktraces from the logs ASAP

Document progress, good or bad

















✓ Fetching raw message returns 404 (Move.com)



Description

Move.com needs to fetch raw messages ASAP to meet their product requirements.

They are running into an issue where they:


- 1. Initialize an account
- 2. Receive a webhook notification for a new message being created
- 3. Query /messages/{id} for the new message
- 4. Query /message/{id} with the rfc-822 header to get the raw message


Step 3 returns a 200 and the message, but step 4 returns a 404

Either, we need to return a status code other than 404 to indicate that the message isn't available yet so they can retry on the error, or we need to make sure raw messages are available sooner.

Affected Customers:

https://nylas.zendesk.com/agent/tickets/13145





halla moved this task from Customer Issues to In Progress on the board.



halla added a comment.

Update on the s3 race condition theory:

It looks like we fallback to the provider if we couldn't find the message in s3 - https://github.com/nylas/cloud-core/blob/master/nylas/sync/api/blueprints/messages.py#L174-L187

This means we can't find the message on the provider either, so something bigger is going on.



halla added a comment.

Sep 20 2017, 11:02 AM

Sep 20 2017, 10:34 AM

We're actually throwing the error here: https://github.com/nylas/cloud-core/blob/master/nylas/sync/s3/backends/imap.py#L18

Traceback (most recent call last):
File "/usr/share/python/cloud-core/local/lib/python2.7/site-packages/nylas/sync/api/blueprints/messages.py", line
186, in lookup
 contents = get_raw_from_provider(message)

File "/usr/share/python/cloud-core/local/lib/python2.7/site-packages/nylas/sync/s3/base.py", line 9, in get_raw_from_provider

return account.get_raw_message_contents(message)

File "/usr/share/python/cloud-core/local/lib/python2.7/site-packages/nylas/db/sharded/models/backends/imap.py", line 78, in get_raw_message_contents

return get_imap_raw_contents(message)

File "/usr/share/python/cloud-core/local/lib/python2.7/site-packages/nylas/sync/s3/backends/imap.py", line 18, in get_imap_raw_contents

raise EmailDeletedException("Message was deleted on the backend server.") EmailDeletedException: Message was deleted on the backend server.

Looking into why a message might not have any imapuids.



halla added a comment.

Sep 20 2017, 10:34 AM

Update on the s3 race condition theory:

It looks like we fallback to the provider if we couldn't find the message in s3 - https://github.com/nylas/cloudcore/blob/master/nylas/sync/api/blueprints/messages.py#L174-L187

This means we can't find the message on the provider either, so something bigger is going on.





halla added a comment.

Sep 20 2017, 11:02 AM

We're actually throwing the error here: https://github.com/nylas/cloud-core/blob/master/nylas/sync/s3/backends/imap.py#L18

Traceback (most recent call last):

File "/usr/share/python/cloud-core/local/lib/python2.7/site-packages/nylas/sync/api/blueprints/messages.py", line 186, in lookup

contents = get_raw_from_provider(message)

File "/usr/share/python/cloud-core/local/lib/python2.7/site-packages/nylas/sync/s3/base.py", line 9, in get_raw_from_provider

return account.get_raw_message_contents(message)

File "/usr/share/python/cloud-core/local/lib/python2.7/site-packages/nylas/db/sharded/models/backends/imap.py", line 78, in get_raw_message_contents

return get_imap_raw_contents(message)

File "/usr/share/python/cloud-core/local/lib/python2.7/site-packages/nylas/sync/s3/backends/imap.py", line 18, in get_imap_raw_contents

raise EmailDeletedException("Message was deleted on the backend server.") EmailDeletedException: Message was deleted on the backend server.

Looking into why a message might not have any imaguids.





halla added a comment.

Sep 20 2017, 11:29 AM



halla added a comment.

Sep 20 2017, 10:34 AM

Update on the s3 race condition theory:

It looks like we fallback to the provider if we couldn't find the message in s3 - https://github.com/nylas/cloudcore/blob/master/nylas/sync/api/blueprints/messages.py#L174-L187

This means we can't find the message on the provider either, so something bigger is going on.





halla added a comment.

Sep 20 2017, 11:02 AM

We're actually throwing the error here: https://github.com/nylas/cloud-core/blob/master/nylas/sync/s3/backends/imap.py#L18

Traceback (most recent call last):

File "/usr/share/python/cloud-core/local/lib/python2.7/site-packages/nylas/sync/api/blueprints/messages.py", line 186, in lookup

contents = get_raw_from_provider(message)

File "/usr/share/python/cloud-core/local/lib/python2.7/site-packages/nylas/sync/s3/base.py", line 9, in get_raw_from_provider

return account.get_raw_message_contents(message)

File "/usr/share/python/cloud-core/local/lib/python2.7/site-packages/nylas/db/sharded/models/backends/imap.py", line 78, in get_raw_message_contents

return get_imap_raw_contents(message)

File "/usr/share/python/cloud-core/local/lib/python2.7/site-packages/nylas/sync/s3/backends/imap.py", line 18, in get_imap_raw_contents

raise EmailDeletedException("Message was deleted on the backend server.") EmailDeletedException: Message was deleted on the backend server.

Looking into why a message might not have any imaguids.





halla added a comment.

Sep 20 2017, 11:29 AM

Not every problem is a technical problem.







Say hello on Twitter! I'm @jackiehluo.



Say hello on Twitter! I'm @jackiehluo.