
Kirk-Rudy, Inc. Parts Manual WaveJet Head/Rack Assembly



Manufactured by Kirk-Rudy, Inc.

Before using this machine, all operators must study this manual to understand and follow the <u>safety warnings and instructions</u>. Keep these instructions with the machine for future reference. If you have any questions, contact your local Kirk-Rudy, Inc. Distributor.

TABLE OF CONTENTS

SECTION	DESCRIPTION	<u>PAGE</u>
1	IMPORTANT SAFETY INSTRUCTIONS	3
2	SPECIFICATIONS	4
3	MECHANICAL PARTS LIST AND DIAGRAMS	5
4	NOTES	6
5	WARRANTY AND SERVICE INFORMATION	7

NOTE: FIGURES AND DIAGRAMS ARE NOT INCLUDED IN PAGE NUMBERS.

1 Important Safety Instructions

<u>Intended Use Statement:</u> The WaveJet Head/Rack Assembly is used to mount the inkjet head module. Usage for other purposes may lead to an unsafe condition.

SAVE THESE INSTRUCTIONS. Read all instructions before using this product.




WARNING

- * NEVER OPERATE THE MACHINE WITHOUT ALL GUARDS OR SAFETY DEVICES IN PLACE.
- * ALWAYS TURN POWER OFF WHEN MAKING ADJUSTMENTS.
- * ALWAYS DISCONNECT THE POWER SUPPLY BEFORE ANY MAINTENANCE OR SERVICE WORK.
- * NEVER START THE MACHINE WITHOUT FIRST CHECKING ALL PERSONNEL ARE CLEAR OF MOVING PARTS.
- * KEEP FINGERS CLEAR OF ALL MOVING PARTS.
- * NEVER REMOVE THE PRODUCT FROM THE MACHINE WHILE MACHINE IS RUNNING.
- * SHOULD MISFED PRODUCT JAM THE MACHINE AND STOP IT FROM RUNNING, ALWAYS PRESS THE STOP BUTTON BEFORE CLEARING PRODUCT. IF THE STOP BUTTON IS NOT PRESSED AND THE JAM IS CLEARED, THE MACHINE WILL BEGIN RUNNING.
- * IT IS NOT RECOMMENDED THAT LOOSE CLOTHING, JEWELRY AND LONG HAIR BE WORN WHILE OPERATING THIS MACHINERY.
- * ALWAYS USE AN EXPERIENCED ELECTRICIAN WHEN TROUBLE-SHOOTING ELECTRICAL PROBLEMS.
- * CHANGES OR MODIFICATIONS TO THIS UNIT NOT EXPRESSLY APPROVED BY THE PARTY RESPONSIBLE FOR COMPLIANCE COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT.

2 SPECIFICATIONS

	<u>ENGLISH</u>	<u>METRIC</u>
ELECTRICAL REQUIREMENTS Main Power Input:	N/A	
PHYSICAL SIZE		
Length:	40.00"	101.6 cm
Width:	30.50"	77.47 cm
Height:	7.75"	19.69 cm



3 PARTS LISTS AND DIAGRAMS


This section contains the entire mechanical bill of materials and assembly drawings.


	WAVEJET RACK ASSEMBLIES			
NO.	DRAWING #	DESCRIPTION		
1	.544573-03	ASSY, WAVEJET HEAD RACK		
2	. 544578-05	ASSY, INKJET HEAD MOUNT		
3	. 545977-01	ASSY, INKJET MODULE		
4	. 547304-01	ASSY, INKJET CATCH TRAY		
5	. 547304-02	ASSY, INKJET SEAL BAR		
6	. 544578-06	ASSY, INKJET HEAD MOUNT		
7	. 545977-01	ASSY, INKJET MODULE		
8	. 547304-01	ASSY, INKJET CATCH TRAY		
9	. 547304-03	ASSY, INKJET SEAL BAR		
10	. 545900-04	ASSY, RH VERTICAL ADJUST		
11	. 545900-02	ASSY, LH VERTICAL ADJUST		
12	. 545974-01	ASSY, HEAD FINE ADJUST BRACKET		


	WAVEJET RACK BOM		
NO.	PART#	DESCRIPTION	QTY
1	100147	BUSHING, SL.500ID.625OD1.250LG	4
2	100302	BUSHING, FL.375ID.500OD.500LG	2
3	100310	BUSHING, FL.250ID.375OD.375LG	2
4	101019	GEAR, MITER 1616 .250B NK	2
5	102112	KNOB	1
6	102140	HANDLE, RELEASE 1/4-20 X 1.0	2
7	102200	COLLAR .375	1
8	102210	COLLAR .188	2
9	102306	SHIM, .375X.625X.031	2
10	104100	SNAPRING, .375	3
11	105208	PIN, ROLL .125X.375	1
12	105413	DOWEL, PIN .250X.750	4
13	105430	DOWEL, PIN .125X.750	8
14	105431	DOWEL, PIN .125X.500	4
15	105432	DOWEL, PIN .125X.375	4
16	107206	BOLT, SHOULDER 3/8X1/2	2
17	107465	SCREW, SHCS 4mm X 18mm	4
18	107904	BALL PLUNGER, 10-32	8
19	150428	DOWEL, PIN .125X1.000	2
20	190771	SCALE, CENTER ZERO	1
21	190789	LABEL, VOLTAGE SMALL	2
22	190790	LABEL, HOT SURFACE	2
23	190955	HANDLE	4
24	191138	FILTER, 5/10 MICRON DISC STERILE, WHATMAN	2

25	191232	TRACK, CABLE	1
	191267	MOUNT, ISOLATION BLUE 30 DUR	8
	 	FILTER, .2 MICRON STERILE, MILLIPORE	2
	191268 191273	BRASS FEMALE ELBOW, 1/8 OD-1/8 FNPT	4
		SHIM, STOCK	18
	191282		2
	191315	RING, O QUATTRO -138	2
	191316	TRAY, INK CATCH GEAR, MITER 1616 .375B NK	2
	101019-1 191232-1		1
	500341-3	TRACK, CABLE SHAFT, LIFT	1
			1
	500341-6	SHAFT, LIFT	1
	544572-01	EXTRUSION, 2020	1
	544574-01	BLOCK, MITER GEAR BOX BLOCK, MITER GEAR BOX	1
	544574-02		1
	544575-04 544575-06	BLOCK, STAND BASE BLOCK, STAND BASE	1
	544576-01	SHAFT, LINEAR GUIDE VERTICAL	4
	544576-01	PLATE, INKJET MOUNT	1
	544577-04	PLATE, INKJET MOUNT	1
	544579-02	EXTRUSION, 2020	2
	544580-01	BLOCK, TOGGLE MOUNT	2
	544581-01	BLOCK, LOWER STOP	2
	544582-01	BLOCK, LOWER STOP	2
48	544582-02	BLOCK, LOWER STOP	2
49	544584-01	BLOCK, HEAD MOUNT/INSULATOR	2
50	544592-01	SHAFT, MITER GEAR	1
51	545879-05	PLATE, HEAD SIDE	1
52	545879-06	PLATE, HEAD SIDE	1
53	545879-07	PLATE, HEAD SIDE	1
54	545879-08	PLATE, HEAD SIDE	1
55	545882-01	COVER, INKJET HEAD	2
56	545882-04	COVER, INKJET HEAD	2
57	545894-01	PLATE, WIRE DUCT MOUNT	2
58	545895-01	COVER, HEAD WIRE DUCT	2
59	545896-03	COVER, RACK ADJUST	1
60	545896-04	COVER, RACK ADJUST	1
61	545896-05	COVER, RACK ADJUST	1
62	545897-01	PLATE, HEAD COVER MOUNT	2
63	545898-01	BRACKET, HEAD COVER MOUNT	2
64	545899-01	GLIDE, HEAD MOUNT	13
65	545899-02	GLIDE, HEAD MOUNT	4
66	545901-01	NUT, HEAD ADJUSTMENT	2
67	545902-01	SPACE, ADJUSTMENT KNOB	2
68	545903-01	PLATE, WIRE DUCT MOUNT	1
69	545903-02	PLATE, WIRE DUCT MOUNT	1
70	545904-01	PLATE, VERTICAL WIRE DUCT MOUNT	1
71	545905-01	COVER, REAR WIRING DUCT	2
72	545906-01	BOX, INKJET RACK JUNCTION	1


73	545907-01	COVER, INKJET RACK JUNCTION BOX	1
74	545909-01	PLATE, HEAD MOUNT	2
75	545910-01	GUIDE, WIRE DUCT	1
76	545911-01	BRACKET, INKJET HEAD SCALE	1
77	545912-01	POINTER, HEAD LOCATION	2
78	545914-01	WLDMNT, JUNCTION BOX	1
79	545915-01	PLATE, JUNCTION BOX END	1
80	545916-01	PLATE, JUNCTION BOX END	1
81	545921-07	NAMEPLATE, WAVEJET LOGO	4
82	545923-01	BLOCK, HEAD LIFT GUIDE	4
83	545950-02	PLATE, ARM MOUNT	1
84	545951-03	BRACKET, REAR SUPPORT	1
85	545951-04	BRACKET, REAR SUPPORT	1
86	545958-01	BRACKET, FILTER MOUNT	2
87	545960-01	WLDMNT, FILTER MOUNT BRACKET	1
88	545960-01	WLDMNT, FILTER MOUNT BRACKET	11
89	545961-01	GUSSET, FILTER MOUNT BRACKET	2
90	545962-01	WASHER, INKJET RACK MOUNT	4
91	545963-01	SPACER, INKJET RACK MOUNT	4
92	545964-02	WLDMNT, HEAD COVER	1
93	545964-02	WLDMNT, HEAD COVER	1
94	545969-01	PLATE, WAVEJET TO 215P MOUNT	1
95	545969-02	PLATE, WAVEJET TO 215P MOUNT	1
96	545970-03	BLOCK, HEAD PIVOT	2
97	545970-04	BLOCK, HEAD PIVOT	2
98	545972-01	BRACKET, HEAD FINE ADJUST	1
99	545975-01	KNOB, HEAD FINE ADJUST	2
100	545976-01	SHAFT, HEAD FINE ADJUST	1
101	545979-01	PLATE, LED LIGHTS LABEL	1
102	547305-01	PLATE, INKJET CATCH TRAY MOUNT	2
103	547305-02	PLATE, INKJET CATCH TRAY MOUNT	2
104	547305-03	PLATE, INKJET CATCH TRAY MOUNT	2
105	547306-01	BRACKET, INKJET TRAY SUPPORT	2
106	547306-02	PLATE, SEAL BAR MOUNT	11
107	547306-03	PLATE, SEAL BAR MOUNT	1
108	547309-01	PLATE, INKJET SEAL	2
109	547310-01	SPRING STL, INKJET SEAL PLATE	4









REV DATE DESCRIPTION ECN BY	4	PROPRIETARY AND CONFIDENTIAL MAY BE QUOTED OR REPRODUCED WHERE USED READER OF REPRODUCED OF REPRODUCED REPRODUCED REPRODUCED OF RIAN HOUT THE EXPERIENCE WEIGHT REMISSION NECESTAL OF RIAN HOUT HIGH WAY BE AS 30144 USA TITLE: ASSY, INKJET CATCH TRAY DRAWING 1 547304-01
ITEM OTY PART # DESCRIPTION	1 190955 HANDLE	DRAWN BT: A K E Y OUNLESS OTHERWISE NOTED TRACED BT: A L DIMENSIONAL TOLERANCES A L DIMENSIONAL TOLERANCES A L DIMENSIONAL TOLERANCES WATERIAL: N / A WODEL: N / A N /






REV DATE DESCRIPTION ECN BY	4	AND CONFIDENTIAL REGOTO WHERE USED REGOTO WHERE U
	MOUNT CORT CORT CORT CORT CORT CORT CORT COR	N/A N/A WODEL: N/A WODEL: N/A SHEET NO: SHEET NO: N/A SHEET NO: N/A SHEET NO: N/A N/A SHEET NO: N/A N/A SHEET NO: N/A SHEET NO: N/A SHEET NO: N/A SHEET NO: N/A N/A SHEET NO: N/A SHEET NO: N/A N/A SHEET NO: N/A SHEET NO: N/A N/A SHEET NO: N/A N/A N/A N/A SHEET NO: N/A N/A N/A N/A N/A N/A N/A N/
# DESCRIPTION	HANDLE TRAY, INK CATCH OI PLATE, INKJET CATCH TRAY OI BRACKET, INKJET TRAY SUPF SCREW, SHCS 8-32X.250 3 3 3	SCALE DIMENSIONAL TOLERANCES NEESS OTHERWISE NOTED NX NXX ANG. NXX ANG. SATE OI OSS SHARP EDGES UNLESS OTHERWISE NOTESS OTHERWISE NOTESS OTHERWISE NOTESS DO NOT SCALE - WORK TO DIMENSIONS ONLY
ITEM OTY PART	1 190955 2 191316 3 547305-01 4 547306-01 5 2 CSDD236	CHECKED BT:

NO BY	REO'D WHERE USED Y, INC. GEORGIA R R
DESCRIPTION A	KIRK - RUDY KENNESAW, SEAL BA
DATE	
S S S S S S S S S S S S S S S S S S S	RY AND CONFIDENT NA OF THIS DRAWIN NOTED OR REPRODU THE PRINISH WRITTEN PERMISH ART ROUP INC. AW. GA 30144 USA
	PRO NAT IIII
	THIRD ANGLE PRO WOOKL: A 2 6 SMET NO. F
MOUNT MOUNT MOUNT MOUNT MOUNT 1. 375	MATERIAL: N/A HEAT TREAT: N/A TIMISH: N/A
2 38 H TRAY H TRAY UNT SEAL F 5EAL F 750 #6-32x	NENSIONAL TOLERANCES WATERION NOT SCALE NOR NOR NOT SCALE NOR NOR
DESCRIPTION BALL PLUNGER, 10-32 HANDLE RING, O QUATTRO -13 PLATE, INKJET CATCH PLATE, INKJET CATCH PLATE, INKJET SEAL SPRING STL, INKJET SCREW, SHCS 8-32X.7 SCREW, BUTTON HEAD	4 0
PART # DI 107904 B. 190955 H. 191315 R 547305-02 PI 547306-03 PI 547309-01 PI 547310-01 SI CSDD240 S(CSFF47 S(SCALE
1 TEM 07 Y	DRAWN BT: A KEY CHECKED BT: TRACED BT:





Вт		SAZEO WHERE USED NC. \$\(G \) A \$\(E \) T \$\(A - \)
ECN		NC. ORGI
DESCRIPTION		KIRK - RUDY, KENNESAW, GE ADJUST BRA
DATE		
		1 1 1
REV		HFIDENTIAL EPROPUNCED OUT THE COUT THE ERMISSION 144 USA
		AND CON F THIS RM WITH TITEN PE GA 301
		PROPRIETARY ANIMAY BE ONIOTED IN ANY PORM EXPRESS WRITE KENNESS WRITES AND ANIMES ANIMES AND ANIMES ANIM
		PROPRIETARY AND CONFIDENTIAL MAY BE GUOTED OR REPRODUCED IN ANY FORM WITHOUT THE EXPRESS WRITTEN PERMISSION KENNESAW, GA 30144 USA TITLE: DRAWING 1
		1411PD ANGLE PROJECTION MODEL: A 2 6 0 SHEET NO. F
		MODEL:
		MATERIAL: HEAT TREAT: FINISH:
	A ADJU A ADJU A ADJU A A A A A A A A A A A A A A A A A A A	OLERANG WISE NOT WISE NOT WISE NOT WISE NOT WICH SE WORP ONE ON WICH SE WORP ONE ON WORP ONE ON WORP ONE ON WORP
	HEAD FINE ADJUST HEAD FINE ADJUST HEAD FINE ADJUST SET 10-32x, 750	DIMENSIONAL TOLERANCES UNLESS OTHERWISE NOTED .xx
NO I	HEAD FIN	DIMESS UNLESS ONLESS SHAR OT FIN
DESCRIPTION		0 4
DESC	COLLAR BRACKET KNOB, H SHAFT, SCREW,	000 . Apr -
RT #	102210 545972-01 545976-01 SYA094	SCALE DATE 2 6
	2	→ □
ITEM	- N W 4 W	DRAWN 8T: CHECKED BT: TRACED BT:

4	NOTES
	

5 WARRANTY AND SERVICE

WARRANTY

Warranty: Kirk-Rudy warrants to the original retail purchaser that this product is free from defects in the material and workmanship, and agrees to repair or replace, at Kirk-Rudy's option, any defective product within 90 days from the date of purchase. This warranty is not transferable. It covers damage resulting from defects in material or workmanship, and it does not cover conditions or malfunctions resulting from normal wear, neglect, abuse or accident. THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESSED WARRANTIES OR IMPLIED WARRANTY OF MERCHANTABLITIY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE.

Limitation of Remedies: If product is proven to be defective within the warranty period stated above, THE EXCLUSIVE REMEDY, AT KIRK_RUDY'S OPTION, SHALL BE TO REFUND THE PURCHASE PRICE OF OR TO REPAIR OR REPLACE THE DEFECTIVE PRODUCT, provided that the defective product is, at Kirk-Rudy's choice, returned immediately to Kirk-Rudy or authorized service representative designated by Kirk-Rudy, or made available at user's premises in a location suitable for servicing.

Limitation of Liability: Kirk-Rudy shall not otherwise be liable for any losses or damages, whether direct, indirect, special, incidental, or consequential, regardless of the legal or equitable theory asserted, including contract, negligence, warranty, or strict liability.

To obtain replacement parts and service, contact an Authorized Kirk-Rudy Dealer. Use Kirk-Rudy part numbers when ordering.

USE ONLY GENUINE REPLACEMENT PARTS

For Service or Replacement Parts Please Call: Kirk-Rudy @ 770-427-4203

> Kirk-Rudy, Inc. 2700 Kennesaw Due West Road Kennesaw, GA 30144