


MAILBAG

HIGH PERFORMANCE, LOW CONSUMPTION. HIGH SIMPLICITY, LOW COST.

Mailbag is an automatic, vertical packaging machine, ideal for magazines, newsletters, catalogues and publications. It uses a roll of film mounted on a motor driven roller.

An adaptor folds the film forming a sealed envelope containing the product. When the process is complete the product is ejected automatically. True simplicity!







FEATURES

Digital control panel

Independent hot wire sealing bars Automatic booklet length regulator with photocell

Electronic cutter temperature control

Integrated product counter

Products to be packed are fed automatically

Large working plate

TECHNICAL DATA

V 220 KW 0,5 p/h 0-1200 mm 600 x 830 x 1050 in 24 x 33 x 42

^{*}Depends on type of product, film and operator ability.

OPTIONAL

Motor driven outfeed belt
Double photocell for printed films
180 mm x h 8 / 12 / 15 / 20 opening forming boxes 7 in x h 0.3 / 0.5 / 0.6 / 0.8 in opening forming boxes
140 mm x h 5 / 18 opening forming boxes 6 in x h 0.2 / 0.7 in opening forming boxes
Pedal control
Feeder loader
Magazine loader
Automatic horizontal feeding system
Heat shrink tunnel

(

