

# Kirk-Rudy, Inc. Parts Manual KR512/600/605 Divert



#### Manufactured by Kirk-Rudy, Inc.

Before using this machine, all operators must study this manual to understand and follow the <u>safety warnings and instructions</u>. Keep these instructions with the machine for future reference. If you have any questions, contact your local Kirk-Rudy, Inc. Distributor.

10000-KR512DIVERT REV. 2 3/15/05



# TABLE OF CONTENTS

<u>SECTION</u>	DESCRIPTION	<u>PAGE</u>
1	IMPORTANT SAFETY INSTRUCTIONS	3
2	SPECIFICATIONS	4
3	MECHANICAL PARTS LIST AND DIAGRAMS	5
4	NOTES	6
5	WARRANTY AND SERVICE INFORMATION	7

NOTE: FIGURES AND DIAGRAMS ARE NOT INCLUDED IN PAGE NUMBERS.

### 1 Important Safety Instructions

<u>Intended Use Statement:</u> The KR512 Divert has been designed to run inline with a KR512, KR600 or KR605 Inserter to divert product. The KR Divert belts are driven by the KR512/600/605 to match speed. The divert gate is operated by an air cylinder. The KR512/600/605 machine will track product and signal the divert gate as needed. Usage for other purpose may lead to an unsafe condition.

#### SAVE THESE INSTRUCTIONS. Read all instructions before using this product.



# **WARNING**

- \* NEVER OPERATE THE MACHINE WITHOUT ALL GUARDS OR SAFETY DEVICES IN PLACE.
- \* ALWAYS TURN POWER OFF WHEN MAKING ADJUSTMENTS.
- \* ALWAYS DISCONNECT THE POWER SUPPLY BEFORE ANY MAINTENANCE OR SERVICE WORK.
- \* NEVER START THE MACHINE WITHOUT FIRST CHECKING ALL PERSONNEL ARE CLEAR OF MOVING PARTS.
- \* KEEP FINGERS CLEAR OF ALL MOVING PARTS.
- \* NEVER REMOVE THE PRODUCT FROM THE MACHINE WHILE MACHINE IS RUNNING.
- \* SHOULD MISFED PRODUCT JAM THE MACHINE AND STOP IT FROM RUNNING, ALWAYS PRESS THE STOP BUTTON BEFORE CLEARING PRODUCT. IF THE STOP BUTTON IS NOT PRESSED AND THE JAM IS CLEARED, THE MACHINE WILL BEGIN RUNNING.
- \* IT IS NOT RECOMMENDED THAT LOOSE CLOTHING, JEWELRY AND LONG HAIR BE WORN WHILE OPERATING THIS MACHINERY.
- \* ALWAYS USE AN EXPERIENCED ELECTRICIAN WHEN TROUBLE-SHOOTING ELECTRICAL PROBLEMS.
- \* CHANGES OR MODIFICATIONS TO THIS UNIT NOT EXPRESSLY APPROVED BY THE PARTY RESPONSIBLE FOR COMPLIANCE COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT.

## 2 SPECIFICATIONS

PRODUCT SIZE RANGE	English	Metric
Minimum Size:	6" W x 6" L	152mm W x 152mm L
Maximum Size:	14" W x 17" L	355mm W x 432mm L
Minimum Thickness:	.01"	.25mm
Maximum Thickness:	.75"	19mm

#### **SPEED**

Maximum 500 fpm (machine driven by KR512/600/605)

#### MACHINE DATA

Length:		34.13"		87 cm
Width:		33.13"		84cm
Height:	(tabletop)	32.11"		81.5cm
Weight: Net		lbs.	kgs	
Shipping Cra	ite:	lbs.	kgs	

#### **ELECTRICAL**

The KR512 Divert is externally power from the KR512/600/605. Air Valve Solenoid 24VDC

#### <u>AIR</u>


80 PSI @ 0.5CFM

#### **OPTIONS**

Assembly # 548476-01, Hinged Box Covers with stop circuit interlock switches.


# 3 PARTS LISTS AND DIAGRAMS

This section contains the entire mechanical bill of materials and assembly drawings.



110 VAC 202708-2 (SP630-703 KAMP, 215 DIVERT OPT.)	110 VAC 202708-2 (SP630-703 RAMP, 215 DIVERT OPT.)  1	110 VAC 202708-2 (SP630-703 RAMP, 215 DIVERT OPT.)  5.50 DIMERSIONAL TOLERANCES WITERIA: N/A REDICTION PROPRIETIARY AND CONTIDENTIAL REPOSACION OF THIS OBARING NATIONAL THE PROJECT ON THE SOCIETY OF THE PROJECT OF TH		AIR AIR AIR AIR VALVE MOUNT  C AND 110 VAC (512 DIVERT 215		DESCRIPTION NO
REO'D REO'D DOCUMENT OD CONTINUE CONTIN	O. 500 DINENSIONAL TOLERANCES UNITERIAL:  N / A  N	SOO   DINEWS OWAL TOLE RANCES   MATERIAL:   N / A	24 VDC 202 110 VAC 202	202708-1 (512 DIVERT, 215 DIVERT OPTIONAL) 202708-2 (SP630-703 RAMP, 215 DIVERT OPT.)		
DIMENSIONAL TOLEGANCES AND TOLEGANCES AND THE ANALYSIAN AND THE ANALYSIAN STATE AND THE ANALYSIAN STAT	0.500 UNLESS OTHERWISE NOTED N/A THOUSE STATE OF THE WAY FORD BY THOUS THE NOTED THE NOTED NOTED OF THE NOTED	N/A    N/A		LEBANCES MITERIAL: C13 DIVERNI UT 1.7	ARY AND CONFIDENTIAL	REO.D
JUI-99 REMOVE ALL BURBS AND N/A MODEL OF SHARE SOLUTION OF THE ASSYNCT OF THE ASSYNCT OF THE ASSAULT OF THE PLAT			2	FILISE N / N		

TO OCT.		2	1 S1201V REO'D WHERE USED 1Y, INC. GEORGIA 36440-02
DESCRIPTION			KIRK - RUDY, KENNESAW, G BACKSTOP 536
REV DATE	4		PROPIETAL PROPIE
			PROPRIETARY AND CONFINO OF THIS DESCRIPTION OF THE PROPERTY OF REPAIRS WITHOUS THE PROPERTY PERM NEW GA 30144 TITLE:
			3)  14 FILED ANGLE PROJECTION  MOREL:  5   2 D   V  SHEET NO.
	7		N / A / N / A / N / A
			ERANCES E NOTED ANG5 HATERAL: -15 HAT TREAT: -15 HAT TREAT: -15 HATESS FINISH: -15 ARE -18 ONL
DESCRIPTION SHAFT, PAPER GUIDE SUPPORT BLOCK, PAPER GUIDE		_	DINENSTONAL TOLERANCES UNLESS OTHERWISE MOTED  TX TXX ANG.  OTHERWISE NOTED STARP EDGES UNLESS OTHERWISE NOTED FILI DIMENSIONS ARE FILI DIMENSIONS ARE FILI DIMENSIONS DO NOT SCALE - WORK TO DIMENSIONS ONLY
# 95 79 72-1	7 🗸		SCALE 0.125 DATE 5-APR-01
1TEM OTY PART 1 2 5022 2 1 5105 3 1 5021 4 1 5106			DRAW BY: RSH CHECKED BY:




NO BY		1
0ESCR1P710N		KIRK - RUDY, KENNESAW, GI TAKE UP BAR 536
REV DATE		PROPRIETARY AND COMFIDENTIAL NO PORTION OF THIS DAMBING NAT BE OUTTED ON REPRODUCE EXPRESS WITHIN PREMISSION OF ATRI-RUDY INC. NEMBESAW, 6A 30144 USA TITLE:  ASSISTANCE OF THE OUTER PREMISSION NEMBESAW, 6A 30144 USA TITLE:
		HIIRO ANGLE PROJECTION P  MODEL 7 0 3 R
P BELT		NOTED NATERIAE: N/A  ANG.  S KEAT TREAT: N/A  ELESS FED  TO THE ST.  N/A  N/A  NOWER  N/A  N/A  NOME  N/A
PART # DESCRIPTION 510568 SHAFT, BELT TAKE-UP 530610-01 ASSY, TAKEUP I IN BELT		SCALE  O 5 0 DINENSIONAL TOLERANCES  ONLESS OTHERWISE NOTED  TX TX ANG.  ONLESS OTHERWISE NOTED  ONLESS OTHERWISE NOTED  SHAPE EGGES UNLESS OTHERWISE NOTED  ALL DIMENSIONS ARE FINISHED DIMENSIONS DO NOT SCALE - WORK TO DIMENSIONS ONLY
ITEM OTY PART # 1   510568 2   4   530610		AYB  CHECKEO 87:

110N ECN BT			KIRK - RUDY, INC. KENNESAW, GEORGIA I IN BELT 530610-01
REV DATE DESCRIPTION		2	ASSY, TAKEUP IN
			THIRD ANGLE PROJECTION PROPRIETARY AND POSITION OF NATURE COUNTED IN ANY BEGUN OF NATURES WITH ANY BEGUN OF NATURES AND
NER HTENER	88		TOLERANCES MATERIAL: XXX  WISE NOTED  S .5 MEAT TREAT:  NONE S SUMESS  LOTE S SUMESS  NOTE S S SUMESS  NOTE S S SUMESS  NOTE S S S S S S S S S S S S S S S S S S S
# # 449	WAOI3 WASHER, FLAT 3/8		SCALE  0.500  INTESS OTHERWISE NOTED  1.11  1.12  1.11
TEM 01Y	5   WA013		ОВАВИ ВТ:

DESCRIPTION CCM BY MO	KIRK - RUDY, INC. KENNESAW, GEORGIA OLLER
NO DATE	HIGHER ANGLE PROJECTION PROPRIETARY AND CONFIDENTIAL KIRK  ANY BE OUTED OR REPRODUCE  ANY BE OUTED OR REPRODUCE  THE ANY PORM WITHOUT THE  OF KIRK-RID'S, INC.  KENNESAW, GA 30144 USA  STEET NO.  STEET NO.  DRANING 1  A S S Y - R OL L E R  STEET NO.
1	CHECKED BT: $SCALE$ DIMENSIONAL TOLERANCES WATERIAH: X X X CHECKED BT: $ODATE$ DATE $ODATE$

ралетия т 536625-01	DESCRIPTION FCM BY		KIRK - RUDY, INC.  KENNESAW, GEORGIA  TAKEUP ECCENTRIC  536625-01
	REY DATE NO PATE	E (S)	REAT:    THIRD ANGLE PROJECTION   PROPRIETARY AND CONTIDENTIAL NO PORTION OF THIS DRAWING AND TOWN WITHOUT THE EXPRESS WHITCH WEARINSTON NEW WITHOUT THE EXPRESS WHITCH PREATS SON NEW WITHOUT THE EXPRESS WHITCH PREATS SON NEW WITHOUT THE AND TOWN WITHOUT THE EXPRESS WHITCH PRODUCED INC.    NOOCL:   A   A   A   A   A   A   A   A   A
	1		. 0 0 0   DIMENSIONAL TOLERANCES   MATERIA:   . 0 0 0   MILESS OTHERWISE NOTED     . 11


536624-01		KIRK - RUDY, INC. KENNESAW, GEORGIA IC TAKEUP STUD 536624-01
REV DATE NO	4	THIRD ANGLE PROJECTION PROPRIETARY AND CONFIDENTIAL PROPERTY OF REPROSENCE OF REPROSENCE OF REPROSENCE OF REAL VIOLENT OF REPROSENCE OF REAL VIOLENT OF REAL V
PART #         DESCRIPTION           103108         BEARING, FLAT .500           104106         SNAPRING, .500           500757         PULLEY, REVERSING (TIMING)           510975         STUD, TAKEUP ECCENTRIC		SCALE  OME STATE  OME STATE WATERIAL:  OME STATE WATERIAL:  OME STATE WATERIAL:  N A  MASTER  ALL DIMENSIONS ARE FINISHED DIMENSIONS  OF NOT SCALE - WORK  N A  N A  N A  N A  N A  OMERIAL:  N A  OMERIA
1 EM OTY PART   2   1031   2   1041   3   1   5007   4   1   5109		DRAM BT: A Y B CHECKE BT: TRACEO BT:



ECN 3.		- RUDY, INC. AW, GEORGIA  DRIVE
no tarabay		KIRK KENNES BELT
REV DATE	4	METOENTIAL ORANING OUT THE PRODUCED FINAL USA 144 USA SY, UPPER
		PROPRIETARY AND CO NO PORTION OF THIS NAT BE QUOTED OF EXPRESS WENTER PO OF MERROUP KENNESSW. GA 30 INC.
		MODEL: OF 1
	\$\frac{1}{2}\frac{1}{2	KAT: X X X X X X X X X X X X X X X X X X X
	WG, HUB I. 000  WG, HUB I. 000  WG, HUB I. 000  WELT ADJ.  BELT ADJ.  T-UPPER BELT DR. SUPP.  ROLLER BELT DRIVE  OUTFEED DRIVE  TAKEUP ECCENTRIC	UNLESS ONAL TOLERANCES MATERIAL:  UNLESS OTHERWISE NOTED  TX
DESCRIPTION	SPACER, 1.000X1.375X.  BEARING, HUB 1.000  PULLEY, TIMING 21L075  BRACKET-UPPER BELT DR SHAFT, BELT ADJ.  BRACKET-UPPER BELT DR ASSY, ROLLER BELT DRIVE ASSY, TAKEUP ECCENTRIC	00-
PART #	102321 103808 103866 508051 510639 510556A 510563-3 510563-3 510563-3	30 - May
I TEM OTY	9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	DRAWN BY: A Y B CHECKED BY: TRACEO BY:


	ON ON ON		1 S38626-01 REO'D WHERE USED 1Y, INC. GEORGIA VE
)	DESCRIPTION		KIRK - RUC KENNESAW, BELT DRI
	NO DATE		OPPLETARY AND CONFIDENTIAL OF FORM THE SPANNING THE ANTOTIC ON REPRODUCED THE ANTON THE PRODUCED OF RISK - BOOK - INC. KENNESAN, GA 30144 USA THE: ASSY, ROLLER
			THIRD ANGLE PROJECTION PROPRIETARY NO PORTION NATION ANT TO STREET NO.  SHEET NO.  SHEET NO.  THE.
	LU LU		ES MATERIAL:  BO
	DESCRIPTION ROLLER, BELT DRIVE HUB, ROLLER BELT DRIVE HUB, ROLLER BELT DRIVE	~	SCALE  O 3 3 0 UNLESS OTHERWISE NOTES  O 1
TOTO			рван вт: 5 сате 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

536627-01  REV DATE DESCRIPTION FCN BY		THIRD ANGLE PROJECTION  PROPRIETARY AND CONFIDENTIAL  WAY BE QUOTED ON REPROMED  WAY BE QUOTED ON WHERE USED  WAY BE AND TOWN WHEN WHEN WHEN WE WERE  WAY BE QUOTED ON WHERE USED  WATHER WAY BE AND TOWN WHEN WHEN WE WERE  WATHER WAY BE AND TOWN WAY WE WAY
TEM OTY PART # DESCR 2 103108 BEARIN 1 104106 SNAPRI 1 108862-1 PULLEN	SCALE 1.000	DRAW BY:  A Y B  CHECKED BY:  CHECKED BY:  DATE  DATE  DATE  OAT  CHECKED BY:  A C A C A C A C A C A C A C A C A C A




овантия 1 536641-02	S ONTE DATE DESCRIPTION LEGY AND 1817	HIND ANGIE PROJECTION PROPRIETARY AND CONFIDENTIAL NO PROPRIETARY AND CONFIDENTIAL NO PORTION OF THIS GRAWING.  AND PROPRIETARY AND CONFIDENTIAL NO PROJECT OF THE USED AND PROJECT OF THE PROJECT OF THE USED AND PROJECT OF
	1   1   100410   WASHER, BRASS TW100   1   1   100410   WASHER, BRASS TW100   2   1   102212   COLLAR   1 000   2   3   2   102308   SHIM, .375.625x.062   3   2   102308   SHIM, .375.625x.062   3   1   103107   BEARING, FLAT .312   6   1   105404   DOWEL, PR   375X  .250   7   1   107104   BOLT, SHOULDER 5/1633/4   8   1   506292   CLAMP, ROLLER   9   1   506292   CLAMP, ROLLER   9   1   506293   BRACKET, CLAMP SPRING   1   1   506297-2   BRACKET, ROLLER   9   1   506297-2   BRACKET, ROLLER   9   1   506297-2   BRACKET, ROLLER   9   1   1   506297-2   BRACKET, ROLLER   9   1   1   1   1   1   1   1   1   1	CHICKED BT:  CHICK


10-600000	REV DATE DESCRIPTION ECN BY	1 11/14/2000 ADDED STEEL GUSSET 6613 TJG	2 7/25/2001 ADDED 510739-3 6722 1JG						ノ <u> </u>			0	X XXX X OCCUPANTO	PROPRIETARY AND CONCIDENTIAL  NO PORTION OF THIS DRAWING  NAY BE COURTED OF REPRODUCED  IN ANY SOUTH THE CEXTURES SAN FITHER SET OF THE SET OF	HI I	538589-01	
	ITEM OTY PART # DESCRIPTION	2 100313 BUSHING, FL.	2 2 500964 SIUD - IDLEK GEAR 3 1 508052 BRACKET, GATE PIVOT	508056 BRACKE     510526 PLATE,		1 510739-4 WEDGE, KNOCKDOWN DIVERT	10   1   538590-01   BAR, KNOCK DOWN 6055E1	4				SCALE 0.750	9	TJG 0.375 DINERSIONAL TOLERANCES	ATEN O V - 0 0 REMOVE ALGES UNICES OF STRARP EDGES UNICESS OF REMOVES TO THE REMOVES THE REMOVES THE REMOVES THE REMOVES THE ROTE OF THE REMOVES THE R	TRACED BT:  MASTER  ALL DIMENSIONS ARE FINISH:  ANX  SHEET NO.  SH	





10-	S36618-01	INC. ORGIA		10-719
536617	- DESCRIPTION	KIRK - RUDY, INC. KENNESAW. GFORGIA	IDI FR ROLLER	1 1
-		9		)
		PROPRIETARY AND CONFIDENTIAL NO PORTION OF THIS DRAWING MAY BE QUOTED OR REPRODUCED IN ANY FORM WITHOUT THE EXPRESS WRITTEN PERMISSION	KENNESAW, GA 30144 LITUE:  A S S Y	
		THIRD ANGLE PROJECTION	MODEL 7 0 3 R	SHEET NO.
		N/A	N/A	N/A
	ROLLER	LERANCES MATERIAL: SE NOTED ANG.	RRS AND HEAT TREAT:	NS ARE FINISH: NS IONS - WORK S ONLY
DESCRIPTION	G, FLAT. OUTSIDE	UNLESS OTHERWISE NOTED  .xx xxx xxx xM6.		ALL DIMENSIONS ARE FINISHED DIMENSIONS DO NOT SCALE - WORK TO DIMENSIONS ONLY
PART # DES	35	SCALE 0.750	30 - May - 00	MASTER
I TEM OTY P		DRAW 87: A Y B	CHECKED BT:	TRACEO BT:


28-01	NO BY		A S36618-01 REG'D WHERE USED Y, INC GEORGIA  T
5366;	DESCRIPTION		KIRK - RUDY, KENNESAW, GE
DRAWING	DATE		AKEUP
	REV NO		PROPRIETARY AND CONFIDENTIAL NO PORTION OF THIS DRAWING MAY BE CHOUSE ON REPRODUCED EXPRESS WITHER PERMISSION OF RIRK ARDDY INFORMERS ON KENESAR, GA 30144 USA HILL:  ASS Y,  DRAWING I
			EC110M
			NOORLY O 3 F
			N/A  HEAT TREAT:  N/A  THIST:  N/A
	. 375 TIGHTENER T TIGHTENER R AT 3/8	SCALE 1.000	S OTHERWISE NOTED TITE ANG.  S OTHERWISE NOTED TO THE TO T
	DESCRIPTION SNAPRING, 3 ARM, BELT TIG SHAFT, BELT ASSY-ROLLER WASHER, FLAT		May-000
1 1	OTY PART # 1 104100 1 510612 1 504988-1 1 510611A 1 WA013		17: SCALE   SCALE
	1 TEM 0 2 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -		DRAW 67:  CHECKED 87:  TRACED 87:



















508/61-2A	100 Y, INC. 1, GEORGIA
DESCRIPTION	KIRK - F KENNESAW ROLLER
REV DATE HO	ELARY AND CONFIDENTIAL OUTED ON REPODUCED OUTED ON REPODUCED S. WRITTEN PERMISSION MEAN, GA 30144 USA  A SSW., GA 30144 USA
	THIRD ANGLE PROJECTION PROPRIETARY NO PROFILE START OF A HAY FEES
	N   A
DESCRIPTION BEARING, FLAT .375 ROLLER, TAKE UP	O DIMENSIONAL TOLERANCES UNIESS OTHERWISE NOTED  TAX ANG.  OI ONS ANG.  ALL BURRS AND SHARP EDGES UNIESS OTHERWISE NOTED OTHERWISE NOTED OTHERWISE NOTED OTHERWISE NOTED OF SEALE - WORK TO DIMENSIONS ONLY
PART # DES 103106 BEA 508761-2 ROL	1.000 bate 09-Mar-

534744-01	DESCRIPTION ECN BY	KIRK - RUDY, INC. KENNESAW, GEORGIA  S34742-01  S34744-01
	NO DATE	PROPRIETARY AND CONFIDENTIAL NO FORTION OF THIS PRANTIAL NAT BE CHOSTED OF REPRESSION NAT HE ANY TOWN WITHOUT ON THE CASE KENRESAW. 6A 30144 USA  THE: ASSY, BELT TE
		THED ANGLE PROJECTION PROPRIETY NOTE:  NOTE:  SHELL NO.  SHELL NO.
	DESCRIPTION SHIM, .375X.625X.062 BEARING, FLAT .375 SNAPRING, .375 STUD, TAKE UP ROLLER, IDLER	DINENSIONAL TOLERANCES UNLESS OTHERWISE NOTED  TI INTO DINENSIONS AND SIAARP EDGES NULESS OFFICENSIONS AND SIAARP EDGES NOTESS ALL DINENSIONS AND FINISHED DINENSIONS ONLY TO DINENSIONS ONLY TO DINENSIONS ONLY
	1	SCALE  J_G  1,000  27-JU -9  IRACEO 87:  MASTER  MASTER

DESCRIPTION ECM BY	KIRK - RUDY, INC. KENNESAW, GEORGIA -ROLLER 510611-1A
REV DATE	HIND ANGLE PROJECTION PROPRIETARY AND CONFIDENTIAL NO PORTION OF THIS DRAWING PROPRIET AND THE PROPRIET AND THE PROPRIET AND THIS DRAWING PROPRIET AND THE
DESCRIPTION BEARING, FLAT .375 ROLLER, IDLER	COCO UNLESS OTHERWISE NOTED ANTERIA:  (COCO UNLESS OTHERWISE NOTED AT A TANK ANTERIA:  (COCO UNLESS OTHERWISE NOTED AT A TANK ANTERIA:  (COCO UNLESS OTHERWISE NOTED AT A TANK ANTERIA:  (COCO UNLESS OTHERWISE NOTES
ITEM OTY PART # DE: 1 2 103106 BE: 2 1 510611-1 ROI	CMCKED 87:  CMCKED 87:  CMCKED 87:  MASTER  MASTER

536714-01	IOM NO BY	Z EA S12 RCO'D WHERE USED	K - RUDY, INC. ESAW, GEORGIA T HOLDER 536714-01
DARING 1	NO DATE DESCRIPTION		ASSY, SPRING SHAF
			PROPELET RALE AND THE TARY NO PORTION WAY BE OUGHT ON THE ANY DE OUGHT OF ALL ANY DE O
	DESCRIPTION BUSHING, SL. 5001D. 6250D. 500LG BUSHING, SL. 5001D. 6250D. 625LG SNAPRING, 500 HOLDER, SPRING SHAFT SHAFT, SPRING  3 3	4	DIMERSIONAL TOLERANCES MATERIA:  T. TXX ANG.  OI . TOS . S. HEAT FREAT:  OF REMOVE ALL BURRS AND SHARE POSCS. UNITESS OF THIS WORK.  ALL DIMENSIONS ARE FINISHED DIMENSIONS ARE FINISHED DIMENSIONS ONLY.  TO DIMENSIONS ONLY.  O DIMENSIONS ONLY.
			SCALE  JLG  CHECKED 81:  20 - Jul -  IRACED 87:  MASTER  MASTER





19   008 - A - B - B - B - B - B - B - B - B - B	KIRK - RUDY, INC. KENNESAW, GEORGIA N LEVELING LEG
	RSH 0.500 UNLESS OTHERWISE NOTED (CRITCALE) BY AND COMFIDENTIAL IN INDIANCE BY:  CRICKED BY:  NASTER  SCALE  O. 500 UNLESS OTHERWISE NOTED  UNLESS OTHERWISE NOTED  O. 500 UNLESS OTHERWISE NOTED  NASTER  NASTER  SCALE  NA HIGH PROPRIETARY AND COMFIDENTIAL  NASTER  NA HIGH PROPRIETARY AND COMFIDENTIAL  NA HIGH PROPRIETA

4 NOTES			
	***************************************		
			<u>.</u>
		WALL BANKS AND	
	··········		

#### 5 WARRANTY AND SERVICE

#### WARRANTY

**Warranty:** Kirk-Rudy, Inc., warrants to the original retail purchaser that this product is free from defects in the material and workmanship, and agrees to repair or replace, at Kirk-Rudy's option, any defective product within (90) days from the date of purchase. This warranty is not transferable. It covers damage resulting from defects in material or workmanship, and it does not cover conditions or malfunctions resulting from normal wear, neglect, abuse or accident.

THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESSED WARRANTIES ANY IMPLIED WARRANTY OF MERCHANTABLITIY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE.

Limitation of Remedies: If product is proven to be defective within the warranty period stated above, THE EXCLUSIVE REMEDY, AT KIRK-RUDY'S OPTION, SHALL BE TO REFUND THE PURCHASE PRICE OF OR TO REPAIR OR REPLACE THE DEFECTIVE PRODUCT, provided that the defective product is, at Kirk-Rudy's choice, returned immediately to Kirk-Rudy or authorized service representative designated by Kirk-Rudy, or made available at user's premises in a location suitable for servicing.

**Limitation of Liability:** Kirk-Rudy shall not otherwise be liable for any losses or damages, whether direct, indirect, special, incidental, or consequential, regardless of the legal or equitable theory asserted, including contract, negligence, warranty, or strict liability.

To obtain replacement parts and service, contact an Authorized Kirk-Rudy Dealer. Use Kirk-Rudy part numbers when ordering.

USE ONLY GENUINE KIRK-RUDY REPLACEMENT PARTS

*KIRK-RUDY, INC* 125 LORRAINE PARKWAY WOODSTOCK, GA. 30189 770-427-4203 FAX 770-427-4036