

# Kirk-Rudy, Inc. Parts Manual SP93900 KR315B WINKJET RETRO-KIT



Manufactured by Kirk-Rudy, Inc.

Before using this machine, all operators must study this manual to understand and follow the <u>safety warnings</u> and <u>instructions</u>. Keep these instructions with the machine for future reference. If you have any questions, contact your local Kirk-Rudy, Inc. Distributor.

10000-SP93900 REV. 1 9/5/01



# TABLE OF CONTENTS

SECTION	DESCRIPTION	PAGE
1	IMPORTANT SAFETY INSTRUCTIONS	3
2	SPECIFICATIONS	4
3	MECHANICAL PARTS LIST AND DIAGRAMS	5
4	NOTES	6
5	WARRANTY AND SERVICE INFORMATION	7

NOTE: FIGURES AND DIAGRAMS ARE NOT INCLUDED IN PAGE NUMBERS.

# 1 Important Safety Instructions

<u>Intended Use Statement:</u> The SP93900 315B Winkjet retro-kit has been designed to convert the KR315A machine to run the Winkjet printing system. A complete vacuum conveyor section will replace the Astrojet unit. The drive motor for the dryer section will drive the inkjet conveyor. Usage for other purposes may lead to an unsafe condition.

### SAVE THESE INSTRUCTIONS. Read all instructions before using this product.



# WARNING

- \* NEVER OPERATE THE MACHINE WITHOUT ALL GUARDS OR SAFETY DEVICES IN PLACE.
- \* ALWAYS TURN POWER OFF WHEN MAKING ADJUSTMENTS.
- \* ALWAYS DISCONNECT THE POWER SUPPLY BEFORE ANY MAINTENANCE OR SERVICE WORK.
- \* NEVER START THE MACHINE WITHOUT FIRST CHECKING ALL PERSONNEL ARE CLEAR OF MOVING PARTS.
- \* KEEP FINGERS CLEAR OF ALL MOVING PARTS.
- \* NEVER REMOVE THE PRODUCT FROM THE MACHINE WHILE MACHINE IS RUNNING.
- \* SHOULD MISFED PRODUCT JAM THE MACHINE AND STOP IT FROM RUNNING, ALWAYS PRESS THE STOP BUTTON BEFORE CLEARING PRODUCT. IF THE STOP BUTTON IS NOT PRESSED AND THE JAM IS CLEARED, THE MACHINE WILL BEGIN RUNNING.
- \* IT IS NOT RECOMMENDED THAT LOOSE CLOTHING, JEWELRY AND LONG HAIR BE WORN WHILE OPERATING THIS MACHINERY.
- \* ALWAYS USE AN EXPERIENCED ELECTRICIAN WHEN TROUBLE-SHOOTING ELECTRICAL PROBLEMS.
- \* CHANGES OR MODIFICATIONS TO THIS UNIT NOT EXPRESSLY APPROVED BY THE PARTY RESPONSIBLE FOR COMPLIANCE COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT.

# 2 SPECIFICATIONS

PRODUCT SIZE RANGE	English	Metric
Minimum Size:	3" W x 5" L	76mm W x 127mm L
Maximum Size:	9" W x 12" L	229mm W x 305mm L
Minimum Thickness:	Card Stock (.007")	Card Stock (.18mm)
Maximum Thickness:	3/8"	9.5mm
SPEED		
Maximum	15,000/hr.	
MACHINE DATA		
BASE		
Length:	75"	191cm
Width:	43.5"	110.5cm
Height:	50"	127cm
Weight: Net	400 lbs.	227.3 kgs
Shipping Crate:	500 lbs.	318.2 kgs
ELECTDICAL		

### ELECTRICAL

Schematic # 200-177-02-100

Base Main Power Input:

220 VAC, Single Phase,4-WIRE 60/50 Cycle,30 A

Feeder Drive Motor:

1/4 H.P. DC

Vacuum Pump:

½ H.P. DC

Table Conveyor Motor: DryerVacuum Blower:

1/8 H.P. DC 120 Volt, AC 60/50 Cycle, 1.4 A

Inkjet Conveyor Blower:

120 Volt, AC 60/50 Cycle, 2A

Speed Up Conveyor Motor:

1/4 H.P. DC

### CONNECTIONS SUPLLIED FOR NON KIRK-RUDY EQUIPMENT

120 VAC outlet (for Bryce box, computer, monitor)

120 VAC, 60/50 Hz, 5Amps

220 VAC outlet (for dryer)


220 VAC, 60/50 Hz, 12 Amps


### Warning: Dryers that require more than 12 amps must be externally powered.


<u>NOTE</u>: The above noted non-Kirk-Rudy Equipment is shown in this manual for view reference only. Please reference the equipment's manufacturers supplied manual.

# 3 PARTS LISTS AND DIAGRAMS

This section contains the entire mechanical bill of materials and assembly drawings.








REV DATE DESCRIPTION ECN BY	<b>4</b>	1 532078-02 RFG-0 WHERE USED	PROPRIETARY AND CONFIDENTIAL  NO PORTION OF THIS DRAWING  MAY FORM WITHOUT HE  EXPRESS WRITTER  OF KIRK-BUDY, INC.  KENNESAW, GA 30144 USA	SP93900 THE ASSY, CONVEYOR DRIVE SMELL FOF 1
TY PART # DESCRIPTION	1 2 103803 BEARING, HUB . 500 2 2 109953 TIMING PULLEY, 12L050, NO HUB 3 2 500839 HUB-BELT DRIVE 4 1 500742-4 ROLLER - TUBE BELT DRIVE 5 2 500819-1 BLOCK, BEARING 6 1 531034-03 SHAFT, ROLLER DRIVE DRYER		UNLESS OTHERWISE NOTED  "XX XXX ANG.  "XX ANG.  "YX ANG.	TRACED BY:  WASTER  WASTER  TO DIMENSIONS  DO NOT SCALE - WORK  NOTED  NOTED  NOTED  NOTED


	Вү	176			SP93900 WHERE USED	- 0 d
2-09	ECN NO	6914				DY, INC. GEORGI 2 TRAY 32152-
3215		E L			   REO.D	2 2 532
5	DESCRIPTION	538502-01				K - IESAV
DRABING B	DESCR	REPLACE 538502-01 WITH WLDMT 538502-03				KIRK - RUDY KENNESAW, G TAND W/ 2
DRA						M
	DATE	12/20/2002		( 'C	, )	TOR
	REV NO	<del>                                     </del>				CONFIDENTIAL HIS DRAWING HIS PROPORTIAL HIS PROPORT
						NO THO
						PROPRIETARY AND CONDITION OF THE MAY BE COUCTED OF THE MAY FORM WILL AND FORM WILLIES OF KIRK-RUDY KENNESAW, GA.
			Z V	$\sqrt{}$	. /	
					I	1460 ANGLE PROJECTION SPE 93900 SHEET NO.
		Υ /			<del>\</del> \	SHEET NO. 15 F
						NOTED NONE NOTED
						N.:
		SHORT	(m)	4		
						OLERANC I SE NOT ANG. S S S S S S S S S S S S S S S S S S S
		BEARING HOUSING MONITOR STAND INKCARTRIDGE HP T, INK TRAY MTG COMPUTER BOX ER, CPU TOWER				DIMENSIONAL TOLERANCES
	TION	EARIN MONIT INKCA INK COMPU				DIMENS  XX  XX  XX  01  01  01  FILESS
	DESCRIPTION	ASSY, B WLDMT, SHELF, BRACKET WLDMT,				0 - d e
	DE	1				. 8
	#	532155-01 ASSY, BEARING HOUST 536586-01 WLDMT, MONITOR STAN 536932-01 SHELF, INKCARTRIDGE 538095-03 BRACKET, INK TRAY M 538502-03 WLDMT, COMPUTER BOX COMPUTER_CPOOMPUTER, CPU TOWER				SCALE  DATE  20 -
	PART	532 536 536 538 538 COMF				910
	MOTY				**	DRAWN 81:  CHECKED 87:  TRACED 87:
	ITEM	- 2 m 4 s 9		*9		DRAI CHEC

538   69 - 03  DESCRIPTION ECN BY  NO BY  S	KIRK - RUDY, INC. KENNESAW, GEORGIA ET INKJET STAND 538169-03
WO DATE	THIRD ANGLE PROJECTION PROPRIETARY AND CONFIDENTIAL NAT BE OWNED OR RESPONSE WITH ANY FORM WITHOUT THE EXPRESS WITHEN PERMISSION KENNESAM, GA 30.144 USA KENNESAM, GA MANA KEN
CENTER ZERO SCALE SUPPORT VERTICAL ADJ. LH VERTICAL ADJ. RH HEAD SUPPORT HEAD SUPPORT INKJET MOUNT INKJET HEAD MODULE	DIMENSIONAL TOLERANCES   WATERIAL:
TEM   OTY   PART #   DESCRIPTION	DRAW 67:  T JG  0.250  CHECKE 87:  02-0c +-00  TRACED 87:  MASTER

538153-02	REV DATE DESCRIPTION ECH BY	9 1 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NO NO FE	SY, VERTICAL ADJ. LH 538153-02
		25.000	MATERIAL MAT	SP81400 setti no
	ITEM OTY PART # DESCRIPTION	1   102306   SHIM, 375X, 625X, 031     2   1   102906   BEARING, LINEAR SLEEVE OPEN     3   1   104100   SNAPRING, 375     4   1   10163   SPRMT, 25811   3758 NK     5   500341-1   SHAFT, LIFT     5   538146-01   SHAFT, LIFT     5   538149-01   SHAFT, UFRTICAL SUPPORT     8   1   538150-01   PLATE, VERTICAL MOUNT     10   1   538150-01   PLATE, WERTICAL MOUNT     11   1   538154-02   COVER, LINEAR SLIDE LH     12   1   538154-02   COVER, LINEAR SLIDE LH     13   1   538167-01   PLATE, SHAFT SUPPORT     1   538167-01   PLATE, SHAFT SUPPORT     1   1   538167-01   PLATE, SHAFT SUPPORT     1   538167-01   PLATE, SHAFT SUPPORT     1   538167-01   STATE     2   538167-01   STATE     3   1   538167-01   STATE     4   1   1   1     538167-01   STATE     5   5   5   5   5     6   5   5   5   5     7   7   7   7     8   7   7   7     9   7   7   7     1   7	T. DATE OF THE STORY TOLERWISE ANGED IN LESS OTHERWISE ANGED TO THE AN	SHARP FOGES UNICES SHARP FOGES UNICES OTHERWISE MOTED ALL DIMENSIONS ARE FINISHED DIMENSIONS ONLY TO DIMENSIONS ONLY



10-69786	REV DATE DESCRIPTION ECN BY		HALLO ANGLE PROJECTION PROPRETARY AND CONFIDENTIAL WITH BE USED WHERE USED  WH
	<del>\</del>	2   100133   BUSHING, SL. 50010, 62500, 375LG   2   102132   KNOB, 10-32 CAP SCREW   3   102210   COLLAR   188   4   538270-01   PLATE, VERTICAL   INKJET MNT.   5   538271-01   BLOCK, BUSHING MOUNT     6   538277-01   CAM, INKJET LEVEL     7   2   538277-01   CAM, INKJET LEVEL     8   538280-01   BLOCK, SLIDE LOCK     9   538280-01   BLOCK, SLIDE LOCK     10   1   538305-02   INDICATOR, SCALE RH     11   1   538305-02   INDICATOR, SCALE LH     12   4   CSDD267     14   CSDD267     15   CSDD267     16   1   WA006   WASHER     1   WANDR     1	CHECKED 81:  CHECK



· · ·	ECN BY				-						538916-01 WHERE USED	INC. ORGIA		89-01
538989	DESCRIPTION										   RE0.0	KIRK - RUDY, KENNESAW, GE	SKIDBAR/SENSOR	5389
-	REV DATE		)									TARY AND CONFIDENTIAL TONO OF HIS DRAWING OUOTED OR REPRODUCED OF THE OR WILLIEN PERSISON THEN PERSISON THEN PERSISON THE OR WILLIEN PERSISON	ASSY,	
										=		INTER ANGLE PROJECTION PROPRIETAL NATION OF STATE OF STAT	SP93900 1111C	SHEET NO.
And the second s								<b>4</b>				NATERIAL: N / A HAT TREAT.	N/A	nisa: N/A
	IPTION	SHAFT-SIDE GUIDE ADJ. POST, SIDEGUIDE POST, SIDE GUIDE	 RAIL, GUIDE RH ASSY, CLAMP WITH KNOB SHAFT-BFAMSWITCH MOINT	BRACKET, PHOTOCELL ASSY SKID RAR		0 1	2		9	STEEL STRAPS 25.25" LONG		DIMENSIONAL TOLERANCES. UNLESS OTHERWISE NOTEDxx xxx AMG.	- () REMOVE ALL BURRS AND SHARP ESSES UNLESS OTHERWISE NOTED	FINISHED DIMENSIONS ARE FINISHED DIMENSIONS DO NOT SCALE - WORK TO DIMENSIONS ONLY
	PART #	500787 S 500791 P 500792 P	500722-24R R 501629-A A 508995-4 S	11-						NOTE: I. SPRING S		G SCALE 0. 2	02-Nov	MASTER
	I TEM OTY	1 2 2 4 3 2	7 4	6	11 2							DRAWN BY:  TJG  CHECKED BY:		TRACED BY:

# 4 NOTES

### 5 WARRANTY AND SERVICE

### WARRANTY

Warranty: Kirk-Rudy warrants to the original retail purchaser that this product is free from defects in the material and workmanship, and agrees to repair or replace, at Kirk-Rudy's option, any defective product within 90 days from the date of purchase. This warranty is not transferable. It covers damage resulting from defects in material or workmanship, and it does not cover conditions or malfunctions resulting from normal wear, neglect, abuse or accident. THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESSED WARRANTIES OR IMPLIED WARRANTY OF MERCHANTABLITIY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE.

**Limitation of Remedies:** If product is proven to be defective within the warranty period stated above, THE EXCLUSIVE REMEDY, AT KIRK\_RUDY'S OPTION, SHALL BE TO REFUND THE PURCHASE PRICE OF OR TO REPAIR OR REPLACE THE DEFECTIVE PRODUCT, provided that the defective product is, at Kirk-Rudy's choice, returned immediately to Kirk-Rudy or authorized service representative designated by Kirk-Rudy, or made available at user's premises in a location suitable for servicing.

**Limitation of Liability:** Kirk-Rudy shall not otherwise be liable for any losses or damages, whether direct, indirect, special, incidental, or consequential, regardless of the legal or equitable theory asserted, including contract, negligence, warranty, or strict liability.

To obtain replacement parts and service, contact an Authorized Kirk-Rudy Dealer. Use Kirk-Rudy part numbers when ordering.

### **USE ONLY GENUINE REPLACEMENT PARTS**

For Service or Replacement Parts Please Call: Kirk-Rudy @ 770-427-4203

> Kirk-Rudy, Inc. 2700 Kennesaw Due West Road Kennesaw, GA 30144