
# Kirk-Rudy, Inc.

# Instruction and Parts Manual KR219D Inkjet Conveyor



### Manufactured by Kirk-Rudy, Inc.

Before using this machine, all operators must study this manual to understand and follow the <u>safety warnings and instructions</u>. Keep these instructions with the machine for future reference. If you have any questions, contact your local Kirk-Rudy, Inc. Distributor.

# 1 Important Safety Instructions

Intended Use Statement:


SAVE THESE INSTRUCTIONS. Read all instructions before using this product.





# WARNING

- \* NEVER OPERATE THE MACHINE WITHOUT ALL GUARDS OR SAFETY DEVICES IN PLACE.
- \* ALWAYS TURN POWER OFF WHEN MAKING ADJUSTMENTS.
- \* ALWAYS DISCONNECT THE POWER SUPPLY BEFORE ANY MAINTENANCE OR SERVICE WORK.
- \* NEVER START THE MACHINE WITHOUT FIRST CHECKING ALL PERSONNEL ARE CLEAR OF MOVING PARTS.
- \* SURFACES IN CONTACT WITH HEAT FROM DRYER WILL BE HOT.
- \* KEEP FINGERS CLEAR OF ALL MOVING PARTS.
- \* NEVER REMOVE THE PRODUCT FROM THE MACHINE WHILE MACHINE IS RUNNING.
- \* SHOULD MISFED PRODUCT JAM THE MACHINE AND STOP IT FROM RUNNING, ALWAYS PRESS THE STOP BUTTON BEFORE CLEARING PRODUCT. IF THE STOP BUTTON IS NOT PRESSED AND THE JAM IS CLEARED, THE MACHINE WILL BEGIN RUNNING.
- \* IT IS NOT RECOMMENDED THAT LOOSE CLOTHING, JEWELRY AND LONG HAIR BE WORN WHILE OPERATING THIS MACHINERY.
- st ALWAYS USE AN EXPERIENCED ELECTRICIAN WHEN TROUBLE-SHOOTING ELECTRICAL PROBLEMS.
- \* CHANGES OR MODIFICATIONS TO THIS UNIT NOT EXPRESSLY APPROVED BY THE PARTY RESPONSIBLE FOR COMPLIANCE COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT.

REO'D WHERE USED SP76400 84 2190 KIRK - RUDY, INC. KENNESAW, GEORGIA S S SP76400 ,219D INKJET CONVEYOR DESCRIPTION DRAWING B DATE PROPRIETA AND CARTIAL
MAY BE OUTED OR REPRODITE
EXPESS WHITTER PERMISSION
KHANGS WITTER PERMISSION
KHANGSAW, GA 30144 USA REV NO ASSY DRAWING 8 IILE THIRD ANGLE PROJECTION MODEL: 2 | 9 D SHEET 20.0 F 2 **(** NOTED NONE NONE HEAT TREAT: WATERIAL: DIMENSIONAL TOLERANCES UNLESS OTHERWISE NOTED REMOVE ALL BURRS, AND SHARP EDGES UNLESS OTHERWISE NOTED ALL DIMENSIONS ARE FINISHED DIMENSIONS DO NOT SCALE - WORK TO DIMENSIONS ONLY .xx . xxx. ANG. .005 ē. - 99 090. 29-Sep-MASTER SCALE RHMCHECKED BY: DRAWN BY: TRACED BY:








6 10 1 1 - SEP - 98 MOVED DRYER CONTROL BOX 6373 MY	1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1	0 N C C C C C C C C C C C C C C C C C C
TEM OTY   PART #   DESCRIPTION     532129-01   BLOCK, LOCK DOWN   2   532452-01   BRACKET, GAS SHOCK   3   532453-01   GAS SHOCK LINKAGE   4   532466-01   ASSY, DRYER ARM PIVOT   532468-01   SASY, SCREW HOUSING	532738-01 WELD,   532739-02 WELD,   532741-01 TUBING,   532744-02 WELD,   533190-01 ASSY,   533191-01 ASSY,   533191-01 ASSY,   533714-01 ASSY,   533714-01 ASSY,   6   533714-01 ASSY,   6   1 GASSHOCK GAS SP   7   1 RES4560C DRYER,   7   1 RES4560C	SCALE  O   O   DIMENSIONAL  TX   TX   TX   TX   TX   TX   TX   TX

533708-01


DRAWING #

10-12	ECON BY	1 2190 REG.D WHERE USED Y, INC. GEORGIA 4827-01
53482	DESCRIPTION  3	KIRK - RUDY, KENNESAW, G
DRAWING 8		MOTOR N
	NO N	ONFIDENTIAL SERVING THEORY THE THOUT THE THEORY
		PROPRIETARY AND C NO PORTION OF TH MAY BE OUTED OF KINAY FORM WI ENRESS WITTEN KENNESS W, GA 3 111LE:
		THE ANGLE PROJECTION  WOODE!  SMEET NO.  SMEET NO.  SMEET NO.
		NOTED  WEAT TREAT: NONE  THINSH:
	2200 1 1/2HP 11 HP 0R	
	AVR. MOUN MOUN MOTC	DIMENSIONAL TOLERANCES UNLESS OTHERWISE NOTED  TX XXX ANG.  OI .005 .5  OI .005 .5  OHERWISE NOTED SHARP EDGES UNLESS AND SHARP EDGES UNRESS ON THE STATE OF THE SHARP EDGES OF THE STATE
		0.250 -Sep-9
	0TY PART #  1 105026 1 200152-2 1 534826-01 1 534826-01 2 534846-01 2 534846-01	₩ H
	E	CHECKED BT:



NO DATE DESCRIPTION ECN BY	61	2	8	THIRD ANGLE PROJECTION PROPRIETARY AND CONFIDENTIAL MAY BE QUOTED ON REPRODUCED THE REGORD WHERE USED IN ANY BE QUOTED ON REPRODUCED THE MAY BE QUOTED THE MAY BE AND MAY BE AN
PART # DESCRIPTION 100109 BUSHING, SLEEVE 1.000	KNOB COLLAR CLAMP HUB - SHAFT	01 ASSY, H 01 ASSY, H 01 POST, M 120 SCITEX PLATE, PLATE, PLATE, BLOCK,	SP48210 CAICH, LOWER PLAIE SP48212 SHAFT, LOWER BRACKET SP36442-2 RAIL, HEAD MOUNT SP48209-1 BR1DGE, HEAD RAIL MOUNT SP48211-1 BLOCK, LOWER CATCH	SCALE  0.200  NNESS OTHERNISE NOTED  NATE  OATE  OATE  OATE  NOTE  NOTE  NONE


DESCRIPTION ECN BY	ON				(	8	2			(				8		)					( ' )					21	0	KIRK – RUDY, INC. KFNNFSAW. GFORGIA		EAD MOUNT TOP	535258-01	
REV DATE	-			(	$\begin{pmatrix} 2 \end{pmatrix}$	<u>)</u>	\	(\								\\ \			6	4			A		(12)	)	DICTADY AND CONCIDENTIAL	THORNEL THE TAKE TOWN TO THE WAY BE QUOTED OR REPRODUCED IN THE TAKE TOWN TOWN WITHOUT THE TYPESS WE TITEN BERMISSION	F KIRK-RUDY, INC.	ME ASSY, SCITEX HE	DRAVING #	
							9								)-	<u></u>							(61)	)	66		THIDD ANCIF DED ISTAIN			NONE SP69500	NON E	
DESCRIPTION	BUSHING SIFFVF 1.000		COLLAR .250	CLAMP - SIDE GUIDE	HUB - REAR GUIDE SHAFT		RT - JOGGER	ASSY, HEAD MOUNT SCITEX	POST, MOUNT	ASSY, HEAD RAIL MOUNT	BRACKET, SUPPORT	~		HEAD MOUNT			-		BRIDGE, HEAD RAIL MOUNT			(	)				MATCO 111 -		.01 .005 .5 HEAT TREAT:	M - 9 9 REMOVE ALL BURRS AND SHARP EDGES UNLESS OTHERWISE NOTED	FINISH:	TO DIMENSIONS ONLY
PART #	601			500755	500770			535251-01	535257-01	535259-01		120						_	SP48209-2								1,1100	scale	1	08-Ja	MASTER	(Reas
ITEMIOTY		2 3		4 2	5	- 9	1 2	~	9 2	- 01		12 1	-3	4	- 2	9		2	- 6 -				 ·	-			am con	PHANN BY:	CHECKED BY:		TRACED BY:	




536238-01	DATE DESCRIPTION ECN BY									4	•				3 536234-01 RFO-D WHERE IISED		VACIIIM CHAMBER		
	REV NO								9							- 1~~にころ。	NONE MODEL: 1 G TITLE: A C C V	1 DAMAING 1 2 NEET 100 DAMAING 1	
	DESCRIPTION	CAP, TUBE END	BLOCK, MANIFOLD	PLATE, MANIFOLD COVER	ر ا	١ -	TUBE, VACUUM CHAMBER							(s)		LERANCES MATERIAL: SE NOTED ANG.	Sep = 9 REMOVE ALL BURRS AND SHARP FORES IN ESS	OTHERWISE NOTED  OTHERWISE NOTED  ALL DIMENSIONS ARE FINISHED DIMENSIONS  NON-SECTIONS ON ONE SECTIONS  TO DO NOT SECTIONS ON ONE SECTIONS  TO DO NOT SECTIONS ON ONE SECTIONS ON ONE SECTIONS  TO DO NOT SECTIONS ON ONE SECTION ON OTHER SECTION OF SECTION	I O DIMENSIONS ONL!
	PART #	190766	533977-01	533978-01	534918-01	534951-01	536237-01									SCALE	28 - S	MASTER	
	ITEM OTY	1 2	2 2	3 2		5	1 9	<u></u>								DRAWN BY: RHM	CHECKED BY:	TRACED BT:	

36239		RUDY, INC.	1	536239-01
C	DATE DESCRIPTION	KIRK - RUDY, KENNESAW, G	BELT SUPPORT	
	AN ON THE PROPERTY OF THE PROP	PROPRIETARY AND CONFIDENTIAL NO PORTION OF THIS DRAWING NAY BE QUICED ON REPRODUCED IN ANY FORM WITHOUT THE EXPRESS WRITTEN PERMISSION OF WITH RAUPY KENNESAW, GA 30144 USA	ASSY,	DRABING 1
	4	NOILDSTONA JINNA ANNIE	MODEL; 19D	SWEET NO.
	TUBE END SLIDE BLOCK SLIDE BELT SUPPORT	DIMENSIONAL TOLERANCES   MATERIAL:	REMOVE ALL BURRS AND SHARP EDGES UNLESS OTHERWISE NOTED	ALL DIMENSIONS ARE FINISH: NON FINISH NON TO DIMENSIONS ONLY TO DIMENSIONS ONLY
	0TY PART # DESCRIPTION 2 190766 CAP, TUBE E 1 534918-01 ASSY, SLIDE 1 536240-01 TUBE, BELT 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. 125	28 - Sep - 9	WASIER AND A STATE OF THE STATE

		DRAWING #	534918-01		Γ
ITEM GTY	REV DATE NO	DESCRIPTION		NO BY	
					Anna anna anna ann ann ann ann ann ann a
3	5				
THIRD ANGLE PROJECTION	PROPRIETARY AND CONFIDENTIAL NO PROPRIETARY AND CONFIDENTIAL NAY BENEVER WITH STANDING THE EXPRESS WRITTEN PERMISSION KENDESS WRITTEN PERMISSION KENDESS WAS 30144 115A	KIRK - RUDY, KENNESAW, G	RUDY, INC.	SP69500 WHERE USED NC. RGIA	ED
28-Sep-98 Remove all Burrs and SHAME COGENILESS WILESS WIL	ASSY,	SLIDE BLOCK	CK 53/91	α α	
DO NOT SCALL - WORK			7		_





538721-06	Liu ==	KIRK - RUDY, INC. REPRODUCED REPR
		NOTED  HOTED  NOTED
	DESCRIPTION HANDLE, RELEASE 1/4-20 X .50 SHAFT, DRYER HANDLE BLOCK, SLIDE DRYER PLATE, SLIDE CLAMP PLATE, SLIDE LOCK PLATE, SLIDE MOUNT PLATE, SINGLE DRYER SLIDE PLATE, SINGLE DRYER MOUNT DRYER, RESEARCH DRYER MOUNT DRYER, RESEARCH 5061	250 DIMENSIONAL TOLERANCES MATERIAL:
	TEM OTY PART #	CHECKED BT:  TAKED BT:  MASTER  SCALE  OATE  OATE  NASTER

9	NOTES			
	,			
				Terrent Terren
·	,		,	
Section		· · · · · · · · · · · · · · · · · · ·		
Carrier State Control				
		***************************************		
<b></b>				w
•				
A				
n-10-var-var-var-var-var-var-var-var-var-var				·· · · · · · · · · · · · · · · · · · ·

# 9 NOTES

## 13 WARRANTY AND SERVICE

### WARRANTY

Warranty: Kirk-Rudy, Inc., warrants to the original retail purchaser that this product is free from defects in the material and workmanship, and agrees to repair or replace, at Kirk-Rudy's option, any defective product within (90) days from the date of purchase. This warranty is not transferable. It covers damage resulting from defects in material or workmanship, and it does not cover conditions or malfunctions resulting from normal wear, neglect, abuse or accident.

THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESSED WARRANTIES ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE.

Limitation of Remedies: If product is proven to be defective within the warranty period stated above, THE EXCLUSIVE REMEDY, AT KIRK-RUDY'S OPTION, SHALL BE TO REFUND THE PURCHASE PRICE OF OR TO REPAIR OR REPLACE THE DEFECTIVE PRODUCT, provided that the defective product is, at Kirk-Rudy's choice, returned immediately to Kirk-Rudy or authorized service representative designated by Kirk-Rudy, or made available at user's premises in a location suitable for servicing.

**Limitation of Liability:** Kirk-Rudy shall not otherwise be liable for any losses or damages, whether direct, indirect, special, incidental, or consequential, regardless of the legal or equitable theory asserted, including contract, negligence, warranty, or strict liability.

To obtain replacement parts and service, contact an Authorized Kirk-Rudy Dealer. Use Kirk-Rudy part numbers when ordering.

USE ONLY GENUINE KIRK-RUDY REPLACEMENT PARTS

KIRK-RUDY, INC 125 LORRAINE PARKWAY WOODSTOCK, GA 30188 PH 770-427-4203 FX 770-427-4036