# CodeSonar Analysis Report

generated by Administrator on Wed Aug 23 15:52:44 2017 for analysis er-rest-example analysis 1


# Summary

#### Table 1: er-rest-example analysis 1 Summary

| Active Warnings | File Count | Project Name    | Time Started             | Time Finished            | Machine            |
|-----------------|------------|-----------------|--------------------------|--------------------------|--------------------|
| 215             | 336        | er-rest-example | Tue Jul 11 14:27:50 2017 | Tue Jul 11 14:31:47 2017 | eduECFA.kent.ac.uk |

## Warnings

Figure 1: er-rest-example analysis 1, Warnings by Class



#### Table 2: er-rest-example analysis 1, Warnings by Class

| Warning Class                | Active Warnings |
|------------------------------|-----------------|
| Cast Alters Value            | 38              |
| Empty if Statement           | 37              |
| Redundant Condition          | 23              |
| Coercion Alters Value        | 22              |
| Null Pointer Dereference     | 16              |
| Useless Assignment           | 12              |
| Unreachable Call             | 10              |
| Unused Value                 | 9               |
| Unreachable Computation      | 9               |
| Unreachable Data Flow        | 9               |
| Unterminated C String        | 8               |
| Ignored Return Value         | 4               |
| Uninitialized Variable       | 2               |
| Negative Character Value     | 2               |
| Null Test After Dereference  | 2               |
| No Space For Null Terminator | 2               |

Table 3: er-rest-example analysis 1, Warnings by File

| Warning Class              | Active Warnings |
|----------------------------|-----------------|
| Buffer Overrun             | 2               |
| Buffer Underrun            | 2               |
| Negative file descriptor   | 2               |
| Use of tmpfile             | 1               |
| File System Race Condition | 1               |
| Dangerous Function Cast    | 1               |
| Unreachable Conditional    | 1               |

Table 3: er-rest-example analysis 1, Warnings by File

| File             | Active Warnings | Total Lines | Language |
|------------------|-----------------|-------------|----------|
| resolv.c         | 21              | 1521        | С        |
| tapdev6.c        | 21              | 425         | С        |
| rpl-icmp6.c      | 14              | 1367        | С        |
| rpl-dag.c        | 12              | 1631        | С        |
| eeprom.c         | 6               | 166         | С        |
| framer-802154.c  | 6               | 274         | С        |
| rpl-ext-header.c | 6               | 665         | С        |

Table 3: er-rest-example analysis 1, Warnings by File

| File                    | Active Warnings | Total Lines | Language |
|-------------------------|-----------------|-------------|----------|
| uip-ds6.c               | 5               | 716         | С        |
| psock.c                 | 5               | 319         | С        |
| websocket.c             | 5               | 724         | С        |
| er-coap.c               | 5               | 1210        | С        |
| csma.c                  | 4               | 507         | С        |
| nbr-table.c             | 4               | 483         | С        |
| res-plugtest-test.c     | 4               | 159         | С        |
| tcpip.c                 | 4               | 849         | С        |
| websocket-http-client.c | 4               | 347         | С        |
| res-plugtest-validate.c | 3               | 137         | С        |
| er-example-client.c     | 3               | 159         | С        |
| phase.c                 | 3               | 252         | С        |
| rpl.c                   | 3               | 355         | С        |
| res-sub.c               | 3               | 69          | С        |
| res-plugtest-multi.c    | 3               | 87          | С        |
| er-coap-engine.c        | 3               | 520         | С        |
| udp-socket.c            | 3               | 199         | С        |

Table 3: er-rest-example analysis 1, Warnings by File

| File                 | Active Warnings | Total Lines | Language |
|----------------------|-----------------|-------------|----------|
| cfs-posix.c          | 3               | 108         | С        |
| rpl-dag-root.c       | 3               | 268         | С        |
| ctk.c                | 3               | 1933        | С        |
| res-plugtest-obs.c   | 2               | 155         | С        |
| frame802154e-ie.c    | 2               | 585         | С        |
| rpl-nbr-policy.c     | 2               | 256         | С        |
| sicslowpan.c         | 2               | 1806        | С        |
| res-plugtest-query.c | 2               | 75          | С        |
| rtimer.c             | 2               | 108         | С        |
| rpl-timers.c         | 2               | 497         | С        |
| res-plugtest-path.c  | 2               | 72          | С        |
| rpl-of0.c            | 2               | 238         | С        |
| ip64-addr.c          | 2               | 123         | С        |
| nullrdc-noframer.c   | 2               | 112         | С        |
| res-mirror.c         | 2               | 177         | С        |
| contiki-main.c       | 2               | 314         | С        |
| tcp-socket.c         | 2               | 409         | С        |

Table 3: er-rest-example analysis 1, Warnings by File

| File                        | Active Warnings | Total Lines | Language |
|-----------------------------|-----------------|-------------|----------|
| uip6.c                      | 2               | 2362        | С        |
| uip-icmp6.c                 | 2               | 378         | С        |
| dhcpc.c                     | 2               | 431         | С        |
| res-plugtest-large-update.c | 2               | 128         | С        |
| tapdev-drv.c                | 1               | 111         | С        |
| res-event.c                 | 1               | 101         | С        |
| res-plugtest-longpath.c     | 1               | 68          | С        |
| sensors.c                   | 1               | 137         | С        |
| uip-ds6-nbr.c               | 1               | 361         | С        |
| res-push.c                  | 1               | 89          | С        |
| etimer.c                    | 1               | 272         | С        |
| ctimer.c                    | 1               | 175         | С        |
| random.c                    | 1               | 54          | С        |
| er-example-server.c         | 1               | 186         | С        |
| frame802154.c               | 1               | 623         | С        |
| rest-engine.c               | 1               | 239         | С        |
| er-coap-block1.c            | 1               | 119         | С        |

Table 3: er-rest-example analysis 1, Warnings by File

| File                        | Active Warnings | Total Lines | Language |
|-----------------------------|-----------------|-------------|----------|
| ifft.c                      | 1               | 168         | С        |
| simple-udp.c                | 1               | 183         | С        |
| slip.c                      | 1               | 457         | С        |
| uip-ds6-route.c             | 1               | 721         | С        |
| res-plugtest-large-create.c | 1               | 91          | С        |
| ctk-filedialog.c            | 1               | 177         | С        |
| serial-line.c               | 1               | 137         | С        |
| pir-sensor.c                | 0               | 35          | С        |
| me_tabs.c                   | 0               | 121         | С        |
| procinit.c                  | 0               | 48          | С        |
| res-leds.c                  | 0               | 108         | С        |
| mt.c                        | 0               | 109         | С        |
| petsciiconv.c               | 0               | 119         | С        |
| leds.c                      | 0               | 119         | С        |
| ctk-curses.c                | 0               | 517         | С        |
| settings.c                  | 0               | 475         | С        |
| settings.h                  | 0               | 352         | С        |

Table 3: er-rest-example analysis 1, Warnings by File

| File                     | Active Warnings | Total Lines | Language |
|--------------------------|-----------------|-------------|----------|
| er-coap-observe-client.c | 0               | 342         | С        |
| linuxradio-drv.c         | 0               | 210         | С        |
| ctk-textentry-checkbox.h | 0               | 40          | С        |
| res-plugtest-links.c     | 0               | 71          | С        |
| res-chunks.c             | 0               | 97          | С        |
| symbols.c                | 0               | 4           | С        |
| symbols.h                | 0               | 3           | С        |
| symbols.h                | 0               | 44          | С        |
| mtarch.h                 | 0               | 42          | С        |
| rpl-ns.c                 | 0               | 230         | С        |
| er-coap-transactions.c   | 0               | 179         | С        |
| rpl-dag-root.h           | 0               | 41          | С        |
| tapdev-drv.h             | 0               | 43          | С        |
| anti-replay.c            | 0               | 115         | С        |
| res-battery.c            | 0               | 81          | С        |
| netstack.c               | 0               | 51          | С        |
| clock.c                  | 0               | 70          | С        |

Table 4: er-rest-example analysis 1, Warning Instances

| File          | Active Warnings | Total Lines | Language |
|---------------|-----------------|-------------|----------|
| process.c     | 0               | 388         | С        |
| autostart.c   | 0               | 72          | С        |
| ctk-draw.h    | 0               | 335         | С        |
| ctk-mouse.h   | 0               | 71          | С        |
| link-stats.c  | 0               | 211         | С        |
| mmem.c        | 0               | 164         | С        |
| print-stats.c | 0               | 87          | С        |
| assert.c      | 0               | 41          | С        |

(Showing 100 of 336 Files)

Table 4: er-rest-example analysis 1, Warning Instances

| Score | Warning Class                | File Name       | Procedure Name               | Line Number | State | Owner |
|-------|------------------------------|-----------------|------------------------------|-------------|-------|-------|
| 68    | Negative Character Value     | ctk.c           | textentry_input              | 1255        | None  | None  |
| 68    | Negative Character Value     | resolv.c        | dns_name_isequal             | 400         | None  | None  |
| 63    | Uninitialized Variable       | frame802154.c   | frame802154_check_dest_panid | 214         | None  | None  |
| 62    | Uninitialized Variable       | uip-ds6-route.c | uip_ds6_route_lookup         | 272         | None  | None  |
| 61    | No Space For Null Terminator | resolv.c        | remove_trailing_dots         | 1252        | None  | None  |

Table 4: er-rest-example analysis 1, Warning Instances

| Score | Warning Class                | File Name           | Procedure Name                                      | Line Number | State | Owne |
|-------|------------------------------|---------------------|---|-------------|-------|------|
| 60    | Unterminated C String        | resolv.c            | resolv_set_hostname                                 | 1095        | None  | None |
| 60    | Unterminated C String        | resolv.c            | resolv_set_hostname                                 | 1096        | None  | None |
| 60    | Unterminated C String        | resolv.c            | resolv_set_hostname                                 | 1097        | None  | None |
| 60    | Negative file descriptor     | tapdev6.c           | tapdev_init_darwin_routes                           | 159         | None  | None |
| 60    | Negative file descriptor     | tapdev6.c           | tapdev_init_darwin_routes                           | 188         | None  | None |
| 58    | No Space For Null Terminator | websocket.c         | parse_url   | 143         | None  | None |
| 58    | Unterminated C String        | resolv.c            | resolv_lookup                                       | 1380        | None  | None |
| 58    | Unterminated C String        | resolv.c            | resolv_query  | 1287        | None  | None |
| 58    | Unterminated C String        | resolv.c            | resolv_query  | 1312        | None  | None |
| 58    | Unterminated C String        | resolv.c            | resolv_query  | 1319        | None  | None |
| 58    | File System Race Condition   | eeprom.c            | eeprom_init   | 82          | None  | None |
| 58    | Unterminated C String        | ctk-filedialog.c    | ctk_filedialog_eventhandler                         | 148         | None  | None |
| 54    | Buffer Overrun               | uip-icmp6.c         | uip_icmp6_error_output                              | 213         | None  | None |
| 51    | Null Test After Dereference  | frame802154e-ie.c   | frame80215e_create_ie_tsch_channel_hopping_sequence | 303         | None  | None |
| 51    | Null Test After Dereference  | rpl-dag.c           | rpl_print_neighbor_list                             | 110         | None  | None |
| 49    | Null Pointer Dereference     | res-plugtest-path.c | res_get_handler                                     | 60          | None  | None |
| 49    | Null Pointer Dereference     | res-sub.c           | res_get_handler                                     | 62          | None  | None |
|       |                              |                     |   |             |       |      |

Table 4: er-rest-example analysis 1, Warning Instances

| Score | Warning Class            | File Name                   | Procedure Name                    | Line Number | State | Owner |
|-------|--------------------------|-----------------------------|-----------------------------------|-------------|-------|-------|
| 48    | Coercion Alters Value    | res-plugtest-test.c         | test_update_etag                  | 65          | None  | None  |
| 48    | Coercion Alters Value    | res-plugtest-validate.c     | validate_update_etag              | 67          | None  | None  |
| 48    | Coercion Alters Value    | contiki-main.c              | stdin_handle_fd                   | 135         | None  | None  |
| 48    | Null Pointer Dereference | er-coap.c                   | coap_init_connection              | 283         | None  | None  |
| 48    | Null Pointer Dereference | rpl-icmp6.c                 | dao_input_storing                 | 667         | None  | None  |
| 48    | Null Pointer Dereference | resolv.c                    | process_thread_resolv_process     | 1174        | None  | None  |
| 48    | Null Pointer Dereference | rpl-dag-root.c              | rpl_dag_root_init_dag_immediately | 215         | None  | None  |
| 48    | Null Pointer Dereference | rpl-dag.c                   | rpl_process_dio                   | 1589        | None  | None  |
| 48    | Coercion Alters Value    | csma.c                      | send_packet                       | 385         | None  | None  |
| 48    | Null Pointer Dereference | nbr-table.c                 | nbr_table_add_lladdr              | 368         | None  | None  |
| 47    | Null Pointer Dereference | rpl.c                       | rpl_remove_routes_by_nexthop      | 218         | None  | None  |
| 47    | Coercion Alters Value    | res-mirror.c                | res_any_handler                   | 75          | None  | None  |
| 47    | Coercion Alters Value    | res-plugtest-multi.c        | res_get_handler                   | 58          | None  | None  |
| 47    | Coercion Alters Value    | res-plugtest-large-create.c | res_post_handler                  | 64          | None  | None  |
| 47    | Coercion Alters Value    | res-plugtest-large-update.c | res_put_handler                   | 92          | None  | None  |
| 47    | Coercion Alters Value    | websocket.c                 | websocket_open                    | 591         | None  | None  |
| 47    | Null Pointer Dereference | rpl-dag.c                   | rpl_print_neighbor_list           | 113         | None  | None  |
|       |                          |                             |                                   |             |       |       |

Table 4: er-rest-example analysis 1, Warning Instances

| Score | Warning Class            | File Name                   | Procedure Name          | Line Number | State | Owner |
|-------|--------------------------|-----------------------------|-------------------------|-------------|-------|-------|
| 47    | Null Pointer Dereference | rpl-dag.c                   | rpl_print_neighbor_list | 106         | None  | None  |
| 47    | Null Pointer Dereference | rpl-dag.c                   | rpl_get_any_dag         | 1041        | None  | None  |
| 46    | Coercion Alters Value    | res-event.c                 | res_get_handler         | 80          | None  | None  |
| 46    | Coercion Alters Value    | res-plugtest-longpath.c     | res_get_handler         | 65          | None  | None  |
| 46    | Coercion Alters Value    | res-push.c                  | res_get_handler         | 70          | None  | None  |
| 46    | Coercion Alters Value    | res-plugtest-obs.c          | res_get_handler         | 88          | None  | None  |
| 46    | Coercion Alters Value    | res-plugtest-multi.c        | res_get_handler         | 70          | None  | None  |
| 46    | Coercion Alters Value    | res-plugtest-multi.c        | res_get_handler         | 79          | None  | None  |
| 46    | Coercion Alters Value    | res-plugtest-query.c        | res_get_handler         | 74          | None  | None  |
| 46    | Coercion Alters Value    | res-plugtest-large-update.c | res_put_handler         | 119         | None  | None  |
| 46    | Coercion Alters Value    | res-plugtest-test.c         | res_get_handler         | 98          | None  | None  |
| 46    | Coercion Alters Value    | res-plugtest-validate.c     | res_get_handler         | 103         | None  | None  |
| 46    | Coercion Alters Value    | uip6.c                      | uip_process             | 1546        | None  | None  |
| 46    | Null Pointer Dereference | ctk.c                       | select_widget           | 983         | None  | None  |
| 46    | Coercion Alters Value    | tapdev6.c                   | tapdev_poll             | 138         | None  | None  |
| 46    | Null Pointer Dereference | rpl-icmp6.c                 | dao_input_storing       | 770         | None  | None  |
| 45    | Coercion Alters Value    | ifft.c                      | ifft                    | 123         | None  | None  |
|       |                          |                             |                         |             |       |       |

Table 4: er-rest-example analysis 1, Warning Instances

| Score | Warning Class            | File Name           | Procedure Name                   | Line Number | State | Owne |
|-------|--------------------------|---------------------|----------------------------------|-------------|-------|------|
| 44    | Cast Alters Value        | random.c            | random_rand                      | 52          | None  | None |
| 43    | Null Pointer Dereference | uip-icmp6.c         | uip_icmp6_send                   | 281         | None  | None |
| 43    | Cast Alters Value        | uip-ds6.c           | uip_ds6_compute_reachable_time   | 712         | None  | None |
| 42    | Null Pointer Dereference | er-coap.c           | coap_serialize_array_option      | 191         | None  | None |
| 42    | Cast Alters Value        | rpl-dag-root.c      | set_global_address               | 153         | None  | None |
| 42    | Cast Alters Value        | rpl.c               | rpl_link_neighbor_callback       | 260         | None  | None |
| 42    | Cast Alters Value        | tcpip.c             | udp_broadcast_new                | 328         | None  | None |
| 42    | Cast Alters Value        | er-example-client.c | process_thread_er_example_client | 99          | None  | None |
| 42    | Cast Alters Value        | rpl-icmp6.c         | dis_output                       | 268         | None  | None |
| 42    | Cast Alters Value        | rpl.c               | rpl_init                         | 342         | None  | None |
| 42    | Cast Alters Value        | er-example-client.c | process_thread_er_example_client | 129         | None  | None |
| 42    | Cast Alters Value        | er-coap-engine.c    | process_thread_coap_engine       | 343         | None  | None |
| 42    | Cast Alters Value        | dhcpc.c             | create_msg                       | 149         | None  | None |
| 42    | Cast Alters Value        | tapdev6.c           | tapdev_send                      | 397         | None  | None |
| 42    | Cast Alters Value        | tapdev6.c           | tapdev_cleanup_darwin_routes     | 272         | None  | None |
| 42    | Cast Alters Value        | tapdev6.c           | tapdev_cleanup_darwin_routes     | 280         | None  | None |
| 42    | Cast Alters Value        | tapdev6.c           | tapdev_cleanup_darwin_routes     | 281         | None  | None |
|       |                          |                     |                                  |             |       |      |

Table 4: er-rest-example analysis 1, Warning Instances

| Score | Warning Class     | File Name | Procedure Name                | Line Number | State | Owner |
|-------|-------------------|-----------|-------------------------------|-------------|-------|-------|
| 42    | Cast Alters Value | resolv.c  | process_thread_resolv_process | 1174        | None  | None  |
| 42    | Cast Alters Value | tapdev6.c | tapdev_cleanup_darwin_routes  | 282         | None  | None  |
| 42    | Cast Alters Value | uip-ds6.c | uip_ds6_init                  | 118         | None  | None  |
| 42    | Cast Alters Value | resolv.c  | mdns_write_announce_records   | 522         | None  | None  |
| 42    | Cast Alters Value | resolv.c  | process_thread_resolv_process | 1208        | None  | None  |
| 42    | Cast Alters Value | tapdev6.c | tapdev_cleanup_darwin_routes  | 283         | None  | None  |
| 42    | Cast Alters Value | tapdev6.c | tapdev_init_darwin_routes     | 169         | None  | None  |
| 42    | Cast Alters Value | tapdev6.c | tapdev_init_darwin_routes     | 175         | None  | None  |
| 42    | Cast Alters Value | resolv.c  | newdata                       | 907         | None  | None  |
| 42    | Cast Alters Value | tapdev6.c | tapdev_init_darwin_routes     | 177         | None  | None  |
| 42    | Cast Alters Value | tapdev6.c | tapdev_init_darwin_routes     | 179         | None  | None  |
| 42    | Cast Alters Value | tapdev6.c | tapdev_init_darwin_routes     | 181         | None  | None  |
| 42    | Cast Alters Value | uip-ds6.c | uip_ds6_init                  | 127         | None  | None  |
| 42    | Cast Alters Value | uip-ds6.c | uip_ds6_init                  | 130         | None  | None  |
| 42    | Cast Alters Value | resolv.c  | check_entries                 | 756         | None  | None  |
| 42    | Cast Alters Value | tapdev6.c | tapdev_init_darwin_routes     | 230         | None  | None  |
| 42    | Cast Alters Value | tapdev6.c | tapdev_init_darwin_routes     | 238         | None  | None  |
|       |                   |           |                               |             |       |       |

Table 4: er-rest-example analysis 1, Warning Instances

| Score | Warning Class           | File Name      | Procedure Name                    | Line Number | State | Owner |
|-------|-------------------------|----------------|-----------------------------------|-------------|-------|-------|
| 42    | Cast Alters Value       | tapdev6.c      | tapdev_init_darwin_routes         | 239         | None  | None  |
| 42    | Cast Alters Value       | tapdev6.c      | tapdev_init_darwin_routes         | 240         | None  | None  |
| 42    | Cast Alters Value       | tapdev6.c      | tapdev_init_darwin_routes         | 241         | None  | None  |
| 42    | Cast Alters Value       | rpl-icmp6.c    | dio_output                        | 613         | None  | None  |
| 42    | Cast Alters Value       | rpl-dag-root.c | rpl_dag_root_init_dag_immediately | 224         | None  | None  |
| 42    | Cast Alters Value       | resolv.c       | newdata                           | 1070        | None  | None  |
| 39    | Buffer Underrun         | nbr-table.c    | remove_key                        | 195         | None  | None  |
| 38    | Dangerous Function Cast | uip-ds6-nbr.c  | uip_ds6_neighbors_init            | 79          | None  | None  |
| 34    | Buffer Overrun          | sicslowpan.c   | uncompress_addr                   | 611         | None  | None  |
| 33    | Buffer Underrun         | resolv.c       | remove_trailing_dots              | 1251        | None  | None  |

(Showing 100 of 215 Warnings)

# **Analysis Metrics**

Table 5: er-rest-example analysis 1 Metrics

| Metric Name              | Value |
|--------------------------|-------|
| Blank Lines              | 7088  |
| Code Lines               | 32688 |
| Comment Lines            | 27521 |
| Include file instances   | 159   |
| Lines with Code          | 34577 |
| Lines with Comments      | 29410 |
| Mixed Lines              | 1889  |
| Top-level file instances | 159   |
| Total Lines              | 69186 |
| User-defined functions   | 1043  |

### File Metrics

Table 6: er-rest-example analysis 1 File Metrics Summary

| Metric Name                    | Max  | Min | Avg    |
|--------------------------------|------|-----|--------|
| Blank Lines                    | 236  | 0   | 21.10  |
| Code Lines                     | 1403 | 2   | 97.29  |
| Comment Lines                  | 1302 | 0   | 81.91  |
| Cyclomatic Complexity          | 314  | 0   | 12.94  |
| Lines with Code                | 1476 | 2   | 102.91 |
| Lines with Comments            | 1422 | 0   | 87.53  |
| Mixed Lines                    | 120  | 0   | 5.62   |
| Modified Cyclomatic Complexity | 314  | 0   | 12.43  |
| Taint Propagator Total         | 3    | 0   | 0.04   |
| Taint Sink Total               | 16   | 0   | 0.64   |
| Taint Source Total             | 2    | 0   | 0.02   |
| Total Lines                    | 2362 | 3   | 205.91 |

Table 7: er-rest-example analysis 1 File Metrics Details

| File             | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|------------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| uip6.c           | 2362        | 1476            | 723                 | 1403       | 650           | 236         |
| uip.h            | 2219        | 698             | 1422                | 578        | 1302          | 219         |
| ctk.c            | 1933        | 1289            | 554                 | 1198       | 463           | 181         |
| sicslowpan.c     | 1806        | 1060            | 604                 | 1012       | 556           | 190         |
| rpl-dag.c        | 1631        | 1273            | 215                 | 1256       | 198           | 160         |
| resolv.c         | 1521        | 1039            | 313                 | 986        | 260           | 222         |
| rpl-icmp6.c      | 1367        | 1018            | 225                 | 983        | 190           | 159         |
| er-coap.c        | 1210        | 957             | 129                 | 949        | 121           | 132         |
| uip-nd6.c        | 1147        | 825             | 280                 | 779        | 234           | 88          |
| ctk.h            | 989         | 467             | 506                 | 376        | 415           | 107         |
| tcpip.c          | 849         | 629             | 184                 | 582        | 137           | 83          |
| websocket.c      | 724         | 489             | 173                 | 488        | 172           | 63          |
| uip-ds6-route.c  | 721         | 526             | 157                 | 493        | 124           | 71          |
| uip-ds6.c        | 716         | 528             | 158                 | 495        | 125           | 63          |
| uipopt.h         | 684         | 159             | 487                 | 122        | 450           | 75          |
| rpl-ext-header.c | 665         | 440             | 154                 | 431        | 145           | 80          |

Table 7: er-rest-example analysis 1 File Metrics Details

| File              | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|-------------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| frame802154.c     | 623         | 401             | 194                 | 380        | 173           | 49          |
| frame802154e-ie.c | 585         | 458             | 119                 | 434        | 95            | 32          |
| uip-nd6.h         | 575         | 203             | 346                 | 183        | 326           | 46          |
| process.h         | 531         | 90              | 386                 | 88         | 384           | 57          |
| ctk-conio.c       | 530         | 419             | 71                  | 403        | 55            | 56          |
| er-coap-engine.c  | 520         | 363             | 102                 | 350        | 89            | 68          |
| ctk-curses.c      | 517         | 384             | 93                  | 383        | 92            | 41          |
| trickle-timer.h   | 514         | 76              | 418                 | 65         | 407           | 31          |
| csma.c            | 507         | 369             | 99                  | 364        | 94            | 44          |
| rpl-timers.c      | 497         | 345             | 112                 | 336        | 103           | 49          |
| nbr-table.c       | 483         | 331             | 132                 | 328        | 129           | 23          |
| settings.c        | 475         | 284             | 104                 | 281        | 101           | 90          |
| queuebuf.c        | 473         | 365             | 103                 | 345        | 83            | 25          |
| slip.c            | 457         | 343             | 90                  | 327        | 74            | 40          |
| dhcpc.c           | 431         | 337             | 55                  | 336        | 54            | 40          |
| tapdev6.c         | 425         | 287             | 80                  | 277        | 70            | 68          |
| trickle-timer.c   | 410         | 243             | 128                 | 238        | 123           | 44          |

Table 7: er-rest-example analysis 1 File Metrics Details

| File                     | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|--------------------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| tcp-socket.c             | 409         | 307             | 66                  | 307        | 66            | 36          |
| rpl-private.h            | 408         | 258             | 127                 | 224        | 93            | 57          |
| psock.h                  | 404         | 59              | 321                 | 49         | 311           | 34          |
| process.c                | 388         | 233             | 113                 | 229        | 109           | 46          |
| uip-ds6.h                | 385         | 208             | 152                 | 179        | 123           | 54          |
| tcpip.h                  | 378         | 55              | 283                 | 53         | 281           | 42          |
| uip-icmp6.c              | 378         | 247             | 89                  | 245        | 87            | 44          |
| packetbuf.h              | 371         | 153             | 185                 | 141        | 173           | 45          |
| nullrdc.c                | 368         | 271             | 87                  | 247        | 63            | 34          |
| uip-ds6-nbr.c            | 361         | 261             | 93                  | 251        | 83            | 17          |
| rpl.c                    | 355         | 243             | 77                  | 240        | 74            | 38          |
| settings.h               | 352         | 173             | 134                 | 156        | 117           | 62          |
| websocket-http-client.c  | 347         | 247             | 73                  | 246        | 72            | 28          |
| er-coap-observe-client.c | 342         | 262             | 58                  | 261        | 57            | 23          |
| rpl-conf.h               | 341         | 146             | 183                 | 127        | 164           | 31          |
| rpl.h                    | 340         | 182             | 155                 | 164        | 137           | 21          |
| ctk-draw.h               | 335         | 27              | 281                 | 26         | 280           | 28          |

Table 7: er-rest-example analysis 1 File Metrics Details

| File                   | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|------------------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| list.c                 | 330         | 123             | 182                 | 123        | 182           | 25          |
| sicslowpan.h           | 327         | 111             | 188                 | 97         | 174           | 42          |
| pt.h                   | 322         | 57              | 231                 | 56         | 230           | 35          |
| psock.c                | 319         | 200             | 87                  | 200        | 87            | 32          |
| rpl-mrhof.c            | 316         | 204             | 105                 | 186        | 87            | 25          |
| contiki-main.c         | 314         | 213             | 63                  | 209        | 59            | 42          |
| er-coap-observe.c      | 306         | 209             | 72                  | 206        | 69            | 28          |
| tcp-socket.h           | 299         | 63              | 212                 | 62         | 211           | 25          |
| radio.h                | 294         | 62              | 186                 | 61         | 185           | 47          |
| cfs.h                  | 285         | 61              | 200                 | 60         | 199           | 25          |
| contiki-default-conf.h | 285         | 95              | 185                 | 63         | 153           | 37          |
| contiki-conf.h         | 275         | 183             | 57                  | 165        | 39            | 53          |
| framer-802154.c        | 274         | 172             | 80                  | 165        | 73            | 29          |
| announcement.h         | 274         | 35              | 213                 | 34         | 212           | 27          |
| etimer.c               | 272         | 171             | 74                  | 171        | 74            | 27          |
| rpl-dag-root.c         | 268         | 185             | 56                  | 181        | 52            | 31          |
| mt.h                   | 263         | 29              | 208                 | 28         | 207           | 27          |

Table 7: er-rest-example analysis 1 File Metrics Details

| File                          | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|-------------------------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| er-coap.h                     | 263         | 175             | 60                  | 160        | 45            | 43          |
| rest-engine.h                 | 258         | 106             | 117                 | 95         | 106           | 46          |
| rpl-nbr-policy.c              | 256         | 143             | 94                  | 138        | 89            | 24          |
| etimer.h                      | 254         | 23              | 208                 | 22         | 207           | 24          |
| packetbuf.c                   | 254         | 167             | 71                  | 166        | 70            | 17          |
| phase.c                       | 252         | 159             | 71                  | 156        | 68            | 25          |
| roll-tm.h                     | 244         | 92              | 143                 | 84         | 135           | 17          |
| uip-icmp6.h                   | 242         | 69              | 171                 | 38         | 140           | 33          |
| rest-engine.c                 | 239         | 139             | 76                  | 139        | 76            | 24          |
| rpl-of0.c                     | 238         | 145             | 84                  | 136        | 75            | 18          |
| uip-nameserver.c              | 236         | 155             | 80                  | 140        | 65            | 16          |
| frame802154.h                 | 230         | 101             | 138                 | 65         | 102           | 27          |
| rpl-ns.c                      | 230         | 149             | 67                  | 148        | 66            | 15          |
| packetqueue.h                 | 222         | 31              | 168                 | 30         | 167           | 24          |
| link-stats.c                  | 211         | 120             | 77                  | 117        | 74            | 17          |
| linuxradio-drv.c              | 210         | 157             | 34                  | 157        | 34            | 19          |
| er-coap-res-well-known-core.c | 208         | 143             | 46                  | 141        | 44            | 21          |

Table 7: er-rest-example analysis 1 File Metrics Details

| File                   | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|------------------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| uip-ds6-route.h        | 207         | 116             | 70                  | 112        | 66            | 25          |
| slipdev.c              | 203         | 81              | 104                 | 80         | 103           | 19          |
| tsch-conf.h            | 201         | 97              | 85                  | 90         | 78            | 26          |
| udp-socket.c           | 199         | 124             | 55                  | 124        | 55            | 20          |
| ipolite.h              | 197         | 28              | 151                 | 27         | 150           | 19          |
| elfloader.h            | 194         | 40              | 143                 | 34         | 137           | 17          |
| udp-socket.h           | 193         | 33              | 147                 | 32         | 146           | 14          |
| polite.h               | 192         | 25              | 150                 | 24         | 149           | 18          |
| er-example-server.c    | 186         | 91              | 80                  | 89         | 78            | 17          |
| uip-mcast6.h           | 186         | 53              | 122                 | 48         | 117           | 16          |
| mtarch.c               | 185         | 92              | 66                  | 84         | 58            | 35          |
| aes-128.c              | 183         | 108             | 57                  | 108        | 57            | 18          |
| simple-udp.c           | 183         | 100             | 64                  | 100        | 64            | 19          |
| er-coap-transactions.c | 179         | 110             | 51                  | 107        | 48            | 21          |
| res-mirror.c           | 177         | 109             | 58                  | 103        | 52            | 16          |
| ccm-star.c             | 177         | 111             | 50                  | 111        | 50            | 16          |

(Showing 100 of 336 Files)