# CodeSonar Analysis Report

generated by Administrator on Wed Aug 23 15:52:20 2017 for analysis crypto analysis 1

## Summary

Table 1: crypto analysis 1 Summary

| Active Warnings | File Count | Project Name | Time Started             | Time Finished            | Machine            |
|-----------------|------------|--------------|--------------------------|--------------------------|--------------------|
| 322             | 420        | crypto       | Mon Jul 10 15:29:01 2017 | Mon Jul 10 15:34:31 2017 | eduECFA.kent.ac.uk |

## Warnings

Figure 1: crypto analysis 1, Warnings by Class




Table 2: crypto analysis 1, Warnings by Class

| Warning Class                | Active Warnings |
|------------------------------|-----------------|
| Unreachable Call             | 62              |
| Empty if Statement           | 50              |
| Null Pointer Dereference     | 49              |
| Empty while Statement        | 34              |
| Redundant Condition          | 28              |
| Cast Alters Value            | 19              |
| Unreachable Data Flow        | 17              |
| Unreachable Computation      | 15              |
| Unused Value                 | 10              |
| Useless Assignment           | 8               |
| Unterminated C String        | 7               |
| Unreachable Conditional      | 5               |
| Coercion Alters Value        | 4               |
| No Space For Null Terminator | 3               |
| Buffer Underrun              | 2               |
| Uninitialized Variable       | 2               |

Table 3: crypto analysis 1, Warnings by File

| Warning Class               | Active Warnings |
|-----------------------------|-----------------|
| Null Test After Dereference | 2               |
| Type Overrun                | 1               |
| Dangerous Function Cast     | 1               |
| Buffer Overrun              | 1               |
| Ignored Return Value        | 1               |
| Negative Character Value    | 1               |

#### Table 3: crypto analysis 1, Warnings by File

| File         | Active Warnings | Total Lines | Language |
|--------------|-----------------|-------------|----------|
| resolv.c     | 22              | 1521        | С        |
| rpl-dag.c    | 15              | 1631        | С        |
| rpl-icmp6.c  | 14              | 1367        | С        |
| cfs-coffee.c | 14              | 1346        | С        |
| ccm-test.c   | 11              | 708         | С        |
| cc2538-rf.c  | 10              | 1126        | С        |
| gcm-test.c   | 10              | 669         | С        |
| contikimac.c | 9               | 1102        | С        |

Table 3: crypto analysis 1, Warnings by File

| File              | Active Warnings | Total Lines | Language |
|-------------------|-----------------|-------------|----------|
| ccm.c             | 9               | 142         | С        |
| lpm.c             | 8               | 390         | С        |
| gcm.c             | 8               | 125         | С        |
| sha256.c          | 7               | 356         | С        |
| ctr-test.c        | 7               | 352         | С        |
| aes.c             | 7               | 330         | С        |
| cbc-test.c        | 7               | 696         | С        |
| ecb-test.c        | 7               | 662         | С        |
| cbc-mac-test.c    | 7               | 506         | С        |
| framer-802154.c   | 6               | 274         | С        |
| rpl-ext-header.c  | 6               | 665         | С        |
| startup-gcc.c     | 6               | 330         | С        |
| cfs-coffee-arch.c | 6               | 144         | С        |
| uip6.c            | 6               | 2362        | С        |
| cc2538-ccm-star.c | 5               | 130         | С        |
| websocket.c       | 5               | 724         | С        |
| psock.c           | 5               | 319         | С        |

Table 3: crypto analysis 1, Warnings by File

| File                    | Active Warnings | Total Lines | Language |
|-------------------------|-----------------|-------------|----------|
| usb-arch.c              | 5               | 1295        | С        |
| sha256-test.c           | 5               | 261         | С        |
| cbc-mac.c               | 5               | 91          | С        |
| uip-ds6.c               | 4               | 716         | С        |
| nbr-table.c             | 4               | 483         | С        |
| tcpip.c                 | 4               | 849         | С        |
| rpl.c                   | 4               | 355         | С        |
| websocket-http-client.c | 4               | 347         | С        |
| ecc-algorithm.c         | 4               | 201         | С        |
| csma.c                  | 4               | 507         | С        |
| rpl-dag-root.c          | 3               | 268         | С        |
| phase.c                 | 3               | 252         | С        |
| soc.c                   | 3               | 108         | С        |
| ctr.c                   | 3               | 77          | С        |
| sys-ctrl.c              | 3               | 135         | С        |
| udp-socket.c            | 3               | 199         | С        |
| sicslowpan.c            | 2               | 1806        | С        |

Table 3: crypto analysis 1, Warnings by File

| File              | Active Warnings | Total Lines | Language |
|-------------------|-----------------|-------------|----------|
| rpl-of0.c         | 2               | 238         | С        |
| dhcpc.c           | 2               | 431         | С        |
| random.c          | 2               | 136         | С        |
| ip64-addr.c       | 2               | 123         | С        |
| usb-core.c        | 2               | 631         | С        |
| rpl-timers.c      | 2               | 497         | С        |
| frame802154e-ie.c | 2               | 585         | С        |
| tcp-socket.c      | 2               | 409         | С        |
| rpl-nbr-policy.c  | 2               | 256         | С        |
| sensors.c         | 1               | 137         | С        |
| simple-udp.c      | 1               | 183         | С        |
| ifft.c            | 1               | 168         | С        |
| contiki-main.c    | 1               | 252         | С        |
| uip-ds6-route.c   | 1               | 721         | С        |
| serial-line.c     | 1               | 137         | С        |
| dbg.c             | 1               | 117         | С        |
| watchdog.c        | 1               | 109         | С        |

Table 3: crypto analysis 1, Warnings by File

| File             | Active Warnings | Total Lines | Language |
|------------------|-----------------|-------------|----------|
| frame802154.c    | 1               | 623         | С        |
| slip.c           | 1               | 457         | С        |
| uip-icmp6.c      | 1               | 378         | С        |
| cc2538-aes-128.c | 1               | 121         | С        |
| uart.c           | 1               | 398         | С        |
| core_cm3.h       | 1               | 1776        | С        |
| uip-ds6-nbr.c    | 1               | 361         | С        |
| ieee-addr.c      | 1               | 92          | С        |
| adc.c            | 1               | 99          | С        |
| rtimer-arch.c    | 1               | 158         | С        |
| clock.c          | 1               | 255         | С        |
| slip-arch.c      | 1               | 86          | С        |
| nullrdc.c        | 1               | 368         | С        |
| usb-serial.c     | 1               | 307         | С        |
| ctimer.c         | 1               | 175         | С        |
| etimer.c         | 1               | 272         | С        |
| stimer.c         | 0               | 163         | С        |

Table 3: crypto analysis 1, Warnings by File

| File                    | Active Warnings | Total Lines | Language |
|-------------------------|-----------------|-------------|----------|
| ecc-driver.c            | 0               | 559         | С        |
| websocket.h             | 0               | 113         | С        |
| bignum-driver.c         | 0               | 1064        | С        |
| uip-nameserver.c        | 0               | 236         | С        |
| websocket-http-client.h | 0               | 123         | С        |
| compower.c              | 0               | 98          | С        |
| vdd3-sensor.c           | 0               | 78          | С        |
| vdd3-sensor.h           | 0               | 71          | С        |
| cc2538-sensors.h        | 0               | 72          | С        |
| ifft.h                  | 0               | 58          | С        |
| cc2538-temp-sensor.h    | 0               | 71          | С        |
| button-sensor.c         | 0               | 252         | С        |
| uip-split.c             | 0               | 158         | С        |
| cc2538-temp-sensor.c    | 0               | 77          | С        |
| als-sensor.c            | 0               | 95          | С        |
| procinit.c              | 0               | 48          | С        |
| bignum-driver.h         | 0               | 462         | С        |

Table 4: crypto analysis 1, Warning Instances

| File         | Active Warnings | Total Lines | Language |
|--------------|-----------------|-------------|----------|
| als-sensor.h | 0               | 63          | С        |
| ctr.h        | 0               | 89          | С        |
| pwm.c        | 0               | 369         | С        |
| pwm.h        | 0               | 182         | С        |
| me_tabs.c    | 0               | 121         | С        |
| mt.c         | 0               | 109         | С        |
| ctype.h      | 0               | 169         | С        |

(Showing 100 of 420 Files)

Table 4: crypto analysis 1, Warning Instances

| Score | Warning Class                | File Name       | Procedure Name               | Line Number | State | Owner |
|-------|------------------------------|-----------------|------------------------------|-------------|-------|-------|
| 68    | Negative Character Value     | resolv.c        | dns_name_isequal             | 400         | None  | None  |
| 63    | Uninitialized Variable       | frame802154.c   | frame802154_check_dest_panid | 214         | None  | None  |
| 62    | Uninitialized Variable       | uip-ds6-route.c | uip_ds6_route_lookup         | 272         | None  | None  |
| 61    | No Space For Null Terminator | resolv.c        | remove_trailing_dots         | 1252        | None  | None  |
| 60    | Unterminated C String        | resolv.c        | resolv_set_hostname          | 1095        | None  | None  |
| 60    | Unterminated C String        | resolv.c        | resolv_set_hostname          | 1096        | None  | None  |

Table 4: crypto analysis 1, Warning Instances

| Score | Warning Class                | File Name         | Procedure Name                                      | Line Number | State | Owner |
|-------|------------------------------|-------------------|---|-------------|-------|-------|
| 60    | Unterminated C String        | resolv.c          | resolv_set_hostname                                 | 1097        | None  | None  |
| 59    | No Space For Null Terminator | websocket.c       | parse_url   | 143         | None  | None  |
| 58    | Unterminated C String        | resolv.c          | resolv_lookup                                       | 1380        | None  | None  |
| 58    | Unterminated C String        | resolv.c          | resolv_query  | 1287        | None  | None  |
| 58    | Unterminated C String        | resolv.c          | resolv_query  | 1312        | None  | None  |
| 58    | Unterminated C String        | resolv.c          | resolv_query  | 1319        | None  | None  |
| 57    | No Space For Null Terminator | resolv.c          | resolv_query  | 1312        | None  | None  |
| 51    | Null Test After Dereference  | frame802154e-ie.c | frame80215e_create_ie_tsch_channel_hopping_sequence | 303         | None  | None  |
| 51    | Null Test After Dereference  | rpl-dag.c         | rpl_print_neighbor_list                             | 110         | None  | None  |
| 49    | Null Pointer Dereference     | cbc-mac.c         | cbc_mac_auth_start                                  | 59          | None  | None  |
| 49    | Null Pointer Dereference     | cfs-coffee-arch.c | cfs_coffee_arch_erase                               | 81          | None  | None  |
| 49    | Null Pointer Dereference     | startup-gcc.c     | reset_handler                                       | 317         | None  | None  |
| 49    | Null Pointer Dereference     | gcm.c             | gcm_auth_crypt_start                                | 63          | None  | None  |
| 49    | Null Pointer Dereference     | aes.c             | aes_load_keys                                       | 69          | None  | None  |
| 49    | Null Pointer Dereference     | aes.c             | aes_load_keys                                       | 81          | None  | None  |
| 49    | Null Pointer Dereference     | ctr.c             | ctr_crypt_start                                     | 62          | None  | None  |
| 49    | Null Pointer Dereference     | ccm.c             | ccm_auth_crypt_start                                | 74          | None  | None  |

Table 4: crypto analysis 1, Warning Instances

| Score | Warning Class            | File Name         | Procedure Name                      | Line Number | State | Owner |
|-------|--------------------------|-------------------|-------------------------------------|-------------|-------|-------|
| 49    | Null Pointer Dereference | sha256.c          | sha256_process                      | 262         | None  | None  |
| 49    | Null Pointer Dereference | cbc-mac-test.c    | process_thread_cbc_mac_test_process | 484         | None  | None  |
| 49    | Null Pointer Dereference | cbc-test.c        | process_thread_cbc_test_process     | 674         | None  | None  |
| 49    | Null Pointer Dereference | ccm-test.c        | process_thread_ccm_test_process     | 637         | None  | None  |
| 49    | Null Pointer Dereference | ccm-test.c        | process_thread_ccm_test_process     | 685         | None  | None  |
| 49    | Null Pointer Dereference | ctr-test.c        | process_thread_ctr_test_process     | 330         | None  | None  |
| 49    | Null Pointer Dereference | ecb-test.c        | process_thread_ecb_test_process     | 640         | None  | None  |
| 49    | Null Pointer Dereference | gcm-test.c        | process_thread_gcm_test_process     | 646         | None  | None  |
| 49    | Null Pointer Dereference | sha256-test.c     | process_thread_sha256_test_process  | 240         | None  | None  |
| 49    | Null Pointer Dereference | cfs-coffee-arch.c | cfs_coffee_arch_write               | 125         | None  | None  |
| 49    | Null Pointer Dereference | cfs-coffee-arch.c | cfs_coffee_arch_write               | 101         | None  | None  |
| 49    | Null Pointer Dereference | sha256.c          | sha256_process                      | 273         | None  | None  |
| 49    | Null Pointer Dereference | cbc-mac-test.c    | process_thread_cbc_mac_test_process | 451         | None  | None  |
| 49    | Null Pointer Dereference | cbc-test.c        | process_thread_cbc_test_process     | 646         | None  | None  |
| 49    | Null Pointer Dereference | ecb-test.c        | process_thread_ecb_test_process     | 613         | None  | None  |
| 49    | Null Pointer Dereference | cfs-coffee-arch.c | cfs_coffee_arch_write               | 115         | None  | None  |
| 49    | Null Pointer Dereference | ctr-test.c        | process_thread_ctr_test_process     | 301         | None  | None  |

Table 4: crypto analysis 1, Warning Instances

| Score | Warning Class            | File Name      | Procedure Name                    | Line Number | State | Owner |
|-------|--------------------------|----------------|-----------------------------------|-------------|-------|-------|
| 49    | Null Pointer Dereference | gcm-test.c     | process_thread_gcm_test_process   | 565         | None  | None  |
| 49    | Null Pointer Dereference | ccm-test.c     | process_thread_ccm_test_process   | 599         | None  | None  |
| 49    | Null Pointer Dereference | soc.c          | soc_print_info                    | 99          | None  | None  |
| 49    | Null Pointer Dereference | cbc-mac.c      | cbc_mac_auth_get_result           | 78          | None  | None  |
| 49    | Null Pointer Dereference | ccm.c          | ccm_auth_crypt_get_result         | 104         | None  | None  |
| 49    | Null Pointer Dereference | gcm.c          | gcm_auth_crypt_get_result         | 84          | None  | None  |
| 49    | Null Pointer Dereference | cbc-mac.c      | cbc_mac_auth_get_result           | 85          | None  | None  |
| 49    | Null Pointer Dereference | ccm.c          | ccm_auth_crypt_get_result         | 98          | None  | None  |
| 49    | Null Pointer Dereference | gcm.c          | gcm_auth_crypt_get_result         | 91          | None  | None  |
| 49    | Null Pointer Dereference | tcpip.c        | tcpip_uipcall                     | 792         | None  | None  |
| 48    | Null Pointer Dereference | rpl-icmp6.c    | dao_input_storing                 | 667         | None  | None  |
| 48    | Null Pointer Dereference | resolv.c       | process_thread_resolv_process     | 1174        | None  | None  |
| 48    | Null Pointer Dereference | rpl-dag-root.c | rpl_dag_root_init_dag_immediately | 215         | None  | None  |
| 48    | Null Pointer Dereference | rpl-dag.c      | rpl_add_dag                       | 1220        | None  | None  |
| 48    | Null Pointer Dereference | rpl-dag.c      | rpl_print_neighbor_list           | 106         | None  | None  |
| 48    | Null Pointer Dereference | nbr-table.c    | nbr_table_add_lladdr              | 368         | None  | None  |
| 47    | Null Pointer Dereference | rpl.c          | rpl_remove_routes_by_nexthop      | 218         | None  | None  |

Table 4: crypto analysis 1, Warning Instances

| Score | Warning Class            | File Name      | Procedure Name                | Line Number | State | Owner |
|-------|--------------------------|----------------|-------------------------------|-------------|-------|-------|
| 47    | Coercion Alters Value    | websocket.c    | websocket_open                | 591         | None  | None  |
| 47    | Null Pointer Dereference | rpl-dag.c      | rpl_print_neighbor_list       | 113         | None  | None  |
| 47    | Null Pointer Dereference | rpl-icmp6.c    | dao_input_storing             | 770         | None  | None  |
| 47    | Null Pointer Dereference | rpl-dag.c      | rpl_get_any_dag               | 1041        | None  | None  |
| 46    | Coercion Alters Value    | usb-arch.c     | ep0_get_data_pkt              | 943         | None  | None  |
| 46    | Coercion Alters Value    | uip6.c         | uip_process                   | 1546        | None  | None  |
| 45    | Coercion Alters Value    | ifft.c         | ifft                          | 123         | None  | None  |
| 44    | Null Pointer Dereference | uip-icmp6.c    | uip_icmp6_send                | 281         | None  | None  |
| 42    | Type Overrun             | usb-arch.c     | fill_buffers                  | 885         | None  | None  |
| 42    | Cast Alters Value        | rpl-dag-root.c | set_global_address            | 153         | None  | None  |
| 42    | Cast Alters Value        | rpl.c          | rpl_link_neighbor_callback    | 260         | None  | None  |
| 42    | Cast Alters Value        | tcpip.c        | udp_broadcast_new             | 328         | None  | None  |
| 42    | Cast Alters Value        | rpl-icmp6.c    | dis_output                    | 268         | None  | None  |
| 42    | Cast Alters Value        | rpl.c          | rpl_init                      | 342         | None  | None  |
| 42    | Cast Alters Value        | dhcpc.c        | create_msg                    | 149         | None  | None  |
| 42    | Cast Alters Value        | resolv.c       | process_thread_resolv_process | 1174        | None  | None  |
| 42    | Cast Alters Value        | uip-ds6.c      | uip_ds6_init                  | 118         | None  | None  |

Table 4: crypto analysis 1, Warning Instances

| Score | Warning Class            | File Name      | Procedure Name                    | Line Number | State | Owner |
|-------|--------------------------|----------------|-----------------------------------|-------------|-------|-------|
| 42    | Cast Alters Value        | resolv.c       | mdns_write_announce_records       | 522         | None  | None  |
| 42    | Cast Alters Value        | resolv.c       | process_thread_resolv_process     | 1208        | None  | None  |
| 42    | Cast Alters Value        | resolv.c       | newdata                           | 907         | None  | None  |
| 42    | Cast Alters Value        | uip-ds6.c      | uip_ds6_init                      | 127         | None  | None  |
| 42    | Cast Alters Value        | resolv.c       | check_entries                     | 756         | None  | None  |
| 42    | Cast Alters Value        | uip-ds6.c      | uip_ds6_init                      | 130         | None  | None  |
| 42    | Cast Alters Value        | rpl-icmp6.c    | dio_output                        | 613         | None  | None  |
| 42    | Cast Alters Value        | rpl-dag-root.c | rpl_dag_root_init_dag_immediately | 224         | None  | None  |
| 42    | Cast Alters Value        | resolv.c       | newdata                           | 1070        | None  | None  |
| 41    | Cast Alters Value        | uip6.c         | uip_udp_new                       | 593         | None  | None  |
| 41    | Cast Alters Value        | core_cm3.h     | NVIC_SetPriority                  | 1541        | None  | None  |
| 41    | Null Pointer Dereference | rpl-dag.c      | rpl_select_dag                    | 806         | None  | None  |
| 41    | Null Pointer Dereference | rpl-dag.c      | rpl_select_dag                    | 773         | None  | None  |
| 39    | Null Pointer Dereference | rpl-dag.c      | rpl_select_dag                    | 764         | None  | None  |
| 39    | Buffer Underrun          | nbr-table.c    | remove_key                        | 195         | None  | None  |
| 38    | Dangerous Function Cast  | uip-ds6-nbr.c  | uip_ds6_neighbors_init            | 79          | None  | None  |
| 34    | Buffer Overrun           | sicslowpan.c   | uncompress_addr                   | 611         | None  | None  |

Table 4: crypto analysis 1, Warning Instances

| Score | Warning Class        | File Name         | Procedure Name       | Line Number | State | Owner |
|-------|----------------------|-------------------|----------------------|-------------|-------|-------|
| 33    | Buffer Underrun      | resolv.c          | remove_trailing_dots | 1251        | None  | None  |
| 27    | Ignored Return Value | contikimac.c      | send_packet          | 708         | None  | None  |
| 23    | Unused Value         | cc2538-ccm-star.c | aead                 | 88          | None  | None  |
| 23    | Unused Value         | ccm.c             | ccm_auth_crypt_start | 67          | None  | None  |
| 23    | Unused Value         | ctr.c             | ctr_crypt_start      | 57          | None  | None  |
| 23    | Unused Value         | gcm.c             | gcm_auth_crypt_start | 59          | None  | None  |
| 23    | Unused Value         | rpl-ext-header.c  | rpl_remove_header    | 627         | None  | None  |
| 23    | Unused Value         | rpl-icmp6.c       | dio_output           | 539         | None  | None  |
| 23    | Unused Value         | rpl-icmp6.c       | set16                | 184         | None  | None  |

(Showing 100 of 322 Warnings)

## **Analysis Metrics**

Table 5: crypto analysis 1 Metrics

| Metric Name              | Value |
|--------------------------|-------|
| Blank Lines              | 9565  |
| Code Lines               | 44698 |
| Comment Lines            | 36937 |
| Include file instances   | 157   |
| Lines with Code          | 50392 |
| Lines with Comments      | 42631 |
| Mixed Lines              | 5694  |
| Top-level file instances | 157   |
| Total Lines              | 96894 |
| User-defined functions   | 1223  |

### File Metrics

Table 6: crypto analysis 1 File Metrics Summary

| Metric Name                    | Max  | Min | Avg    |
|--------------------------------|------|-----|--------|
| Blank Lines                    | 388  | 0   | 22.77  |
| Code Lines                     | 1403 | 0   | 106.42 |
| Comment Lines                  | 1302 | 0   | 87.95  |
| Cyclomatic Complexity          | 330  | 0   | 13.28  |
| Lines with Code                | 1476 | 0   | 119.98 |
| Lines with Comments            | 1422 | 0   | 101.50 |
| Mixed Lines                    | 649  | 0   | 13.56  |
| Modified Cyclomatic Complexity | 330  | 0   | 12.69  |
| Taint Propagator Total         | 0    | 0   | 0      |
| Taint Sink Total               | 11   | 0   | 0.34   |
| Taint Source Total             | 0    | 0   | 0      |
| Total Lines                    | 2362 | 2   | 230.70 |

Table 7: crypto analysis 1 File Metrics Details

| File            | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|-----------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| uip6.c          | 2362        | 1476            | 723                 | 1403       | 650           | 236         |
| uip.h           | 2219        | 698             | 1422                | 578        | 1302          | 219         |
| sicslowpan.c    | 1806        | 1060            | 604                 | 1012       | 556           | 190         |
| core_cm3.h      | 1776        | 952             | 1085                | 303        | 436           | 388         |
| rpl-dag.c       | 1631        | 1273            | 215                 | 1256       | 198           | 160         |
| resolv.c        | 1521        | 1039            | 313                 | 986        | 260           | 222         |
| cmsis_gcc.h     | 1373        | 734             | 382                 | 713        | 361           | 278         |
| rpl-icmp6.c     | 1367        | 1018            | 225                 | 983        | 190           | 159         |
| cfs-coffee.c    | 1346        | 962             | 239                 | 946        | 223           | 161         |
| usb-arch.c      | 1295        | 962             | 163                 | 959        | 160           | 173         |
| uip-nd6.c       | 1147        | 825             | 280                 | 779        | 234           | 88          |
| cc2538-rf.c     | 1126        | 742             | 255                 | 734        | 247           | 137         |
| contikimac.c    | 1102        | 776             | 219                 | 752        | 195           | 131         |
| bignum-driver.c | 1064        | 577             | 273                 | 577        | 273           | 214         |
| pka.h           | 871         | 191             | 723                 | 112        | 644           | 36          |
| tcpip.c         | 849         | 629             | 184                 | 582        | 137           | 83          |

Table 7: crypto analysis 1 File Metrics Details

| File             | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|------------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| reent.h          | 794         | 558             | 220                 | 462        | 124           | 112         |
| stdio.h          | 769         | 622             | 126                 | 577        | 81            | 66          |
| websocket.c      | 724         | 489             | 173                 | 488        | 172           | 63          |
| uip-ds6-route.c  | 721         | 526             | 157                 | 493        | 124           | 71          |
| uip-ds6.c        | 716         | 528             | 158                 | 495        | 125           | 63          |
| ccm-test.c       | 708         | 632             | 302                 | 390        | 60            | 16          |
| cdefs.h          | 707         | 446             | 211                 | 415        | 180           | 81          |
| udma.h           | 704         | 294             | 462                 | 184        | 352           | 58          |
| cbc-test.c       | 696         | 629             | 167                 | 517        | 55            | 12          |
| uipopt.h         | 684         | 159             | 487                 | 122        | 450           | 75          |
| rfcore-xreg.h    | 673         | 284             | 668                 | 4          | 388           | 1           |
| gcm-test.c       | 669         | 598             | 215                 | 438        | 55            | 16          |
| rpl-ext-header.c | 665         | 440             | 154                 | 431        | 145           | 80          |
| ecb-test.c       | 662         | 595             | 151                 | 499        | 55            | 12          |
| gpio.h           | 635         | 240             | 536                 | 66         | 362           | 33          |
| usb-core.c       | 631         | 553             | 25                  | 543        | 15            | 63          |
| frame802154.c    | 623         | 401             | 194                 | 380        | 173           | 49          |

Table 7: crypto analysis 1 File Metrics Details

| File              | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|-------------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| strformat.c       | 617         | 550             | 13                  | 545        | 8             | 59          |
| frame802154e-ie.c | 585         | 458             | 119                 | 434        | 95            | 32          |
| uip-nd6.h         | 575         | 203             | 346                 | 183        | 326           | 46          |
| ecc-driver.c      | 559         | 290             | 156                 | 290        | 156           | 113         |
| aes.h             | 544         | 303             | 432                 | 103        | 232           | 9           |
| process.h         | 531         | 90              | 386                 | 88         | 384           | 57          |
| features.h        | 515         | 276             | 205                 | 270        | 199           | 40          |
| trickle-timer.h   | 514         | 76              | 418                 | 65         | 407           | 31          |
| contiki-conf.h    | 510         | 265             | 222                 | 224        | 181           | 64          |
| csma.c            | 507         | 369             | 99                  | 364        | 94            | 44          |
| cbc-mac-test.c    | 506         | 438             | 135                 | 358        | 55            | 13          |
| rpl-timers.c      | 497         | 345             | 112                 | 336        | 103           | 49          |
| nbr-table.c       | 483         | 331             | 132                 | 328        | 129           | 23          |
| settings.c        | 475         | 284             | 104                 | 281        | 101           | 90          |
| queuebuf.c        | 473         | 365             | 103                 | 345        | 83            | 25          |
| stdint.h          | 466         | 388             | 34                  | 387        | 33            | 45          |
| bignum-driver.h   | 462         | 76              | 366                 | 75         | 365           | 21          |

Table 7: crypto analysis 1 File Metrics Details

| File            | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|-----------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| slip.c          | 457         | 343             | 90                  | 327        | 74            | 40          |
| stddef.h        | 443         | 313             | 166                 | 246        | 99            | 31          |
| ieeefp.h        | 434         | 303             | 68                  | 293        | 58            | 73          |
| dhcpc.c         | 431         | 337             | 55                  | 336        | 54            | 40          |
| trickle-timer.c | 410         | 243             | 128                 | 238        | 123           | 44          |
| tcp-socket.c    | 409         | 307             | 66                  | 307        | 66            | 36          |
| rpl-private.h   | 408         | 258             | 127                 | 224        | 93            | 57          |
| psock.h         | 404         | 59              | 321                 | 49         | 311           | 34          |
| uart.c          | 398         | 255             | 95                  | 255        | 95            | 48          |
| lpm.c           | 390         | 184             | 163                 | 183        | 162           | 44          |
| process.c       | 388         | 233             | 113                 | 229        | 109           | 46          |
| uip-ds6.h       | 385         | 208             | 152                 | 179        | 123           | 54          |
| uip-icmp6.c     | 378         | 247             | 89                  | 245        | 87            | 44          |
| tcpip.h         | 378         | 55              | 283                 | 53         | 281           | 42          |
| packetbuf.h     | 371         | 153             | 185                 | 141        | 173           | 45          |
| pwm.c           | 369         | 241             | 84                  | 241        | 84            | 44          |
| nullrdc.c       | 368         | 271             | 87                  | 247        | 63            | 34          |

Table 7: crypto analysis 1 File Metrics Details

| File                    | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|-------------------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| spi.c                   | 362         | 241             | 91                  | 240        | 90            | 31          |
| uip-ds6-nbr.c           | 361         | 261             | 93                  | 251        | 83            | 17          |
| uart.h                  | 360         | 149             | 338                 | 14         | 203           | 8           |
| sha256.c                | 356         | 211             | 108                 | 211        | 108           | 37          |
| usb-regs.h              | 355         | 127             | 316                 | 27         | 216           | 12          |
| rpl.c                   | 355         | 243             | 77                  | 240        | 74            | 38          |
| settings.h              | 352         | 173             | 134                 | 156        | 117           | 62          |
| ctr-test.c              | 352         | 285             | 109                 | 231        | 55            | 12          |
| websocket-http-client.c | 347         | 247             | 73                  | 246        | 72            | 28          |
| sys-ctrl.h              | 342         | 150             | 249                 | 81         | 180           | 12          |
| rpl-conf.h              | 341         | 146             | 183                 | 127        | 164           | 31          |
| rpl.h                   | 340         | 182             | 155                 | 164        | 137           | 21          |
| gptimer.h               | 335         | 137             | 325                 | 8          | 196           | 2           |
| stdlib.h                | 335         | 291             | 28                  | 277        | 14            | 30          |
| aes.c                   | 330         | 179             | 103                 | 179        | 103           | 48          |
| startup-gcc.c           | 330         | 254             | 234                 | 83         | 63            | 13          |
| list.c                  | 330         | 123             | 182                 | 123        | 182           | 25          |

Table 7: crypto analysis 1 File Metrics Details

| File                   | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|------------------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| sicslowpan.h           | 327         | 111             | 188                 | 97         | 174           | 42          |
| pt.h                   | 322         | 57              | 231                 | 56         | 230           | 35          |
| psock.c                | 319         | 200             | 87                  | 200        | 87            | 32          |
| rpl-mrhof.c            | 316         | 204             | 105                 | 186        | 87            | 25          |
| usb-serial.c           | 307         | 217             | 66                  | 217        | 66            | 24          |
| tcp-socket.h           | 299         | 63              | 212                 | 62         | 211           | 25          |
| radio.h                | 294         | 62              | 186                 | 61         | 185           | 47          |
| config.h               | 286         | 218             | 35                  | 210        | 27            | 41          |
| contiki-default-conf.h | 285         | 95              | 185                 | 63         | 153           | 37          |
| mtarch.c               | 285         | 145             | 129                 | 145        | 129           | 11          |
| cfs.h                  | 285         | 61              | 200                 | 60         | 199           | 25          |
| ioc.h                  | 278         | 154             | 147                 | 124        | 117           | 7           |
| noncoresec.c           | 275         | 181             | 76                  | 170        | 65            | 29          |
| framer-802154.c        | 274         | 172             | 80                  | 165        | 73            | 29          |
| announcement.h         | 274         | 35              | 213                 | 34         | 212           | 27          |
| etimer.c               | 272         | 171             | 74                  | 171        | 74            | 27          |

(Showing 100 of 420 Files)