CodeSonar Analysis Report

generated by Administrator on Wed Aug 23 15:55:42 2017 for analysis rpl-udp analysis 1

Summary

Table 1: rpl-udp analysis 1 Summary

| Active Warnings | File Count | Project Name | Time Started | Time Finished | Machine |
|-----------------|------------|--------------|--------------------------|--------------------------|-----------|
| 17 | 148 | rpl-udp | Mon Mar 27 00:37:24 2017 | Mon Mar 27 00:38:25 2017 | Jacks-MBP |

Warnings

Figure 1: rpl-udp analysis 1, Warnings by Class




Table 2: rpl-udp analysis 1, Warnings by Class

| Warning Class | Active Warnings |
|-----------------------|-----------------|
| Cast Alters Value | 9 |
| Empty while Statement | 4 |
| Empty if Statement | 2 |
| Unreachable Call | 1 |
| Buffer Overrun | 1 |

Table 3: rpl-udp analysis 1, Warnings by File

| File | Active Warnings | Total Lines | Language |
|------------------|-----------------|-------------|----------|
| udp-client.c | 7 | 268 | С |
| udp-server.c | 5 | 182 | С |
| startup_gcc.c | 3 | 301 | С |
| fault-handlers.c | 1 | 54 | С |
| ieee-addr.c | 1 | 90 | С |
| stdlib.h | 0 | 335 | С |
| stdio.h | 0 | 27 | С |

Table 3: rpl-udp analysis 1, Warnings by File

| File | Active Warnings | Total Lines | Language |
|-----------------------|-----------------|-------------|----------|
| types.h | 0 | 7 | С |
| _pthreadtypes.h | 0 | 233 | С |
| types.h | 0 | 246 | С |
| stdarg.h | 0 | 127 | С |
| stdio.h | 0 | 769 | С |
| sensors.h | 0 | 72 | С |
| button-sensor.h | 0 | 42 | С |
| rpl-conf.h | 0 | 341 | С |
| rpl.h | 0 | 340 | С |
| trickle.h | 0 | 94 | С |
| timesynch.h | 0 | 150 | С |
| rucb.h | 0 | 79 | С |
| route.h | 0 | 84 | С |
| rmh.h | 0 | 102 | С |
| rimestats.h | 0 | 69 | С |
| polite.h | 0 | 192 | С |
| polite-announcement.h | 0 | 68 | С |

Table 3: rpl-udp analysis 1, Warnings by File

| File | Active Warnings | Total Lines | Language |
|-------------------------|-----------------|-------------|----------|
| netflood.h | 0 | 110 | С |
| route-discovery.h | 0 | 97 | С |
| multihop.h | 0 | 110 | С |
| mesh.h | 0 | 146 | С |
| ipolite.h | 0 | 197 | С |
| packetqueue.h | 0 | 222 | С |
| collect-link-estimate.h | 0 | 126 | С |
| collect-neighbor.h | 0 | 107 | С |
| neighbor-discovery.h | 0 | 95 | С |
| queuebuf.h | 0 | 117 | С |
| chameleon.h | 0 | 57 | С |
| channel.h | 0 | 64 | С |
| tsch-conf.h | 0 | 201 | С |
| packetbuf.h | 0 | 371 | С |
| abc.h | 0 | 144 | С |
| broadcast.h | 0 | 139 | С |
| unicast.h | 0 | 90 | С |

Table 3: rpl-udp analysis 1, Warnings by File

| File | Active Warnings | Total Lines | Language |
|----------------|-----------------|-------------|----------|
| stunicast.h | 0 | 112 | С |
| runicast.h | 0 | 117 | С |
| collect.h | 0 | 171 | С |
| announcement.h | 0 | 274 | С |
| rime.h | 0 | 115 | С |
| tcp-socket.h | 0 | 299 | С |
| udp-socket.h | 0 | 193 | С |
| psock.h | 0 | 404 | С |
| resolv.h | 0 | 106 | С |
| uip-ds6-nbr.h | 0 | 124 | С |
| framer.h | 0 | 54 | С |
| frame802154.h | 0 | 230 | С |
| llsec802154.h | 0 | 96 | С |
| rdc.h | 0 | 93 | С |
| radio.h | 0 | 294 | С |
| mac.h | 0 | 101 | С |
| llsec.h | 0 | 80 | С |

Table 3: rpl-udp analysis 1, Warnings by File

| File | Active Warnings | Total Lines | Language |
|------------------|-----------------|-------------|----------|
| netstack.h | 0 | 136 | С |
| nbr-table.h | 0 | 116 | С |
| uip-ds6-route.h | 0 | 207 | С |
| uip-nd6.h | 0 | 575 | С |
| stimer.h | 0 | 97 | С |
| uip-ds6.h | 0 | 385 | С |
| uip-icmp6.h | 0 | 242 | С |
| uip-nameserver.h | 0 | 101 | С |
| simple-udp.h | 0 | 163 | С |
| uip-udp-packet.h | 0 | 49 | С |
| uiplib.h | 0 | 80 | С |
| uip_arp.h | 0 | 142 | С |
| uip-fw-drv.h | 0 | 42 | С |
| uip-fw.h | 0 | 176 | С |
| uipopt.h | 0 | 684 | С |
| uip.h | 0 | 2219 | С |
| tcpip.h | 0 | 378 | С |

Table 3: rpl-udp analysis 1, Warnings by File

| File | Active Warnings | Total Lines | Language |
|---------------|-----------------|-------------|----------|
| contiki-net.h | 0 | 65 | С |
| random.h | 0 | 52 | С |
| mmem.h | 0 | 93 | С |
| memb.h | 0 | 138 | С |
| list.h | 0 | 157 | С |
| contiki-lib.h | 0 | 43 | С |
| energest.h | 0 | 155 | С |
| loader.h | 0 | 132 | С |
| procinit.h | 0 | 44 | С |
| rtimer-arch.h | 0 | 74 | С |
| rtimer.h | 0 | 169 | С |
| etimer.h | 0 | 254 | С |
| ctimer.h | 0 | 166 | С |
| clock.h | 0 | 146 | С |
| timer.h | 0 | 101 | С |
| autostart.h | 0 | 62 | С |
| cc-gcc.h | 0 | 43 | С |

Table 4: rpl-udp analysis 1, Warning Instances

| File | Active Warnings | Total Lines | Language |
|------------------------|-----------------|-------------|----------|
| cc.h | 0 | 165 | С |
| lc-switch.h | 0 | 75 | С |
| lc.h | 0 | 130 | С |
| pt.h | 0 | 322 | С |
| process.h | 0 | 531 | С |
| contiki-default-conf.h | 0 | 285 | С |
| contiki-version.h | 0 | 41 | С |
| contiki.h | 0 | 58 | С |

(Showing 100 of 148 Files)

Table 4: rpl-udp analysis 1, Warning Instances

| Score | Warning Class | File Name | Procedure Name | Line Number | State | Owner |
|-------|-------------------|--------------|-----------------------------------|-------------|-------|-------|
| 58 | Buffer Overrun | udp-client.c | send_packet | 110 | None | None |
| 42 | Cast Alters Value | udp-client.c | set_global_address | 141 | None | None |
| 42 | Cast Alters Value | udp-client.c | send_packet | 112 | None | None |
| 42 | Cast Alters Value | udp-client.c | process_thread_udp_client_process | 193 | None | None |
| 42 | Cast Alters Value | udp-server.c | process_thread_udp_server_process | 132 | None | None |

Table 4: rpl-udp analysis 1, Warning Instances

| Score | Warning Class | File Name | Procedure Name | Line Number | State | Owner |
|-------|-----------------------|------------------|-----------------------------------|-------------|-------|-------|
| 42 | Cast Alters Value | udp-client.c | set_global_address | 166 | None | None |
| 42 | Cast Alters Value | udp-client.c | process_thread_udp_client_process | 198 | None | None |
| 42 | Cast Alters Value | udp-server.c | process_thread_udp_server_process | 144 | None | None |
| 42 | Cast Alters Value | udp-server.c | process_thread_udp_server_process | 158 | None | None |
| 42 | Cast Alters Value | udp-server.c | process_thread_udp_server_process | 163 | None | None |
| 18 | Unreachable Call | ieee-addr.c | ieee_addr_cpy_to | 51 | None | None |
| 12 | Empty if Statement | udp-client.c | process_thread_udp_client_process | 181 | None | None |
| 12 | Empty if Statement | udp-server.c | process_thread_udp_server_process | 104 | None | None |
| 12 | Empty while Statement | fault-handlers.c | FaultISR | 52 | None | None |
| 12 | Empty while Statement | startup_gcc.c | FaultISRHandler | 280 | None | None |
| 12 | Empty while Statement | startup_gcc.c | IntDefaultHandler | 298 | None | None |
| 12 | Empty while Statement | startup_gcc.c | NmiSRHandler | 262 | None | None |

Analysis Metrics

Table 5: rpl-udp analysis 1 Metrics

| Metric Name | Value |
|--------------------------|-------|
| Blank Lines | 4525 |
| Code Lines | 16941 |
| Comment Lines | 25552 |
| Include file instances | 11 |
| Lines with Code | 18960 |
| Lines with Comments | 27571 |
| Mixed Lines | 2019 |
| Top-level file instances | 6 |
| Total Lines | 49037 |
| User-defined functions | 14 |

File Metrics

Table 6: rpl-udp analysis 1 File Metrics Summary

| Metric Name | Max | Min | Avg |
|--------------------------------|------|-----|--------|
| Blank Lines | 393 | 0 | 30.57 |
| Code Lines | 3202 | 0 | 114.47 |
| Comment Lines | 6249 | 0 | 172.65 |
| Cyclomatic Complexity | 32 | 0 | 0.50 |
| Lines with Code | 3203 | 0 | 128.11 |
| Lines with Comments | 6250 | 0 | 186.29 |
| Mixed Lines | 570 | 0 | 13.64 |
| Modified Cyclomatic Complexity | 30 | 0 | 0.47 |
| Taint Propagator Total | 0 | 0 | 0 |
| Taint Sink Total | 4 | 0 | 0.05 |
| Taint Source Total | 0 | 0 | 0 |
| Total Lines | 9839 | 2 | 331.33 |

Table 7: rpl-udp analysis 1 File Metrics Details

| File | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|--------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| hw_ioc.h | 9839 | 3203 | 6250 | 3202 | 6249 | 387 |
| hw_cpu_scs.h | 3885 | 1348 | 2145 | 1347 | 2144 | 393 |
| hw_gpio.h | 2247 | 1042 | 932 | 1041 | 931 | 274 |
| uip.h | 2219 | 698 | 1422 | 578 | 1302 | 219 |
| hw_ccfg.h | 1910 | 737 | 962 | 736 | 961 | 212 |
| ioc.h | 1160 | 300 | 904 | 203 | 807 | 53 |
| hw_nvic.h | 1026 | 663 | 880 | 93 | 310 | 53 |
| reent.h | 794 | 558 | 220 | 462 | 124 | 112 |
| stdio.h | 769 | 622 | 126 | 577 | 81 | 66 |
| cdefs.h | 707 | 446 | 211 | 415 | 180 | 81 |
| gpio.h | 704 | 182 | 509 | 146 | 473 | 49 |
| uipopt.h | 684 | 159 | 487 | 122 | 450 | 75 |
| rom.h | 678 | 429 | 120 | 409 | 100 | 149 |
| uip-nd6.h | 575 | 203 | 346 | 183 | 326 | 46 |
| process.h | 531 | 90 | 386 | 88 | 384 | 57 |
| features.h | 515 | 276 | 205 | 270 | 199 | 40 |

Table 7: rpl-udp analysis 1 File Metrics Details

| File | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|----------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| interrupt.h | 510 | 117 | 368 | 116 | 367 | 26 |
| ccfg.c | 482 | 265 | 203 | 202 | 140 | 77 |
| stdint.h | 466 | 388 | 34 | 387 | 33 | 45 |
| cpu.h | 453 | 168 | 264 | 167 | 263 | 22 |
| stddef.h | 443 | 313 | 166 | 246 | 99 | 31 |
| ieeefp.h | 434 | 303 | 68 | 293 | 58 | 73 |
| contiki-conf.h | 424 | 190 | 194 | 175 | 179 | 55 |
| psock.h | 404 | 59 | 321 | 49 | 311 | 34 |
| uip-ds6.h | 385 | 208 | 152 | 179 | 123 | 54 |
| tcpip.h | 378 | 55 | 283 | 53 | 281 | 42 |
| packetbuf.h | 371 | 153 | 185 | 141 | 173 | 45 |
| rpl-conf.h | 341 | 146 | 183 | 127 | 164 | 31 |
| rpl.h | 340 | 182 | 155 | 164 | 137 | 21 |
| stdlib.h | 335 | 291 | 28 | 277 | 14 | 30 |
| pt.h | 322 | 57 | 231 | 56 | 230 | 35 |
| startup_gcc.c | 301 | 157 | 174 | 107 | 124 | 20 |
| tcp-socket.h | 299 | 63 | 212 | 62 | 211 | 25 |

Table 7: rpl-udp analysis 1 File Metrics Details

| File | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|------------------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| radio.h | 294 | 62 | 186 | 61 | 185 | 47 |
| config.h | 286 | 218 | 35 | 210 | 27 | 41 |
| contiki-default-conf.h | 285 | 95 | 185 | 63 | 153 | 37 |
| announcement.h | 274 | 35 | 213 | 34 | 212 | 27 |
| udp-client.c | 268 | 175 | 60 | 173 | 58 | 35 |
| board.h | 264 | 100 | 166 | 95 | 161 | 3 |
| etimer.h | 254 | 23 | 208 | 22 | 207 | 24 |
| _default_types.h | 250 | 214 | 14 | 213 | 13 | 23 |
| types.h | 246 | 175 | 55 | 153 | 33 | 38 |
| uip-icmp6.h | 242 | 69 | 171 | 38 | 140 | 33 |
| _pthreadtypes.h | 233 | 116 | 105 | 80 | 69 | 48 |
| frame802154.h | 230 | 101 | 138 | 65 | 102 | 27 |
| packetqueue.h | 222 | 31 | 168 | 30 | 167 | 24 |
| _types.h | 213 | 149 | 35 | 141 | 27 | 37 |
| uip-ds6-route.h | 207 | 116 | 70 | 112 | 66 | 25 |
| tsch-conf.h | 201 | 97 | 85 | 90 | 78 | 26 |
| hw_chip_def.h | 198 | 111 | 77 | 110 | 76 | 11 |

Table 7: rpl-udp analysis 1 File Metrics Details

| File | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|--------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| ipolite.h | 197 | 28 | 151 | 27 | 150 | 19 |
| string.h | 196 | 156 | 29 | 148 | 21 | 19 |
| newlib.h | 195 | 16 | 151 | 15 | 150 | 29 |
| _intsup.h | 195 | 163 | 26 | 162 | 25 | 7 |
| udp-socket.h | 193 | 33 | 147 | 32 | 146 | 14 |
| polite.h | 192 | 25 | 150 | 24 | 149 | 18 |
| udp-server.c | 182 | 109 | 51 | 108 | 50 | 23 |
| uip-fw.h | 176 | 34 | 127 | 30 | 123 | 19 |
| collect.h | 171 | 86 | 71 | 74 | 59 | 26 |
| rtimer.h | 169 | 37 | 115 | 33 | 111 | 21 |
| ctype.h | 169 | 129 | 22 | 122 | 15 | 25 |
| ctimer.h | 166 | 20 | 133 | 19 | 132 | 14 |
| cc.h | 165 | 64 | 96 | 47 | 79 | 22 |
| simple-udp.h | 163 | 33 | 115 | 32 | 114 | 16 |
| list.h | 157 | 30 | 111 | 29 | 110 | 17 |
| hw_memmap.h | 157 | 113 | 147 | 7 | 41 | 3 |
| energest.h | 155 | 94 | 44 | 91 | 41 | 20 |

Table 7: rpl-udp analysis 1 File Metrics Details

| File | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|-------------------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| timesynch.h | 150 | 12 | 125 | 11 | 124 | 14 |
| clock.h | 146 | 18 | 115 | 17 | 114 | 14 |
| mesh.h | 146 | 24 | 110 | 23 | 109 | 13 |
| abc.h | 144 | 21 | 108 | 20 | 107 | 16 |
| uip_arp.h | 142 | 23 | 98 | 22 | 97 | 22 |
| _ansi.h | 140 | 93 | 35 | 92 | 34 | 13 |
| broadcast.h | 139 | 20 | 107 | 19 | 106 | 13 |
| memb.h | 138 | 21 | 102 | 20 | 101 | 16 |
| linkaddr.h | 138 | 24 | 103 | 20 | 99 | 15 |
| netstack.h | 136 | 74 | 65 | 52 | 43 | 19 |
| loader.h | 132 | 28 | 107 | 12 | 91 | 13 |
| lc.h | 130 | 14 | 108 | 10 | 104 | 12 |
| setup.h | 128 | 22 | 97 | 21 | 96 | 10 |
| stdarg.h | 127 | 67 | 59 | 54 | 46 | 14 |
| collect-link-estimate.h | 126 | 16 | 94 | 15 | 93 | 17 |
| uip-ds6-nbr.h | 124 | 49 | 68 | 44 | 63 | 12 |
| hw_types.h | 123 | 27 | 84 | 26 | 83 | 13 |

Table 7: rpl-udp analysis 1 File Metrics Details

| File | Total Lines | Lines with Code | Lines with Comments | Code Lines | Comment Lines | Blank Lines |
|--------------------|-------------|-----------------|---------------------|------------|---------------|-------------|
| runicast.h | 117 | 28 | 76 | 27 | 75 | 14 |
| queuebuf.h | 117 | 43 | 63 | 36 | 56 | 18 |
| nbr-table.h | 116 | 49 | 55 | 46 | 52 | 15 |
| rime.h | 115 | 43 | 60 | 42 | 59 | 13 |
| hw_ints.h | 113 | 50 | 101 | 5 | 56 | 7 |
| stunicast.h | 112 | 28 | 70 | 27 | 69 | 15 |
| multihop.h | 110 | 30 | 68 | 29 | 67 | 13 |
| netflood.h | 110 | 27 | 72 | 26 | 71 | 12 |
| collect-neighbor.h | 107 | 42 | 51 | 41 | 50 | 15 |
| resolv.h | 106 | 25 | 64 | 24 | 63 | 18 |
| ieee-addr.h | 105 | 12 | 94 | 9 | 91 | 2 |
| rmh.h | 102 | 29 | 63 | 28 | 62 | 11 |
| timer.h | 101 | 13 | 79 | 12 | 78 | 10 |
| uip-nameserver.h | 101 | 13 | 82 | 10 | 79 | 9 |
| mac.h | 101 | 24 | 58 | 23 | 57 | 20 |
| route-discovery.h | 97 | 31 | 56 | 30 | 55 | 11 |

(Showing 100 of 148 Files)