

CPSC 323 - PROJECT 2

Programming Assignment 2

Course Number	CPSC 323
Deadline	4 th December 2022

Project 2 consists of one program to be submitted/uploaded online on Canvas. Maximum **50 points**.

You are allowed to write your project in C/C++/Java/Python etc. but you ARE NOT allowed to use **Yacc, Bison, or any other items similar** that assists in the creation of compilers.

Given the following CFG and the parsing table, write a program to trace input strings over the alphabet { i, +, -, *, / }, () and **ending with \$**.

- Given the CFG and the Predictive Parsing table below:
 - [40 points] Write a program to trace an input string given by the user. Save it as **Prog1** and upload it in canvas(either the zip file or GitHub link). Test your program with the following 3 input strings:
(1) **(a + a)*a\$**
(2) **a*(a/a)\$**
(3) **a(a+a)\$**
 - [8 points] Show the content of the stack implementation / stack flow after each match.
 - [2 points] Readme file
- Following is the grammar, and parsing table

Given CFG	CFG after removing left-recursion rules	First and Follow table																		
$E \rightarrow E+T$ $E \rightarrow E-T$ $E \rightarrow T$ $T \rightarrow T*F$ $T \rightarrow T/F$ $T \rightarrow F$ $F \rightarrow (E)$ $F \rightarrow a$	$E \rightarrow TQ$ $Q \rightarrow +TQ$ $Q \rightarrow -TQ$ $Q \rightarrow \epsilon$ $T \rightarrow FR$ $R \rightarrow *FR$ $R \rightarrow /FR$ $R \rightarrow \epsilon$ $F \rightarrow (E)$ $F \rightarrow a$	<table><tr><th></th><th>FIRST</th><th>FOLLOW</th></tr><tr><td>E</td><td>(a</td><td>\$)</td></tr><tr><td>Q</td><td>+ - ϵ</td><td>\$)</td></tr><tr><td>T</td><td>(a</td><td>+ -) \$</td></tr><tr><td>R</td><td>/ * ϵ</td><td>+ -) \$</td></tr><tr><td>F</td><td>(a</td><td>+ - * /) \$</td></tr></table>		FIRST	FOLLOW	E	(a	\$)	Q	+ - ϵ	\$)	T	(a	+ -) \$	R	/ * ϵ	+ -) \$	F	(a	+ - * /) \$
	FIRST	FOLLOW																		
E	(a	\$)																		
Q	+ - ϵ	\$)																		
T	(a	+ -) \$																		
R	/ * ϵ	+ -) \$																		
F	(a	+ - * /) \$																		

Predictive parsing table

states	a	+	-	*	/	()	\$
E	TQ					TQ		
Q		+TQ	-TQ				ϵ	ϵ
T	FR					FR		
R		ϵ	ϵ	*FR	/FR		ϵ	ϵ
F	a					(E)		

3. Output :

For the same grammar and parsing table if the input string is (a+a) \$, then **Output** must be displayed like this along the stack implementation Example,

Input : (a+a) \$

Stack : ['\$', 'Q', 'R']

Output : String is accepted/ valid.

Input : (a+a) e \$

Stack : ['\$', 'Q', 'R']

Output : String is not accepted/ In valid.