

Using Integrated Earth Observation-Informed Modeling to Inform Sustainable Development Decision-Making

Ph.D. Thesis Proposal

Jack Reid
Space Enabled Research Group
MIT Media Lab
jackreid@mit.edu

December 23, 2021

Supervising Committee

Danielle Wood

Assistant Professor of Media Arts and Sciences
Program in Media Arts and Sciences
Assistant Professor (Joint) of Aeronautics and Astronautics
Department of Aeronautics and Astronautics
Massachusetts Institute of Technology

David Lagomasino

Assistant Professor of Coastal Studies
Department of Coastal Studies
East Carolina University

Sarah Williams

Associate Professor of Technology and Urban Planning
Director of the Norman B. Leventhal Center for Advanced Urbanism
Urban Science and Computer Science Program
Department of Urban Studies and Planning
Massachusetts Institute of Technology

Abstract

Over the past two decades satellite-based remote observation has blossomed. We have seen a rapid increase in the number of earth observation systems (EOSs) in orbit, significant improvements in their capabilities, and much greater availability of the data that they produce. This trend has occurred as part of a greater trend of increasing data availability, computational power, and modeling ability. Unfortunately, up until now, this earth observation (EO) data has been largely used only by governments and academics for scientific purposes, typically to understand and predict environmental phenomena. Large corporations and non-governmental organizations (NGOs) have recently been conducting their own analyses, but these have required significant expertise and resources, and the results have sadly been mostly unavailable to the broader public.

There is a real need for (a) making remote observation data not just available but accessible to a broader audience by developing data products that are relevant to everyday individuals, particularly those involved in local, rather than national or global decision-making; (b) linking the EO-supported environmental modeling with the societal impact of a changing environment; and (c) putting policy and sensor design decision-making in the hands of a broader population.

This work aims to demonstrate the viability of a particular methodology for achieving (a) and (b), while laying the groundwork for a more detailed consideration of (c). To that end, this work centers on exploring the efficacy and difficulties of *collaboratively developing a systems-architecture-informed, multidisciplinary geographic information system (GIS) Decision Support System (DSS) for sustainable development* applications that makes significant use of *remote observation data*.

This is done through the development and evaluation of DSSs for two primary applications: (1) mangrove forest management and conservation in the state of Rio de Janeiro, Brazil; and (2) coronavirus response in six metropolitan areas across Angola, Brazil, Chile, Indonesia, Mexico, and the United States. In both cases, the methodology involves the application the system architecture framework, an approach that has been previously adapted from the aerospace engineering discipline by Prof. Wood for use in sociotechnical systems. This includes using stakeholder mapping and network analysis to inform the design of the DSS in question. Other components of the methodology taken in this work are developing the DSS through an iterative and collaborative process with specific stakeholders; pursuing targeted, related analyses, such as on the value of certain ecosystem services, the value of remote sensing information, and human responses to various policies; and evaluating the usefulness of both the DSS and the development process through interviews, workshops, and other feedback mechanisms.

All of this takes place under the umbrella of the Environment, Vulnerability, Decision-Making, Technology (EVDT) Modeling Framework for combining EO and other types of data to inform decision-making in complex socio-environmental systems, particularly those pertaining to sustainable development. As the name suggests, EVDT integrates four models into one tool: the Environment (data including Landsat, Sentinel, VIIRS, Planet Lab’s PlanetScope, etc.; Human Vulnerability and Societal Impact (data including census and survey-based demographic data, NASA’s Socioeconomic Data and Applications Center, etc.); Human Behavior and Decision-Making (data including policy histories, mobility data, and urban nightlight data); and Technology Design for earth observation systems including satellites, airborne platforms and in-situ sensors (data including design parameter vectors for such systems). The data from each of these domains is used by established models in each domain, which are adapted to work in concert to address the needs identified during the stakeholder analysis. This framework is currently being used by several researchers in the Space Enabled Research Group and elsewhere. The capabilities provided by this framework will improve the management of earth observation and socioeconomic data in a format usable by non-experts, while harnessing cloud computing, machine learning, economic analysis, complex systems modeling, and model-based systems engineering.

Thesis Committee Biographies

Prof. Danielle Wood

Danielle Wood is an Assistant Professor in the Program in Media Arts & Sciences and holds a joint appointment in the Department of Aeronautics & Astronautics at Massachusetts Institute of Technology (MIT). Within the Media Lab, Prof. Wood leads the Space Enabled Research Group which seeks to advance justice in Earth's complex systems using designs enabled by space. Prof. Wood is a scholar of societal development with a background that includes satellite design, earth science applications, systems engineering, and technology policy. In her research, Prof. Wood applies these skills to design innovative systems that harness space technology to address development challenges around the world. Prior to serving as faculty at MIT, Professor Wood held positions at National Aeronautics and Space Administration (NASA) Headquarters, NASA Goddard Space Flight Center, Aerospace Corporation, Johns Hopkins University, and the United Nations Office of Outer Space Affairs. Prof. Wood studied at MIT, where she earned a Ph.D. in engineering systems, S.M. in aeronautics and astronautics, S.M. in technology policy, and S.B. in aerospace engineering.

Prof. David Lagomasino

David Lagomasino is an Assistant Professor in the Department of Coastal Studies at East Carolina University. He previously studied at Florida International University, where he received a B.S. and a Ph.D. in Geological Sciences, in between which he received a M.S. in Geology at East Carolina University. Lagomasino uses satellite, airborne, drone, and ground measurements to identify areas of coastal resilience and vulnerability. His research links remotely sensed spatial data directly with stakeholders in order to address exposure and sensitivity issues for coastal/wetland management and ecosystem valuation. He has been involved in a number of coastal blue carbon projects with funding from NASA's Carbon Monitoring Systems Program, NASA's Biodiversity and Forecasting Program, USDA's National Forest Inventory Assessment Program, NASA's New Investigator Program, and the Center for International Forestry. His goal is to provide meaningful information that will better inform coastal management practices while also inspiring students and the community to become environmental stewards in order to help sustain our coastal resources. Prior to his current post, he conducted research at NASA's Goddard Space Flight Center just outside Washington, D.C., in partnership with the University of Maryland, to develop models that measure the where when, and why shorelines are the world are changing.

Prof. Sarah Williams

Sarah Williams is an Associate Professor of Technology and Urban Planning at MIT where she is also Director of the Civic Data Design Lab and the Leventhal Center for Advanced Urbanism. Williams' combines her training in computation and design to create communication strategies that expose urban policy issues to broad audiences and create civic change. She calls the process Data Action, which is also the name of her recent book published by MIT Press. Williams is co-founder and developer of Envelope.city, a web-based software product that visualizes and allows users to modify zoning in New York City. Before coming to MIT, Williams was Co-Director of the Spatial Information Design Lab at Columbia University's Graduate School of Architecture Planning and Preservation (GSAPP). Her design work has been widely exhibited including work in the Guggenheim, the Museum of Modern Art (MoMA), Venice Biennale, and the Cooper Hewitt Museum. Williams has won numerous awards including being named one of the top 25 technology planners and Game Changer by Metropolis Magazine.

1 Problem Statement

Over the past two decades satellite-based remote observation has blossomed. We have seen a rapid increase in the number of EOSs in orbit [1], significant improvements in their capabilities [2], and much greater availability of the data that they produce [3]. This trend has occurred as part of greater technological and societal trends of increasing data availability, computational power, and modeling ability. Unfortunately, despite some efforts in previous decades [4], this EO data has been largely used only by governments and academics for military and scientific purposes, with the latter focused on understanding and predicting environmental phenomena. Large corporations and NGOs have recently been conducting their own analyses (as seen in the growing industry of climate consultants [5]), but these have required significant expertise and resources, and the results have sadly been mostly unavailable to the broader public.

There is a real need for (a) making remote observation data not just available but accessible to a broader audience by developing data products that are relevant to everyday individuals, particularly those involved in local, rather than national or global decision-making; (b) linking the EO-supported environmental modeling with the societal impact of a changing environment; and (c) putting policy and sensor design decision-making in the hands of a broader population.

2 Research Questions

This work aims to demonstrate the viability of a particular methodology for achieving (a) and (b), while laying the groundwork for a more detailed consideration of (c). To that end, this work centers on exploring the efficacy and difficulties of *collaboratively developing a systems-architecture-informed*, multi-disciplinary *GIS DSS* for *sustainable development* applications that makes significant use of *remote observation data*. This involves expanding and codifying the previously proposed EVDT Modeling Framework for combining EO and other types of data to inform decision-making in complex socio-environmental systems, particularly those pertaining to sustainable development [6]. Specifically this work will seek to address the following numbered research questions via the listed letter deliverables.

1. Is systems architecture (and systems engineering in general) a relevant and useful approach to sustainability in such complex socio-environmental- technical system (SETS)? In particular, can collaborative planning theory and other critical approaches enable such an approach to avoid the technocratic excesses of the past?
 - a) A critical analysis of systems engineering, GIS, and the other technical fields relied upon in this work
 - b) A proposed framework for applying systems engineering for sustainable development in an anti-colonialist manner
 - c) System architecture analyses of each of the case studies
2. Is collaborative development of DSSs using the EVDT Modeling Framework in particular relevant and useful sustainability in such complex SETS?
 - a) Development of an EVDT-based DSS for each of the case studies
 - b) An interview-based assessment of the development process and usefulness of each DSS
3. What are further challenges and opportunities for future applications of EVDT?
 - a) An assessment of lessons learned from these DSS development processes
 - b) An outline of potential future EVDT refinement and extension, such as using EVDT to inform the development of future EO systems that are better designed for particular application contexts.

It should be noted that these questions are the overarching questions for this thesis. Each case study project is done in collaboration with local partners and is aimed at providing practical benefits. As a result, each case study DSS has its own specific objectives.

3 Background

This section will briefly explain the relevance and importance of each of the emphasized terms in the previous section. The full thesis will also dedicate time to discussing alternative definitions of these terms and various critiques of their underlying concepts.

3.1 Sustainable Development

Sustainable development is here taken to refer to the concerted pursuit of three related (sometimes aligned, sometimes opposed) objectives: economic development, social development and environmental protection. This is in line with the official United Nations (UN) definition, which refers to these three objectives as "interdependent and mutually reinforcing pillars" [7]. On the basis of this definition, intellectual fields and massive multi-governmental interventions have been built, as sustainable development is fundamentally both a "intellectual pursuit" and a "normative outlook on the world" [8]. This concept is important because, despite significant progress in certain domains and certain regions, many individuals and communities are still suffering from severe privations of food, water, healthcare, and more. This is no mere issue of production, but is also connected with issues of allocation (economic inequality is swiftly rising in many parts of the world, including in the author's own country), political mismanagement and oppression, and environmental changes. This work will not detail these numerous concerns (instead I recommend Jeffrey Sach's *The Age of Sustainable Development* for an accessible survey), but it is worth pointing out that the last of these issues, that of environmental changes, is particularly important as it shapes how we can seek to rectify the others. Historical means of economic development (particularly the extensive use of fossil fuels) are no longer seen as sustainable, due to humanity butting up against and even exceeding certain planetary boundaries or capacity limits, as seen in Figure 1, particularly those of climate change, biodiversity loss, ocean acidification, and the nitrogen cycle.




Figure 1: Planetary Boundaries. From [9]

While the impacts of these excesses will be felt globally, they will most heavily fall upon some of the poorer and historically oppressed states, harming those with the least capacity of absorb such impacts and thereby potentially exacerbating global inequality. The spatial variation of the estimated impacts of climate change, for instance, can be seen in Figure 2.

A key reason why these planetary boundaries have been so recklessly exceeded despite the enormous human costs that will result is that these aspects of the environment have historically been both undervalued and poorly understood, at least by those championing economic development. Historically, surveys and quantifications of the natural environment focused primarily, or even entirely, on resources that could be extracted and exploited for economic benefit. In early forest surveys, for instance, "Missing... were all those parts of trees, even revenue-bearing trees, which might have been useful to the population but whose value could not be converted into fiscal receipts" [11]. Just as these factors were missing from accountings of the




Figure 2: Assessment of global distribution of vulnerability to climate change. From [10]

natural environment, so were they missing from accounts of human society. "Non-human animals are rarely considered within the realms of social theory, and yet... animals can be regarded as a 'marginal social group' that is 'subjected to all manner of socio-spatial inclusions and exclusions.'" ([12–14] as paraphrased in [15]). While these authors were referring primarily to animals, it is also I would argue that this includes plants too, as is particularly evident in the common definition of a weed as a plant growing where it is not wanted.

Fortunately, economists and earth scientists in recent decades have embarked on an effort to better understand and catalog such *ecosystem services*, that is to say, the various benefits that humans are provided by the natural environment and healthy ecosystems in particular. Figure 3 illustrates these connections between the environment and human wellbeing, along with the degree to which these connections are mediated by socioeconomic factors. This work has progressed to the extent that there is now a regularly updated database of almost 5,000 value observations of ecosystem services in a wide variety of regions and biomes (though it should be noted that the database overrepresents valuations involving the United Kingdom, inland wetlands, and coastal systems) [16]. Cataloging such ecosystem services is only one step, however. We must also present this data in useful ways to decision-makers so that they may act upon it, as well as provide them with the tools for them to identify additional, uncataloged ecosystem services in their own communities.




Figure 3: Linkages between categories of ecosystem services and components of human wellbeing. Adapted from [17]

3.2 Remote Observation Data

While many of the initial efforts at remote observation from air and space were done with military objectives in mind, scientific, commercial, and social applications soon became abundant. Since much of space-based remote observation in the past several decades has been primarily driven by large governmental scientific organizations, much of that data has been made publicly accessible. An enormous amount of EO satellite data is freely available to the public through 20+ NASA earth science satellites [18], the European Space Agency (ESA) Copernicus Programme (which includes both the 6 Sentinel satellites and in-situ measurements), the various satellites managed by the Japan Aerospace Exploration Agency (JAXA) Earth Observation Center (EOC), the China-Brazil Earth Resources Satellite Program (CBERS), and the satellites of other space agencies.

Social applications of remote observation data were being considered from quite early on.

By the early 1970s five rationales for using satellite imagery in city planning had become widespread [4]:

1. It offers a synoptic, total view of the complex system in a given area.
2. Satellites provide repetitive, longitudinal coverage.
3. Satellite inventories were more efficient and up-to-date than ground surveys.
4. Remote sensing was objective.
5. Satellites produced digital imagery that could be easily combined with ground-based data in novel GISs.

Despite these rationales, or perhaps because of how short reality fell from these rationales at the time, cities and metropolitan areas largely elected not to use satellite imagery for several decades, choosing instead to rely on aerial imagery and ground-based surveys [4]. However, much has changed since the 1970s. The rise of multiple EO satellite companies, including the company Planet's 100+ satellites [19], Digital Global's WorldView satellites, and Astro Digital's ongoing constellation build-out [20], suggests that yet more satellite data is soon to be available for a price. These data sources are likely to be complimentary, with the commercial satellites primarily providing visual imagery and NASA satellites primarily supplying other forms of scientific data, though the Moderate Resolution Imaging Spectroradiometer (MODIS), the Visible Infrared Imaging Radiometer Suite (VIIRS), and the Landsat program all capture visual imagery as well. While many of these satellites were designed primarily with scientific purposes in mind, this data is increasingly being used by a wide variety of groups around the world to enable sustainable development and other humanitarian applications, such as forest fire tracking [via MODIS and VIIRS [21]], agricultural monitoring [via Global Precipitation Measurement (GPM) for rainfall [22] and GRACE for soil moisture [23]], climate change vulnerability assessments [via Ice, Cloud, and land Elevation Satellite 2 (ICESat-2) for vegetation and ice monitoring [24]], and many other applications, such as the upcoming Surface Water Ocean Topography (SWOT) [25].

Furthermore, over the course of the past two decades, efforts have been made to systematize the application of remote sensing data to inform decision-making on a host of sustainable development areas. Internationally, over 100 countries worked together to form Group of Earth Observations (GEO) and 60 agencies with active earth observation satellites have formed the Committee on Earth Observation Satellites (CEOS). In the US, the primary source of such applications is the NASA Applied Science Program, a part of the Earth Science Division, that includes programs focused on disasters, ecological forecasting, health & air quality, water resources, and wildland fires, using data from NASA satellites as well as those of the United States Geological Survey (USGS) and the National Oceanic and Atmospheric Administration (NOAA). The Applied Science Program has clearly learned from NASA past failures of engagement with local decision-makers, and now publishes guides on how to ensure that new projects are actually helpful to users [26]. In keeping with this new mentality, the Applied Science Program, through their Capacity Building portfolio, frequently partners with other organizations, such as United States Agency for International Development (USAID). For instance, both groups worked together to form the Sistema Regional De Visualización Y Monitoreo De Mesoamérica (SERVIR), which provides geospatial information and predictive models to parts of Africa and Asia. In a similar collaborative effort, NASA and USAID have also integrated remote sensing data into the Famine Early Warning Systems Network (FEWS NET).

Such efforts have been quite successful in their goals, but have required significant time, expertise, and effort to create and maintain. As overpass frequencies, resolutions, and computational speed have increased,

it is increasingly possible to conduct much more rapid, localized, and ad hoc applications of remote sensing data for sustainable development and humanitarian purposes. Within 48 hours and one week respectively, NASA was able to provide maps of damaged areas of Mexico City to Mexican authorities following the 2017 earthquake [27] and maps of damaged areas of Puerto Rico to the Federal Emergency Management Agency (FEMA) following Hurricane Maria [28] (in fact, both of these maps were provided during the same week), through NASA’s Disasters Team under the Applied Sciences Program. Such data collection and processing can increasingly be done without the expertise and remote observation systems of governmental space agencies, as demonstrated by a recent effort to conduct near-real-time deforestation monitoring and response [29].

These developments have powerful implications for equity. “The geography agenda is distorted by being data-led... The first law of geographical information: the poorer the country, the less and the worse the data” ([30] as paraphrased by [31]). Remote observation has the potential to help upend this, by providing at least some base level of data globally, with no distinctions for borders or wealth. Increasingly, sustainable development applications of remote observation data are not limited by available remote observation platforms, but by lack of knowledge by potential end-users of its value and by the tools to make use of available data. While data is often available (either freely or at some cost), it is not always readily accessible (particularly in real time) or easily interpreted. Those with the knowledge and capabilities to access and transform this data continue to reside primarily in government agencies and universities (though we have certainly seen heartening growth of such users in a much more diverse set of countries over the past couple of decades). The majority of prominent EOSs are still designed primarily with scientific, meteorological, or military purposes in mind, limiting their utility in more applied contexts, regardless of the creativity of users. And many successful applications of EO data, particularly that which is not straightforward visual imagery, remain squarely focused on characterizing specific, usually environmental, phenomena, such as wildfires [21], aquatic bacterial growths [32], or deforestation [33], with only limited excursions into assessing the connections between such phenomena and human wellbeing.

More is needed to enable the use of EO data for human decision-making in such a way that acknowledges the linkages between the environment and humans. This is major aim of this work.

3.3 GIS and Decision Support

The term GIS refers to any digital system for storing, visualizing, and analyzing geospatial data, that is data that has some geographic component. It can be used to discuss specific systems, a method that uses such systems, a field of studying focusing on or involving such systems, or even the set of institutions and social practices that make use of such a system [34]. This may seem vague, but due to the diversity of its use, it is difficult to hammer out a more specific definition without excluding important aspects [35–38]. One perspective, however, is to view GIS to the underlying computer systems enabling the middle three components of the broader geographic information science (GISc) methodology, as shown in Figure 1. In that sense, the work related in this thesis can be seen as an exercise in GISc spanning all five components, while the specific software produced for this work are instances of GIS.

By 1991, Maguire et al. felt that “it is not fanciful to suggest that by the end of the century GIS will be used every day by everyone in the developed world for routine operations” [39]. This, of course, would turn out to be an understatement, as the world is currently incredibly dependent on GIS. Individuals rely upon the various map applications that we use to search and navigate our world. Governments use maps to visualize their jurisdictions and motivate action, as Chicago has done by visualizing food deserts and mapping where new supermarkets are both needed and economically viable [40]. Since the turn of the millenium, spatial data has become deeply ingrained economics, urban studies, private industry, social networks, environmental science, public health, criminal justice, and more [41].

3.4 Collaborative and Open Source

Many of the early applications of remote observation data were technology, rather than need, driven. So it was with the closely related field of GIS as well, leading to powerful critiques by Pickles and others [42]. These critiques resulted in a reconsideration of the top-down nature of the field and the identification of several potent reasons for broadening the base of participation. First, there was the recognition that the

developer of a GIS is not the supreme authority on all fields. "It is the geomorphologist who is best able to choose the data model for representation of terrain in a GIS, not the computer scientist or the statistician, and it is the urban geographer who is best able to advice on how to represent the many facets of the urban environment in a GIS designed for urban planning" [43]. This means that, while collaborations certainly can introduce additional difficulties, such as cultural conflicts, issues of interpersonal trust, effort required to establish rules and norms of participation, they are also immensely rewarding and can improve the results of the work [44].

Second, there was a recognition of the equity concerns at play. Users and disadvantaged communities needed to be involved in the development of GIS data, analysis, and use, if they were going to have a meaningful chance of improving their circumstances [45]. The Canadian International Development Research Centre noted that, "It is impossible to have sustainable and equitable development without free access to reliable and accurate information" [46]. Meanwhile, academic geographer Matthew Edney argued that, "Without equitable access to GIS data and technology, small users, local governments, nonprofit community agencies, and nonmainsream groups are significantly disadvantaged in their capacity to engage in the decision-making process" ([47] as paraphrased in [48]).

There was thus reason to seek ways to overcoming the limitations of the technology which, as was common sentiment at the time, meant that "for billions the possibility of accessing the best technology and information made available through digital communications network will always be a luxury. Cartographic information, digital or otherwise, becomes a commodity in its mass production and marketing" [49].

In the early 2000s, this desire motivated the growth in interest towards deconstructing current practices and expanding participation. Several names and frameworks were proposed, including Bottoms Up GIS [45], critical cartography [50, 51], GIS and Society [52], and public participation geographic information system (PPGIS). The last of these, which sought to directly involve the public, would become the most widely used, and would be associated with the broader field of participatory geographic information system (PGIS) [52], which also included other stakeholders, including government officials, NGOs, private corporations, etc. It should be noted that these fields seek involvement in both the production of data and in its application, not merely one or the other [45, 53]. For example, in Washington state in 2002, several American Indian tribes were using GIS technology to "inventory, analyze, map, and make descisions regarding tribal resources... includ[ing] timber production, grazing and farm land, water rights, wildlife, native plants, cultural sites, environmental data and hazardous site monitoring, historical preservation, health and human resources" [54]. And in 1999, the 'What If?' Planning Support System (PSS) was created to use "GIS data sets that commnities have already developed to support community-based efforts to evaluate the likely implications of alternative public-policy choices" [55].

PGIS has thus naturally been strongly advocated and widely adopted over the past three decades [56], with numerous frameworks being proposed for how to implement it [57].

Many PGIS implementations still rely upon closed source, proprietary code for the underlying software [38]. Participants made have been able to generate new data and perform analyses, but they often could not access the code itself or change the models directly. This was due to a combination of factors: limited diffusion of programming knowledge; a limited selection of software tools, many of which were closed source; limited access to computers and the internet; and limited collaboration tools, particularly for geographically distributed collaborations [50]. Over the past couple decades however, all three of these limitations have been greatly mitigated (though not eliminated), due to the growth of the internet and the related diffusion of programming knowledge and rise of the open source movement. As two leaders of the *theirwork* PPGIS project in 2011 put it [58],

The open source movement at its core stands for the development of source code... in a completely open and free way. Pragmatically, this manifests itself as a methodology of making code freely available to anyone who may wish to access it for any purpose, unconditionally. Concurrently, open source is for many a philosophical approach to software development, and is see as the only truly sustainable approach to software development... In both its execution as a model for making possible new forms of collaborative work, and its philosophical underpinnings of sustainability and openness, it is an essential component in and fluence upon a computer-based mapping solution.

This passionate call for open source software is about more than a philosophical ethical stance. It is also about enabling critique and improvements. "Map studies needs to open the 'black boxes' of mapping

software, to start to interrogate algorithms and databases, and in particular to investigate the production of ready-made maps that appear almost magically on the interfaces of gadgets and devices we carry and use everyday, often without much overt thought about how they work and whose map they project onto their interface” [59].

It should be noted that some work has placed the responsibility for limited adoption of GIS tools on the planners/users themselves, specifically their lack of will and training with the tools [60]. While this may be the case, this lack of will and training is almost certainly itself due to a lack of outreach on behalf of the tool developers, and thus PGIS is still reasonable strategy to address these barriers.

3.5 Systems Engineering

Systems engineering is an interdisciplinary approach and means to enable the realization of successful systems. It focuses on holistically and concurrently understanding stakeholder needs; exploring opportunities; documenting requirements; and synthesizing, verifying, validating, and evolving solutions while considering the complete problem, from system concept exploration through system disposal [61]. Something missing from this definition is that systems engineering refers to a specific intellectual tradition that arose out of mechanical, civil, electrical, and aerospace engineering fields in the early-to-mid 20th century. It thus tends to draw from an engineering mindset and relies upon engineering techniques, rather than those of urban planning, architecture, or program management. This is important because the nature of systems engineering is that it is inherently abstracted from its subject matter to a certain degree. The tools of systems engineering were developed in order to design hydroelectric dams, rockets, global communications systems, and much more. In this way it is similar to control theory, in that it is not deeply tied to the specific thing being designed or controlled, only to an abstract understanding of its mechanics and relationships. This means that systems engineers, like some physicists, can have a tendency to see any problem, any situation, as tractable with a systems engineering perspective.

There is a long history of applying systems engineering techniques to development concerns. US Vice President Herbert Humphrey said in 1968 that “The techniques that are going to put a man on the Moon are going to be exactly the techniques that we are going to need to clean up our cities” [4]. In the same year, the RAND Corporation established a multi-year attempt to bring systems analysis and engineering to urban planning. Around the same time, the American Institute of Aeronautics and Astronautics (AIAA) hosted meetings on urban technologies to bring aerospace expertise to bare on the urban crises of the time [4]. It was a heady time, with engineers themselves feeling “that, having reached the moon, they could now turn their energies to solving the problem of growing violence in cities along with other urban “crises” [62].

Almost immediately, however, such grand ideas met with difficulties. While recounting the full history of this trajectory is beyond the scope of this work, one can get a sense of it in quotations from urban planners of the time and since:

The systems engineers bring some expertise and substantial pretensions to the problems of the city. Their principal system expertise seems to be relative to complex organizations that are mission oriented. There is in any case a good deal of difference between the mission of reaching the moon, and the mission of survival and welfare for society and the city. The systems engineer can in general deal best with subsystems and specific tasks, and he therefore suboptimizes. This is a charitable description. [63]

Trying to solve ‘earthly problems,’ especially urban problems through aerospace innovations had shown that ‘transporting the astronauts from terra firma to land on the lunar sphere, travel hither and yon over its surface, and then back home to Houston’ was a comparatively simple task. [4]

Ultimately, reality fell far short of both hopes and expectations, for a host of reasons examined in the literature. [4,11,62,64–66]. This led to the gradual rejection and retreat of systems engineering in development planning. As early as 1973, planning scholars were (perhaps preemptively) eulogizing the death of large-scale models and other tools of the systems engineer [67]. The intervening decades have seen the fields of systems engineering and development planning grow largely independently of one another. Since the 1970s, the urban planning professional has evolved and adopted computational models on their own terms. Interactive DSS

abounds [68,69]. The use of GIS has become the norm [70–72], including more participatory variants [52]. Numerous quantitative economic and social indices have been developed [73–77]. Mathematical tools such as cellular automata have become popular [78,79]. Digital models underly the popular subdiscipline of scenario planning [80,81]. Interdisciplinary, integrated models have even started to re-emerge [82–84]. Arguably urban planning has adopted many of the tools and methodologies of systems engineering.

At the same time, systems engineering has changed. The belief that systems, even human systems, can be made simple, rational, and controllable has been largely outmoded within the field. Instead, in the guise of theories of complex systems and chaos, they have adopted Jane Jacob’s view that “intricate minglings of different uses are not a form of chaos. On the contrary they represent a complex and highly developed form of order.” [85]. Complex systems, emergence, systems-of-systems, and complex adaptive systems have all become popular fields of study within systems engineering [86–95], with numerous frameworks being proposed for how to classify and handle such systems [96–101]. Faced with such systems, engineers have had to recognize their own inability to definitively predict the future and have turned to probabilistic methods that instead “manage” complexity over longer time scales, such as epoch-era analysis [102,103] (which in many ways resembles the aforementioned urban planning method called scenario planning).

Parallel to this, systems engineers have moved away from singlemindedly implementing the directives of an individual client to identifying, mapping, and analyzing the stakeholders in a system and their connections to one another in order to inform the design of the system. This stakeholder analyses involves both qualitative and quantitative tools, such as the Stakeholder Requirements Definition Process [104], Stakeholder Value Network Analysis [105], and qualitative interviews of representatives from different stakeholder groups (something that would have been anathema to the earlier era of systems engineering. In order to translate these complicated networks of stakeholders into designs, systems engineers have developed methods for handling multi-stakeholder negotiation and [106–108] tradespace visualization and exploration [106,107,109–111], the latter of which demonstrates an increased willingness to appreciate the psychology and experience of their user. The historic preference of the impersonal and ‘objective’ versus the personal and ‘subjective’ is by no means unique to systems engineering. It can also be found in economics, jurisprudence, education theory, political science, and even moral philosophy [112]. The development of stakeholder analysis has helped to bridge the gap between these two and thus rectify this traditional deficiency. In fact, the use of stakeholder analysis in contemporary systems engineering is, in a way, a step away from the worldview that sees “human beings as unknowable black boxes and machines as transparent,” a viewpoint that “surrenders any attempt at empathy and forecloses the possibility of ethical development” and is a tacit “admission that we have abandoned a social commitment to try and understand each other” [64].

All of this suggests that the fields of systems engineering and urban planning are perhaps more close to each other than ever before, even showing some elements of convergent evolution (see the use of the term complex adaptive system in both fields [113]). Much benefit could be gained through more direct dialogue and collaboration with one another. Why then, do we not see that occurring? After all, several of the critical comments made about systems engineering cited above were from recent years. Part of this is likely historical memory. While decades have elapsed, we are still within a single professional lifetime of some of the excesses of systems engineering. But some concerns can be found much temporally closer. While urban planning is a deeply historical field, systems engineering is not. What histories do exist tend to focus on the engineered technical systems, such as the Apollo program [114], rather than the planning dalliances of the 50s-70s. This has not gone unnoticed: “One cannot know about the history of media stereotyping or the nuances of structural oppression in any formal, scholarly way through the traditional engineering curriculum of the large research universities from which technology companies hire across the United States. Ethics course are rare” [115]. This can lead to each new generation of engineers using new tools that are attempts to resolve the mistakes of the past, but while maintaining the same tabula rasa mindset that led their forebearers astray. Can one begrudge the urban planner their skepticism when one of the highest profile contemporary applications of systems engineering to planning is the ‘urban digital twin’ or ‘smart city’ [40,116–119] that seems to be a repititions of the belief that “complex controversies can be solved by getting correct information where it needs to go as efficiently as possible,” that “political conflict arises primarily from a lack of information,” and that “if we just gather lack the facts, systems engineers assume, the correct answers to intractable policy problems like homelessness will be simple, uncontroversial, and widely shared” [64]. This work seeks to chart a different, more history-cognizant path, and thereby capture some of the potential benefit of systems engineering in the sustainable development domain without

running afoul of the classic blunders.

Sustainable development is a pressing need for our world, one that we need our best minds and methods to fulfill. Systems engineering, particularly the new, humbler systems engineering, is well posed to contribute, provided it can maintain that humility. Opportunities for such contributions abound, as nations around the world pursue the Sustainable Development Goals (SDGs) and they increasingly recognize the interconnectedness of our human, technological, and environmental systems.

4 Research Plan

The first two research deliverables, 1a and 1b, are based on literature reviews and the development of written arguments. The former (the critical analysis) has largely been completed and an abbreviated form has been presented in Section 3 (and Subsection 3.5 in particular). Deliverable 1b, the development of a framework has also occurred already. This framework is briefly explained in the next section, Section 4.1. The centerpiece of this work, however, are in response to Research Questions 2: the development and evaluation of EVDT DSSs for two primary applications: (1) mangrove forest management and conservation in the state of Rio de Janeiro, Brazil; and (2) coronavirus response in six metropolitan areas across Angola, Brazil, Chile, Indonesia, Mexico, and the United States. In both cases, the methodology involves the application of the system architecture framework [120, 121] an approach that has been previously adapted from the aerospace engineering discipline by Prof. Wood for use in sociotechnical systems [122]. This includes using stakeholder mapping and network analysis to inform the design of the DSS in question as well as fulfilling Deliverable 1c. Other components of the methodology taken in this work are developing the DSS through an iterative and collaborative process with specific stakeholders; pursuing targeted, related analyses, such as on the value of certain ecosystem services, the value of remote sensing information, and human responses to various policies; and evaluating the usefulness of both the DSS and the development process through interviews, workshops, and other feedback mechanisms. Finally, to address Research Question 3, lessons learned will be identified and a future development path for EVDT will be laid out. The following subsections will go through each of these steps in more detail.

4.1 EVDT Framework

As the name suggests, EVDT integrates four models into one tool: the Environment (data including Landsat, Sentinel, VIIRS, Planet Lab’s PlanetScope, etc.; Human Vulnerability and Societal Impact (data including census and survey-based demographic data, NASA’s Socioeconomic Data and Applications Center, etc.); Human Behavior and Decision-Making (data including policy histories, mobility data, and urban nightlight data); and Technology Design for earth observation systems including satellites, airborne platforms and in-situ sensors (data including design parameter vectors for such systems). The data from each of these domains is used by established models in each domain, which are adapted to work in concert to address the needs identified during the stakeholder analysis. These four components, shown in Figure 4, seek to encapsulate the major interacting aspects of sustainable development and can be considered to be a combination of the established fields of sociotechnical systems [87, 123, 124] and socio-environmental systems [125]. We are far from the first to argue that such integration is necessary, nor to recognize that it is easier said than done. The closest attempt to what is proposed here is probably that of Shahumyan and Moeckel, though their approach focused on linking together existing models in a loose manner using ArcGIS Model Builder, to avoid having to gain access to proprietary source code. While their example focused on combining transportation, land use, mobile emissions, building emissions, and land cover, with only limited feedbacks, their approach could be extended to capture the full feedback loops proposed by EVDT. Their example is also proof that the kind of loose integration of library of models that EVDT envisions is possible [84].

The motivation for combining so many variables from different disciplines stems from both push and pull factors. The push factors are the simple increase in availability of data, as has already been described, along with the increase in the interoperability of the variables (which this work itself is trying to contribute to). The primary pull factor is our increased understanding of - and appreciation for - the complex relationships between these domains, relationships that were previously ignored in analyses [126].

This set of four models with the particular linkages shown in Figure 4 are not the only form that EVDT can take, merely the most general arrangement. Some applications may involve replacing a model with a




Figure 4: Baseline version of the Environment - Vulnerability - Decision - Technology Model (Generic Case)

human-in-the-loop (e.g. having the user themselves substitute for the decision-making model) or omitting a model altogether. For other applications, it may make sense to conceptually break a model into two or more components. In the Vida project, it was considered worthwhile to separate the social impact model into two components, one focusing on public health (the obvious priority when dealing with COVID-19) and one focusing on non-health metrics (such as income, employment, etc.). Such a separation can be useful if either significantly different modeling methodologies are going to be used or if the linkages with the other EVDT components are different from one another.

One way to determine the optimal arrangement of EVDT components is to consider what questions the user or researcher is seeking to answer with this application of EVDT. For instance, the default EVDT arrangement shown in Figure 4 was motivated primarily by the following four questions:

1. What is happening in the natural environment?
2. How will humans be impacted by what is happening in the natural environment?
3. What decisions are humans making in response to environmental factors and why?
4. What technology system can be designed to provide high quality information that supports human decision making?

Alternate questions may result in a different configuration or set of components. The point of EVDT is not to insist upon a particular set of linkages and feedbacks, but rather to encourage a consideration of such linkages between domains in general, and to consider them through a systems engineering perspective. Of course answering the structuring questions, and even phrasing them in the first place, requires the use of collaborations.

4.2 Case Studies / Study Areas

While EVDT does not include any concrete spatial scale requirements, it is often the most straightforward to apply to it at a relatively local scale, like much of the early history of GIS applications [44]. Most of the applications to date have been at the area of a metropolitan area or that of a small province. The most promising applications tend to be at intersections of rural and urban areas. Urban areas often depend on an area significantly larger than the built-up area for basic resources and ecosystem services, particularly for water, bulky materials, and waste disposal. I will not attempt to strictly define rural and urban here, as the "distinctions are often arbitrary" [127]. Instead this work will rely upon local definitions of urban, rural, and peri-urban, similarly to the UN [8].

4.2.1 Rio de Janeiro Mangroves and Fishing Communities

Guaratiba is a relatively rural district of Rio de Janeiro situated in the southwestern corner of the municipality. It is home to a mix of land uses, including decorative plant farming, multiple fishing communities, a military base and training center, a state-run biological reserve, some informal settlements, and a growing ecotourism industry. The biological reserve exists to protect the largest remaining mangrove forest within the municipality. These mangroves are vulnerable due to landward urbanization, including a recently opened urban transit line, and rising sea levels [128]. They provide a variety of ecosystem services, including serving as a mechanism for highly efficient carbon sequestration, supporting a small-scale industry of fishing and crab catching, preventing coastal erosion, and attracting the aforementioned local ecotourism industry [129]. Government policies to conserve the mangroves can use integrated modeling tools to consider both the benefits of protecting the forests as well as the economic needs of low-income communities. This, coupled with the Rio de Janeiro municipal government’s pre-existing interest in generating useful datasets and making them available online through the Data.Rio platform [130], made the Guaratiba mangroves a particularly suitable case study for the EVDT Modeling Framework. Our primary collaborators and points of contact are the Pereira Passos Municipal Institute of Urbanism (IPP), which is the municipal data agency, and ESPAÇO, a research group at the Federal University of Rio de Janeiro (UFRJ) who study various coastal ecosystems in Brazil and elsewhere [131, 132] and who are also familiar with examining socioeconomic impacts of environmental phenomena [129]. This project began in 2018 and since that time Jack Reid made two multi-week field visits to Rio de Janeiro and Guaratiba in particular.

4.2.2 The Vida COVID-19 Response Project

As the coronavirus pandemic swept the globe, many of the local points of contact working with Space Enabled on EVDT and other projects had sudden changes in priorities. Several of them raised the possibility of adapting and expanding the EVDT Modeling Framework to approach coronavirus-related decision-making and impact analysis. This seemed relevant because, as others have noted, coronavirus impacts and response can be characterized as a complex system warranting a multi-domain, model-based approach [133]. The second case study will focus on this project, which ultimately became known as Vida and came to involve six metropolitan areas across Angola, Brazil, Chile, Indonesia, Mexico, and the United States. In each of these areas, Vida was (and is) developed in collaboration with local government officials, university researchers, and general community members.

Whereas the first case study focuses on simulating the changes in mangrove forest over decades, the focus of Vida is examining hourly to weekly air and water quality data alongside daily coronavirus epidemiological data and weekly quarantine policies. Government officials need actionable data to both address the ongoing public health crisis and to cope with the resultant socioeconomic and environmental consequences. Community members need to understand why their government is making the decisions that it is and understand the risks associated with their own actions.

4.3 Development and Evaluation

It should be acknowledged that these projects are actively underway, so some parts of the development process described here have already been completed, either partially or in full.

Each of the case studies begins with discussions with potential collaborators who are local to study area. These conversations serve to outline the general scope of the study area and identify other stakeholders. This transitions smoothly into more formal qualitative interviews with representatives of the various stakeholder communities to elicit needs, relationships with other stakeholders, and general perspectives. These are used to construct stakeholder maps which can then be analyzed to identify the DSS goals and requirements, as well as the context constraints that it will be operating in [121, 134]. We also seek to understand the history of the area both environmentally and socially, in order to understand the existing systems that we are intervening in, rather than assuming that each location is a sustainable development tabula rasa. The Space Enabled philosophy of research (and thus of EVDT) involves a level of participation and collaboration that goes beyond stakeholder analysis. By paring complex SETS theory with such collaborative planning theory, we can thereby avoid many of the traditional problems of systems engineering [80]. Once initial versions of these are completed, work begins on the actual DSS. During this process, ongoing meetings with

a diverse set of stakeholders continue in order to receive feedback on prototypes, elicit new useful datasets, identify additional needs, and encourage direct contribution to the DSS code (when desired by the local collaborators). In this way, a certain level of evaluation takes place throughout the development process. Nonetheless, additional validation is required.

For each component of EVDT, internal validation work is best conducted according to the norms and standards of that field. For the Environment Model in the mangrove case, for example, this entails working with ESPAÇO using both remote sensing and in-situ monitoring in order to calibrate and confirm the results of the mangrove health tracking discussed earlier. In addition to this component-by-component verification work, however, there is also a need expressed by Deliverable 2b for overarching validation of the EVDT Modeling Framework and its specific instantiation in a particular context. Through the stakeholder analysis process described above, target audiences can be identified and then engaged either individually or as cross-audience groups. The original research plan called for directed workshops to assess validity via the collection of methods known as purposeful gaming [135], wargaming [136–138], and role playing gaming [139,140]. The COVID-19 pandemic has impacted the feasibility of convening such workshops, so evaluation may rely more heavily on stakeholder interviews (individual and/or group). If this occurs, it would push full workshop evaluation to future EVDT projects, of which there are several in the works.

One key aspect to note about scope and intent here, is that this work aims to present modeling methods that may support local policymaking, but not generate specific policy recommendations as an outside export, nor to deliver fully operational versions of the DSSs to each case study.

5 Expected Results and Contributions

This section will provide some more detail on the primary research deliverables listed in Section 2. Each stage of the research plan will result in specific, concrete products.

First, the critical analysis of systems engineering as a methodology in a sustainable development context will provide a theoretical underpinning for this research endeavor overall and will inform any necessary changes to the research plan.

Second, the stakeholder interview and need identification process will result in stakeholder maps (an simplified example of which is shown in Figure 5) and associated analyses. These in turn will directly inform the systems architecture, a high-level example of which can be seen in Figure 6. Both of these are continuously refined during the collaboration process.




Figure 5: Stakeholder Map for the Mangrove Forests of Reio de Janeiro




Figure 6: The high-level functional systems architecture of the Vida DSS.

Third, the DSS development process will result in both intermediary and final products. The intermediary products include EVDT-component analyses, such as assessments of mangrove health and extent over time, and the identification of inter-component linkages, such as quantifications of mangrove ecosystem services or the quantification of the impacts of COVID-19 on human activity as measured by urban nightlights and telecoms mobility data. Final products include the prototype DSS software themselves which can continue to be used and developed following the conclusion of this work.

Fourth, the evaluation process will result in the identification of (a) whether EVDT DSSs have the potential to improve the management of earth observation and socioeconomic data in a format usable by non-expert and (b) how to improve and expand the EVDT framework moving forward. In the long run, EVDT is not intended to be an exclusive project of Space Enabled. Once EVDT has been refined and demonstrated through this and other projects, the next step will be to consolidate and standardize the underlying code, so as to facilitate future improvements, as well as the reuse of materials for future contexts. The open source code repositories, already available online [141–143], will be used as a basis for building a community of practice, where individuals can contribute in a variety of ways, as shown in Figure 7. As the number of applications increase and the code is refined, the various models used in the applications may themselves be the first members of an openly accessible library of models. Potential user groups could adapt and reuse EVDT components in other applications, without having to start from scratch. Initially this would likely still require significant code expertise, but it is entirely possible for functionality to be created to allow for ‘plug-and-play.’ A user may be able to, in browser or on desktop, select a geographic area of interest (e.g. the Sóc Trăng Province of Vietnam), select an environmental model (e.g. coastal forest health), a societal impact model (e.g. cyclone vulnerability), a decision-making model (land use conversion and conservation policy), and a technology model (satellite versus in-situ monitoring), all without writing a line of code (though perhaps being required to import new datasets themselves).




Figure 7: The EVDT development pipeline. Note that the different community groups, shown in blue, are not necessarily discrete and one individual could simultaneously participate in multiple.

Finally, outside the scope of the Deliverables, the overall process will advance the contribute to a variety of broader societal impacts. These include:

- Encourage the joint consideration of both human and environmental systems in a dynamic, continual fashion, thereby avoiding some of the negative consequences of siloed, static conservation mapping practices [15].
- Expand the population of EO data users by increasing accessibility and demonstrating utility of EO data to policymaking.
- Reduce burden of facilitation by space agencies. Many national space agencies are focused primarily on scientific missions. While they are often happy to assist other groups in using the data that their satellites generate, they often have limited resources and time to do so. For instance, the famous *Pale Blue Dot* photograph from taken by Voyager 1 after the conclusion of its primary mission, almost did not happen, as the photo had no scientific value and arranging for the shot required money and experts who had already been reassigned to other missions [144]. Integrated models could potentially enable the application organizations to be less reliant on direct assistance from space agencies, thereby freeing up space agency resources for other applications.

References

- [1] Alan S. Belward and Jon O. Skøien. Who launched what, when and why; trends in global land-cover observation capacity from civilian earth observation satellites. *ISPRS Journal of Photogrammetry and Remote Sensing*, 103:115–128, May 2015.
- [2] John Jensen. *Remote Sensing of the Environment: An Earth Resource Perspective*. Pearson, Upper Saddle River, NJ, 2nd edition edition, May 2006.
- [3] Mariel Borowitz. *Open Space : The Global Effort for Open Access to Environmental Satellite Data*. MIT Press, Cambridge, MA, 2017.
- [4] Jennifer S. Light. *From Warfare to Welfare: Defense Intellectuals and Urban Problems in Cold War America*. JHUP, Baltimore, Md., August 2005.
- [5] Boyd Cohen. Top 10 Climate Change Strategy Consultancies. <https://www.triplepundit.com/story/2011/top-10-climate-change-strategy-consultancies/79586>, March 2011.
- [6] Jack Reid, Cynthia Zeng, and Danielle Wood. Combining Social, Environmental and Design Models to Support the Sustainable Development Goals. In *IEEE Aerospace Conference Proceedings*, volume 2019-March, Big Sky, Montana, March 2019. IEEE Computer Society.
- [7] World Summit on Sustainable Development. Plan of Implementation of the World Summit on Sustainable Development. Technical report, United Nations, Johannesburg, South Africa, September 2002.
- [8] Jeffrey Sachs. *The Age of Sustainable Development*. Columbia University Press, 2015.
- [9] Johan Rockström, Will Steffen, Kevin Noone, Åsa Persson, F. Stuart Chapin, Eric F. Lambin, Timothy M. Lenton, Marten Scheffer, Carl Folke, Hans Joachim Schellnhuber, Björn Nykvist, Cynthia A. de Wit, Terry Hughes, Sander van der Leeuw, Henning Rodhe, Sverker Sörlin, Peter K. Snyder, Robert Costanza, Uno Svedin, Malin Falkenmark, Louise Karlberg, Robert W. Corell, Victoria J. Fabry, James Hansen, Brian Walker, Diana Liverman, Katherine Richardson, Paul Crutzen, and Jonathan A. Foley. A safe operating space for humanity. *Nature*, 461(7263):472–475, September 2009.
- [10] G. Yohe, E. Malone, A. Brenkert, M. Schlesinger, H. Meij, X. Xing, and D. Lee. Synthetic Assessment of Global Distribution of Vulnerability to Climate Change: Maps and Data, 2005, 2050, and 2100, 2006.
- [11] James C. Scott. *Seeing Like a State: How Certain Schemes to Improve the Human Condition Have Failed*. Yale University Press, March 2020.
- [12] Chris Philol. Animals, Geography, and the City: Notes on Inclusions and Exclusions. *Environment and Planning D: Society and Space*, 13(6):655–681, December 1995.
- [13] J.L WESTCOAT, C. PHILO, F. M. UFKES, J. EMEL, J. R. WOLCH, K. WEST, and T. E. GAINES. Bringing the animals back in. *Bringing the animals back in*, 13(6):631–760, 1995.
- [14] Jennifer R. Wolch and Jody Emel. *Animal Geographies: Place, Politics, and Identity in the Nature-culture Borderlands*. Verso, 1998.
- [15] Leila Harris and Helen Hazen. Rethinking maps from a more-than-human perspective. In Martin Dodge, Rob Kitchin, and Chris Perkins, editors, *Rethinking Maps: New Frontiers in Cartographic Theory*, pages 50–67. Routledge, June 2011.
- [16] R. de Groot, L. Brander, and S. Solomonides. Ecosystem Services Valuation Database (ESVD). Technical report, Ecosystem Services Partnership, December 2020.

- [17] W. V. Reid, H. A. Mooney, A. Cropper, D. Capistrano, S. R. Carpenter, K. Chopra, P. Dasgupta, T. Dietz, A. K. Duraiappah, R. Hassan, R. Kasperson, R. Leemans, R. M. May, A. J. McMichael, P. Pingali, C. Samper, R. Scholes, R. T. Watson, A. H. Zakri, Z. Shidong, N. J. Ash, E. Bennett, P. Kumar, M. J. Lee, C. Raudsepp-Hearne, H. Simons, J. Thonell, and M. B. Zurek. *Ecosystems and Human Well-Being - Synthesis: A Report of the Millennium Ecosystem Assessment*. Island Press, 2005.
- [18] Greg Shirah. NASA’s Earth Observing Fleet: March 2017. <https://svs.gsfc.nasa.gov/4558>, 2017.
- [19] Fitz Tepper. Satellite Maker Planet Labs Acquires BlackBridge’s Geospatial Business. *TechCrunch*, July 2015.
- [20] Jonathan Shieber and Ingrid Lunden. Astro Digital launched its first imaging satellites. *TechCrunch*, July 2017.
- [21] Wilfrid Schroeder, Patricia Oliva, Louis Giglio, and Ivan A. Csiszar. The New VIIRS 375m active fire detection data product: Algorithm description and initial assessment. *Remote Sensing of Environment*, 143:85–96, 2014.
- [22] Arthur Y. Hou, Ramesh K. Kakar, Steven Neeck, Ardeshir A. Azarbarzin, Christian D. Kummerow, Masahiro Kojima, Riko Oki, Kenji Nakamura, and Toshio Iguchi. The global precipitation measurement mission. *Bulletin of the American Meteorological Society*, 95(5):701–722, 2014.
- [23] John Wahr, Sean Swenson, Victor Zlotnicki, and Isabella Velicogna. Time-variable gravity from GRACE: First results. *Geophysical Research Letters*, 31(11):20–23, 2004.
- [24] Matthew McGill, Thorsten Markus, Stanley S. Scott, and Thomas Neumann. The multiple altimeter beam experimental lidar (MABEL): An airborne simulator for the ICESat-2 mission. *Journal of Atmospheric and Oceanic Technology*, 30(2):345–352, 2013.
- [25] Sylvain Biancamaria, Dennis P. Lettenmaier, and Tamlin M. Pavelsky. The SWOT Mission and Its Capabilities for Land Hydrology. *Surveys in Geophysics*, 37(2):307–337, 2016.
- [26] Dan Irwin and Jenny Frankel-Reed. SERVIR’s Service Planning Toolkit: Lessons on Building Capacity along the Pathway to Development Impact. In *AGU Fall Meeting*, page 10, December 2017.
- [27] NASA Jet Propulsion Laboratory. Satellite Radar Detects Damage from Sept. 19, 2017 Raboso, Mexico, Quake. <https://www.jpl.nasa.gov/spaceimages/details.php?id=pia21963>, 2017.
- [28] NASA Jet Propulsion Laboratory. Satellite Data of Puerto Rico Identifies Possible Damage Areas – NASA Disaster Response. <https://blogs.nasa.gov/disaster-response/2017/09/27/satellite-data-of-puerto-rico-identifies-possible-damage-areas/>, 2017.
- [29] Matt Finer, Sidney Novoa, Mikaela J. Weisse, Rachael Petersen, Joseph Mascaro, Tamia Souto, Forest Stearns, and Raúl García Martínez. Combating deforestation: From satellite to intervention. *Science*, 6395(360):1303–1305, 2018.
- [30] M Overton and PJ Taylor. Further thoughts on geography and GIS: A preemptive strike? *Environment and Planning A*, 23:1087–1094, 1991.
- [31] Peter Taylor and Ronald Johnston. Geographic Information Systems and Geography. In John Pickles, editor, *Ground Truth: The Social Implications of Geographic Information Systems*, pages 51–67. The Guilford Press, New York, 1st edition edition, December 1994.
- [32] Signe Stroming, Molly Robertson, Bethany Mabee, Yusuke Kuwayama, and Blake Schaeffer. Quantifying the Human Health Benefits of Using Satellite Information to Detect Cyanobacterial Harmful Algal Blooms and Manage Recreational Advisories in U.S. Lakes. *GeoHealth*, 4(9):e2020GH000254, 2020.

- [33] David Lagomasino, Temilola Fatoyinbo, SeungKuk Lee, Emanuelle Feliciano, Carl Trettin, Aurélie Shapiro, and Mwita M. Mangora. Measuring mangrove carbon loss and gain in deltas. *Environmental Research Letters*, 14(2):025002, January 2019.
- [34] Eric Sheppard. GIS and Society: Towards a Research Agenda. *Cartography and Geographic Information Systems*, 22(1):5–16, January 1995.
- [35] M Goodchild and D.W. Rhind. An overview and definition of GIS. In *Geographical Information Systems: Principles and Applications*, pages 31–45. 1992.
- [36] John Pickles. Tool or Science? GIS, Technoscience, and the Theoretical Turn. *Annals of the Association of American Geographers*, 87(2):363–372, June 1997.
- [37] Nicholas R. Chrisman. What Does ‘GIS’ Mean? *Transactions in GIS*, 3(2):175–186, 1999.
- [38] Eric J. Heikkila. GIS is Dead; Long Live GIS! *Journal of the American Planning Association*, 64(3):350–360, September 1998.
- [39] David J. Maguire, Michael F. Goodchild, and David Rhind. *Geographical Information Systems: Principles*. Longman Scientific & Technical, 1991.
- [40] Stephen Goldsmith and Susan Crawford. *The Responsive City: Engaging Communities Through Data-Smart Governance*. Jossey-Bass, San Francisco, CA, 1st edition edition, August 2014.
- [41] Michael F. Goodchild, Luc Anselin, Richard P. Appelbaum, and Barbara Herr Harthorn. Toward Spatially Integrated Social Science. *International Regional Science Review*, 23(2):139–159, April 2000.
- [42] John Pickles, editor. *Ground Truth: The Social Implications of Geographic Information Systems*. The Guilford Press, New York, 1st edition edition, December 1994.
- [43] Michael Goodchild. Geographic Information Systems and Geographic Research. In John Pickles, editor, *Ground Truth: The Social Implications of Geographic Information Systems*, pages 31–50. The Guilford Press, New York, 1st edition edition, December 1994.
- [44] David L. Tulloch. Institutional Geographic Information Systems and Geographic Information Partnering. In *The Handbook of Geographic Information Science*, chapter 25, pages 449–465. John Wiley & Sons, Ltd, 2007.
- [45] Emily Talen. Bottom-Up GIS. *Journal of the American Planning Association*, 66(3):279–294, September 2000.
- [46] Dijilali Benmouffok. Information for Decision Making. *IDRC Reports*, 29(4):4–5, January 1993.
- [47] Matthew H Edney. Strategies for maintaining the democratic nature of geographic information systems. In *Papers and Proceedings of the Applied Geography Conferences*, volume 14, pages 100–108, 1991.
- [48] Trevor Harris, Daniel Weiner, Timothy Warner, and Richard Levin. Pursuing social Goals Through Participatory Geographic Information Systems. In John Pickles, editor, *Ground Truth: The Social Implications of Geographic Information Systems*, pages 196–222. The Guilford Press, New York, 1st edition edition, December 1994.
- [49] Patrick McHaffie. Manufacturing Metaphors. In John Pickles, editor, *Ground Truth: The Social Implications of Geographic Information Systems*, pages 113–129. The Guilford Press, New York, 1st edition edition, December 1994.
- [50] Jeremy W Crampton and John Krygier. An Introduction to Critical Cartography. *ACME: An International Journal for Critical Geographies*, 4(1):11–33, 2005.
- [51] Annette M. Kim. Critical cartography 2.0: From “participatory mapping” to authored visualizations of power and people. *Landscape and Urban Planning*, 142:215–225, October 2015.

- [52] Renee Sieber. Public Participation Geographic Information Systems: A Literature Review and Framework. *Annals of the Association of American Geographers*, 96(3):491–507, September 2006.
- [53] Daniel Weiner and Trevor M. Harris. Participatory Geographic Information Systems. In *The Handbook of Geographic Information Science*, chapter 26, pages 466–480. John Wiley & Sons, Ltd, 2007.
- [54] Crystal Bond. The Cherokee Nation and tribal uses of GIS. In *Community Participation and Geographical Information Systems*. CRC Press, 2002.
- [55] R E Klosterman. The What If? Collaborative Planning Support System. *Environment and Planning B: Planning and Design*, 26(3):393–408, June 1999.
- [56] W.J. Drummond and S.P. French. The Future of GIS in Planning: Converging Technologies and Diverging Interests. *Journal of the American Planning Association*, 7(2), 2008.
- [57] Marco Te Brömmelstroet and Pieter M Schrijnen. From Planning Support Systems to Mediated Planning Support: A Structured Dialogue to Overcome the Implementation Gap. *Environment and Planning B: Planning and Design*, 37(1):3–20, February 2010.
- [58] Dominica Williamson and Emmet Connolly. Theirwork: The development of sustainable mapping. In Martin Dodge, Rob Kitchin, and Chris Perkins, editors, *Rethinking Maps: New Frontiers in Cartographic Theory*, pages 97–112. Routledge, June 2011.
- [59] Martin Dodge, Chris Perkins, and Rob Kitchin. Mapping modes, methods and moments: A manifest for map studies. In Martin Dodge, Rob Kitchin, and Chris Perkins, editors, *Rethinking Maps: New Frontiers in Cartographic Theory*, pages 220–243. Routledge, June 2011.
- [60] Z. Ashgül Göçmen and Stephen J. Ventura. Barriers to GIS Use in Planning. *Journal of the American Planning Association*, 76(2):172–183, March 2010.
- [61] Systems Engineering Body of Knowledge. Systems Engineering (glossary). [https://www.sebokwiki.org/wiki/Systems_Engineering_\(glossary\)](https://www.sebokwiki.org/wiki/Systems_Engineering_(glossary)), May 2021.
- [62] Johnn Friedmann. Two Centuries of Planning: An Overview. In Seymour Mandelbaum, Luigi Mazza, and Robert Burchell, editors, *Explorations in Planning Theory*, pages 10–29. Routledge, New York, New York, USA, September 2017.
- [63] Ira M. Robinson, editor. *Decision-Making in Urban Planning: An Introduction to New Methodologies*. Sage Publications, Beverly Hills, January 1972.
- [64] Virginia Eubanks. *Automating Inequality: How High-Tech Tools Profile, Police, and Punish the Poor*. St. Martin’s Press, New York, NY, January 2018.
- [65] Brian J. McLoughlin. System Guidance, Control, and Review. In *Decision-Making in Urban Planning: An Introduction to New Methodologies*. SAGE Publications, Inc, Beverly Hills, CA, first edition, 1972.
- [66] Brian J. McLoughlin. Charting Possible Courses of the System. In Ira Robinson, editor, *Decision-Making in Urban Planning: An Introduction to New Methodologies*, pages 103–114. SAGE Publications, Inc, Beverly Hills, CA, first edition, 1972.
- [67] Douglass B. Lee Lee Jr. Requiem for Large-Scale Models. *Journal of the American Institute of Planners*, 39(3):163–178, May 1973.
- [68] Paul Waddell. UrbanSim: Modeling Urban Development for Land Use, Transportation, and Environmental Planning. *Journal of the American Planning Association*, 68(3):297–314, September 2002.
- [69] Doug Walker. *The Planners Guide to CommunityViz: The Essential Tool for a New Generation of Planning*. Routledge, November 2017.
- [70] Piotr Jankowski and Timothy Nyerges. *GIS for Group Decision Making*. CRC Press, London ; New York, 1st edition edition, January 2001.

- [71] C. Dana Tomlin. *GIS and Cartographic Modeling*. Esri Press, Redlands, Calif, illustrated edition edition, October 2012.
- [72] John P. Wilson and A. Stewart Fotheringham, editors. *The Handbook of Geographic Information Science*. Wiley-Blackwell, Malden, MA, 1st edition edition, August 2007.
- [73] David Boyce. Toward a Framework for Defining and Applying Urban Indicators in Plan-Making. In Ira Robinson, editor, *Decision-Making in Urban Planning: An Introduction to New Methodologies*, pages 62–84. SAGE Publications, Inc, Beverly Hills, CA, first edition, 1972.
- [74] Kelly Clifton, Reid Ewing, and Gerrit-Jan Knapp. Quantitative analysis of urban form: A multidisciplinary review. *Journal of Urbanism*, 1(1):17–45, 2008.
- [75] A Read, K Takai, H Wolford, and E Berman. Asset-based economic development: Building sustainable small and rural communities. Retrieved April, 7:2015, 2012.
- [76] David S. Sawicki and Patrice Flynn. Neighborhood Indicators: A Review of the Literature and an Assessment of Conceptual and Methodological Issues. *Journal of the American Planning Association*, 62(2):165–183, June 1996.
- [77] Avrom Bendavid Val. *Regional and Local Economic Analysis for Practitioners: Fourth Edition*. Praeger, New York, 4 edition edition, February 1991.
- [78] Michael Batty. *Cities and Complexity*. The MIT Press, Cambridge, MA, September 2005.
- [79] S. Lauf, D. Haase, P. Hostert, T. Lakes, and B. Kleinschmit. Uncovering land-use dynamics driven by human decision-making – A combined model approach using cellular automata and system dynamics. *Environmental Modelling & Software*, 27–28:71–82, January 2012.
- [80] Robert Goodspeed. *Scenario Planning for Cities and Regions: Managing and Envisioning Uncertain Futures*. Lincoln Institute of Land Policy, Cambridge, May 2020.
- [81] Marisa A Zapata and Nikhil Kaza. Radical uncertainty: Scenario planning for futures. *Environment and Planning B: Planning and Design*, 42(4):754–770, July 2015.
- [82] Eric J. Miller. Integrated urban modeling: Past, present, and future. *Journal of Transport and Land Use*, 11(1):387–399, 2018.
- [83] Rolf Moeckel, Carlos Llorca Garcia, Ana T. Moreno Chou, and Matthew Bediako Okrah. Trends in integrated land-use/transport modeling: An evaluation of the state of the art. *Journal of Transport and Land Use*, 11(1):463–476, 2018.
- [84] Harutyun Shahumyan and Rolf Moeckel. Integration of land use, land cover, transportation, and environmental impact models: Expanding scenario analysis with multiple modules. *Environment and Planning B: Urban Analytics and City Science*, 44(3):531–552, May 2017.
- [85] Jane Jacobs. The Death and Life of Great American Cities. In Susan Fainstein and James DeFilippis, editors, *Readings in Planning Theory*. Wiley-Blackwell, Hoboken, NJ, fourth edition, January 2016.
- [86] John McDermid. Complexity: Concept, causes and control. In *Engineering of Complex Computer Systems, 2000. ICECCS 2000. Proceedings. Sixth IEEE International Conference On*, pages 2–9. IEEE, 2000.
- [87] Joseph M Sussman. Teaching about Complex Sociotechnical Systems. Technical report, 2010.
- [88] Chih-Chun Chen, Sylvia B Nagl, and Christopher D Clack. Complexity and Emergence in Engineering Systems. In A. Tolk and L.C. Jain, editors, *Complex Systems in Knowledge-based Environments: Theory, Models and Applications*, pages 99–127. Springer Science & Business Media, 2009.
- [89] Joris Deguet, Yves Demazeau, and Laurent Magnin. Elements about the Emergence Issue: A Survey of Emergence Definitions. *Complexus*, 3:24–31, 2006.

- [90] Office of the Director of Systems and Software Engineering. Systems Engineering Guide for Systems of Systems, 2008.
- [91] Robert J Glass, Arlo L Ames, Theresa J Brown, S Louise Maffitt, Walter E Beyeler, Patrick D Finley, Thomas W Moore, John M Linebarger, Nancy S Brodsky, Stephen J Verzi, Alexander V Outkin, and Aldo A Zagonel. Complex Adaptive Systems of Systems (CASoS) Engineering: Mapping Aspirations to Problem Solutions. Technical report, Sandia National Laboratories, Albuquerque, NM, 2011.
- [92] INCOSE Complex Systems Working Group. A Complexity Primer for Systems Engineers. (July), 2016.
- [93] Joseph M Bradley, Polinapilinho F Katina, and Charles B Keating. Complex System Governance for Acquisition. In *13th Annual Acquisition Research Symposium*, pages 196–214, Monterey, California, 2016.
- [94] Saurabh Mittal, Margery J Doyle, and Antoinette M Portrey. Human in the Loop in system of Systems (SoS) Modeling and Simulation: Applications to Live, Virtual and Constructive (LVC) Distributed Mission Operations (DMO) Training. In Larry B Rainey and Andreas Tolk, editors, *Modeling and Simulation Support for System of Systems Engineering Applications*, pages 415–451. John Wiley & Sons, 2015.
- [95] Sarah A. Sheard. Practical Applications of Complexity Theory for Systems Engineers. *INCOSE International Symposium*, 15(1):923–939, 2005.
- [96] Cynthia F Kurtz and David J Snowden. The New Dynamics of Strategy: Sense-making in a Complex-Complicated World. *IBM Systems Journal*, 42(3):462–483, 2003.
- [97] Pierre-alain J Y Martin. *A Framework for Quantifying Complexity and Understanding Its Sources: Application to Two Large-Scale Systems*. PhD thesis, 2004.
- [98] Sarah Sheard. A Complexity Typology for Systems Engineering. In *INCOSE International Symposium*, 2010.
- [99] Angela Weber Righi, Priscila Wachs, and Tarcísio Abreu Saurin. Characterizing complexity in socio-technical systems: A case study of a SAMU Medical Regulation Center. *Work*, 2012.
- [100] Florian Schöttl and Udo Lindemann. Quantifying the Complexity of Socio-Technical Systems – A Generic , Interdisciplinary Approach. *Procedia - Procedia Computer Science*, 2015.
- [101] Lucie Reymondet. A Framework for Sense-Making of Complex Sociotechnical Systems. Master’s thesis, Massachusetts Institute of Technology, 2016.
- [102] Adam M Ross and Donna H Rhodes. Using Natural Value-Centric Time Scales for Conceptualizing System Timelines through Epoch-Era Analysis. In *INCOSE International Symposium*, Utrecht, the Netherlands, 2008.
- [103] Peter Vascik, Adam M. Ross, and Donna H. Rhodes. A Method for Exploring Program and Portfolio Affordability Tradeoffs Under Uncertainty Using Epoch-Era Analysis: A Case Application to Carrier Strike Group Design:. In *Proceedings of the 12th Annual Acquisition Research Symposium*, Fort Belvoir, VA, April 2015. Defense Technical Information Center.
- [104] INCOSE. *INCOSE Systems Engineering Handbook: A Guide for System Life Cycle Processes and Activities*. Wiley, Hoboken, New Jersey, 4 edition edition, July 2015.
- [105] Wen Feng, Edward F. Crawley, Olivier L. de Weck, Rene Keller, and Bob Robinson. Dependency structure matrix modelling for stakeholder value networks. In *Proceedings of the 12th International DSM Conference*, Cambridge, UK, 2010. Design Society.
- [106] Matthew E Fitzgerald and Adam M Ross. Effects of Enhanced Multi-party Tradespace Visualization on a Two-person Negotiation. *Procedia Computer Science*, 44:466–475, 2015.

- [107] Matthew E Fitzgerald and Adam M Ross. Recommendations for framing multi-stakeholder tradespace exploration. In *INCOSE International Symposium*, Edinburgh, UK, 2016.
- [108] O. Weck. MULTI-STAKEHOLDER SIMULATION AND GAMING ENVIRONMENT FOR A FUTURE RESOURCE ECONOMY IN SPACE. /paper/MULTI-STAKEHOLDER-SIMULATION-AND-GAMING-ENVIRONMENT-Weck/8d4c0bf1b644a5fa0e6d8f9ef02e7054d89be124, 2012.
- [109] Paul T Grogan, Olivier L De Weck, Adam M Ross, and Donna H Rhodes. Interactive models as a system design tool: Applications to system project management. In *Conference on Systems Engineering Research*, Hoboken, NJ, 2015. Elsevier.
- [110] Adam M. Ross, Daniel E. Hastings, and Joyce M. Warmkessel. Multi-Attribute Tradespace Exploration as Front End for Effective Space System Design. *Journal of Spacecraft and Rockets*, 41(1):20–28, 2004.
- [111] Daniel Selva Selva Valero. *Rule-Based System Architecting of Earth Observation Satellite Systems*. PhD thesis, Massachusetts Institute of Technology, 2012.
- [112] Tariq Banuri. Modernization and its Discontents: A Cultural Perspective on the Theories of Development. In Frédérique Apffel Marglin and Stephen A. Marglin, editors, *Dominating Knowledge: Development, Culture, and Resistance*, pages 73–101. Clarendon Press, Oxford : New York, 1 edition edition, October 1990.
- [113] Claudia Yamu, Gert de Roo, and Pierre Frankhauser. Assuming it is all about conditions. Framing a simulation model for complex, adaptive urban space. *Environment and Planning B: Planning and Design*, 43(6):1019–1039, November 2016.
- [114] James H. Brill. Systems engineering? A retrospective view. *Systems Engineering*, 1(4):258–266, 1998.
- [115] Safiya Umoja Noble. *Algorithms of Oppression: How Search Engines Reinforce Racism*. NYU Press, New York, illustrated edition edition, February 2018.
- [116] Navin Sregantan. Singapore pips London, NY to top global smart city ranking. *The Strait Times*, March 2018.
- [117] Abigail Francisco, Neda Mohammadi, and John E. Taylor. Smart City Digital Twin–Enabled Energy Management: Toward Real-Time Urban Building Energy Benchmarking. *Journal of Management in Engineering*, 36(2):04019045, March 2020.
- [118] Timo Ruohomäki, Enni Airaksinen, Petteri Huuska, Outi Kesäniemi, Mikko Martikka, and Jarmo Suomisto. Smart City Platform Enabling Digital Twin. In *2018 International Conference on Intelligent Systems (IS)*, pages 155–161, September 2018.
- [119] Gabey Goh. Building Singapore’s ‘digital twin’. *Digital News Asia*, 2015(September 15), 2015.
- [120] Mark W. Maier. *The Art of Systems Architecting*. CRC Press, Boca Raton, 3 edition edition, January 2009.
- [121] Edward Crawley, Bruce Cameron, and Daniel Selva. *System Architecture: Strategy and Product Development for Complex Systems*. Pearson, Boston, 1 edition edition, April 2015.
- [122] Sebastian M. Pfotenhauer, Danielle Wood, Dan Roos, and Dava Newman. Architecting complex international science, technology and innovation partnerships (CISTIPs): A study of four global MIT collaborations. *Technological Forecasting and Social Change*, 104:38–56, 2016.
- [123] William B Rouse and Nicoleta Serban. Understanding change in complex socio-technical systems. *Information Knowledge Systems Management*, 2012.
- [124] Afreen Siddiqi and Ross D. Collins. Sociotechnical systems and sustainability: Current and future perspectives for inclusive development. *Current Opinion in Environmental Sustainability*, 24:7–13, 2017.

- [125] Sondoss Elsayah, Tatiana Filatova, Anthony J. Jakeman, Albert J. Kettner, Moira L. Zellner, Ioannis N. Athanasiadis, Serena H. Hamilton, Robert L. Axtell, Daniel G. Brown, Jonathan M. Gilligan, Marco A. Janssen, Derek T. Robinson, Julie Rozenberg, Isaac I. T. Ullah, and Steve J. Lade. Eight grand challenges in socio-environmental systems modeling. *Socio-Environmental Systems Modelling*, 2:16226, January 2020.
- [126] Mark Gahegan. Multivariate Geovisualization. In *The Handbook of Geographic Information Science*, chapter 16, pages 292–316. John Wiley & Sons, Ltd, 2007.
- [127] Cecilia Tacoli. Rural-urban interactions: A guide to the literature. *Environment and Urbanization*, 10(1):147–166, April 1998.
- [128] L Goldberg, D Lagomasino, and T Fatoyinbo. EcoMap: A decision-support tool to monitor global mangrove vulnerability and its drivers. *AGU Fall Meeting Abstracts*, December 2018.
- [129] Lunalva Moura Schwenk and Carla Bernadete Madureira Cruz. The research environmental and socio-economical conflicts relative to the advance of the soybean growth in areas of influence of the integration and development axis in the state of Mato Grosso. *Acta Scientiarum. Agronomy*, 30(4):501–511, December 2008.
- [130] Ricardo Matheus, José Carlos Vaz, and Manuella Maia Ribeiro. Open government data and the data usage for improvement of public services in the Rio de Janeiro City. In *Proceedings of the 8th International Conference on Theory and Practice of Electronic Governance*, ICEGOV '14, pages 338–341, New York, NY, USA, October 2014. Association for Computing Machinery.
- [131] Carla Bernadete Madureira Cruz, Raúl Sánchez Vicens Seabra, V da S, Rafael Balbi REIS, Otto Alvarenga FABER, Monika Richter, Pedro Kopke Eis Arnaut, and Marcelo Araújo. Classificação orientada a objetos no mapeamento dos remanescentes da cobertura vegetal do bioma Mata Atlântica, na escala 1: 250.000. In *Anais XIII Simpósio Brasileiro de Sensoriamento Remoto*, pages 5691–5698, Florianópolis, Brazil, April 2007.
- [132] Vinicius da Silva Seabra and Carla Madureira Cruz. Mapeamento da dinâmica da cobertura e uso da terra na bacia hidrográfica do Rio São João, RJ. *Sociedade & Natureza*, 25(2):411–426, August 2013.
- [133] Olivier de Weck, Daniel Krob, Li Lefei, Pao Chuen Lui, Antoine Rauzy, and Xinguo Zhang. Handling the COVID-19 crisis: Toward an agile model-based systems approach. *Systems Engineering*, page sys.21557, August 2020.
- [134] Danielle Renee Wood. *Building Technological Capability within Satellite Programs in Developing Countries*. Doctoral, Massachusetts Institute of Technology, 2012.
- [135] Adam M. Ross, Matthew E. Fitzgerald, and Donna H. Rhodes. Game-based Learning for Systems Engineering Concepts. In Azad M. Madni and Michael Sievers, editors, *Conference on Systems Engineering Research*, volume 28, pages 430–440, Redondo Beach, CA, 2014. Elsevier.
- [136] Matthew E Hanson. *Improving Operational Wargaming : It's All Fun and Games Until Someone Loses a War*. Monograph, United States Army Command and General Staff College, Fort Leavenworth, Kansas, 2016.
- [137] Paul Selva. Revitalizing Wargaming is Necessary to be Prepared for Future Wars. *War On The Rocks*2, December 15.
- [138] David A Shlapak and Michael W Johnson. *Reinforcing Deterrence on NATO's Eastern Flank: Wargaming the Defence of the Baltics*. RAND Corporation, Washington D.C., 2016.
- [139] Paul T. Grogan and Olivier L. de Weck. Strategic Engineering Gaming for Improved Design and Interoperation of Infrastructure Systems. Working Paper, Massachusetts Institute of Technology. Engineering Systems Division, March 2012.

- [140] P. T. Grogan and O. L. de Weck. Federated Simulation and Gaming Framework for a Decentralized Space-Based Resource Economy. In *Thirteenth ASCE Aerospace Division Conference on Engineering, Science, Construction, and Operations in Challenging Environments, and the 5th NASA/ASCE Workshop On Granular Materials in Space Exploration*, pages 1468–1477, Pasadena, California, July 2012. American Society of Civil Engineers.
- [141] Blue Raster. Blue Raster Vida Repository. <https://github.com/blueraster/mit-vida>, August 2021.
- [142] Jack Reid. EVDT Repository. <https://github.com/mitmedialab/evdt>, June 2020.
- [143] Jack Reid, Seamus Lombardo, and Danielle Wood. MIT Vida Repository. https://github.com/mitmedialab/Vida_Modeling, August 2021.
- [144] Nell Greenfieldboyce. Pale blue dot: An alien view of earth. *NPR*, 2010.