

Row	Entry of the row(s) to process. Row can be a single row or ranges of rows. A range uses a "-" between the rows, such a "2-3"
ourUrl	Commonly known as the slug. Undercase words with a "-" between them. The slug is used to form the url.
ourTitle	The Title of the web page.
ourContent	The html content of the page as provided by the user. Most spreadsheets are like Excel and only allow about 32,000 characters per cell so ourContent Extra1 and Extra2 are appended to ourContent to create the web page.
Extra1	Extra html content
Extra2	Extra html content
shareImageUrl	The url of the share image for the webpage
siteId	Site name
ourShareButton	A cell in which an Add to Any share button. To not use the button, leave blank.
topMenu	The menu of the web page. Entries are designated in html anchor statements. Example: https://clarksvilleweb.com/ >Web Design Clarksville https://clarksvilleweb.com/website-design/ >Website Design https://clarksvilleweb.com/seo/ >SEO https://clarksvilleweb.com/contact/ >Contact Us
ourHeader	Html for the header of the web page
ourFooter	Html for the footer of the web page
ourMeta	Meta statement
folderPath	The local folder in which to store the web page.
Website	The dotcom name of your website such as yoursite.com
websiteUrl	The url of the website (includes trailing /) Example https://yoursite.com/

styleSheet	The url of your stylesheet. Relative addressing can be used to use a stylesheet in the same directory as the web page on your hard drive.
Icon	The url of your icon. Relative addressing can be used to use a icon in the same directory as the web page on your hard drive.
fileExtension	The file extension of the pages Example are html and php
topHtml	Html to be added just after the <html> tag of the web page. May you are creating php pages and need a decaration here.
headTag	Html to be added just after the <head> tag of the web page. This can be script, such as Google tags, etc.
directoryMode	<p>True or False. The directory mode determines the url structure of your website. If directory mode is True then Webster creates a directory ourUrl (the slug) in folderPath (where we are writing our files) and puts the web page there as an index page.</p> <p>Example: https://yoursite.com/how-to-dance/</p> <p>If directoryMode is not true the Webster combines ourUrl with fileExtension to save the page and create a url.</p> <p>Example: https://yoursite.com/how-to-dance.html</p>
useLinkBox	True or False. Adds a "Link to this page" block at the botton of the content.
frontPage	True or False. Is this the front page of the website?