Architectural Flexible Mouldings

by Carter Millwork

Cuts Like Wood • Easy to Use • Affordable

STANDS THE TEST OF TIME

This catalog represents a tiny fraction of our total inventory of over 50,000 moulds and profiles.

FLEX TRIM™

CARTER MILLWORK FLEXIBLE MOULDING

ULTRA-FLEX MOULDING

We're Bent On Perfection

MADE IN USA

A LETTER FROM THE OWNERS

Dear Colleagues,

Our family began producing flexible moulding in 1995 for a handful of customers in the Southeast. Today, a second generation of Carters provide every form of polyurethane flexible moulding from a simple piece of shoe moulding to hundreds of feet of intricate radius crown throughout the US and Canada.

With manufacturing facilities in North Carolina and Utah, we now produce Flex Trim/Carter Flex, Zzzz Flex, Ultra-Flex, Ultra-Flex Machinable S4S, and Flame Retardant Flex.

Our Made-To-Match process enables us to match any style. We have dealer relationships nationwide as well as a large sales staff to work with you directly. Our database contains over 50,000 profiles, and we make new profiles everyday. All we need is thirteen feet of your moulding sample or a tracing of your profile to determine if we already have something in the database. If not, we can match it. No order is too small or large. With a mold, we bend the parts to any radius or template specification or make straight pieces as necessary. Many common profiles are in stock. Look for an "S" on the profile images throughout this catalog. These "stock" items are ready to ship within 24 hours of order confirmation.

Our parent company, Carter Millwork, has grown and prospered because we listen to the needs of our customers and seek effective solutions to problems. Every individual associated with our company is committed to making your buying experience simple and pleasant. We treat suppliers, employees, and customers the way we want to be treated – do the right thing quickly, own and fix our mistakes, and always keep promises.

When projects call for beautifully constructed curved moulding, our flexible moulding products offer a reliable, cost effective solution. Whether you need one piece of a uniquely designed custom moulding style or hundreds of feet of a common profile, contact us. Expect optimum consistency and product satisfaction with Carter Millwork flexible moulding products and customer service.

Regards,
Greg Carter
Alan Carter

THE CARTER MILLWORK ADVANTAGE

- Polyurethane material is a strong, durable, non-shrink alternative to custom wood applications and polyester solutions
- Lifetime warranty for all flexible moulding products
- Huge selection of in-stock items available for shipping within 24 hours of order placement
- Low cost with excellent performance
- Impervious to moisture - interior or exterior use
- More than 50,000 profiles available (largest selection of flex moulding profiles in the country)
- Unlimited custom capabilities from historic replicas to contemporary designs
- Polyurethane non-shrink product for compatibility to any moulding profile
- Paintable or stainable – cuts like wood
- Fastest custom order turnaround in the industry
- At least 75% less expensive than comparable radius wood moulding

FLEX TRIM™ CARTER MILLWORK FLEXIBLE MOULDING ULTRA-FLEX MOULDING

EAST
Flex Trim/Carter Milwork
117 Cedar Lane Drive
Lexington, NC 27292
800-861-0734 Office | 800-861-0737 Fax
www.flextrim.com | www.carterflex.com
orders@carterflex.com

WEST
Flex Trim West/UltraFlex
533 South 500 West
Provo, UT 84601
877-877-4595 Office | 877-865-1660 Fax
www.flextrim.com | www.ultraflexmoulding.com
orders@flextrim.com

FIVE DIFFERENT MATERIALS

TO ACCOMMODATE EVERY APPLICATION

There are limitless applications for flexible moulding. Carter Millwork offers the widest range of polyurethane formulations available on the market today because we've listened to our customers' needs and expanded product lines to meet the demand.

Flex Trim®/CarterFlex

Flex Trim is our original flexible moulding product made of a unique polymer resin blend. It is the ideal solution for most standard radius applications. While this formula is less expensive than ZzzzFLEX®, it outperforms our competitor's "high-end" products. This formulation is manufactured in NC and UT.

ZzzzFLEX®

Premium, state-of-the-art flexible moulding technology - no other flexible moulding on the market is stronger, more pliable, and easier to finish. ZzzzFlex is an elastomer composite developed for the most demanding and complex radius applications. It offers flexibility that is unsurpassed by any other flexible moulding and is the ideal solution for cold weather climates. This material is perfect for small, intricate patterns and tight curvatures when only the best will do. This formulation is manufactured in NC and UT.

Ultra-Flex

This syntactic polyurethane compound is constructed with a cellular composition structure similar to wood. Fifty percent lighter than regular flex material, Ultra-Flex maintains the necessary strength and durability required for any application. It is the ideal solution for larger profiles and corbels. Unlike other flex moulding materials, Ultra-Flex is PRE-PRIMED for superior painting and staining and is also back sanded for better glue adhesion. It is perfect for interior and exterior applications as well as hot and cold climates. This formulation is manufactured ONLY in UT.

Machinable S4S

This product is very similar to the Ultra-Flex formulation. Its composition is designed to be machined with any conventional woodworking machinery like shapers, routers, and YES, even moulders. All traditional woodworking practices apply when using this formula. This formulation can offer savings on custom tooling and is ideal for custom short runs, immediately following the wood moulding run. This formulation is also ideal for radius arch extension jamb material.

Standard size limitations:



- Thickness 1/2" to 2"
- Width 1-3/4" to 16"
- Length 8' to 12'
- If you have specific dimensional needs not included in these standard dimension ranges, please contact us, and we will explore possible alternatives for consideration
- Paint grade material only
- No set-up charges
- Short straight run applications only

This formulation is manufactured ONLY in UT.

Flame Retardant Flex

Fire Flex is the latest addition to our family of flexible moulding formulations. This proprietary formulation offers a Class B fire rating and is perfect for commercial applications. All testing documentation can be provided upon request. This formulation is manufactured ONLY in NC.

ORDERING TIPS

Flexible moulding is easy to order when you have all of the pertinent information related to the profile that is needed, the application, and some simple measurements. Our goal is to make it as easy as possible and offer numerous tips, explanations, and descriptions to help make this happen.

Moulding Profile

Many profiles appear to be the same but are very different. There can also be dozens of different versions of the exact same profile. We match moulding profiles to the wood counterpart. Every manufacturer's wood moulding profile can be different and unique. Therefore, we request the moulding manufacturer's name, profile name, and the "species" (MDF, FJ, oak, etc.). All of this information helps ensure an exact match. This information is critical because when the wood moulding and the flex moulding are mitered together, they must match each other precisely to create a seamless, stunning finished look.

Straight Pieces vs. Pre-Bent Pieces

Does moulding need to be applied bending longways against the "thin" dimension of the profile (like a belt)? If YES, the moulding does NOT need to be pre-bent and a straight piece will work. Refer to the Style #1 example.

Examples: base shoe, base, base cap, panel mould, small cove, chair rail, chair rail backer, wall plate for crown assembly, jamb.

Does moudling need to be applied bent sideways, bending against the "wide" dimension of the profile (like a rainbow)? If YES, the moulding will need to be pre-bent in manufacturing. Refer to the Style #2 example.

Examples: casing, crown, crown ceiling backer.

Casing - Regular Radius vs. Irregular Radius - Pre-bent in Manufacturing

Is your application a regular radius (true radius)? This simply means the radius is the same all the way across the piece (like cutting off part of a circle). We can pre-bend the pieces with just a few measurements, and no additional information is needed. Examples of this application are casings bent as a half round arch or an eyebrow arch.





Is your application an irregular radius? This simply means the radius changes at random points around the piece. This type of application requires you to provide us with a template. We will bend the profile around the exact template line.

Examples: oval and elliptical.

Bending Limitations

As a general rule, flexible moulding cannot be pre-bent smaller than three times the width of the profile.

Radius Crown

Crown moulding presents the most challenges when dealing with radius applications. Crown should rarely, IF EVER, be ordered in straight pieces. Crown moulding bends at an angle. Therefore, ISR (Inside Radius or Concave Radius) applications require the bottom of the crown to be longer than the top.

However, OSR (Outside Radius or Convex Radius) applications require the top of the crown to be longer than the bottom. In just about all cases, if straight crown is used in radius applications (ISR or OSR), the crown will buckle and turn wavy while being installed. With your radius specs, we can determine if a part can be ordered as a straight piece.



Concave (curves inward) Convex (curves outward)

Special Radius Crown Applications

There are many special crown applications that we need more information and detail about to ensure you are getting the special, custom crown fit that you need for your project.

Unique radius crown applications that require some special attention:

Radius Crown Assembly - There are different components to a crown assembly and many of the parts will have different radius measurements. Some will require being pre-bent and some will allow straight pieces to work.



Radius Corner: Straight – Radius – Straight
This is when a corner is finished as a radius AND there is a straight component on each side of the radius corner. We can only bend the parts correctly when this information is provided.



Barrel/Crown Above Radius Window or Door Dormer Window
This is when crown trim is used in a casing type of application. It looks like it is ISR, but it is OSR. This application must be specified when being ordered.



Tudor Style Roof – This is also referred to as a "ski slope" roof. It looks like OSR but is actually ISR. This application must be specified when being ordered. This application may require a template.

Barrel Ceiling – This is also referred to as a "horizontal radius." Anytime the ceiling is curved when looking up from the floor the radius application is OSR. This application must be specified when being ordered.



CARTER MILLWORK ORDER FORM

Date: _____ Company: _____

Address: _____

HALF ROUND

QTY	PROFILE	DIAMETER



ARCS OR EYEBROWS

QTY	PROFILE	WIDTH	RISE



ELLIPSES & OVALS

QTY	PROFILE	DIMENSIONS	WINDOW/ DOOR MFGR.	MODEL #



TEMPLATE REQUIRED
(WE HAVE SOME STANDARD TEMPLATES)



STRAIGHT LENGTH FLEXIBLE MOULDING

QTY	PROFILE	DIAMETER

Straight lengths have application limitations. Please call to determine the best solution for your requirements.

RADIUS CROWN APPLICATIONS

				IF RADIUS IS KNOWN		IF RADIUS IS **NOT** KNOWN		
QTY	PROFILE	OSR (CONVEX)	ISR (CONCAVE)	RADIUS	LENGTH	"A" LENGTH	"B" DISTANCE	"C" LENGTH

Check All that Apply:

☐ Radius Corner – Straight-Radius-Straight ☐ Dormer Window ☐ Barrel Ceiling

☐ Radius Crown Assembly ☐ Tudor Style Roof



CONVEX-OSR FOR CROWN & CEILING BACKER

Find the center of a straight edge (A). Place the straight edge against the curve of the wall until the left and right (B) distances are the same.

Measure around the curves to get the wall length (C).



CONCAVE-ISR FOR CROWN & CEILING BACKER

Find the center of a straight edge against the curve of the wall until the left and right sides touch the wall (B).

Measure the distance from the center of the straight edge to the wall.

Measure around the curve to get the wall length (C).

ON LINE PROFILE SEARCH

FLEXIBLE MOULDING PROFILE SEARCH

This catalog represents only a small fraction of our total inventory of over 50,000 profiles. If you don't see the profile you are looking for, Flex Trim ® Online gives you fast and easy access to about 10,000 profile patterns with images of the profiles and PDF files, offering a two-dimensional actual size of each profile.

To access our online profiles, follow these easy step-by-step instructions:

1. Go to **www.flextrim.com**
2. Select PRODUCT INFO tab, then PROFILE SEARCH tab
3. Go to **"Advanced Moulding Search"** (center left of the page) and simply enter a profile category selected from the drop down box
4. Enter dimensional criteria of thickness and width using decimals and click the submit button at the BOTTOM of the page
5. Review the profile selections that are provided based on the parameters entered
6. Click on the individual name to see more detail on the profile as well as what wood species are available for stain grade flex
7. A PDF file for downloading is provided to hardcopy a two-dimensional image of the profile that can be submitted with your order

If you are still unable to find exactly what you need, send us a PDF, CAD, or traced image of the profile you are looking at - ALWAYS INCLUDE DIMENSIONS. If possible, always include the name of the wood moulding supplier and their profile name. With that information we can search to see if we have that profile or if there is something close that may work for your project.

If by chance we do not have the profile you are looking for, then we can take the information that you have provided above and provide custom pricing and instructions on how we can make that profile for an exact, custom match.

WWW.FLEXTRIM.COM



INSTALLATION & FINISHING FLEXIBLE MOULDING

Cutting / Fitting

- Flex Trim flexes and installs best when warmed to around 70 to 80 degrees. However, it does not have to be warmed to avoid cracking or breakage.
- Remove from box, bend backwards, and heat in sun or heated area.
- Flex Trim may be cut, fitted, and fastened in the same manner as real wood (use conventional woodworking tools).

Installation / Fastening

- Using adhesive, mastic, or resin epoxy glue alone produces the best fastening results, in addition to nails.
- Parts need to be installed in the relaxed position, DO NOT FORCE in place to install.
- Nails should be placed no closer than 3/8" from the edge of the moulding. Defects can occur if nails are placed too close to edges.
- To reduce the chance of dimpling, traditional finish nails should be set by hand. Mechanical nail guns should have the pressure reduced and set the nail by hand.
- DO NOT use staples to fasten material and keep nails to a minimum.
- 23-gauge pin nail guns work best since there is no nail head.
- Glue joints and miters, and repair cracks or breaks with our "No Nail" brand glue, or any fast cure resin or epoxy glue – DO NOT USE WOOD GLUE.
- If you must work really hard to a make the moulding fit the application, it was probably ordered incorrectly. STOP and call us!
- Larger crown will require additional angle blocking to avoid any sagging or drooping of the flex.

Finishing

- Always wipe the surface clean with paint thinner or mild solvent.
- NEVER paint or stain BEFORE installation.
- Fill in nail holes prior to staining with plastic resin filler.

Painting

- Sand lightly using a fine sand paper to improve paint bond.
- Fill imperfections with hard plastic resin filler and sand surface flat.
- All paints work well
  - Latex (no priming required)
  - Oil (requires Kilz-like primer coat for best results)
- Consult your coatings supplier for further details and information.

Staining

- Fasten product without nails (or as few as possible) for best results. Let the adhesive do the work.
- DO NOT SAND FACE! Sanding will remove any graining texture from the surface of the material.
- Use GEL stain with heavy pigments, penetrating stains will NOT work.
- Wipe on stain with brush or sponge, remove excess stain with a soft cloth, feather with a dry brush to remove any surface stain build up. Allow stain to dry. Repeat as necessary to achieve the desired finish and color.
- Clear coat over stain as desired. Spray application works best. DO NOT brush or sand in between coats.



CARTER MILLWORK

PROFILES

CASINGS 1-31

BACKBANDS 32-35

CROWN 36-59

SOLID BACK CROWNS 60

CROWN BACKER 61-62

BASES 63-72

BASE CAPS 73-74

CHAIR RAIL 75-78

CHAIR RAIL BACKER 79-80

PANEL MOULDING 81-83

BRICK MOULDING 84-85

RAKES 86-87

VARIATIONS 88-92

S4S 92

CONTEMPORARY PROFILES 93-96

PROFILE INDEX 97







CM356 (WM356)
11/16 x 2-1/4



CM366 (WM366)
11/16 x 2-1/4



CM445 (WM445)
11/16 x 3-1/4



CM444 (EC444)
11/16 x 3-1/4



CM376 (WM376)
11/16 x 2-1/4



CM44A (WM444)
11/16 x 3-1/2



CM470 (EC470)
11/16 x 3-11/16



CM442 (EC442)
11/16 x 2-1/4



CM1 (EC001)
11/16 x 3-1/2



MM97 (EC020)
11/16 x 3-1/2



CNF525
3/4 x 5-1/4



C606R
11/16 x 5-1/2



SM75
3/4 x 5-1/2



SM85
3/4 x 5-1/4



C606F
11/16 x 5-1/2



SM5806
3/4 x 5-1/2



C600R (RB6/RB006)
11/16 x 3-1/2



CM14R (EC14R)
11/16 x 3-1/4



CM14F (EC14F)
11/16 x 3-1/4



PT338R
5/8x 3-3/8



PT338F
5/8 x 3-3/8



24136-RF-CA
3/4 x 4-1/4



1002 (FLX 1002)
9/16 x 3-9/16



1002M
1/2 x 2-1/4



CNF312
3/4 x 3-1/2



FM-FL514
1/2 x 5-1/4



WMSP338 (WM37F)
11/16 x 3-1/4



24112-RF-CA
3/4 x 3-1/2



CAS50
1-3/4 x 2-1/2



SM8
3/4 x 5



SM12
15/16 x 4-1/2



WM361
11/16 x 2-1/2



24112-P-CA
3/4 x 3-1/2



GSES3
1-1/8 x 4-1/2

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



DY234
11/16 x 3-5/8



GSB8746
11/16 X 3-5/8



CM460 (EC460)
11/16 x 3-11/16



CM371 (RB371)
11/16 x 3



MD2
1 x 3-1/2



CM445A (EC445A)
11/16 x 3-1/2

SM7
11/16 x 4-1/2



CM327 (WM327)
11/16 x 2-1/4



18M72-A-CA
3/4 x 2-1/4



CA508FJ
11/16 x 3-1/2



LDF CA4
1 x 4



RIDOUT 376
11/16 x 3-1/4



WM315
11/16 x 2-1/2



BW260
3/4 x 3-1/2



GS119
1 x 3-1/2



CKN425
3/4 x 4-1/4



GSES1
3/4 x 3-1/2



CWW445
3/4 x 3-1/2



BM1188
1 x 4-1/4



CRC425
3/4 x 4-1/2



CN400
1 x 4



CBG400
3/4 x 4-1/4



CRC350
3/4 x 3-1/2



CGA425
1 x 4-1/4



COXCOMB
11/16 x 3-1/2



CKN350
3/4 x 3-1/2



FMC22-4
1-1/16 x 4



GSPL378
1 x 3-7/8



2488-E-CA
3/4 x 2-3/4



GSSTF1
11/16 x 3-1/2



CM361 (EC361)
11/16 x 3-1/4



GSMCC312
11/16 x 3-1/2



LDF CA358
1 x 3-5/8



24112-C-CA
3/4 x 3-1/2



GS441
13/16 x 4-1/4



M3
7/8 x 3-7/16



MM411M
3/4 x 3



32128-G-CA
1 x 4



GSWC1CT
11/16 x 3-1/2



M4316
1-3/16 x 4-3/16



GS694
1 x 3-1/2



LDF CA258A
11/16 x 2-5/8

WM412E2E
11/16 x 3-1/2



CL311
11/16 x 4-1/2



E1562
1-1/16 x 5-1/2



GSES2
1-1/8 x 3-1/4



40120-CA
1-1/4 x 3-3/4



EW514
1-1/2 x 5-1/4



MM9053M
1 x 4-1/2



L8753
11/16 x 3-1/2



24112-JF-CA
3/4 x 3-1/2

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734

TO682MDF
1 x 3-1/4



TO421MDF (MM421M)
11/16 x 3-1/4



FM-LC11
5/8 x 3-1/2



TLC234
1-3/16 x 4



SM82
11/16 x 2-3/4



MM5030M
1-3/16 x 6-1/4



PP175
1-1/2 x 4-1/2

TLC213
1 x 4



AB128
3/4 x 3-7/16

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



LDF CA4B
1 x 4



WC2
3/4 x 2-1/2



FM-ACOL2-SMOOTH
5/8 x 2



GSLK4
1-1/8 x 4



A0132
1-1/8 x 3-5/8



TLC304
1-1/4 x 4-1/16



HU350
11/16 x 3-1/2



EC464
1-1/16 x 3-1/2

GSBDB35
3/4 x 3-1/2

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



SM83
3/4 x 4-1/8



CJF425/SUPER HOWE
1 x 4-1/4



LWM 97
3/4 x 3-1/2



C425
1 x 4-1/4



MISS JENNY
1-1/16 x 4-7/8



CAG425
1-1/16 x 4-1/4

CM433 (EC433)
9/16 x 3-1/4

CM473 (EC473)
9/16 x 2-1/4



CM452 (E2E)
11/16 x 2-1/2



CAS30
1-3/4 x 2



AB385
11/16 x 2-1/2



CAM350
3/4 x 3-1/2



C352
3/4 x 3-1/2



RBI SPR3
1-1/16 x 4-1/4



CAM400
3/4 x 4-1/4



SM84
1-3/8 x 5-1/4



CTE350
3/4 x 3-1/2



CM683 (WM683)
11/16 x 3-1/4

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



TM1
11/16 x 3-1/4



LRM 399
3/4 x 3



MS1661
1-1/8 x 3-3/8



C351
3/4 x 3-1/2



LW444
11/16 x 3-1/4

CBG300
3/4 x 3-1/2



SM47
1-1/4 x 3-1/2



PT312
5/8 x 3



CM466 (EC466, AH466)
1-1/16 x 4-5/8



PRESIDENTIAL
1-1/16 x 4-3/4



34136-CA
1-1/8 x 4-1/4



TMMH (MINI HOWE)
11/16 x 2-3/4



DELTA HOWE
1 x 3-7/16



CKN535
1 x 3-1/2



EC401
11/16 x 2-1/4



CVA350
3/4 x 3-1/2



CVA525
1 x 5-1/4



MSI1
11/16 x 3-1/4



5668-BB
1-3/8 x 2-1/8 x 3/4R



EC282
1-3/8 x 1 x 3/4R



ECBCAP
1-3/4 x 1-3/8 x 3/4R



EC284
1-1/2 x 1-1/4 x 1R



3248-IT-BB
1-1/2 x 1 x 3/4R



CM809 (RB8809)
1-5/8 x 1-3/8 x 1R

BACKBANDS



ES14
1-11/16 x 1 x 1-1/8R



3652-BB
1-5/8 x 1-1/8 x 3/4R



3436-BB
1-1/16 x 1-1/8 x 3/4R



AMCR003
1-5/16 x 7/8 x 3/4R



C282 (FLX 1873)
1-5/8 x 1-5/16 x 1-1/16R



SM68
1-1/16 x 1-7/16 x 9/16R

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



CD113R
1-1/2 x 1-1/8 x 1R



C281 (RB281)
1-5/16 x 1-5/16 x 7/8R



97BB
1-1/16 x 1-7/16 x 1/2R



ES13
1-3/4 x 1-3/8 x 1-1/8R



BB200
2-1/4 x 1-3/8 x 1R



CM280 (WM280)
1-1/16 x 11/16 x11/16R

BACKBANDS



SM2510
1-1/2 x 1-1/16 x 3/4R



SM2511-2
2 x 1-3/16 x 1-1/8R



SM2511
1-3/4 x 1-3/16 x 13/16R



CM289
1-9/16 x 1-1/16 x 11/16R



SM2513
1-7/8 x 1-1/8 x 13/16R



CRC150
1-5/8 x 1 x 1R



CM281 (WM281)
1-1/8 x 11/16 x 5/8R

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



SM27
7/8 x 4-1/8



TLC603
1 x 7-1/4



TLC542
1 x 7-1/4

AH302
3/4 x 2-1/2



TLC653
3/4 x 5-1/4



TLC513
1-1/8 x 8

TLC519
11/16 x 4-1/4



EC054
9/16 X 2-1/4

PL615
5/8 X 1-3/4



TLC665
3/4 x 6-1/4



TLC675
3/4 x 7-1/4



COV312
3/4 x 3-1/2



WM084
9/16 X 2-1/4



TLC501
3/4 x 5-1/2



GSC512
1-3/16 x 5-1/2



AMO5981
5/8 x 3-5/16

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



TLC503
11/16 x 5-1/4

TLC505
1 x 7



8027
11/16 x 5-1/4



MM44-51
9-1/16 X 3-3/16

RB 9304
1-1/16 x 6-3/4

TLC 545
9/16 x 5-1/4

S9 BEADED COVE
11/16 x 2-1/2



32232-A-CR
1 x 7-1/4

24168-QA-CR
3/4 x 5-1/4

EC051
9/16 x 3-1/4



ACCO2
1-1/8 x 7-1/16

AWCR750
7/8 x 6-7/8

SM21
11/16 x 3-1/2

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



LDF CR512
11/16 x 5-1/2



CLMDF99
7/8 x 6-1/4



SM29
1-1/16 x 5-1/8



CAL40
1 x 5-1/2

20168-B-CR
5/8 x 5-1/4

CRN44
1 x 6-15/16

1656-CL-CR
1/2 x 1-3/4

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



AHCA2348
13/16 x 5-1/4



CVS1W1PMD
1-3/16 x 5-7/16



EC40
11/16 x 4-1/4



LDF48
9/16 x 4-1/4

CVS2W2PMD
1-1/4 x 7-3/4

CVS2W1PMD
1-1/4 x 6-1/4

CM48 (WM48)
9/16 x 4-1/4

COV412
1 x 4-1/2

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



CM541(EC50)
11/16 x 5-1/4



SM86
1-1/2 x 6



WM080
11/16 x 4-1/4



TLC500
1-1/8 x 6-1/4



CM449C
3/4 x 5-1/4



SM81
1-1/16 x 4-5/8



BA717
9/16 X 1-1/16

MM081
11/16 x 3-1/4



EC36
1-1/16 x 7-1/2

SM38
1-3/8 x 7-7/8



L8010
1/2 x 2-1/2



SM32
3/4 x 5-1/4



BM51245
15/16 x 5-1/2



RB7
1-1/16 x 5-1/4



FLX086
3/4 x 5-1/4

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



AH61
1 x 6

CM70 (COX)
3/4 x 7

24168-A-CR
3/4 x 5-1/4



RBCCM525
1 x 5-1/4

24168-US-CR
3/4 x 5-1/4

EC9-DENTIL
11/16 x 4-1/4

CM53 (WM53)
9/16 x 2-5/8



SM712
7/8 x 4-1/2



CM549
3/4 x 5-1/4



CM37 CURTIS CROWN (EC37)
11/16 x 5-1/16



CM45 (EC045)
9/16 x 5-1/4

EC41
11/16 x 7
(available in 1 x 7)

CM47 (WM047)
9/16 x 4-5/8



CM49 (WM049)
9/16 x 3-5/8



CM725L
3/4 x 7-1/4



CM52 (WM052)
9/16 x 2-3/4



CM49L
3/4 x 5-1/4



TO310
5/16 X 1-9/16

HM608MDF
9/16 x 7-1/4

CM17 (RB17)
11/16 x 5-5/8

UC41
11/16 x 4-5/8

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



UC51
3/4 x 5-5/8



MCR714
1-1/16 x 7-1/4



26168-C-CR
13/16 x 5-1/4



More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



SM42/L8399
2-1/4 x 1-5/8



DY204
1-1/8 x 2-1/4



DY205
1-3/8 x 2-3/4



8407
1-1/8 x 2-1/2



WP211
1-1/8 x 2-1/4



WP210
1-1/8 x 1-5/8

CROWN BACKER



TLC599
5/8 x 4-1/2



1701
5/8 x 4-1/4



CM2 (RB2)
11/16 x 2-1/2



EC310
9/16 x 3-1/4



2746CWP
3/4 x 3-1/2



WINDSOR
CROWN BACKER
5/8 x 3-1/4

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734

AH19
5/8 x 4-15/16



2480-CRB
3/4 x 2-1/2



CB312
11/16 x 3-1/2



CRB250
5/8 x 2-1/2

32128-CRB
1 x 4



2488-EJ-CB OGEE
3/4 x 2-3/4

BASES



MS725
11/16 x 7-1/4



MS688
9/16 x 5-1/4



SAN414
9/16 x 4-1/4



D255
11/16 x 3-1/2

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734

BB458
9/16 x 4-5/8



24232-BD-B
3/4 x 7-1/4



LDFBA718
5/8 x 7-1/8



CVS2B2
3/4 x 7-1/4



PLB612
3/4 x 6-1/2



EC810
9/16 x 7-1/4

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



BB7
11/16 x 7



DY263
3/4 x 7



EC810A
1/2 x 7-1/4

BASES



CM618 (WM618)
9/16 x 5-1/4



EC710
9/16 x 4-1/4



CM663 (WM663)
9/16 x 3-1/4



BCB925
5/8 x 9-1/4

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



MS5180
9/16 x 5-1/4

AWM612 MDF
9/16 x 6-1/2



SM97
3/4 x 5-1/2



CM610 (EC610)
9/16 x 5-1/4

CM750W
9/16 x 5-1/4

CM623 (WM623)
9/16 x 3-1/4

B218-714
9/16 x 7-1/4

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



CM616 (EC616)
11/16 x 6-1/8



CL173
11/16 x 5-1/4



MDF714 (1867)
5/8 x 7-1/4

BASES



BBJ725
3/4 x 7-1/4



BLB725
5/8 x 7-1/4



VIC BASE
9/16 x 5-1/4

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



BB514
9/16 x 5-1/4



LDFBA534A
9/16 x 5-3/4

TLC112
9/16 x 5-1/4



CM166 (WM166)
11/16 x 1-1/4



CM164 (WM164)
11/16 x 1-1/8



CM163 (WM163)
11/16 x 1-3/8



CM167 (WM167)
11/16 x 1-1/8



1201
11/16 x 1-1/4



SM30
3/4 x 1-3/8



W39
1-1/8 x 1-5/8



SM64
1-1/4 x 2



MS287
7/8 x 2-1/16



LWP114
11/16 x 7/8



SM54
5/8 x 1-3/8



SM43
1-1/4 x 2-1/2



SM40
7/8 x 1-7/8



BCB150
11/16 x 1-1/2



RB174
3/4 x 1/2



8416
5/8 x 1-5/8



B660
11/16 x 1-1/2

C136
1-1/16 x 2-1/2



CM390 (WM390)
11/16 x 2-5/8



EC394
15/16 x 2-5/8

CR560
1 x 5

CM302
1-1/16 x 2-3/4

CR290
3/4 x 3-1/2



ES7
1-1/16 x 3



HH133
3/4 x 2



ES6
1 x 2-5/8



SM225
1-3/8 x 3-5/8

CM297 (WM297)
11/16 x 3



16104-CH
1/2 x 3-1/4



CRA350
3/4 x 3-1/2

CH4
1-1/16 x 4



CM300 (WM300)
1-1/16 x 3



FLX392
1 x 2-3/8



CM397 (WM397)
1 x 3-1/2

PLR334
1-3/16 x 3-3/4

EC490
1-5/16 x 5-1/2

FLX5189
2-1/4 x 4-1/2



EC302
11/16 x 2-3/4

2288-CH
11/16 x 2-3/4

22104-CH
11/16 x 3-1/4

CHAIR RAIL BACKER



CM957 (WM957)
1/2 x 4-1/4



CRB425
3/4 x 4-1/4



CM398
1/2 x 5-1/4



CM425 (C135)
1/2 x 4-1/2



CM956 (WM956)
7/16 x 4-1/4

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



CM6
7/16 x 4-1/2



GBCED5CR-S
5/8 x 6



CRB525
3/4 x 5-1/4



ES5
11/16 x 5-1/2



WM133
3/4 x 1-3/4



PM118
3/4 x 1



CM183 (WM183)
9/16 x 1-1/8



CM184 (WM184)
1/2 x 1-1/2



3264-PR
1 x 2



PM43
15/16 x 2-1/8



A9
9/16 x 1-1/4



PM5
11/16 x 1-1/8



SM3514
15/16 x 2-3/8



FM-WGPM6
3/4 x 2



C42 (EC042)
1-1/16 x 1-5/8
RABBETED
ALSO AVAILABLE:
C42R (RB4234) 3/4R



PM250
3/4 x 2
RABBETED
ALSO AVAILABLE:
PM250R4 1/2R
PM250R5 3/4R



PL2
3/4 x 2



ES11
1-1/8 x 1-3/4

PANEL MOULDING



AM158
3/4 X 1-5/8



AM11516
13/16 X 1-15/16



2448-BM
3/4 X 1-1/2



DY613
3/4 X 1-13/16



PL134



DMR42



2664-P
13/16 x 2



2664-PR
13/16 x 2
1/2 X 1/2R



2048-KW-PM
5/8 x 1-1/2



EC135
5/8 x 1-3/16

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



CM175 (WM175)
1-1/16 x 2



CM180 (WM180)
1-1/4 x 2



2814
1-1/4 x 4-5/8



WM179
1-1/4 x 3-1/4



CONGRESSIONAL BMC (EC185)
1-1/4 x 4

BRICK MOULDING



KOLBE BMC
1-1/16 x 2



KM002
1-3/8 X 2



VIK9360-3
1-1/16 x 3-3/8



OW442
1-3/16 x 2-3/16



MS176
11/16 x 1-5/8



EC190
1-1/4 x 4-1/2

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



CM287 (WM287)
1-1/16 x 2

CM1206
1 x 3-1/4



CM212 (WM212)
5/8 x 2-1/2



CM28/RB28
3/4 x 3



CM207 (WM207)
11/16 x 2-1/2



LWP286
1-1/16 x 2

CM29/RB29
1-1/2 x 3-1/2



CM209 (WM209)
11/16 x 2

TO016
1-1/12 x 3-1/12

WP207
1-1/8 x 3-1/4



CM210 (WM210)
5/8 x 1-5/8



SM41 (WM286)
1-1/16 x 2

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



CM197
11/16 x 1-5/8



CM273 (WM273)
11/16 x 1-3/4



CM988
3/8 x 1-1/2
ALSO AVAILABLE:
CM987
3/8 x 2



CM137
9/16 x 1-1/4



CM936
3/8 x 1-3/8
ALSO AVAILABLE:
CM937 (S)
3/8 x 1-1/4



CM940 (S)
7/16 x 7/8
ALSO AVAILABLE:
CM941A
7/16 x 5/8
CM941 (S)
7/16 x 3/4



CM131 (OGEE SHOE)
7/16 x 11/16



2323 BEAD
3/4 x 3/4

VARIATIONS



I IN. QR.
1 x 1



CM105 (WM105)
3/4 x 3/4



CM106 (WM106)
11/16 x 11/16



CM107 (WM107)
5/8 x 5/8



CM109 (WM109)
3/8 x 3/8



WM103
1-1/16 x 1-1/16



CM108 (WM108)
1/2 x 1/2



WM110 (8057)
1/4 x 1/4



PMD7878
7/8 x 7/8



OP105
1-1/2 x 1-1/2



CM126 (WM126, SL120)
1/2 x 3/4



CM127
7/16 x 11/16

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



RB122
3/8 x 3/4



RB124
1/4 x 1/2



KPC300
1/4 x 1/2



HH155
1 x 2



HR150
3/4 x 1-1/2



HR100
1/2 x 1



JP HALFROUND
3/4 x 1-9/16



1640
1/2 x 1-1/4



EC142
1/4 x 3/4



1256-STOP
3/8 x 1-3/4



AMLATC (LATTICE)
1/4 x 1-5/16



KCMDF533A
1/2 x 1-3/4



HM118
3/8 X 1-1/16

VARIATIONS



8423
1/2 x 3/4



8427
5/8 x 3/4



CM100
11/16 x 11/16



SCOTIA
WM1075
1/2 x 3/4



CM101
1/2 x 1/2



CM93
3/4 x 3/4



WP111
3/4 x 3/4



WP995
3/4 x 3/4



RE750-ROPE
3/8 x 3/4



HO256
1-1/16 X 1-13/16



HW552
9/16 x 1-1/2

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



CM204 (WM204)
1-5/16 x 1-5/16



CM205
1-1/16 x 1-1/16



CM206
3/4 x 3/4



TP395
1x1



FLEX JAMB
496
3/4 x 4-9/16
696
3/4 x 6-9/16
EASED EDGE

S4S

1 X 2
3/4 x 1-1/2

1 X 2 NET
3/4 x 2

CMXJ
3/4 x 3-1/16

1 X 4
3/4 x 3-1/2

1 X 6
3/4 x 5-1/2

1 X 8
3/4 x 7-1/4

1 X 8
3/4 x 7-1/2

1 X 10
3/4 x 9-1/4

1 X 12
3/4 x 11-1/4

5/4 X 4
1 x 3-1/2

5/4 X 6
1 X 5-1/2

5/4 X 8
1 x 7-1/4

5/4 X 8
1 x 7-1/2

5/4 X 10
1 x 9-1/4

5/4 X 12
1 x 11-1/2

- Many more S4S dimensions available
- Wood textured S4S trim available for external applications
- Call for additional size and wood grain availability

CONTEMPORARY CASINGS



CA312NPP
3/4 X 3-1/2



LDFCA4B
1 X 4



LDFCA4D
13/16 X 4



MCC375
1-1/8 X 3-3/4



EC405
11/16 X 3-1/4

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



FBA 714NPP
3/4 x 7-1/4



24360-CGL-B
3/4 x 8



MCB712
9/16 x 7-1/2

CONTEMPORARY CROWNS



MC0V6
1-1/8 x 5-1/4



MCR750
1-1/8 x 7-1/2



MCR514
1-1/16 x 5-1/4



4848-CL-C
1-1/2 x 1-1/2

More than 50,000 profiles available. Visit **www.flextrim.com** or call 800-861-0734



MCBB1
1-1/16 x 1-1/16



MCBB2
1-1/16 x 1-1/16



MCS1
5/8 x 1



BC8B
5/8 x 1-3/4



MCAP1
3/4 x 1-1/16



MCAP2
3/4 x 1-1/16



SD BC8F
5/8 x 1-1/2



SDB BC818PP
5/8 x 1-7/16



BC8A
1/2 x 1-1/2

INDEX

1IN. QR 89
18M72-A-CA 9
97BB 34
1002(FLX1002) 5
1002M 5
1201..... 73
1256-STOP 90
1640..... 90
1656-CL-CR 45
1701..... 61
2048-KW-PM 83
2288-CH 78
2323 BEAD 88
2448-BM 83
2480-CRB 62
2488-E-CA 14
2488-EJ-CB OGEE . 62
2664-P 83
2664-PR 83
2746CWP..... 61
2814..... 84
3248 - IT - BB..... 32
3264-PR 81
3436-BB 33
3652-BB 33
4848-CL-C 95
5668-BB 32
8027..... 40
8407..... 60
8416..... 74
8423..... 91
8427..... 91
16104-CH 76
20168-B-CR 45
22104-CH 78
24112-C-CA 15
24112-JF-CA 19
24112-RF-CA 6
24112-P-CA 7
24136-RF-CA 5
24168-A-CR 52
24168-QA-CR 42
24168-US-CR 53
24232-BD-B 64
24360-CGL-B 94
26168-C-CR 58
26192-CR 59
32128-CRB 62
32128-G-CA 16
32232-A-CR 42
34136-CA 30
40120-CA 18
A9 81
A0132 22
AB128..... 21
AB385 26
ACC02 43
AH19 62
AH61 52
AH302 36
AHCA2348 46
AM158 83
AM11516 83
AMCR003 33
AMLATC (LATTICE).. 90
AMO5981 39
AWCR750 43
AWM612MDF 68
B218-714 69
B660 74
BA717 49
BB7 66
BB200 34
BB458 64
BB514 72
BBJ725,325,425,
525..... 71
BC8A 96
BC8B 96
BCB150 74
BCB500,300,400,
700,925 67
BLB525,425,725 71
BM1188 11
BM51245 51
BW260 10
C42(EC042) 82
C42R(RB4234).....82
C136 75
C281 (RB281) 34
C282 (FLX1873) 33
C351 28
C352 26
C425 24
C600R (RB6, RB006) 4
C606F 3
C606R 3
CA312NPP 93
CA508FJ 9
CAG425 25
CAL40 45
CAM350 26
CAM400 27
CAS30 26
CAS50 6
CB312 62
CBG300 29
CBG400 12
CD113R 34
CGA425 13
CH4 77
CJF425
(SUPER HOWE) 24
CKN350 13
CKN425 11
CKN535 31
CL173 70
CL311 18
CLMDF99 44
CM1 (EC001) 2
CM2 (RB2) 61
CM6 80
CM17 (RB17) 57
CM28 (RB28)..... 86
CM29 (RB29) 87
CM37
CURTIS CROWN
(EC37)..... 54
CM44A (WM444) 1
CM45 (EC045) 55
CM47 (WM047) 55
CM48 (WM48) 47
CM49(WM049) 56
CM49L 56
CM52(WM052) 56
CM53 (WM53) 53
CM70 (COX) 52
CM74 (WM074) 59
CM75 (WM075) 59
CM93 91
CM100 91
CM101..... 91
WM103..... 89
CM105 (WM105) 89
CM106 (WM106) 89
CM107 (WM107) 89
CM108 (WM108) 89
CM109..... 89
CM126 (WM126,
SL120) 89
CM127 89
CM131 88
CM137..... 88
CM14F (EC14F)..... 4
CM14R (EC14R)..... 4
CM163 (WM163) 73
CM164 (WM164) 73
CM166 (WM166) 73
CM167 (WM167) 73
CM175 (WM175) 84
CM180 (WM180) 84
CM183 (WM183) 81
CM184 (WM184) 81
CM197 88
CM204 (WM204) 92
CM205 92
CM206 92
CM207 (WM207) 86
CM209 (WM209) 87
CM210 (WM210) 87
CM212 (WM212) 86
CM273 (WM273) 88
CM280 (WM280) 34
CM281 (WM281) 35
CM287 (WM287) 86
CM289 35
CM297 (WM297) 76
CM300 (WM300) 77
CM302 75
CM327 (WM327) 9
CM356 (WM356) 1
CM361 (EC361) 14
CM366 (WM366) 1
CM371 (RB371) 8
CM376 (WM376) 1
CM390 (WM390) 75
CM397 (WM397) 77
CM398 79
CM425 (C135) 79
CM433 (EC433) 25
CM442 (EC442) 2
CM444 (EC444) 1
CM445 (WM445) 1
CM445A (EC445A) . 9
CM449C 49
CM452 (E2E) 25
CM460 (EC460) 8
CM466 (EC466,
AH466)..... 29
CM470 (EC470) 2
CM473 (EC473) 25
CM525L 59
CM541 (EC50) 48
CM549 54
CM610 (EC610) 69
CM616 (EC616)..... 70
CM618 (WM618)..... 67
CM623 (WM623)..... 69
CM663 (WM663) 67
CM683 (WM683) 27
CM725L 56
CM750W 69
CM753..... 69
CM809 (RB8809) 32
CM936, 937(S) 88
CM940,941A,941 88
CM956 (WM956) 79
CM957 (WM957) 79
CM988, CM987 88
CM1206 86
CN400 12
CNF312 5
CNF525 3
CONGRESSIONAL
BMC (EC185) 84
COV312 38
COV412 47
COXCOMB 13
CR290 75
CR560 75
CRA350 77
CRB250 62
CRB425 79
CRB525 80
CRC150 35
CRC350 12
CRC425 12
CRN44 45
CTE350..... 27
CVA350 31
CVA525 31
CVS1W1PMD 46
CVS2B2 65
CVS2W2PMD 47
CWW445 11
D255 63
DELTA HOWE..... 30
DMR42 83
DY204 60
DY205 60
DY234 8
DY263 66
DY613 83
EC9-DENTIL 53
EC36 50
EC40 46
EC41 55
EC051 42
EC054 37
EC135 83
EC142 90
EC190 85
EC282 32
EC284 32
EC302 78
EC310 61
EC394 75
EC401 31
EC405 93
EC464..... 23
EC490 78
EC710 67
EC810 65
EC810A 66
ECBCAP 32
E1562 18
ES5 80
ES6 76
ES7 76
ES11 82
ES13 34
ES14 33
EW514 19
FBA 714NPP..... 94
FLX086 51
FLEX392 77
FLEX JAMB..... 92
FLX5189 78
FM-ACOL2-
SMOOTH..... 22
FM-FL514 6
FM-LC11 20
FM-WGPM6 82
FMC22-4 13
GBCED5CR-S 80
GS119 10
GS441 15
GS694 17
GSB8746 8
GSBDB35 23
GSC512 39
GSES1 11
GSES2 18
GSES3 7
GSLK4 22
GSMCC312 15
GSPL378..... 14
GSSTF1 14
GSWC1CT 16
HH133 76
HH155 90
HM118..... 90
HM608MDF..... 57
HO256 91
HR100 90
HR150 90
HU350 23
HW552 91
JP HALF ROUND..... 90
KCP300..... 90
KCMDF533A 90
KM002..... 85
KOLBE BMC 85
L8010 50
L8753 19
LDFBA534A 72
LDFCA4B 22
LDFCA258A 17
LDFCA358 15
LDFCR512 44
LDF48 47
LDFBA718 64
LDFCA4 10
LDFCA4B.....22,93
LDFCA4D 93
LRML399 28
LW444 28
LWM97 24
LWP114 74
LWP286 86
M3 16
M4316 17
MC0V6 95
MCC375 93
MCAP1 96
MCAP2 96
MCB512..... 94
MCB712 94
MCBB1 96
MCBB2 96
MCR514 95
MCR714 58
MCR750 95
MCS1 96
MD2 8
MDF714 (1867) 70
MISS JENNY 25
MM44-51 41
MM411M 16
MM2153
MM5030M 21
MM9053M 19
MM97 (EC020)..... 2
MM081..... 50
MS176 85
MS287 74
MS688 63
MS725 63
MS1661 28
MS5180 68
MSI1 31
OP105 89
OW442 85
PL2 82
PL134 83
PL615..... 38
PLB612 65
PLR334 77
PM5 81
PM43 81
PM118 81
PM250, RABBETED,
PM250R4, 5 82
PMD7878..... 89
PP175 21
PRESIDENTIAL 30
PT312 29
PT338F 5
PT338R 4
RB7 51
RB122 90
RB124 90
RB174 74
RB9304 41
RBCCM525 53
RBI SPR3 26
RE750-ROPE 91
RIDOUT376 10
S4S..... 92
S9 BEADED COVE .. 41
SAN414 63
SCOTIA WM1075.... 91
SDBBC818PP 96
SDBC8F 96
SM7 9
SM8 7
SM12 7
SM21 43
SM27 36
SM29 44
SM30 73
SM32 51
SM38 50
SM40 74
SM41 (WM286) 87
SM42 (L8399) 60
SM43 74
SM47 29
SM54 74
SM64 73
SM68 33
SM75 3
SM81 49
SM82 20
SM83 24
SM84 27
SM85 3
SM86 48
SM97 68
SM225 76
SM712 54
SM2510 35
SM2511-2 35
SM2511 35
SM2513 35
SM3514 82
SM5806 4
TLC112 72
TLC213 21
TLC234 20
TLC304 23
TLC500..... 49
TLC501 39
TLC503 40
TLC505 40
TLC513 37
TLC519 37
TLC542 36
TLC545 41
TLC599 61
TLC603 36
TLC653 37
TLC665 38
TLC675 38
TM1 28
TMMH
(MINI HOWE) 30
TO016 87
TO310 57
TO421MDF
(MM421M)..... 20
TO682MDF 20
TP395 92
UC41 57
UC51 58
UC71 59
VIC BASE 71
VIK9360-3 85
W39 73
WC2 22
WINDSOR CROWN
BACKER 61
WM080 48
WM103..... 89
WM110 (8057)..... 89
WM133 81
WM179 84
WM315..... 10
WM361 7
WM412E2E 17
WM084 39
WMSP338 (WM37F) 6
WP111 91
WP207 87
WP210 60
WP211 60
WP995 91

LIFETIME WARRANTY

Flex Trim/Carter Millwork warrants that for the "lifetime" ownership our product is free from defects in material and workmanship. "Lifetime" means as long as the original purchaser owns the structure to which our material has been properly attached. We will repair or replace at our discretion any of our product that has failed as a result of defective material and workmanship. This remedy is the purchasers' exclusive remedy for breach of warranty hereunder.

THE FOREGOING WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

At no time will our liability be more than the original purchase price of the moulding, nor will we be liable for any special, incidental or consequential damages based upon breach of warranty, breach of contract, loss of profits, loss of savings or revenue, loss of use, the claims of a third party's loss of labor and injury to property. Some states do not allow limits on warranties or on remedies for breach in certain transactions. In such states, the limits in this paragraph and the preceding paragraph may not apply. It shall remain the responsibility of the customer to ensure the moulding purchased is designed for their unique installation.

FLEX TRIM™

CARTER MILLWORK
FLEXIBLE MOULDING

ULTRA-FLEX MOULDING
We're Bent On Perfection

Distributed By:

EAST
Flex Trim/Carter Milwork
117 Cedar Lane Drive
Lexington, NC 27292
800-861-0734 Office | 800-861-0737 Fax
www.flextrim.com | www.carterflex.com
orders@carterflex.com

WEST
Flex Trim West/UltraFlex
533 South 500 West
Provo, UT 84601
877-877-4595 Office | 877-865-1660 Fax
www.flextrim.com | www.ultraflexmoulding.com
orders@flextrim.com