

32ª edição  
**ESTETICA**

Feira e Congresso Científico  
Internacional de Estética

*Quando a boca cala, a pele fala!*

O olhar integrativo a sua pele muda o tratamento!

**31.jul a 2.ago.2026**

**São Paulo Expo**



# A pele como órgão endócrino

➤ [Drug Discov Today Dis Mech.](#) 2008 Jun 1;5(2):137-144. doi: 10.1016/j.ddmec.2008.04.004.

## Skin as an endocrine organ: implications for its function

[Andrzej Slominski](#) <sup>1</sup>, [Jacob Wortsman](#), [Ralf Paus](#), [Peter M Elias](#), [Desmond J Tobin](#), [Kenneth R Feingold](#)

Affiliations + expand

PMID: 19492070 PMCID: [PMC2658605](#) DOI: [10.1016/j.ddmec.2008.04.004](#) [↗](#)

### Abstract

Described as the body's largest organ, the skin is strategically located at the interface with the external environment where it has evolved to detect, integrate and respond to a diverse range of stressors. A flurry of recent findings has established the skin as an important peripheral (neuro)endocrine organ that is tightly networked to central stress axes. This capability is contributing to the maintenance of body homeostasis, and in this way could be harnessed for therapeutic strategies.

[PubMed Disclaimer](#)

<https://pubmed.ncbi.nlm.nih.gov/19492070/>

32ª edição  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética

*Quantas vezes a boca calou  
e a pele falou?*



32ª edição  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética



*Já parou para pensar, que a expectativa de vida aumentou, mas ninguém quer envelhecer?*

## EXPECTATIVA DE VIDA NO BRASIL

De 1940 a 2024, o Brasil ganhou 31,1 anos de expectativa de vida.



Fonte: IBGE — Tábuas Completas de Mortalidade, 2024.

# E o aumento de expectativa de vida também impactou nossa rotina?

> Clin Exp Dermatol. 2015 Jan;40(1):17-22. doi: 10.1111/ced.12455. Epub 2014 Sep 30.

## Does poor sleep quality affect skin ageing?

P Oyetakin-White <sup>1</sup>, A Suggs, B Koo, M S Matsui, D Yarosh, K D Cooper, E D Baron

Affiliations + expand

PMID: 25266053 DOI: [10.1111/ced.12455](https://doi.org/10.1111/ced.12455)

### Abstract

**Background:** Sleep is important for growth and renewal of multiple physiological systems. The effects of chronic poor sleep quality on human skin function and visible signs of ageing have not been elucidated.

**Aim:** To evaluate the effect of chronic poor sleep quality on measures of skin health and ageing. Self-perceived satisfaction with appearance was also assessed.

32ª edição  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética

*E como isso impacta no meu dia  
a dia atendendo em estética?*

32ª edição  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética



# *Acne na mulher adulta*



32ª edição  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética

## Profile of dermatological consultations in Brazil (2018)\*

Sociedade Brasileira de Dermatologia<sup>1</sup>, [Hélio Amante Miot](#)<sup>2,✉</sup>, [Gerson de Oliveira Penna](#)<sup>3,4</sup>, [Andréa Machado Coelho Ramos](#)<sup>5</sup>, [Maria Lúcia Fernandes Penna](#)<sup>6</sup>, [Sílvia Maria Schmidt](#)<sup>2</sup>, [Flávio Barbosa Luz](#)<sup>2</sup>, [Maria Auxiliadora Jeunon Sousa](#)<sup>2</sup>, [Sérgio Luiz Lira Palma](#)<sup>2</sup>, [José Antonio Sanches Junior](#)<sup>2</sup>

► Author information ► Article notes ► Copyright and License information

PMCID: PMC6256211 PMID: [30484547](https://pubmed.ncbi.nlm.nih.gov/30484547/)

### Abstract

---

#### Background

Dermatological diseases are among the primary causes of the demand for basic health care. Studies on the frequency of dermatoses are important for the proper management of health planning.

#### Objectives

To evaluate the nosological and behavioral profiles of dermatological consultations in Brazil.

32ª edição  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética



|    | Diagnóstico                                                       | N   | %   |
|----|-------------------------------------------------------------------|-----|-----|
| 1  | Acne                                                              | 771 | 8.0 |
| 2  | Fotoenvelhecimento/Envelhecimento da pele                         | 746 | 7,7 |
| 3  | câncer de pele não melanoma                                       | 633 | 6.6 |
| 4  | Ceratose actínica / Queilite actínica                             | 451 | 4,7 |
| 5  | Micose superficial (tinea versicolor, dermatofitose, onicomicose) | 437 | 4,5 |
| 6  | Psoríase                                                          | 421 | 4.4 |
| 7  | Melasma                                                           | 357 | 3.7 |
| 8  | Outros <sup>**</sup>                                              | 349 | 3.6 |
| 9  | Nevo melanocítico                                                 | 333 | 3,5 |
| 10 | Dermatite atópica                                                 | 326 | 3.4 |
| 11 | Dermatite de contato (alérgica, irritante)                        | 325 | 3.4 |
| 12 | Alopecia androgenética de padrão masculino ou feminino            | 307 | 3.2 |
| 13 | Ceratose seborreica                                               | 300 | 3.1 |
| 14 | Acne em mulheres adultas                                          | 250 | 2.6 |

2018

32ª edição  
**ESTÉTICA**  
 Feira e Congresso Científico  
 Internacional de Estética

► Health Sci Rep. 2025 Apr 30;8(5):e70697. doi: [10.1002/hsr2.70697](https://doi.org/10.1002/hsr2.70697) [↗](#)

## Etiology of Adult Female Acne–Systematic Review

[Anni Telkkälä](#)<sup>1</sup>, [Suvi-Päivikki Sinikumpu](#)<sup>1,✉</sup>, [Laura Huilaja](#)<sup>1</sup>

► [Author information](#) ► [Article notes](#) ► [Copyright and License information](#)

PMCID: PMC12042216 PMID: [40309637](#)

### ABSTRACT

---

Background

2025

32ª edição  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética



► Acta Derm Venereol. 2025 Oct 29;105:44151. doi: [10.2340/actadv.v105.44151](https://doi.org/10.2340/actadv.v105.44151) 

## The Prevalence and Characteristics of Adult Female Acne: A Cross-sectional Population-based Study

[Anni TELKKÄLÄ](#)<sup>1</sup>, [Jari JOKELAINE](#)<sup>2</sup>, [Terhi PILTONEN](#)<sup>3</sup>, [Laura HUILAJA](#)<sup>1</sup>, [Suvi-Päivikki SINIKUMPU](#)<sup>1,\*</sup>

► Author information ► Article notes ► Copyright and License information

PMCID: PMC12584016 PMID: [41159909](#)

Acne vulgaris is an inflammatory skin condition that is becoming increasingly frequent in adults ([1](#), [2](#)). Cases affecting individuals over the age of 25 years are termed post-adolescent or adult acne ([2](#)). Adult acne can affect both men and women with a higher reported frequency in women ([2](#)). The prevalence of adult female acne at the age of 30 has varied between 26% ([3](#)) and 35% ([4](#)) depending on the study design. Adult acne is often localized on the chin and around the mouth ([2](#)). About 50% of patients also have acne on their body ([1](#), [2](#)).

<https://pmc.ncbi.nlm.nih.gov/articles/PMC12584016/>

2025

32ª edição  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética

# Como olhar para uma pele?





# *Mulher e o Melasma*



32ª edição  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética

► An Bras Dermatol. 2014 Sep-Oct;89(5):771–782. doi: [10.1590/abd1806-4841.20143063](https://doi.org/10.1590/abd1806-4841.20143063) 

## Melasma: a clinical and epidemiological review<sup>\*</sup>

[Ana Carolina Handel](#)<sup>1</sup>, [Luciane Donida Bartoli Miot](#)<sup>2,✉</sup>, [Hélio Amante Miot](#)<sup>2</sup>

► Author information ► Article notes ► Copyright and License information

PMCID: PMC4155956 PMID: [25184917](https://pubmed.ncbi.nlm.nih.gov/25184917/)

### Abstract

Melasma is a chronic acquired hypermelanosis of the skin, characterized by irregular brown macules symmetrically distributed on sun-exposed areas of the body, particularly on the face. It is a common cause of demand for dermatological care that affects mainly women (especially during the menacme), and more pigmented phenotypes (Fitzpatrick skin types III-V). Due to its frequent facial involvement, the disease has an impact on the quality of life of patients. Its pathogeny is not yet completely understood, although there are some known triggering factors such as sun exposure, pregnancy, sexual hormones, inflammatory processes of the skin, use of cosmetics, steroids, and photosensitizing drugs. There is also a clear genetic predisposition, since over 40% of patients reported having relatives affected with the disease. In this manuscript, the authors discuss the main clinical and epidemiological aspects of melasma.

[https://pmc.ncbi.nlm.nih.gov/articles/PMC4155956/?utm\\_source=chatgpt.com](https://pmc.ncbi.nlm.nih.gov/articles/PMC4155956/?utm_source=chatgpt.com)

32ª edição  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética



## Latin American consensus on the treatment of melasma

[Jorge Ocampo-Candiani](#)<sup>1,✉</sup>, [Roberto Alas-Carbajal](#)<sup>2</sup>, [Jorge F Bonifaz-Araujo](#)<sup>3</sup>, [Hernando Marín-Castro](#)<sup>4</sup>,  
[Fernando Valenzuela-Ahumada](#)<sup>5</sup>, [José Luis Véliz-Barandiarán](#)<sup>6</sup>, [Agustina Vila Echague](#)<sup>7</sup>, [David E Zepeda-Reyes](#)<sup>8</sup>,  
[Helio A Miot](#)<sup>9</sup>

► [Author information](#) ► [Article notes](#) ► [Copyright and License information](#)

PMCID: PMC11840225 PMID: [39415312](#)

### Abstract

---

Melasma is a chronic, relapsing hyperpigmentation disorder that primarily affects photoexposed areas, occurring most frequently in adult women with darker skin phototypes. The primary factors contributing to its development include sun exposure, sex hormones (e.g., pregnancy), and genetic predisposition. Melasma is highly prevalent in Latin America, where many countries lie in intertropical zones and exhibit significant ethnic diversity because of centuries of intermixing among Native Americans, Europeans, and Sub-Saharan Africans. Nine Latin American experts formulated a DELPHI-based consensus to develop a valuable approach for treating melasma in this diverse population. After establishing an accurate diagnosis, assessing the impact on quality of life, and determining disease severity, the consensus recommends mitigating known triggers and promoting rigorous photoprotection. Active therapy should be tailored based on individual characteristics (e.g., pregnancy status, previous treatments, skin sensitivity). Treatment options include topical depigmenting agents, systemic therapies, and procedural interventions such as laser therapy, microneedling, and chemical peels. Periodic reassessment of the treatment is essential with

[https://pmc.ncbi.nlm.nih.gov/articles/PMC11840225/?utm\\_source=chatgpt.com](https://pmc.ncbi.nlm.nih.gov/articles/PMC11840225/?utm_source=chatgpt.com)

**32ª edição**  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética

# Cross-sectional study of psychiatric morbidity in patients with melasma

[Sharmishtha Shailesh Deshpande](#) <sup>1,✉</sup>, [Swapna S Khatu](#) <sup>1</sup>, [Geeta S Pardeshi](#) <sup>2</sup>, [Neeta R Gokhale](#) <sup>1</sup>

► [Author information](#) ► [Copyright and License information](#)

PMCID: PMC6201670 PMID: [30405259](#)

## Abstract

---

### Context:

Patients with dermatological problems have higher prevalence of psychiatric illnesses than the general population. Melasma, hyperpigmentation of skin over sun-exposed areas, has bidirectional cause-effect relationship with depression and stress through psycho-neuro-endocrine pathways.

### Aims:

[https://pmc.ncbi.nlm.nih.gov/articles/PMC6201670/?utm\\_source=chatgpt.com](https://pmc.ncbi.nlm.nih.gov/articles/PMC6201670/?utm_source=chatgpt.com)

**32ª edição**  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética





BRIEF REPORT

# Melasma: A Clinical and Epidemiological Single-Group Observational Study in the Greek Population

Eftychia Platsidaki  · Vasiliki Markantoni · Electra Nicolaidou · Alexander Katoulis ·  
Dimitrios Rigopoulos · Alexandros J. Stratigos · Stamatios Gregoriou

Received: August 12, 2024 / Accepted: October 14, 2024 / Published online: November 1, 2024  
© The Author(s) 2024

# Como olhar para uma pele?





# Mulher e o Envelhecimento precoce



32ª edição  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética

> Br J Dermatol. 2010 Jun;162(6):1233-41. doi: 10.1111/j.1365-2133.2010.09709.x. Epub 2010 Feb 22.

## New wrinkles on wrinkling: an 8-year longitudinal study on the progression of expression lines into persistent wrinkles

G G Hillebrand <sup>1</sup>, Z Liang, X Yan, T Yoshii

Affiliations + expand

PMID: 20184587 DOI: [10.1111/j.1365-2133.2010.09709.x](https://doi.org/10.1111/j.1365-2133.2010.09709.x) 

### Abstract

**Background:** While cumulative lifetime sun exposure is well recognized as having an important role in the progression of facial wrinkling, the role of facial expression has largely been overlooked, in part due to the lack of comprehensive longitudinal data on the change in both expression lines and persistent wrinkles with age.

**Objectives:** To track the detailed pattern of facial wrinkling in the same group of people over several years and to verify that expression lines evolve into persistent wrinkles. In addition, to identify factors predictive of a faster or slower rate of wrinkling.

<https://pubmed.ncbi.nlm.nih.gov/20184587/>

32ª edição  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética



# Como olhar para uma pele?



**32ª edição**  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética

# *Como olhar para uma pele?*

Com a rotina do seu paciente  
e isso inclui exatamente tudo

32ª edição  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética



# Como olhar para uma pele?

## Photosensitivity

Some medicines contain ingredients that may cause photosensitivity -- a chemically induced change in the skin. Photosensitivity makes a person sensitive to sunlight and can cause sunburn-like symptoms, a rash or other unwanted side effects. It can be triggered by products applied to the skin or medicines taken by mouth or injected. There are two types of photosensitivity – photoallergy and phototoxicity.

Photoallergy is an allergic reaction of the skin and may not occur until several days after sun exposure. Phototoxicity, which is more common, is an irritation of the skin and can occur within a few hours of sun exposure. Both types of photosensitivity occur after exposure to ultraviolet light – either natural sunlight or artificial light, such as a tanning booth.

A FDA destaca antibióticos, antifúngicos, diuréticos, anti-histamínicos e medicamentos para colesterol entre as classes relacionadas à fotossensibilidade. [FDA — The Sun and Your Medicine](#)

**32ª edição**  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética

# Como olhar para uma pele?

➤ [Am J Clin Nutr.](#) 2007 Oct;86(4):1225-31. doi: 10.1093/ajcn/86.4.1225.

## Dietary nutrient intakes and skin-aging appearance among middle-aged American women

Maeve C Cosgrove <sup>1</sup>, Oscar H Franco, Stewart P Granger, Peter G Murray, Andrew E Mayes

Affiliations + expand

PMID: 17921406 DOI: [10.1093/ajcn/86.4.1225](#) 

**Free article**

### Erratum in

[Am J Clin Nutr.](#) 2008 Aug;88(2):480

### Abstract

**Background:** Nutritional factors play a key role in normal dermatologic functioning. However, little is known about the effects of diet on skin-aging appearance.

**Objective:** We evaluated the associations between nutrient intakes and skin-aging appearance.

<https://pubmed.ncbi.nlm.nih.gov/17921406/>

32ª edição  
**ESTÉTICA**   
Feira e Congresso Científico  
Internacional de Estética



# Como olhar para uma pele?

## Gut–Skin Axis: Current Knowledge of the Interrelationship between Microbial Dysbiosis and Skin Conditions

[Britta De Pessemer](#)<sup>1</sup>, [Lynda Grine](#)<sup>2</sup>, [Melanie Debaere](#)<sup>1</sup>, [Aglaya Maes](#)<sup>1</sup>, [Bernhard Paetzold](#)<sup>3</sup>, [Chris Callewaert](#)<sup>1,\*</sup>

Editor: Lionel Breton

► [Author information](#) ► [Article notes](#) ► [Copyright and License information](#)

PMCID: PMC7916842 PMID: [33670115](#)

### Abstract

The microbiome plays an important role in a wide variety of skin disorders. Not only is the skin microbiome altered, but also surprisingly many skin diseases are accompanied by an altered gut microbiome. The microbiome is a key regulator for the immune system, as it aims to maintain homeostasis by communicating with tissues and organs in a bidirectional manner. Hence, dysbiosis in the skin and/or gut microbiome is associated with an altered immune response, promoting the development of skin diseases, such as atopic dermatitis, psoriasis, acne vulgaris, dandruff, and even skin cancer. Here, we focus on the associations between the microbiome, diet, metabolites, and immune responses in skin pathologies. This review describes an exhaustive list of common skin conditions with associated dysbiosis in the skin microbiome as well as the current body of evidence on gut microbiome dysbiosis, dietary links, and their interplay with skin conditions. An enhanced understanding of the local skin and gut microbiome including the underlying mechanisms is necessary to shed light on the microbial involvement in human skin diseases and to develop new therapeutic

<https://chatgpt.com/c/6a6cf9b9-3598-83e9-a727-4596834d3484>

32ª edição  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética

# Mapa mental o olhar para pele



32ª edição  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética





# Mapa mental o olhar da pele





**32ª edição**  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética

**31.jul a 2.ago.2026**  
*São Paulo Expo*

**MUITO OBRIGADA!**

Profe: Me. Nágila Zortéa

Siga nas redes:  
[@nagizortea\\_estetica](#)

**32ª edição**  
**ESTÉTICA**  
Feira e Congresso Científico  
Internacional de Estética