

## Assignment 5 – Huffman Coding

*Thanks to Owen Astrachan (Duke) and Julie Zelenski for creating this.  
Modifications by Keith Schwarz, Stuart Reges, Marty Stepp.*

This assignment focuses on binary trees and priority queues. Turn in the following file:

- **encoding.cpp** : code to perform Huffman encoding and decoding

We provide you with several other support files, but you should not modify them. For example, we provide you with a **huffmanmain.cpp** that contains the program's overall text menu system; you must implement the functions it calls to perform various file compression / decompression operations.

**Assignment Due: Monday, November 10th, 2014 at 5:00 pm**

### Huffman Encoding:

Huffman encoding is an algorithm devised by David A. Huffman of MIT in 1952 for compressing text data to make a file occupy a smaller number of bytes. This relatively simple **compression algorithm** is powerful enough that variations of it are still used today in computer networks, fax machines, modems, HDTV, and other areas. Normally text data is stored in a standard format of 8 bits per character using an encoding called *ASCII* that maps every character to a binary integer value from 0-255. The idea of Huffman encoding is to abandon the rigid 8-bits-per-character requirement and use different-length binary encodings for different characters. The advantage of doing this is that if a character occurs frequently in the file, such as the common letter 'e', it could be given a shorter encoding (fewer bits), making the file smaller. The tradeoff is that some characters may need to use encodings that are longer than 8 bits, but this is reserved for characters that occur infrequently, so the extra cost is worth it.

The table below compares ASCII values of various characters to possible Huffman encodings for some English text. Frequent characters such as space and 'e' have short encodings, while rarer ones like 'z' have longer ones.

Character	ASCII value	ASCII (binary)	Huffman (binary)
' '	32	00100000	10
'a'	97	01100001	0001
'b'	98	01100010	0111010
'c'	99	01100011	001100
'e'	101	01100101	1100
'z'	122	01111010	00100011010

The steps involved in Huffman encoding a given text source file into a destination compressed file are:

- **count frequencies:** Examine a source file's contents and count the number of occurrences of each character.

```
Welcome to CS 106X Shrink-It!
...
1) build character frequency table
2) build encoding tree
3) build encoding map
4) encode data
5) decode data
C) compress file
D) decompress file
F) free tree memory
B) binary file viewer
T) text file viewer
S) side-by-side file comparison
Q) quit

Your choice? c
Input file name: large.txt
Output file name (Enter for large.huf):
Reading 9768 uncompressed bytes.
Compressing ...
Wrote 5921 compressed bytes.
```

*example output from provided HuffmanMain client*

- **build encoding tree:** Build a binary tree with a particular structure, where each node represents a character and its count of occurrences in the file. A **priority queue** is used to help build the tree along the way.
- **build encoding map:** Traverse the binary tree to discover the binary encodings of each character.
- **encode data:** Re-examine the source file's contents, and for each character, output the encoded binary version of that character to the destination file.

### Encoding a File, Step 1: Counting Frequencies:

For example, suppose we have a file named `example.txt` whose contents are: `ab ab cab`

In the original file, this text occupies 10 bytes (80 bits) of data. The 10th is a special "end-of-file" (EOF) byte.


byte	1	2	3	4	5	6	7	8	9	10
char	'a'	'b'	' '	'a'	'b'	' '	'c'	'a'	'b'	EOF
ASCII	97	98	32	97	98	32	99	97	98	256
binary	01100001	01100010	00100000	01100001	01100010	00100000	01100011	01100001	01100010	N/A

In Step 1 of Huffman's algorithm, a count of each character is computed. The counts are represented as a map:

```
{' ':2, 'a':3, 'b':3, 'c':1, EOF:1}
```


### Encoding a File, Step 2: Building an Encoding Tree:

Step 2 of Huffman's algorithm places our counts into binary tree nodes, with each node storing a character and a count of its occurrences. The nodes are then put into a **priority queue**, which keeps them in prioritized order with smaller counts having higher priority, so that characters with lower counts will come out of the queue sooner. (The priority queue is somewhat arbitrary in how it breaks ties, such as 'c' being before EOF and 'a' being before 'b').




Now the algorithm repeatedly removes the two nodes from the front of the queue (the two with the smallest frequencies) and **joins** them into a new node whose frequency is their sum. The two nodes are placed as children of the new node; the first removed becomes the left child, and the second the right. The new node is **re-inserted into the queue in sorted order**. This **process is repeated** until the **queue contains only one binary tree node** with all the others as its children. This will be the root of our finished Huffman tree. The following diagram shows this process. Notice that the nodes with low frequencies end up far down in the tree, and nodes with high frequencies end up near the root of the tree. This structure can be used to create an efficient encoding in the next step.


1) 'c' node and EOF node are removed and joined




2) ' ' node and c/EOF node are removed and joined



3) 'a' and 'b' nodes are removed and joined



4) ' '/c/EOF node and a/b node are removed/joined



### Encoding a File, Step 3: Building an Encoding Map:


The Huffman code for each character is derived from your binary tree by thinking of each left branch as a bit value of 0 and each right branch as a bit value of 1, as shown in the diagram at right. The code for each character can be determined by traversing the tree. To reach ' ' we go left twice from the root, so the code for ' ' is 00. The code for 'c' is 010, the code for EOF is 011, the code for 'a' is 10 and the code for 'b' is 11. By traversing the tree, we can produce a map from characters to their binary representations. Though the binary representations are integers, since they consist of binary digits and can be arbitrary length, we will **store them as strings**. For this tree, it would be:

```
{' ': "00", 'a': "10", 'b': "11", 'c': "010", EOF: "011"}
```

### Encoding a File, Step 4: Encoding the Text Data:

Using the encoding map, we can encode the file's text into a shorter binary representation. Using the preceding encoding map, the text "ab ab cab" would be encoded as:

```
1011001011000101011011
```



The following table details the char-to-binary mapping in more detail. The overall encoded contents of the file require 22 bits, or almost 3 bytes, compared to the original file of 10 bytes.

char	'a'	'b'	' '	'a'	'b'	' '	'c'	'a'	'b'	EOF
binary	10	11	00	10	11	00	010	10	11	011

Since the character encodings have different lengths, often the length of a Huffman-encoded file does not come out to an exact multiple of 8 bits. Files are stored as sequences of whole bytes, so in cases like this the remaining digits of the last bit are filled with 0s. You do not need to worry about this; it is part of the underlying file system.

	byte 1		byte 2		byte 3	
char	a	b	a	b	c	a
binary	10	11	00	10	11	00

It might worry you that the characters are stored without any delimiters between them, since their encodings can be different lengths and characters can cross byte boundaries, as with 'a' at the end of the second byte. But this will not cause problems in decoding the file, because Huffman encodings by definition have a useful **prefix property** where no character's encoding can ever occur as the start of another's encoding.

### Decoding a File:

You can use a Huffman tree to decode text that was previously encoded with its binary patterns. The decoding algorithm is to read each bit from the file, one at a time, and use this bit to traverse the Huffman tree. If the bit is a 0, you move left in the tree. If the bit is 1, you move right. You do this until you hit a leaf node. **Leaf nodes represent characters**, so once you reach a leaf, you output that character. For example, suppose we are given the same encoding tree above, and we are asked to decode a file containing the following bits:

1110010001001010011

Using the Huffman tree, we walk from the root until we find characters, then output them and go back to the root.

- We read a 1 (right), then a 1 (right). We reach 'b' and output b. Back to root 1110010001001010011
- We read a 1 (right), then a 0 (left). We reach 'a' and output a. Back to root 1110010001001010011
- We read a 0 (left), then a 1 (right), then a 0 (left). We reach 'c' and output c. 1110010001001010011
- We read a 0 (left), then a 0 (left). We reach ' ' and output a space. 1110010001001010011
- We read a 1 (right), then a 0 (left). We reach 'a' and output a. 1110010001001010011
- We read a 0 (left), then a 1 (right), then a 0 (left). We reach 'c' and output c. 1110010001001010011
- We read a 1 (right), then a 0 (left). We reach 'a' and output a. 1110010001001010011
- We read a 0, 1, 1. This is our EOF encoding pattern, so we stop. The overall decoded text is "bac aca".

### Provided Code:

We provide you with a file `HuffmanNode.h` that declares some useful support code including the `HuffmanNode` structure, which represents a node in a Huffman encoding tree.

```
struct HuffmanNode {
    int character;           // character being represented by this node
    int count;              // number of occurrences of that character
    HuffmanNode* zero;      // 0 (left) subtree (NULL if empty)
    HuffmanNode* one;       // 1 (right) subtree (NULL if empty)
    ...
};
```

The `character` field is declared as type `int`, but you should think of it as a `char`. (Types `char` and `int` are largely interchangeable in C++, but using `int` here allows us to sometimes use `character` to store values outside the normal range of `char`, for use as special flags.) The `character` field can take one of three types of values:

- an actual `char` value;
- the constant `PSEUDO_EOF` (defined in `bitstream.h` in the Stanford library), which represents the pseudo-EOF value (the symbol, denoted by ■ in the supplemental Huffman handout, that marks the end of the encoding) that you will need to place at the end of an encoded stream; or
- the constant `NOT_A_CHAR` (defined in `bitstream.h` in the Stanford library), which represents something that isn't actually a character. *(This can be stored in branch nodes of the Huffman encoding tree that have children, because such nodes do not represent any one individual character.)*

### Bit Input/Output Streams:

In parts of this program you will need to read and write bits to files. In the past we have wanted to read input an entire line or word at a time, but in this program it is much better to read one single character (byte) at a time. So you should use the following in/output stream functions:

<b>ostream (output stream) member</b>	<b>Description</b>
<code>void put(int byte)</code>	writes a single <i>byte</i> (character, 8 bits) to the output stream

<b>istream (input stream) member</b>	<b>Description</b>
<code>int get()</code>	reads a single <i>byte</i> (character, 8 bits) from input; -1 at EOF

You might also find that you want to read an input stream, then "rewind" it back to the start and read it again. To do this on an input stream variable named `input`, you can use the `rewindStream` function from `filelib.h`:

```
rewindStream(input); // tells the stream to seek back to the beginning
```

To read or write a compressed file, even a whole byte is too much; you will want to read and write binary data one single *bit* at a time, which is not directly supported by the default in/output streams. Therefore the Stanford C++ library provides `obitstream` and `ibitstream` classes with `writeBit` and `readBit` members to make it easier.

<b>obitstream (bit output stream) member</b>	<b>Description</b>
<code>void writeBit(int bit)</code>	writes a single <i>bit</i> (0 or 1) to the output stream

<b>ibitstream (bit input stream) member</b>	<b>Description</b>
<code>int readBit()</code>	reads a single <i>bit</i> (0 or 1) from input; -1 at end of file

When reading from an bit input stream (`ibitstream`), you can detect the end of the file by either looking for a `readBit` result of -1, or by calling the `fail()` member function on the input stream *after* trying to read from it, which will return `true` if the last `readBit` call was unsuccessful due to reaching the end of the file.

Note that the bit in/output streams also provide the same members as the original `ostream` and `istream` classes from the C++ standard library, such as `getline`, `<<`, `>>`, etc. But you usually don't want to use them, because they operate on an entire *byte* (8 bits) at a time, or more; whereas you want to process these streams one *bit* at a time.

## Implementation Details:

In this assignment you will write the following functions in the file **encoding.cpp** to encode and decode data using the Huffman algorithm described previously. Our provided main client program will allow you to test each function one at a time before moving on to the next. You must write the following functions; you can add more functions as helpers if you like, particularly to help you implement any recursive algorithms. You will find yourself traversing a binary tree from top to bottom for a few of these methods. You can do the traversal recursively or iteratively, whichever approach seems cleaner to you.

**Map<int, int> buildFrequencyTable(istream& input)**

This is **Step 1** of the encoding process. In this function you read input from a given **istream** (which could be a file on disk, a string buffer, etc.). You should count and return a mapping from each character (represented as **int** here) to the number of times that character appears in the file. You should also add a single occurrence of the fake character **PSEUDO\_EOF** into your map. You may assume that the input file exists and can be read, though the file might be empty. An empty file would cause you to return a map containing only the 1 occurrence of **PSEUDO\_EOF**.

**HuffmanNode\* buildEncodingTree(Map<int, int> freqTable)**

This is **Step 2** of the encoding process. In this function you will accept a frequency table (like the one you built in **buildFrequencyTable**) and use it to create a Huffman encoding tree based on those frequencies. Return a pointer to the node representing the root of the tree.

You may assume that the frequency table is valid: that it does not contain any keys other than **char** values and **PSEUDO\_EOF**; all counts are positive integers; it contains at least one key/value pairing; etc.

When building the encoding tree, you will need to use a **priority queue** to keep track of which nodes to process next. Use the **PriorityQueue** collection provided by the Stanford libraries, defined in library header **pqueue.h**. This priority queue allows each element to be enqueued along with an associated priority. The priority queue then sorts elements by their priority, with the **dequeue** function always returning the element with the minimum priority number. Consult the docs on the course website and lecture slides for more information about priority queues.

**Map<int, string> buildEncodingMap(HuffmanNode\* encodingTree)**

This is **Step 3** of the encoding process. In this function will you accept a pointer to the root node of a Huffman tree (like the one you built in **buildEncodingTree**) and use it to create and return a Huffman encoding map based on the tree's structure. Each key in the map is a character, and each value is the binary encoding for that character represented as a string. For example, if the character **'a'** has binary value **10** and **'b'** has **11**, the map should store the key/value pairs **'a': "10"** and **'b': "11"**. If the encoding tree is **NULL**, return an empty map.

**void encodeData(istream& input, const Map<int, string>& encodingMap, ostream& output)**

This is **Step 4** of the encoding process. In this function you will read one character at a time from a given input file, and use the provided encoding map to encode each character to binary, then write the character's encoded binary bits to the given bit output bit stream. After writing the file's contents, you should write a single occurrence of the binary encoding for **PSEUDO\_EOF** into the output so that you'll be able to identify the end of the data when decompressing the file later. You may assume that the parameters are valid: that the encoding map is valid and contains all needed data, that the input stream is readable, and that the output stream is writable. The streams are already opened and ready to be read/written; you do **not** need to prompt the user or open/close the files yourself.

**void decodeData(ibitstream& input, HuffmanNode\* encodingTree, ostream& output)**

This is the **"decoding a file"** process described previously. In this function you should do the opposite of

`encodeData`; you read bits from the given input file one at a time, and recursively walk through the specified decoding tree to write the original uncompressed contents of that file to the given output stream. The streams are already open and you do not need to prompt the user or open/close the files yourself.

To manually verify that your implementations of `encodeData` and `decodeData` are working correctly, use our provided test code to compress strings of your choice into a sequence of 0s and 1s. The next page describes a header that you will add to compressed files, but in `encodeData` and `decodeData`, you should not write or read this header from the file. Instead, just use the encoding tree you're given. Worry about headers only in `compress/decompress`.

### Implementation Details (continued):

The functions on the previous page implement Huffman's algorithm, but they have one big flaw. The decoding function requires the encoding tree to be passed in as a parameter. Without the encoding tree, you don't know the mappings from bit patterns to characters, so you can't successfully decode the file.

We will work around this by writing the encodings into the compressed file, as a **header**. The idea is that when opening our compressed file later, the first several bytes will store our encoding information, and then those bytes are immediately followed by the compressed binary bits that we compressed earlier. It's actually easier to store the character frequency table, the map from **Step 1** of the encoding process, and we can generate the encoding tree from that. For our `ab ab cab` example, the frequency table stores the following (the keys are shown by their ASCII integer values, such as 32 for ' ' and 97 for 'a', because that is the way the map would look if you printed it out):

```
{32:2, 97:3, 98:3, 99:1, 256:1}
```

We don't have to write the encoding header bit-by-bit; just write out normal ASCII characters for our encodings. We could come up with various ways to format the encoding text, but this would require us to carefully write code to write/read the encoding text. There's a simpler way. You already have a `Map` of character frequency counts from Step 1 of encoding. In C++, collections like `Maps` can easily be read and written to/from streams using `<<` and `>>` operators. So all you need to do for your header is write your map into the bit output stream first before you start writing bits into the compressed file, and read that same map back in first later when you decompress it. The overall file is now 34 bytes: 31 for the header and 3 for the binary compressed data. Here's an attempt at a diagram:

byte	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
	'{'	'3'	'2'	':'	'2'	','	' '	'9'	'7'	':'	'3'	','	' '	'9'	'8'	':'	'3'
byte	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
	','	' '	'9'	'9'	':'	'1'	','	' '	'2'	'5'	'6'	':'	'1'	'}'	*	*	*

```
// output << frequencyTable;    input >> frequencyTable;
// output.writeBit(...);        input.readBit(); ...
```

/      /      /  
/      /      /  
/      /      /

10110010 11000101 01101100

Looking at this new rendition of the compressed file, you may be thinking, "The file is not compressed at all; it actually got *larger* than it was before! It went up from 9 bytes ("`ab ab cab`") to 34! That's true for this contrived example. But for a larger file, the cost of the header is not so bad relative to the overall file size. There are more compact ways of storing the header, too, but they add too much challenge to this assignment, which is meant to practice trees and data structures and problem solving more than it is meant to produce a truly tight compression.

The last step is to glue all of your code together, along with code to read and write the encoding table to the file:



```
void compress(istream& input, obitstream& output)
```

This is the overall compression function; in this function you should compress the given input file into the given output file. You will take as parameters an input file that should be encoded and an output bit stream to which the compressed bits of that input file should be written. You should read the input file one character at a time, building an encoding of its contents, and write a compressed version of that input file, including a header, to the specified output file. This function should be built on top of the other encoding functions and should call them as needed. You may assume that the streams are both valid and read/writeable, but the input file might be empty. The streams are already opened and ready to be read/written; you do not need to prompt the user or open/close the files yourself.

```
void decompress(ibitstream& input, ostream& output)
```

This function should do the opposite of `compress`; it should read the bits from the given input file one at a time, including your header packed inside the start of the file, to write the original contents of that file to the file specified by the output parameter. You may assume that the streams are valid and read/writeable, but the input file might be empty. The streams are already open and ready to be used; you do not need to prompt the user or open/close files.

```
void freeTree(HuffmanNode* node)
```

This function should free the memory associated with the tree whose root node is represented by the given pointer. You must free the root node and all nodes in its subtrees. There should be no effect if the tree passed is `NULL`. If your `compress` or `decompress` function creates a Huffman tree, that function should also free the tree.

### Development Strategy and Hints:

- When writing the bit patterns to the compressed file, note that you do not write the ASCII characters `'0'` and `'1'` (that wouldn't do much for compression!), instead the *bits* in the compressed form are written one-by-one using the `readBit` and `writeBit` member functions on the `bitstream` objects. Similarly, when you are trying to read bits from a compressed file, don't use `>>` or byte-based methods like `get` or `getline`; use `readBit`. The bits that are returned from `readBit` will be either `0` or `1`, but not `'0'` or `'1'`.
- Work **step-by-step**. Get each part of the encoding program working before starting on the next one. You can test each function individually using our provided client program, even if others are blank or incomplete.
- Start out with **small test files** (two characters, ten characters, one sentence) to practice on before you start trying to compress large books of text. What sort of files do you expect Huffman to be particularly **effective at compressing**? On what sort of files will it be less effective? Are there files that **grow** instead of shrink when Huffman encoded? Consider creating sample files to test out your theories.
- Your implementation should be robust enough to compress **any kind of file**: text, binary, image, or even one it has previously compressed. Your program probably won't be able to further squish an already compressed file (and in fact, it can get larger because of header overhead) but it should be possible to **compress multiple iterations**, decompress the same number of iterations, and return to the original file.
- Your program only has to decompress valid files compressed by your program. You do not need to take special precautions to protect against user error such as trying to decompress a file that isn't in the proper compressed format.
- See the input/output streams section for how to **"rewind" a stream** to the beginning if necessary.



- The operations that read and write bits are somewhat inefficient and working on a large file (100K and more) will take some time. Don't be concerned if the reading/writing phase is **slow** for very large files.
- Note that **Qt Creator** puts the compressed binary files created by your code in your "build" folder. They won't show up in the normal **res** resource folder of your project.

### Style Guidelines and Grading:

In general, items mentioned in the "Implementation and Grading" from the previous assignment(s) specs also apply here. Please refer to those documents as needed. Note the instructions in the previous assignments about procedural decomposition, variables, types, parameters, value vs. reference, and commenting. Don't forget to **cite any sources** you used in your comments. Refer to the course **Style Guide** for a more thorough discussion of good coding style.

Part of your grade will come from appropriately utilizing binary trees and recursive algorithms to traverse them. We will check that you use collections in appropriate, efficient ways. Do not pass bulky objects by value since that leads to unnecessary copying. Redundancy is another major grading focus; avoid repeated logic as much as possible.

Your code should have no **memory leaks**. Free the memory associated with any **new** objects you allocate internally. The Huffman nodes you will allocate when building encoding trees are passed back to the caller, so it is that caller's responsibility to call your **freeTree** function to clean up the memory.

As for **commenting**, place a descriptive comment header on each file you submit. Place detailed comment headers next to every function explaining its purpose, parameters, what it returns, any exceptions it throws, assumptions it makes, etc. Also place inline comments as needed on any complex code inside the function bodies.

Please remember to follow the **Honor Code** on this assignment. Submit your own work; do not look at others' solutions. Cite sources. Do not give out your solution; do not place a solution on a public web site or forum.

### Possible Extra Features:

There are all sorts of fun extras you can layer on top of this assignment. Here are a few things to consider:

- **Make the encoding table more efficient:** Our implementation of the encoding table at the start of each file is not at all efficient, and for small files can take up a lot of space. Try to see if you can find a better way of encoding the data. If you're feeling up for a challenge, try looking up succinct data structures and see if you can write out the encoding tree using one bit per node and one byte per character!
- **Add support for encryption in addition to encoding:** Without knowledge of the encoding table, it's impossible to decode compressed files. Update the encoding table code so that it prompts for a password or uses some other technique to make it hard for Bad People to decompress the data.
- **Implement a more advanced compression algorithm:** Huffman encoding is a good compression algorithm, but there are much better alternatives in many cases. Try researching and implementing a more advanced algorithm, like LZW, in addition to Huffman coding.
- **Gracefully handle bad input files:** The normal version of the program doesn't work very well if you feed it bogus input, such as a file that wasn't created by your own algorithm. Make your code more robust by making it able to detect whether a file is valid or invalid and react accordingly. One possible way of doing this would be to insert special bits/bytes near the start of the file that indicate a header flag or check-sum. You can test to see whether these bit patterns are present, and if not, you know the file is bogus.

- **Other:** If you have your own creative idea for an extra feature, ask your SL and/or the instructor about it.

*Indicating that you have done extra features:* If you complete any extra features, then in the comment heading on the top of your program, please list all extras that you worked on and where in the code they can be found (what functions, lines, etc. so that the grader can look at their code easily).

*Submitting a program with extra features:* Since we use automated testing for part of our grading process, it is important that you submit a program that conforms to the preceding spec, even if you want to do extra features. If your extras cause your program to change the output that it produces in such a way that it no longer matches the expected sample output test cases provided, you should submit your program twice: a first time without any extra features added (or with all necessary extras disabled or commented out), and a second time with the extras enabled. Please distinguish them in by explaining which is which in the comment header. Our turnin system saves every submission you make, so if you make multiple submissions we will be able to view all of them; your previously files will not be lost or overwritten.