```
Net ID: js205, qz40
1. select
        I.I_comment
from
        lineitem as I
where
        (I.I_shipdate = "1994-05-12") and
        (I.I_{commitdate} = "1994-05-22") and
        (I.I_receiptdate = "1994-06-10");
2. select
        I.I_orderkey
from
        lineitem as I
where
        (I.I_shipinstruct = "TAKE BACK RETURN") and
        (I.I_extendedprice / I.I_quantity > 1759.6) and
        (I.I_extendedprice / I.I_quantity < 1759.8);
 Finished printing first 30 records
Time used is 8 seconds.
The number of total records is 1057.
```

Author: Jack Su, Charm Zhang

3. select

sum (1),

```
avg ((o.o_totalprice - 32592.14) / 32592.14)
from
        orders as o
where
        (o.o_orderstatus = "F") and
        (o.o_orderpriority < "2-HIGH" or o.o_orderpriority = "2-HIGH");
292098|3.620425|
Time used is 3 seconds.
The number of total records is 1
4. select
        avg (o.o_totalprice),
        "order priority was " + o.o_orderpriority
from
        orders as o
where
        (o.o_orderstatus = "F")
group by
        o.o_orderpriority;
 <u>150611.604523|order</u> priority was 5-LOW|
150129.831018|order priority was 4-NOT SPECIFIED|
 150068.606146|order priority was 3-MEDIUM|
 150724.811169|order priority was 2-HIGH|
 150454.466436 order priority was 1-URGENT
 Time used is 3 seconds.
 The number of total records is 5
5. select
        "return flag was " + I.I_returnflag,
        sum (I.I_quantity),
        sum (I.I_extendedprice),
        sum (I.I_extendedprice*(1-I.I_discount)),
        sum (I.I_extendedprice*(1-I.I_discount)*(1+I.I_tax)),
        avg (I.I_quantity),
        avg (I.I_extendedprice),
        avg (I.I_discount),
        sum (1)
from
        lineitem as I
where
        (I.I_shipdate < "1998-12-01") and
      (I.I_shipdate > "1998-06-01")
group by
        I.I_returnflag;
```