Particle Swarm Optimizer

Jack Thomas

April 11, 2019

Trying out 2D first

```r
set.seed(123)
#Simple function

f <- function(x){
  return(x^2)
}

curve(f(x),-5,5)
```



```r
swarm <- function(S,lower, upper,omega,phiP,phiG){
  best_swarm <- lower
  #particle positions
  x <- rep(0,S)
  #particle best positions
  p <- rep(0,S)
  #particle velocities
  v <- rep(0,S)
```

```r
  #for each particle i
  for (i in 1:S){
    #initial position
    x[i] <- runif(1,lower,upper)
    p[i] <- x[i]

    if(f(p[i]) < f(best_swarm)){
      best_swarm <- p[i]
    }

    #initial velocity
    v[i] <- runif(1,-abs(upper-lower),abs(upper-lower))
  }
  #print(x)
  #print(p)
  #print(v)
  #print(best_swarm)
  for(j in 1:100){

    for (i in 1:S){
      rp <- runif(1,0,1)
      rg <- runif(1,0,1)

      v[i] <- omega*v[i] + phiP*rp*(p[i]-x[i]) + phiG*rg*(best_swarm-x[i])

      x[i] <- x[i] + v[i]

      if (f(x[i]) < f(p[i])){
        p[i] <- x[i]

        #update best position in the swarm
        if (f(p[i]) < f(best_swarm)){
          best_swarm <- p[i]
        }
      }
    }
    if((j%%2 == 0 && j < 20) || j == 1){
      curve(f,lower,upper,main = c("iteration ",j))
      points(x,f(x))
    }

  }
  cat("best x value: ",best_swarm,"\n")
  cat("minimum: ",f(best_swarm),"\n")
  cat("\n")
}

swarm(10,-4,4,.5,.5,.5)
```

iteration 1

iteration 2

iteration
4

iteration
6

iteration
8

iteration
10

## iteration 12

iteration 14

iteration
16

iteration
18


```
## best x value:  -8.493187e-17
## minimum:  7.213423e-33
```

```
#more complex function
f <- function(x){
   return(x^3 - 9*x)
}
curve(f,-2,4)
```



```
swarm(10,-2,4,.5,.5,.5)
```

iteration
1

iteration
2

**iteration
4**

**iteration
6**

**iteration
8**

**iteration
10**

iteration
12

## iteration
14

iteration
16

iteration
18


```
## best x value:  1.732051
## minimum:  -10.3923
```