





SPESIFIKASI KENDARAAN

		SINGLE	CABIN		DOUBLE	DOUBLE CABIN	
		GLX MT 4x2	HDX MT 4x4	HDX MT 4x4	GLS MT 4x4	EXCEED MT 4x4	ULTIMATE AT 4x
DIMENSION							
Overall Dimension (L x W x H)	mm	5100x181	5x1780	5225x1815x1775	5225x1815x1780	5305x1815x1780	5305x1815x1795
Wheel Base	mm	19-20-3000-3000-3-5		3000		120 - 120 140 150 140 150 150 150 150 150 150 150 150 150 15	
Gross Vehicle Weight (GVW)	kg	2760		2850		2870	
CARGO BED DIMENSION		1000		1			
Bed Interior Dimension (L x W x H)	mm	2265x147	70x475		1520x147	'0x475	
ENGINE							
Model		4N15 DI C/R I/C T/C	4056 DI	C/R T/C	4N15 DI C/R I/C T/C	4N15 DI MIN	/EC C/R I/C T/C
Туре		Contractor de contractor de la			n-line 4-Cylinder		
Displacement	CC	2442	24	177		2442	
Max Power Output	PS(kW) / rpm	136 (100) / 3500		/ 4000	136 (100) / 3500		(3) / 3500
	Kg.m(N.m) / rpm	33.1 (324) / 1500-2500		1500 - 3500	33.1 (324) / 1500-2500		30) / 2500
PERFORMANCE		33.1(32-1/) 1300 2300	20.4 (200) /	1500 5500	33/1/32-1// 1300 2300	1557 (1	30// 2300
Min Turning Radius	m				5.9		
FUEL SYSTEM					1.9		
PORTON NATIONAL PROPERTY.				£	ee Deil		
Type	ltr				non Rail 75		
Tank Capacity	ıu				/5		
TRANSMISSION				enterioris .		and the same of th	
Type		6 Speed M/T	5 Spec		6 Speed	M/T	6 Speed A/T
Limited Slip Differential (LSD)		·=:	Mechan	ical type	Hybrid type		-
4 WD System		(a)		Easy select 4WD		Super S	Select 4WD
BRAKE							
Brake	Front				ted Disc		
	Rear			Dr	um		
TYRE		700					
Size			205 R16C 8PR		245/70 R16	245/65 R17	265/60 R18
Wheel Disc		16" Steel		16" Alloy		17" Alloy	18" Alloy
STEERING							
Туре				Rack & Pinion wi	th Power Steering		
SAFETY		100					
Airbags Driver &	Front Passenger			- E	•(
	Side & Knee			-			•
Forward Collition Mitigation System (FCM)				_			
Blind Spot Warning (BSW)				-			
Rear Cross Traffic Alert (RCTA)				_			
Ultrasonic misacceleration Mitigation System (UMS	31			_			
Active Stability & Traction Control (ASTC)	,,				The state of the s		
Hill Start Assist							120
Hill Descent Control				<u> 200</u> 0			ī .
		1 1		_	1		3
ABS & EBD		1.0		-	l T	5. 0 .116	(Bes)
Rear Camera		000		ī)	1/20		•
Auto Door Lock by Speed-Sensing		-		N. See See See See See See See See See Se	•		14
Auto-dimming Rearview Mirror							
AUDIO SYSTEM		-					
Audio			2 DIN, AM/FM, CD	, MP3/WMA, USB			h Screen Display Audio
						AM/FM,	Bluetooth, USB
Audio Steering Switch							•
EQUIPMENT		(2					
Headlamp			Halogen wi	th Projector		LED wit	h Projector
Daytime Running Light (DRL)				-			LED
Cruise Control				-			•
Driver Power Seat							•
Air Conditioner (AC)		Co	oler with air inlet selecto	OF:		Auto	
and the same of the same		1				4477.750	•
Keyless Operation System							
Keyless Operation System							
Keyless Operation System Immobilizer PRODUCTION	_		*		•		A255.

Spesifikasi sewaktu-waktu dapat berubah tanda pemberitahuan terlebih dahulu.

EXTERIOR COLORS







ROBUST DESIGN



BARU Dynamic Shield Front Face Design



BARU Sturdy Rear Bumper



Sharp Look LED Headlamp with DRL



BARU LED Rear Combination Lamps



Chrome Rear Gate Handle



BARU Side Steps



BARU 18" Alloy Wheels1



BARU 17" Alloy Wheels 2

CONFIDENCE DRIVING



*MIVEC (Mitsubishi Innovate Valve timing Electronic Control System)

181_{PS}

Mesin diesel MIVEC meningkatkan efisiensi bahan bakar dan secara signifikan mengurangi emisi CO2. Mesin ini menghasilkan respon power 181 PS (3500rpm) dan torsi 430N.m (2500rpm).



6-Speed Automatic Transmission with Sport Mode



6-Speed Manual Transmission²



SUPER 4WD-II

Menggunakan drive mode selector dial, Anda dapat mengubah mode penggerak roda dari 2WD (2H) ke 4WD (4H, 4HLc) dengan kemudahan berganti di bawah kecepatan 100km/jam.



COMFORTABLE INTERIOR



Tilt & Telescopic Steering



EARU Premium Wide 2 DIN
Entertainment System/USB & MP3
Player (Smartphone Connectivity Feature)



Automatic AC



Auto Dimming Rearview Mirror¹

Cermin yang mengurangi pantulan lampu depan mobil belakang untuk pandangan belakang yang lebih jelas.



Modern Look Floor Console




BARU Smartphone Tray for Rear Seat Passenger

SMART TECHNOLOGY & ADVANCED SAFETY FEATURES




BARU Forward Collision Mitigation System [FCM]¹

Membantu pencegahan benturan depar, atau meminimalkan dampaknya jika benturan tak dapat dihindari. Fitur ini mendeteksi kendaraan lain dan pejalan kaki melalui kamera dan radar laser.



BARU Blind Spot Warning [BSW]¹

Fitur radar sensor pada bumper belakang ini mampu mendeteksi adanya kendaraan di biind spot belakang, serta kanan dan kiri mobil. Saat kendaraan lain terdeteksi di salah satu sisi, indikator peringatan muncul di kaca spion sisi tersebut disertai dengan buzzer.



BARU Automatic High-Beam [AHB]¹

Untuk meningkatkan keselamatan dan kenyamanan berkendara di malam hari, lampu high beam berubah otomatis menjadi low beam saat mendeteksi kendaraan lain di depan, tanpa perlu melepas kemudi.



BARU Rear Cross Traffic Alert [RCTA]¹

Indikator akan menyala di Combination Meter Display saat RCTA aktif. Jika sensor radar di bumper belakang mendeteksi kendaraan lain yang mendekat saat gigi mundur aktif, akan muncul peringatan di Multi-Information Display, dan indikator berkedip di kedua spion disertai bunyi buzzer.



BARU 7 SRS Airbags¹

Front airbag, side airbag, curtain airbag dan knee airbag di bagian pengemudi akan melindungi Anda dan penumpang jika terjadi benturan.




BARU Ultrasonic misacceleration Mitigation System [UMS] 1

Untuk menghindari benturan saat parkir, sistem akan menyalakan suara, menampilkan peringatan saat sensor depan atau belakang mendeteksi objek yang menghalangi jalur parkir, dan mengontrol tenaga mesin untuk mencegah mobil melaju mendadak tanpa disengaja.

Kontrol output mesin menyala apabila:

- Mobil melaju dalam kecepatan sangat rendah (tidak dalam posisi perseneling N atau P.)
- Saat halangan/kendaraan berada di dekat mobil
 Saat pedal gas diinjak terlalu dalam atau tiba-tiba
- Saat pengemudi tidak berbelok menghindari halangan/kendaraan lain



Sistem pengamanan dari benturan New Triton ditingkatkan secara signifikan melalui body RISE (Reinforced Impact Safety Evolution) yang meredam energi dengan efisien dan mempertahankan keutuhan kabin saat terjadi benturan.

Rigid Lightweight Body

Teknologi kerangka yang kokoh namun ringan sebagai standar keamanan modern dari Mitsubishi Motors.







			SINGLE CABIN		DOUBLE CABIN				
		GLX MT 4x2	HDX MT 4x4	HDX MT 4x4	GLS MT 4x4	EXCEED MT 4x4	ULTIMATE AT 4x4		
DIMENSION									
Overall Dimension (L x W x H)	mm	5100x181	5x1780	5225x1815x1775	5225x1815x1780	5305x1815x1780	5305x1815x1795		
Wheel Base	mm				00		1		
Gross Vehicle Weight (GVW)	kg	276	0		350	7.6	370		
ARGO BED DIMENSION		279							
Bed Interior Dimension (L x W x H)	mm	2265x147	70×475		1520x14	70×475			
ENGINE					700000				
Model		4N15 DI C/R I/C T/C	4D56 DI C	/R T/C	4N15 DI C/R I/C T/C	4N15 DI MIVE	C C/R I/C T/C		
Type		Title of the first tree from the first tree fr	1030.01.0		n-line 4-Cylinder	713.00 01.1 11.1			
Displacement	CC	2442	2477			2442			
Max Power Output	PS(kW) / rpm	136 (100) / 3500	110 (81) /		136 (100) / 3500	181 (133) / 3500			
Max Torque Output	Kg.m(N.m) / rpm	33.1 (324) / 1500-2500			33.1 (324) / 1500-2500	43.9 (430) / 2500			
PERFORMANCE	Section Section 1991	33.1 (32-1) / 1330 2330	204 (200)7 1	3300	33.1 (32-1/) 1300 2300	13.5 (13.	5// E300		
Min Turning Radius	m			5	.9				
UEL SYSTEM					15				
ype				Comm	on Rail				
Tank Capacity	ltr	Common Rail 75							
TRANSMISSION									
Type		6 Speed M/T	5 Speed	M/T	6 Spee	d M/T	6 Speed A/T		
imited Slip Differential (LSD)		o speed (ii) i	Mechanic		Hybrid type	u riy i	o speed AV I		
4 WD System			1 rectioning	Easy select 4WD	Tiyona cype	Super Se	lect 4WD		
RAKE		100		easy select 1110		30pci 30			
Brake	Front			Ventilat	ted Disc				
inake	Rear				um				
YRE	ricui		_	DI	diii		_		
ize		1	205 R16C 8PR		245/70 R16	245/65 R17	265/60 R18		
Wheel Disc		16" Steel	200 KIOC OFK	16" Alloy	243/70 110	17° Alloy	18" Alloy		
TEERING		10 Steel		10 Alloy		II Alloy	IO Alloy		
Type		T'		Rack & Pinjon wit	th Power Steering				
AFETY		100		THE CALL THE COLUMN	in rower secting				
	ver & Front Passenger	T.							
an Dags	Side & Knee				-				
Forward Collition Mitigation System (FCM)	Side of Kilee								
Blind Spot Warning (BSW)									
Rear Cross Traffic Alert (RCTA)									
ltrasonic misacceleration Mitigation System	(LIME)								
active Stability & Traction Control (ASTC)	(UMS)			_	i i				
fill Start Assist			_				■ 0. ■ 0.		
			_	<u></u>					
Hill Descent Control						280			
Hill Descent Control ABS & EBD		•	-			***	480		
Hill Descent Control ABS & EBD Rear Camera		•	-			•	•		
-Hil Descent Control ABS & EBD Rear Camera Auto Door Lock by Speed-Sensing		•	-			•	1		
Hill Descent Control ABS & EBD Researca Auto Door Lock by Speed-Sensing Auto-dimming Rearview Mirror		•	<u>-</u>	-		•	•		
Hill Descent Control ABS & EBD Rear Camera Auto Door Lock by Speed-Sensing Auto-dimming Rearview Mirror AUDIO SYSTEM		•	2 DIN AMEM CD 4	ADZAMMA LICO					
Hill Descent Control ABS & EBD tear Camera Auto Door Lock by Speed-Sensing Auto-dimming Rearview Mirror AUDIO SYSTEM Audio		-	2 DIN, AM/FM, CD, I	- up3/wma, usb		2 DIN 7-inch Touch	1		
till Descent Control ABS & EBD tear Camera Auto Door Lock by Speed-Sensing Auto-dimming Rearview Mirror AUDIO SYSTEM Audio Audio Steering Switch		•	2 DIN, AM/FM, CD, I	– 4P3/WMA, USB		2 DIN 7-inch Touch	• Screen Display Audi		
IIII Descent Control IBS & EBD sear Camera utto Door Lock by Speed-Sensing uto-dimming Rearview Mirror IUDIO SYSTEM udio udo Steering Switch QUIPMENT		•	_			2 DIN 7-inch Touch AM/FM, Bi	Screen Display Audi uetooth, USB		
Hill Descent Control ABS & EBD Lear Camera Auto Door Lock by Speed-Sensing Auto-dimming Rearview Mirror AUDIO SYSTEM Audio Audio Steering Switch EQUIPMENT Headlamp		•	– Halogen with			2 DIN 7-inch Touch AM/FM, Bi LED with	Screen Display Audi uetooth, USB Projector		
iiii Descent Control IBS & EBD lear Camera uto Door Lock by Speed-Sensing uto-dimming Rearview Mirror IUDIO SYSTEM udio udio Steering Switch QUIPMENT leadlamp laytime Running Light (DRL)		-	_			2 DIN 7-inch Touch AM/FM, Bi LED with	Screen Display Audi uetooth, USB		
iiii Descent Control BS & EBD tear Camera uto Door Lock by Speed-Sensing uto-dimming Rearview Mirror UDIO SYSTEM udio udio Steering Switch (QUIPMENT leadlamp laytime Running Light (DRL) ruise Control		•	– Halogen with			2 DIN 7-inch Touch AM/FM, Bi LED with	Screen Display Audi uetooth, USB Projector		
iiii Descent Control IBS & EBD lear Camera uto Door Lock by Speed-Sensing uto-dimming Rearview Mirror IUDIO SYSTEM udio udio Steering Switch QUIPMENT leadlamp laytime Running Light (DRL)		•	Halogen with - -			2 DIN 7-inch Touch AM/FM, BI LED with	Screen Display Audi uetooth, USB Projector		
iill Descent Control BS & EBD ear Camera uto Door Lock by Speed-Sensing uto-dimming Rearview Mirror UDIO SYSTEM udio udio Steering Switch QUIPMENT leadlamp aytime Running Light (DRL) ruise Control iriver Power Seat		Co	– Halogen with			2 DIN 7-inch Touch AM/FM, Bi LED with	Screen Display Audi uetooth, USB Projector		
iill Descent Control BS & EBD ear Camera uto Door Lock by Speed-Sensing uto-dimming Rearview Mirror UDIO SYSTEM udio udlo Steering Switch QUIPMENT leadlamp aytime Running Light (DRL) ruise Control		Co	Halogen with - -			2 DIN 7-inch Touch AM/FM, BI LED with	Screen Display Audi uetooth, USB Projector		

Spesifikasi sewaktu-waktu dapat berubah tanda pemberitahuan terlebih dahulu.

EXTERIOR COLORS



White Diamond (ULTIMATE)



Sterling Silver Metallic



Graphite Gray Metallic (ULTIMATE, EXCEED)



White Solid



Jet Black Mica



Red Solid Clear (ULTIMATE, EXCEED, GLS, HDX Double Cabin)

JUL/201

Mitsubishi Motors (Thailand) Co, Ltd



INTERIOR



Kabin Terpanjang di Kelasnya



EASY SELECT Dial Type¹

Kemudahan berpindah mode penggerak dari 2WD (2H) ke traksi 4WD (4H) saat berkendara dengan kecepatan di bawah 100km/jam (pada tipe HDX menggunakan tipe lever).



New Triton GLS/Sterling Silver Metallic



New Triton HDX Double Cabin/White Solid



POWERFUL & EFFICIENT



136_{PS} 1

Mesin diesel 4N15 meningkatkan efisiensi bahan bakar dan secara signifikan mengurangi emisi CO2. Mesin ini menghasilkan respon power 136 PS (3500rpm) dan torsi 324N.m (1500-2500rpm). Pada tipe HDX menggunakan mesin legendaris 4D56.



6-Speed Manual Transmission 3

RUGGED RELIABILITY

Triton didesain dengan ketangguhan untuk melalui berbagai medan yang dilengkapi dengan ruang penyimpanan yang luas, untuk kenyamanan perjalanan Anda.

Spacious Cargo

Cargo bed yang dilengkapi dengan bed liner yang lega memberi lebih banyak ruang muatan.



Single Cab

Double Cab

Keterangan: Perlengkapan bervariasi, hubungi dealer terdekat Mitsubishi Motors.

KONSTRUKSI YANG KOKOH





Suspensi tangguh


Suspensi stabil dilengkapi double wishbones dan coil spring dan stabilizer bar di depan.



Pembaruan suspensi belakang

Berkendara lebih mulus dengan optimalisasi leaf spring dan penambahan diameter di shock absorber belakang.

SAFETY FEATURES



RISE Body

Performa keamanan dari benturan diperkuat dengan RISE (Reinforced Impact Safety Evolution), body yang meredam energi dan menopang keamanan kabin saat terjadi benturan.

Rigid Lightweight Body

Teknologi kerangka yang kokoh namun ringan sebagai standard keamanan modern dari Mitsubishi Motors

KING OF ALL-TERRAIN

Pengalaman berkendara terus ditingkatkan, untuk membuat Triton siap melewati segala macam rintangan. Visibilitas saat berkendara semakin meningkat dengan diperbaruinya desain kap mesin dan wiper, serta ban 265/60R18, side steps dan rear step bumper yang stylish, kini Anda siap menghadapi apa pun.



