

11 / 14 / 2024



NB2 Week 14

OPLG

Haiya Oza

Good luck and trust yourself! You got this :)



Code: 6754

5:45 pm to 6:45 pm



Code: 6754

7:00 pm to 8:00 pm

A 65-year-old man with diabetes is informed by his physician about the risks and benefits of a new medication. The patient, however, decides against it, expressing concerns about potential side effects. Which principle should guide the physician's response?

A) Beneficence

B) Non-maleficence

C) Patient autonomy

D) Justice

A 65-year-old man with diabetes is informed by his physician about the risks and benefits of a new medication. The patient, however, decides against it, expressing concerns about potential side effects. Which principle should guide the physician's response?

A) Beneficence

B) Non-maleficence

C) Patient autonomy

D) Justice

A 14-year-old adolescent presents for a routine physical exam. His parents express concern that he has become more impulsive and engages in risk-taking behaviors such as driving without a license. The adolescent has a history of attention to detail and good academic performance. What is the most likely explanation for his behavior?

A) Underdeveloped prefrontal cortex

B) Low IQ

C) Hormonal changes due to puberty

D) Lack of parental guidance

A 14-year-old adolescent presents for a routine physical exam. His parents express concern that he has become more impulsive and engages in risk-taking behaviors such as driving without a license. The adolescent has a history of attention to detail and good academic performance. What is the most likely explanation for his behavior?

A) Underdeveloped prefrontal cortex

B) Low IQ

C) Hormonal changes due to puberty

D) Lack of parental guidance

A 32-year-old woman with obsessive-compulsive disorder (OCD) undergoes therapy where she is asked to touch doorknobs without washing her hands afterward. This practice increases her anxiety temporarily, but she refrains from engaging in her usual compulsive handwashing. What type of therapy is this?

- A) Systematic desensitization
- B) Exposure and response prevention
- C) Aversion therapy
- D) Cognitive restructuring

A 32-year-old woman with obsessive-compulsive disorder (OCD) undergoes therapy where she is asked to touch doorknobs without washing her hands afterward. This practice increases her anxiety temporarily, but she refrains from engaging in her usual compulsive handwashing. What type of therapy is this?

A) Systematic desensitization

B) Exposure and response prevention

C) Aversion therapy

D) Cognitive restructuring

During a medical interview, a physician uses silence and non-verbal cues to encourage a patient to continue speaking about her symptoms. The patient then shares more about her health concerns. What type of interviewing technique is the physician employing?

A) Focusing open-ended technique

B) Direct questioning

C) Non-focusing open-ended technique

D) Closed-ended questioning

During a medical interview, a physician uses silence and non-verbal cues to encourage a patient to continue speaking about her symptoms. The patient then shares more about her health concerns. What type of interviewing technique is the physician employing?

A) Focusing open-ended technique

B) Direct questioning

C) Non-focusing open-ended technique

D) Closed-ended questioning

A 28-year-old male presents to the emergency department after being brought in by the police for erratic behavior. He reports feeling watched and says, "They're trying to control my thoughts." The physician notices he has a disheveled appearance, appears guarded, and is reluctant to provide information. Which part of the mental status exam should the physician focus on to evaluate these symptoms?

- A) Cognition
- B) Mood and affect
- C) Thought content
- D) Motor behavior

A 28-year-old male presents to the emergency department after being brought in by the police for erratic behavior. He reports feeling watched and says, "They're trying to control my thoughts." The physician notices he has a disheveled appearance, appears guarded, and is reluctant to provide information. Which part of the mental status exam should the physician focus on to evaluate these symptoms?

A) Cognition

B) Mood and affect

C) Thought content

D) Motor behavior

A 45-year-old female with hypertension expresses frustration with her physician's advice to lose weight, saying, "I feel like you're just telling me what to do without listening to me." Which communication approach could improve this interaction?

A) Directive advice

B) Patient-centered interviewing

C) Paternalistic approach

D) Closed-ended questions

A 45-year-old female with hypertension expresses frustration with her physician's advice to lose weight, saying, "I feel like you're just telling me what to do without listening to me." Which communication approach could improve this interaction?

A) Directive advice

B) Patient-centered interviewing

C) Paternalistic approach

D) Closed-ended questions

A 60-year-old male undergoing cancer treatment expresses a wish to discontinue chemotherapy due to severe side effects. His oncologist, who believes the treatment offers the best chance for recovery, feels conflicted. Which ethical principle should guide the physician's actions?

A) Autonomy

B) Beneficence

C) Non-maleficence

D) Justice

A 60-year-old male undergoing cancer treatment expresses a wish to discontinue chemotherapy due to severe side effects. His oncologist, who believes the treatment offers the best chance for recovery, feels conflicted. Which ethical principle should guide the physician's actions?

A) Autonomy

B) Beneficence

C) Non-maleficence

D) Justice

A 5-year-old boy is brought to the pediatrician by his mother, who is concerned that he still engages in “make-believe play.” What stage of Piaget’s cognitive development is he most likely in?

A) Sensorimotor

B) Preoperational

C) Concrete operational

D) Formal operational

A 5-year-old boy is brought to the pediatrician by his mother, who is concerned that he still engages in “make-believe play.” What stage of Piaget’s cognitive development is he most likely in?

A) Sensorimotor

B) Preoperational

C) Concrete operational

D) Formal operational

A 16-year-old is struggling with body image issues and spends considerable time comparing herself to her peers. According to Erikson's psychosocial stages, what developmental conflict is she experiencing?

A) Trust vs. mistrust

B) Autonomy vs. shame and doubt

C) Industry vs. inferiority

D) Identity vs. role confusion

A 16-year-old is struggling with body image issues and spends considerable time comparing herself to her peers. According to Erikson's psychosocial stages, what developmental conflict is she experiencing?

A) Trust vs. mistrust

B) Autonomy vs. shame and doubt

C) Industry vs. inferiority

D) Identity vs. role confusion

A 29-year-old male with a fear of flying undergoes therapy where he is gradually exposed to images of airplanes, followed by sitting in a flight simulator. What type of therapy is being used?

A) Cognitive restructuring

B) Aversion therapy

C) Systematic desensitization

D) Flooding

A 29-year-old male with a fear of flying undergoes therapy where he is gradually exposed to images of airplanes, followed by sitting in a flight simulator. What type of therapy is being used?

A) Cognitive restructuring

B) Aversion therapy

C) Systematic desensitization

D) Flooding

A 35-year-old woman with alcohol dependence is treated with a medication that induces nausea and vomiting if she drinks alcohol. Which type of therapy is being utilized?

A) Systematic desensitization

B) Exposure therapy

C) Biofeedback

D) Aversion therapy

A 35-year-old woman with alcohol dependence is treated with a medication that induces nausea and vomiting if she drinks alcohol. Which type of therapy is being utilized?

A) Systematic desensitization

B) Exposure therapy

C) Biofeedback

D) Aversion therapy

A patient expresses fear and sadness about a recent cancer diagnosis. The physician responds, "I can see that this news is very overwhelming for you." Which empathetic skill is the physician demonstrating?

A) Understanding

B) Summarizing

C) Respecting

D) Supporting

A patient expresses fear and sadness about a recent cancer diagnosis. The physician responds, "I can see that this news is very overwhelming for you." Which empathetic skill is the physician demonstrating?

A) Understanding

B) Summarizing

C) Respecting

D) Supporting

A physician asks, "How has your back pain been affecting your ability to work?" This type of question is an example of:

A) Non-focusing open-ended skill

B) Focusing open-ended skill

C) Closed-ended question

D) Direct question

A physician asks, "How has your back pain been affecting your ability to work?" This type of question is an example of:

A) Non-focusing open-ended skill

B) Focusing open-ended skill

C) Closed-ended question

D) Direct question

A 23-year-old man comes to the emergency department reporting that “everyone at work is against me.” He appears anxious, fidgety, and has disorganized speech. Which part of the mental status examination would help assess his beliefs about his work environment?

A) Thought process

B) Mood

C) Insight and judgment

D) Thought content

A 23-year-old man comes to the emergency department reporting that “everyone at work is against me.” He appears anxious, fidgety, and has disorganized speech. Which part of the mental status examination would help assess his beliefs about his work environment?

A) Thought process

B) Mood

C) Insight and judgment

D) Thought content

A 40-year-old woman presents to her primary care physician with symptoms of fatigue, sadness, and insomnia. During the interview, she avoids eye contact, sighs frequently, and has a slumped posture. Which part of the mental status examination should be emphasized?

A) Motor behavior

B) Mood and affect

C) Thought content

D) Cognition

A 40-year-old woman presents to her primary care physician with symptoms of fatigue, sadness, and insomnia. During the interview, she avoids eye contact, sighs frequently, and has a slumped posture. Which part of the mental status examination should be emphasized?

A) Motor behavior

B) Mood and affect

C) Thought content

D) Cognition

A 70-year-old patient expresses that he does not want to be a “burden” and refuses a life-saving surgery. The physician is aware that the patient’s perspective is influenced by societal beliefs about aging. Which concept related to patient perspectives on illness and recovery does this illustrate?

A) Transference

B) Sick role

C) Countertransference

D) Cultural competence

A 70-year-old patient expresses that he does not want to be a “burden” and refuses a life-saving surgery. The physician is aware that the patient’s perspective is influenced by societal beliefs about aging. Which concept related to patient perspectives on illness and recovery does this illustrate?

A) Transference

B) Sick role

C) Countertransference

D) Cultural competence

A 15-year-old boy is brought to the doctor by his mother because she is worried that he does not seem upset after he was in a car accident that killed his friend. When the doctor asks the boy about the incident, he tells the doctor what happened without expressing any emotions. He is able to give an accurate report of the accident. Which of the following defense mechanisms is this boy most likely utilizing?

A) Denial

B) Isolation of affect

C) Repression

D) Splitting

E) Displacement

A 15-year-old boy is brought to the doctor by his mother because she is worried that he does not seem upset after he was in a car accident that killed his friend. When the doctor asks the boy about the incident, he tells the doctor what happened without expressing any emotions. He is able to give an accurate report of the accident. Which of the following defense mechanisms is this boy most likely utilizing?

A) Denial

B) Isolation of affect

C) Repression

D) Splitting

E) Displacement

A 17-year-old girl is brought to a therapist by her parents because of behavioral problems. The therapist decides that it would be beneficial to have a family therapy session. The parents inform the therapist that their daughter is disrespectful and constantly fighting with them. The girl says that her parents are always in her space and she just wants to be left alone so she can watch television in her room. Whenever her parents annoy her too much she will roll her eyes and start to fight with them. Her parents get so frustrated and tired of fighting with her that they often send her to her room to get relief. Which of the following mechanisms of behavior will influence the parents to continue to send the girl to her room?

A) Positive reinforcement

B) Negative reinforcement

C) Positive punishment

D) Negative punishment

E) Habituation

A 17-year-old girl is brought to a therapist by her parents because of behavioral problems. The therapist decides that it would be beneficial to have a family therapy session. The parents inform the therapist that their daughter is disrespectful and constantly fighting with them. The girl says that her parents are always in her space and she just wants to be left alone so she can watch television in her room. Whenever her parents annoy her too much she will roll her eyes and start to fight with them. Her parents get so frustrated and tired of fighting with her that they often send her to her room to get relief. Which of the following mechanisms of behavior will influence the parents to continue to send the girl to her room?

A) Positive reinforcement

B) Negative reinforcement

C) Positive punishment

D) Negative punishment

E) Habituation

A 15-year-old girl comes to the physician because of anxiety after an incident in school 3 weeks ago. She was walking down the stairs when she tripped and fell. She was not hurt, but was very embarrassed that everyone saw her fall. Her heart began to race and she became short of breath. Since this incident, every time she tries to go down the stairs, her heart rate increases and she becomes short of breath. In terms of classical conditioning, going down the stairs after the incident would be considered which of the following?

A) Unconditioned stimulus

B) Unconditioned response

C) Neutral stimulus

D) Conditioned stimulus

E) Conditioned response

A 15-year-old girl comes to the physician because of anxiety after an incident in school 3 weeks ago. She was walking down the stairs when she tripped and fell. She was not hurt, but was very embarrassed that everyone saw her fall. Her heart began to race and she became short of breath. Since this incident, every time she tries to go down the stairs, her heart rate increases and she becomes short of breath. In terms of classical conditioning, going down the stairs after the incident would be considered which of the following?

A) Unconditioned stimulus

B) Unconditioned response

C) Neutral stimulus

D) Conditioned stimulus

E) Conditioned response

A 17-year-old boy is scheduled for court-mandated therapy due to his recent participation in vigilante justice that left two innocent bystanders seriously injured. He mentions that he runs away from home often to escape an abusive father and usually finds himself in fights and other troubles despite his hatred of violence. He has a history of skipping school and acting out in class. The therapist believes that these manifestations are due to a conflict between unconscious violent motives and the moral beliefs he holds. Which of the following therapies would most likely address this conflict?

- A) Psychoanalytic Therapy
- B) Family Therapy
- C) Mindfulness-Based Therapy
- D) Rational Emotive Therapy
- E) Cognitive-Behavioral Therapy

A 17-year-old boy is scheduled for court-mandated therapy due to his recent participation in vigilante justice that left two innocent bystanders seriously injured. He mentions that he runs away from home often to escape an abusive father and usually finds himself in fights and other troubles despite his hatred of violence. He has a history of skipping school and acting out in class. The therapist believes that these manifestations are due to a conflict between unconscious violent motives and the moral beliefs he holds. Which of the following therapies would most likely address this conflict?

A) Psychoanalytic Therapy

B) Family Therapy

C) Mindfulness-Based Therapy

D) Rational Emotive Therapy

E) Cognitive-Behavioral Therapy

A 38-year-old woman comes to the physician for a routine examination. She is a lawyer and states that she enjoys the income but feels as if she could be doing more for people. She wakes up the next morning and decides to pursue a career in medicine. According to Erikson's stages of psychosocial development, which stage is this woman modeling?

A) Wisdom

B) Care

C) Love

D) Fidelity

E) Competence

A 38-year-old woman comes to the physician for a routine examination. She is a lawyer and states that she enjoys the income but feels as if she could be doing more for people. She wakes up the next morning and decides to pursue a career in medicine. According to Erikson's stages of psychosocial development, which stage is this woman modeling?


A) Wisdom

B) Care

C) Love

D) Fidelity

E) Competence



THANK YOU!

Email: hoza@sgu.edu