
BPM2_NB_ESOFT QUIZ 8_S2026

of Questions: 30

Question #: 1

A 68-year-old man comes to the physician because of a 2-year history of slowly worsening vision. He now finds himself squinting to read menus when he goes out to dinner and recently misread the directions on a medication bottle causing him to put ear drops into his eyes. Physical examination shows normal appearing eyes. Which of the following diagnoses is most likely in this patient?

- A. Hyperopia
- B. Astigmatism
- C. Presbyopia
- D. Myopia
- E. Cataract

Item Description: ESoft.quiz.BEHS.0021.HD3_over 65_presbyopia

Question #: 2

A 40-year-old man comes to the physician because of chronic anxiety. He is unmarried and works full-time as a physician assistant. He constantly worries about his future and struggles to find compromises. He feels he is running out of time to reach his life goals. He has no history of psychiatric symptoms and denies negative childhood experiences. Which of the following stages of Erikson's psychosocial development most likely applies to this man?

- A. Generativity vs stagnation
- B. Intimacy vs isolation
- C. Identity vs role confusion
- D. Industry vs inferiority
- E. Shame vs doubt

Item Description: ESoft.quiz.BEHS.0010.HD3_Erikson stages_generativity vs stagnation

Question #: 3

A boy is born with a large swelling of the proximal end of his umbilical cord. Physical examination of the swelling shows coils of small bowel in a membranous sac. Which of the following best describes the baby's condition?

- A. Omphalocele
- B. Umbilical hernia
- C. Gastroschisis
- D. Ileal diverticulum
- E. Omphaloenteric fistula

Item Description: A boy is born with a

Question #: 4

A 73-year-old man is evaluated for loss of general sensation on the left half his tongue anterior to the terminal sulcus following surgery to resect a tumor in the oral cavity near the posterior aspect of the body of the mandible. Which of the following best describes the development of this part of the tongue?

- A. Lateral lingual swelling of the first arch
- B. Medial lingual swelling of the first arch
- C. Copula of the second arch
- D. Hypopharyngeal eminence of the third arch
- E. Hypopharyngeal eminence of the fourth arch

Item Description: A 73-year-old man is

Question #: 5

A 21-year-old man comes to the physician because of excessive mouth dryness for the past 2-weeks. Physical examination shows white and thick nodules in the mucosa of cheek and floor of the oral cavity. Also parotid duct is blocked by the nodules. Which of the following structures, responsible for mouth dryness is most likely innervated by?

- A. Otic ganglion
- B. Ciliary ganglion
- C. Pterygopalatine ganglion
- D. Sympathetic ganglion

Item Description: Otic ganglion

Question #: 6

A 3-year-old boy is brought to the physician by his father because of a 2-month history of behavioral changes since the death of his mother. He used to enjoy going to preschool but now cries and clings to his father when he drops him off in the morning. The physician explains that the child is adjusting his existing schema about the world -- that people he loves and trusts can disappear -- which is making it hard for him to trust that his father will return to the preschool to pick him up each day. Which of the following terms best describes this process of creating a new cognitive schema?

- A. Object permanence
- B. Conservation
- C. Compensation
- D. Assimilation
- E. Accommodation

Item Description: ESoft.quiz.BEHS.0007.HD1_Piaget_cognitive_accomodation

Question #: 7

An 18-year-old man is brought to the emergency department 2 hours after a motor vehicular accident. He was speeding along the highway after drinking lots of alcoholic beverages and crashed into a guard rail. He says his mood is low after a recent break-up from a long-term relationship. He has a 5-year history of major depressive disorder and is currently on medication. Physical examination is unremarkable. His blood alcohol level is above the legal limit for driving. Which of the following health conditions is most likely a leading cause of death in this patient?

- A. Cancer
- B. Heart disease
- C. Lower respiratory illness
- D. Suicide
- E. Liver disease

Item Description: ESoft.quiz.BEHS.0017.HD2_death causes_adolescents

Question #: 8

A 56-year-old man is brought to the emergency department by his wife because of a 1-day history of erratic behavior. He has a 30-year history of chronic alcohol abuse. He is diagnosed with severe cirrhosis leading to hepatic encephalopathy. Laboratory studies show hyperammonemia. Which of the following additional laboratory findings is most likely in this patient?

- A. Elevated glycine
- B. Elevated serum albumin
- C. Elevated serum glutamine
- D. Elevated blood urea nitrogen (BUN)
- E. Elevated serum methylmalonate

Item Description: QUIZ-Hepatic encephalopathy

Question #: 9

A 2-month-old boy is brought to the emergency department by his parents because of a 1-day history of seizures. Laboratory studies show hyperammonemia and high blood levels of argininosuccinate, glutamine, and citrulline. Which of the following is the most likely diagnosis?

- A. N-acetylglutamate synthetase deficiency
- B. Ornithine transcarbamylase deficiency
- C. Argininosuccinate synthetase deficiency
- D. Argininosuccinate lyase deficiency
- E. Carbamoyl phosphate synthase-I deficiency
- F. Arginase deficiency

Item Description: BCHM.MB.2002; Urea - ASL defi

Question #: 10

A 4-month-old girl is brought to the physician by her parents because of failure to thrive. Physical examination shows coarse facial features, bilateral hip dislocation and restricted joint mobility. Laboratory tests show a 10-fold increase in iduronate sulfatase and β -hexosaminidase activity in the blood. However, there is no activity of these enzymes in cultured fibroblasts. Laboratory studies show a defect in sorting enzymes to the lysosomes. Which of the following is the most likely diagnosis?

- A. I-cell disease
- B. Tay-Sachs disease

- C. Hurler syndrome
- D. Hunter syndrome
- E. Fabry disease
- F. Niemann-Pick disease

Item Description: Lysosomal storage diseases

Question #: 11

A 4-year-old boy is brought to the physician by his mother because of a 6-month history of bedwetting. He has been toilet trained since the age of 3 but started bedwetting again after the birth of his sibling. Which of the following defense mechanisms best explains his resumption of bedwetting?

- A. Acting out
- B. Displacement
- C. Regression
- D. Suppression
- E. Reaction formation

Item Description: Esoft.quiz.BEHS.0064.PT.psychotherapies_defense mechanisms_regression

Question #: 12

A 6-year-old boy is brought to the physician by his father because of a 1-week history of severe ear pain, fever, cough, and discharge from the left ear. He has a history of recurrent ear infections. His temperature is 40°C (104°F). An otoscopy of the left ear shows a perforation of the tympanic membrane, with a purulent discharge. Audiometry testing shows reduced hearing in the affected ear. The physician suspects a chronic otitis media due to a chronic tympanic membrane perforation. Which of the following regions of the ear is most likely affected based on the physician's suspicion?

- A. External
- B. Cochlear canal
- C. Vestibule
- D. Middle
- E. Semicircular canals


Item Description: HCB.1360 - Middle ear

Question #: 13

A 41-year-old man comes to the physician because of a 3-week history of visual changes in his right eye following an accidental electric current injury 4 weeks ago. A fundoscopic examination of the right eye shows blurring of the retinal vessels over areas of the retina, consistent with retinal detachment. Which of the following arrows in the attached photomicrograph best corresponds to the most likely area of injury leading to the examination findings?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5
- F. 6

Attachment:



attachment_for_itemid_342617.jpg

Item Description: HCB.1354 - Retinal detachment

Question #: 14

A 54-year-old woman comes to the physician because of a 1-week history of palpitations, and a 2-month history of lightheadedness and easy fatigability. She underwent gastric bypass (bariatric) surgery 2 years ago. As a complication of the surgery, a large number of eosinophilic cells usually found at the neck of the gastric glands are lost. Which of the following vitamins is most likely decreased as a result of the loss of these cells?

- A. E
- B. A
- C. C
- D. B12
- E. B9
- F. D
- G. K


Item Description: HCB.1215 - Cells of gastric mucosa - Parietal

Question #: 15

A 7-year-old boy is brought to the physician by his mother because of a 5-month history of rapid growth and the development of pubic hair. Physical examination shows signs of precocious puberty including development of the external genitalia and the presence of pubic and facial hair. An ultrasound of his right testis shows a 3-cm intratesticular mass. Laboratory studies show elevated testosterone levels. Which of the following cells in the attached photomicrograph is most likely responsible for the production of the elevated hormone levels observed in this case?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Attachment:



attachment_for_itemid_342614.jpg

Item Description: HCB.1091 - Function of Leydig cells

Question #: 16

A 58-year old man comes to the physician because of a 3-week history of shortness of breath, swollen feet, and chest discomfort. He has a 20-year history of chronic obstructive lung disease. His temperature is 37°C (98.6°F), pulse is 86/min, blood pressure is 126/83 mmHg, and respirations are 22/min. Physical examination shows jugular venous distention, pitting edema of the dorsum of feet, and tender hepatomegaly. ECG shows right axis deviation. Which of the following mechanisms best explains edema in this patient?

- A. Decreased oncotic pressure
- B. Impaired lymph drainage resulting in protein and fluid accumulation
- C. Increased pulmonary hydrostatic pressure secondary to left heart failure
- D. Decreased capillary hydrostatic pressure secondary to right ventricular failure
- E. Increased central venous pressures secondary to right ventricular failure

Item Description: PHYS.0180. Heart failure Basis of edema

Question #: 17

A 67-year-old woman comes to the physician because of a 2-week history of back pain and weakness.

She was diagnosed with breast cancer 6 months ago. Her vital signs are within normal limits. Laboratory studies show elevated plasma calcium levels. Radiographic imaging indicates lytic lesions in the body of the lumbar vertebrae and pelvis. Which of the following combination of plasma PTH and phosphate (PO₄) is most likely in this patient?

Option	Plasma PTH	Plasma PO ₄
A	Increase	No change
B	Increase	Decrease
C	Decrease	Increase
D	No change	Decrease
E	Decrease	Decrease

- A. A
- B. B
- C. C
- D. D
- E. E

Item Description: PHYS.1063. Effect of hypercalcemia on plasma PTH and PO₄

Question #: 18

A 76-year-old man comes to the physician because of a 1-month history of fecal incontinence. He says he is not able to hold his bowel and stool leaks from his rectum without warning. He does not experience urge to defecate. He has a 26-year history of type 2 diabetes mellitus. His vital signs are within normal limits. Physical examination shows no abnormalities. He is suspected of having defective functioning of the nerves supplying to the rectum and anal sphincters. Which of the following stimuli most likely initiates normal defecation reflex?

- A. Stimulation of the sympathetic nerves
- B. Distension of the rectum
- C. Distension of the stomach
- D. Stimulation of the sacral anterior horn cells
- E. Stimulation of the lumbar anterior horn cells

Item Description: PHYS.1116. Defecation reflex

Question #: 19

A 28-year-old woman comes to the physician for a routine examination. She is married for 2 years and wishes to have a child. Menses occur at regular 28-day intervals. She is not using any form of contraception. Her vital signs are within normal limits. Physical examination shows no abnormalities.

Laboratory studies show normal levels of pituitary and ovarian hormones. She is currently on the 11th day of her menstrual cycle. Which of the following findings is most likely in her during this stage of the cycle?

- A. Low plasma estrogen
- B. Elevated basal body temperature
- C. Thin cervical mucus
- D. High plasma progesterone
- E. Increased endometrial glandular secretions

Item Description: PHYS.1080. Changes during the menstrual cycle

Question #: 20

A 24-year-old man comes to the physician because he requires follow-up care as part of a 1-year history of traumatic bilateral sectioning of the mid-thoracic spinal cord. Which of the following urinary patterns is most likely?

- A. Periods of nocturia
- B. Reflexive
- C. Voluntary
- D. Continuous dribbling
- E. Retention

Item Description: SOM.MK.I.BPM2.4.NB.2.NSCI.0280 Automatic and atonic bladder

Question #: 21

A 46-year-old man comes to the physician because of a 3-month history of unexplained loss of appetite and body weight. Physical examination shows a decrease of 6kg since his physical examination of last year. Which of the following nuclei is most likely expressing relative underactivity?

- A. Ventral lateral nucleus of the thalamus
- B. Dorsomedial nucleus of the thalamus
- C. Ventromedial nucleus of the hypothalamus
- D. Lateral nucleus of the hypothalamus
- E. Periventricular nucleus of the hypothalamus
- F. Mammillary bodies

Item Description: SOM.MK.1.BPM2.1.NB.1.NSCI.0281 Feeding body weight

Question #: 22

A 24-year-old man comes to the physician because of 2-hour history of restlessness and anxiety. He says that he has been anxious about an upcoming work-related presentation. His blood pressure is 150/92 mmHg, and his pulse is 100/min. He has cold clammy skin, and he sweats profusely. Which of the following structures is most likely overstimulating the HPA axis?

- A. Cingulate gyrus
- B. Frontal lobe
- C. Hippocampus
- D. Pineal
- E. Amygdala

Item Description: SOM.MK.I.BPM2.1.NB.1.NSCI.0274 Amygdala and HPA axis

Question #: 23

An 46-year-old man comes to the physician because of a 4-day history of fever and emotional outbursts. His body temperature is 38.9 C (102.0 F). Laboratory studies are negative for pathogenic infection. Imaging studies show a tumor of the brain. Which of the following structures is most likely lesioned, leading to thermic dysregulation?

- A. Thalamus
- B. Epithalamus
- C. Subthalamus
- D. Hypothalamus
- E. Amygdala
- F. Piriform cortex

Item Description: SOM.MK.I.BPM2.1.NB.1.NSCI.0275 Hypothalamus central control unit

Question #: 24

A 27-year-old man comes to the physician because of a 4-month history of fatigue and decreased libido. Neurological examination shows a bitemporal hemianopia. Which of the following hormones is most likely failing to reach the anterior pituitary, thereby explaining the loss of libido?

- A. Gonadotropin-releasing hormone

- B. Testosterone
- C. Luteinizing hormone
- D. Follicle stimulating hormone
- E. Epinephrine
- F. Antidiuretic hormone

Item Description: SOM.MK.I.BPM2.1.NB.1.NSCI.0278 Hypothalamus-pituitary

Question #: 25

A 46-year-old man comes to the physician because of a 12-hour history of weakness of the legs. A nerve conduction velocity study shows that the weakness is probably unrelated to demyelination. Which of the following motor nerve conduction velocities is most likely observed in this patient?

- A. .055 - .06 m/s
- B. 55 - 60 m/s
- C. 550 - 600 m/s
- D. 5500 - 6000 m/s
- E. 55000 - 60000 m/s


Item Description: SOM.MK.I.BPM2.1.NB.1.NSCI.0181 Nerve conduction velocity principles

Question #: 26

A 44-year-old man comes to the physician because of a 4-month history of worsening right-sided hearing loss. Neurological examination shows right facial palsy and right sensorineural deafness. He also shows gait disturbance. Imaging studies show a lesion affecting the structure indicated by C in the attached figure. Which of the following outcomes is most likely?

- A. Persistent leftward deviation of the eyes
- B. Persistent rightward deviation of the eyes
- C. Constriction of the left pupil
- D. Constriction of the right pupil
- E. Dilation of the left pupil
- F. Dilation of the right pupil
- G. Left nystagmus
- H. Right nystagmus

Attachment:



attachment_for_itemid_345402.jpg

Item Description: SOM.MK.II.BPM2.1.NB.4.NSCI.0253 Nystragmus

Question #: 27

A 1-year-old girl of immigrant parents is brought to the emergency department because of a tonic-clonic seizure. Her mother says the child's urine has an unusual odor. She had an uncomplicated vaginal delivery at 37-weeks gestation. She is exclusively formula fed and she has not been feeding well. Her weight and height are at 30th percentile, and head circumference is at 2nd percentile. Physical examination shows areas of skin and hair hypopigmentation. Neurological examination shows hypotonia in both upper and lower limbs. She is placed on a special phenylalanine-restricted diet with tyrosine supplementation. Several months later, on regular follow up she is found to have progressive neurologic deterioration. Laboratory findings show elevated prolactin. Which of the following supplementations is most likely prescribed to this patient?

- A. Vitamin B12
- B. Pyridoxine (vitamin B6)
- C. Tetrahydrobiopterin
- D. Thiamine (vitamin B1)
- E. Pantothenic acid
- F. Folate (vitamin B9)

Item Description: PKU-II

Question #: 28

A 37-year-old man presents to the physician with a chief complaint of experiencing difficulty in chewing and biting food for the past four months. He has also observed a weight gain of 10 kilograms. His blood pressure measures at 150/94 mm Hg, while all other vital signs fall within normal ranges. Upon physical examination, the patient displays notable features such as frontal bossing, maxillary prominence, and a protruded mandible. The patient has undergone surgery to remove a pituitary tumor, but this procedure resulted in lesion to the posterior hypothalamus on both sides. What is the likely consequence of this hypothalamic lesion in this patient?

- A. Hypothermia
- B. Obesity
- C. Disruption of the sleep–wake cycle
- D. Memory problem
- E. Dysregulation of water balance
- F. Hyperthermia

Item Description: Hypothalamus and body temperature

Question #: 29

A 67-year-old comatose woman in the intensive care unit undergoes caloric testing. When cold water is injected into the left ear, both eyes turn to the left, and then slowly drift back into mid-position. When cold water is injected into the right ear, the right eye turns to the right, but the left eye stays in mid-position. After a while, the right eye drifts back into mid-position. The brainstem lesion is most likely located between which of the following structures?

- A. Left cerebral cortex / thalamus

- B. Right cerebral cortex / thalamus
- C. Left thalamus / midbrain
- D. Right thalamus / midbrain
- E. Left midbrain / pons
- F. Right midbrain / pons
- G. Left pons / medulla
- H. Right pons / medulla

Item Description: NSCI.0252 Caloric testing and MLF lesion

Question #: 30

A 55-year-old man come to the physician because of subacute intensity of sound volume in his left ear in comparison to his right ear, for past 2 weeks. Diagnosis of left mandibular nerve schwannoma in the infratemporal fossa is made. Which structure will most likely be effected ?

- A. Tensor tympani
- B. Stapedius
- C. Anterior auricular
- D. Posterior auricular

Item Description: A 55-year-old man co