

DM IMCQ 3

F2017

Dr. G. Walcott-Bedeau

gwalcott@sgu.edu

1.EXAM: A 56-year old obese man comes to the doctor because of a 6-month history dysphasia, GI discomfort and a nonspecific feeling of pressure on his chest. He is known to have been taking antacids for almost 20-years and refuses to quit smoking. Gastroendoscopy studies show findings indicate ulceration, stricture and columnar cellular morphology with goblet cells.

Which of the following conditions would best fits this description?

- A. Achalasia
- B. Barrett's esophagus
- C. Gastritis
- D. Gastroesophageal reflux
- E. Esophageal spasm

2.EXAM: A 70-year old woman comes to the doctor because of a 2-week history of tiredness and fatigue. She has recently undergone a gastrectomy because of Zollinger – Ellison syndrome. Physical examination shows no abnormalities. Laboratory studies show megaloblastic macrocytic anemia. She is given a prescription for intramuscular Cobalamin.

This deficiency replacement therapy is most likely as a result of the absence of which of the following cell types?

- A. Chief
- B. G
- C. Goblet
- D. Mucous neck
- E. Parietal

3.EXAM: A 54-year-old man comes to the Emergency room because of a 5-month history of intermittent upper abdominal pain accompanied by nausea. He denies any hematemesis. Physical examination shows no abnormalities. Stool sample studies shows positive occult blood. Gastroendoscopy with gastric biopsy is performed. Microscopic examination shows acute and chronic mucosal inflammation along with the presence of *Helicobacter pylori* organisms.

Which of the following changes is most likely to be associated with the presence of this organism?

- A. Atrophic gastritis
- B. Development of pernicious anemia
- C. Esophageal metaplasia
- D. Mucosal invasion with septicemia

4. EXAM: A 16-year old boy presents to the emergency room after he became concerned with milk regurgitating through his nose at breakfast. He also complains of difficulty swallowing. The doctor notices that that air escapes through the patients nose when he speaks. Manometry reports confirm absent primary peristaltic contractions of the pharynx and esophagus, but present secondary peristalsis of the lower esophagus, occurs on distension of the esophageal body.

Which of the following locations would you most likely expect to find a lesion that would be associated with the clinical findings?

- A. Cortical region of the brain
- B. Cricopharyngeal muscle
- C. Enteric nerves.
- D. Nucleus ambiguus of the vagus
- E. Pharyngeal muscle.

5. EXAM: A 56-year-old woman with a history of small bowel carcinoma presents to the surgical ward for consult. She complains of feeling fatigued and weak. Review of her surgical procedure chart indicates “resection of the duodenum and upper jejunum removed due to carcinoma”. The physician advises that the patient will have to receive replacement treatment.

A deficiency of which of the following substances is most likely an associated post operation complication in this patient?

- A. Bile acids
- B. Iron
- C. Vitamin B12
- D. Protein

6. EXAM: A 38-year-old woman presents to her physician complaining of colicky abdominal pains, primarily in the right upper quadrant. She notes that these pains are particularly pronounced after eating burger and french fries, to which she is very partial. Although the pain has become more frequent over the last few months, her past medical history is insignificant. Her obstetric history confirms five pregnancies with four live births.

Which of the following hormones is most likely associated with the increase in her symptoms after a meal?

- A. Cholecystokinin
- B. Gastrin
- C. Motilin
- D. Pepsin
- E. Secretin

7. EXAM: Vagal stimulation plays an essential role during the cephalic and gastric phase of secretion .

Vagal stimulation tends to cause which of the following changes in the release of gastric releasing peptide (GRP) and somatostatin?

	GRP	Somatostatin
A.	↑	↓
B.	↑	↑
C.	↓	↓
D.	↓	↑
E.	↔	↓

8. EXAM: A 42-year-old man with alcoholism presents to the Emergency Room with epigastric abdominal pain associated with nausea and vomiting. He is diagnosed with acute pancreatitis.

Which of the following best describes pancreatic function? .

- A. Secretin inhibits HCO_3^- secretion from the pancreas
- B. Pancreatic lipase converts triglycerides to monoglycerides and free fatty acids
- C. Serum amylase would be decreased in this patient
- D. Serum lipase would be decreased in this patient
- E. Hypertriglyceridemia is not associated with pancreatitis

Answer key:

- 1. B
- 2. E
- 3. A
- 4. D

- 5. B
- 6. A
- 7. A
- 8. B

