Field	Value
Document No.	QF-028
Title	Measurement Equipment List
Revision	C
Effective Date	2026-08-10
Prepared By	Owner
Approved By	Jacob Honick, Owner
Revision Approval Date	2026-11-05
Next Review	2027-08-10

QF-028 Measurement Equipment List

Last Updated: 2026-08-10 **Inventory:** 22 instruments and sets **Calibration:** In-house; last calibrated 2026-11-01; interval 12 months; next due 2027-11-01.

A dash (-) indicates information not recorded. Customer-specific requirements take precedence.

Identifier convention

Each instrument or listed set has a permanent ID: `TW-[TYPE]-[NNN]`. Serial numbers remain separate. Keep IDs unique, do not reuse retired IDs or renumber existing assets when adding equipment.

Type	Equipment group	Assigned IDs	Entries
MIC	Micrometers (outside, inside and specialty)	TW-MIC-001–010	10
CAL	Calipers	TW-CAL-001–002	2
IND	Indicators	TW-IND-001–004	4
DEP	Depth instruments	TW-DEP-001–002	2
BOR	Telescoping bore/transfer gage set	TW-BOR-001	1
GB	Gage block set	TW-GB-001	1
STD	Setting standard	TW-STD-001	1

Type	Equipment group	Assigned IDs	Entries
PIN	Gage pin set	TW-PIN-001	1

Identify tools with a durable non-damaging label, or identify the dedicated case where direct labeling is impractical. For sets, retain the parent ID and add stable member suffixes as individual pieces are inventoried or recorded, for example `TW-PIN-001-P001`; link that member to its actual size/marking. Maintain set-member identification where individual pieces are recorded.

The identifier convention links equipment to calibration records and status. Standard references provide guidance only; no certification or quality-standard compliance is claimed.

Actual equipment inventory

Asset ID	Manufacturer	Instrument	Model / catalog / identifier	Range	Resolution / graduation	Serial / identifying marking
TW-BOR-001	Mitutoyo	Telescoping bore gage set	155-905	8–150 mm	N/A (transfer gages)	-
TW-CAL-001	Mitutoyo	Digital caliper	500-752-20 / CD-P6″S	0–6 in	-	B20111449
TW-CAL-002	Mitutoyo	Digital caliper	500-753-20 / CD-P8″S	0–200 mm	-	B22309263
TW-DEP-001	Mitutoyo	Depth micrometer	-	-	0.001 in (face marking)	106988
TW-DEP-002	Enco	Dial depth gage	615-6130	0–10 in (dial)	0.001 in	-
TW-GB-001	JIT	Steel gage block set, Federal Grade B	-	0.100–4.000 in	N/A	11997
TW-IND-001	Starrett	Indicator	708A	-	0.0001 in	-
TW-IND-002	Mitutoyo	Indicator	2424-1	-	-	-
TW-IND-003	Starrett	Indicator	25-441	-	0.001 in	-
TW-IND-004	Interapid	Indicator	74.111372	-	0.0001 in	-

Asset ID	Manufacturer	Instrument	Model / catalog / identifier	Range	Resolution / graduation	Serial / identifying marking
TW-MIC-001	MG	Outside micrometer	-	5–6 in	-	-
TW-MIC-002	Mitutoyo	Digital outside micrometer	293-185-30	0–1 in	0.00005 in	74158718
TW-MIC-003	Brown & Sharpe	Thread micrometer	210-1	0–1 in	-	-
TW-MIC-004	Starrett	Anvil micrometer	220	-	-	-
TW-MIC-005	Brown & Sharpe	Thread micrometer	-	1–2 in	-	-
TW-MIC-006	Mitutoyo	Inside micrometer	145-193	-	-	-
TW-MIC-007	Starrett	Outside micrometer	436	1–2 in	-	-
TW-MIC-008	Mitutoyo	Blade micrometer	122-125-10	1–2 in	-	71303721
TW-MIC-009	JIT	Outside micrometer	-	2–3 in	-	-
TW-MIC-010	Starrett	Outside micrometer	226	3–4 in	-	-
TW-PIN-001	Meyer Gage	Gage pin set	M-1	0.061–0.250 in	0.001 in increments; Class ZZ minus	-
TW-STD-001	Brown & Sharpe	Micrometer setting standard	-	1 in nominal	N/A	-

Calibration status and scheduling

All listed instruments and sets are calibrated in-house on a 12-month interval. Maintain calibration records under QP-010 and QF-020. Apply additional customer requirements where specified.

Asset ID	Provider	Last calibration	Recorded status	Recall interval	Next due
TW-BOR-001	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-CAL-001	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-CAL-002	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-DEP-001	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-DEP-002	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-GB-001	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-IND-001	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-IND-002	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-IND-003	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-IND-004	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-MIC-001	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-MIC-002	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-MIC-003	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-MIC-004	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-MIC-005	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-MIC-006	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-MIC-007	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-MIC-008	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-MIC-009	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-MIC-010	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-PIN-001	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01
TW-STD-001	In-house	2026-11-01	In-house calibrated	12 months	2027-11-01

Equipment notes

- TW-GB-001: reference temperature marked 20 °C.
- TW-PIN-001: Meyer Gage M-1, 0.061–0.250 in, Class ZZ minus, 0.001 in increments.

Maintenance and use

QF-028 is the inventory source for QF-030. Keep both synchronized by permanent asset ID. QF-020 records calibration events. Record actual check results in QF-020 or linked equipment/job records as available. The calibration interval is 12 months for all entries: last calibration 2026-11-01, next due 2027-11-01. Review intervals under QP-010 for use, condition, history and customer requirements; a shorter applicable customer interval takes precedence.

Maintain equipment identification, specifications and set-member records as information is recorded. Select equipment suitable for each actual drawing tolerance. Customer-required certified/traceable/accredited calibration and methods take precedence. Withdraw damaged, unreliable or overdue instruments and assess affected product under QF-033.

References: QP-010; QF-020; QF-030; QF-033.

Revision history

Rev	Date	Description	Approved By
A	2026-08-07	Initial example template	Shop Owner (historical)
B	2026-11-05	Actual equipment inventory, grouped IDs, in-house calibration, annual recall and Class ZZ minus pins in 0.001 in increments; approved release	Jacob Honick, Owner

Revision C Approval

Approved 2026-11-05 by Jacob Honick, Owner. Standardize control metadata and annual review, remove fixed page counts and align applicable references and wording.