Supplier Self-Survey Questionnaire

Company Profile

Company Name:	Torchworx LLC					Date:	11/05/2026
Address:	1721 63rd ST SE						
City:	Everett	State:	WA	Zip:	98203		

Please list all locations that may process Systima orders. Additional spaces are provided on the "Additional Locations" sheet.

Phone Number:	614-670-3079			Fax:	N/A		
Contact Name:	Jacob Honick			Title:	Owner / Sole Operator		
Completed By:	Jacob Honick	Title:	Owner			E-mail:	torchworxjacob@gmail.com
Website Address:	N/A						
Number of Employees:	Admin: 0	Engr:	0	QA:	0	Prod:	0

1 owner/operator; no employees

Please type or handwrite your answer

Is this a foreign-owned business?	NO	**Are all employees US Persons?**	YES - owner is a US citizen
ITAR Registered?	NO	If you answered "**NO**" above, you must submit an exposure mitigation procedure, or equivalent.	
ITAR Registration Expiration Date:	N/A - Not registered		
ITAR Compliant? (if not registered)	NO ITAR compliance is not claimed.	ITAR compliance is having a process to ensure that ITAR products and data will not be exposed to foreign nationals or exported to foreign countries. ITAR data and products can only be handled by US citizens or US Persons (Green Card holders).	

Scope of Services:	CNC milling, CNC turning and manual milling of metallic or non-metallic parts to customer drawings; inspection, identification, packaging and shipping.

Management Organization:	Name:	Jacob Honick	Position:	Owner / all functions
	Name:	N/A - no other personnel	Position:	N/A
	Name:	N/A - no other personnel	Position:	N/A
	Name:	N/A - no other personnel	Position:	N/A

Systima's Quality Policy

Systima Technologies aims to exceed our customer expectations by proactively achieving a higher standard of quality, responsiveness and value throughout engineering, development, test, production and customer service. Systima achieves this policy through continuous improvement activities; by managing risk to Systima, our customers and the end users; and by motivating and empowering our employees through training, communication, and leadership roles in challenging and innovative technologies.

Does your company agree to support this philosophy?	YES	X	NO	

Systima Technologies, INC.
INNOVATION FOR ADVANCED TECHNOLOGIES

Supplier Self-Survey Questionnaire

	Questions						
1	Is your company compliant with cybersecurity DFARS 252.204-7012? If yes, please show objective evidence that you have completed a self-attestation against the 110 controls defined within National Institute of Standards and Technology Special Publication (NIST SP 800-171).		YES	X	NO		NA
2	Does your company have a Plan of Action and Milestones (POAM) as part of your compliance with DFARS 252.204-7012?		YES	X	NO		NA
3	Does your company have a current assessment score in the DoD Supplier Performance Risk System (SPRS) in accordance with DFARS 252.204-7019 and DFARS 252.204-7020?		YES	X	NO		NA
4	Please select any of the following certifications your company holds (select all that applies): ***Please submit an electronic copy.***		AS9100		ISO 9001		OTHERS?
			ISO 17025		NADCAP	X	NONE OF THE ABOVE
5	If others was selected, please list other certifications your company holds and ***submit an electronic copy:***	N/A - No other certifications held.					
If you selected AS9100 or ISO 9001 for #4, please do not proceed any further with questionnaire, and supply a copy of your cert along with completed profile answers.							
6a	Please select any of the following your Quality System is compliant with:		AS9100		ISO 9001		OTHERS?
			ISO 17025		NADCAP	X	NONE OF THE ABOVE
6b	If others was selected, please list others your company is compliant with:	N/A - No other standard compliance claimed.					
6c	If you plan on certification in the future, please state type of certification with ECD (MM/DD/YYYY).	AS9100 / ISO 9001 are future goals only. No active certification project or ECD established.					
7a	Can your company provide a certificate of conformance statement certifying that delivered product meets the requirements of purchase order specifications signed by an authorized company representative?	X QM-001	YES		NO		NA
7b	Can your company provide material certs?	X QM-001	YES		NO		NA
8	Do you have a written quality manual and quality policy? ***Please submit an electronic copy.***	X QM-001	YES		NO		NA
9	Do you have an employee manual or equivalent, that specifically requires employees to comply with ethical behavior in the work place and the importance their contribution is to product safety and conformity?	X QM-001	YES		NO		NA
10	Do you have a system for the calibration and control of measuring and test equipment?	X QM-001	YES		NO		NA
11	Do you have a process for the selection, approval, and control of suppliers?	X QM-001	YES		NO		NA
12	Do you have a process for the review, approval, and verification of purchase orders going to your suppliers?	X QM-001	YES		NO		NA
13	Do you have a process for the review, approval, and acceptance of purchase orders and purchase order changes from your customers?	X QM-001	YES		NO		NA
14a	Do you have a written document control process/procedure?	X QM-001	YES		NO		NA
14b	If yes, please provide Doc#.	QM-001 Rev D, section 6.2; QP-001 Rev B.					
15a	Is there a written procedure for control, storage, preservation, and tracking of raw materials and finished goods?	X QM-001	YES		NO		NA

Supplier Self-Survey Questionnaire

15b	If yes, please provide Doc#.	QM-001 Rev D, sections 6.5 and 6.7; QP-020 Rev B.							
16a	Does your company perform sampling inspections per MIL-STD-1916, or a similar standard?			YES	×	NO		NA	
16b	If yes, and not MIL-STD-1916, please provide similar standard.	N/A - Full inspection by default. No sampling standard used. See QM-001 section 6.7.2.							
17	Are drawings and specifications supplied by customers controlled, checked against the purchase order, and made available to production and inspection personnel?	×	QM-001	YES		NO		NA	
18	Do you have a process for first part, in-process, and final inspection?	×	QM-001	YES		NO		NA	
19	Do you have a process for record maintenance, preservation, and retention of production tooling?	×	QM-001	YES		NO		NA	
20a	Do you have a written MRB process for the control of non-conforming product?	×	QM-001	YES		NO		NA	
20b	If yes, please provide Doc#.	QM-001 Rev D, section 6.8; QP-008 Rev B. No delegated customer MRB authority.							
21	Are inspection records kept and made available for review by Systima Quality Assurance personnel, Systima customers, and government agencies?	×	QM-001	YES		NO		NA	
22a	Does your company have a written procedure for the corrective/preventive action process?	×	QM-001	YES		NO		NA	
22b	If yes, please provide Doc#.	QM-001 Rev D, section 6.9; QP-009 Rev B; QP-014 Rev B.							

QMS REFERENCES AND RESPONSE CLARIFICATIONS

Quality Manual: QM-001 Rev D. The references below support the YES responses on pages 2 and 3. Standards are guidance only; no certification or standard compliance is claimed.

7a	Section 6.7.4; QP-007; QF-010. Owner signs CoCs only for verified conforming product.
7b	Sections 6.4.2-6.4.3 and 6.7.4. Required material certifications are retained and supplied.
8	Sections 3.1-3.2 and 6.2; companion quality policy QM-002 Rev C.
9	Sections 3.4-3.6. Written ethics/product-safety equivalent applies to the sole owner/operator.
10	Section 6.6; QP-010 Rev B. Known-good in-house checks; customer requirements govern.
11	Section 6.4.1; QP-003 Rev B. Explicit customer approval, individually or by accepted cert type.
12	Section 6.4.2; QP-003 Rev B. Applicable purchasing requirements and flowdowns reviewed.
13	Section 6.3; QP-002 Rev B. Customer orders and changes reviewed before acceptance.
14	Section 6.2; QP-001 Rev B. Documents, drawings and revisions are controlled.
15	Sections 6.5 and 6.7; QP-020 Rev B. Identification, traceability, storage and preservation.
16	Section 6.7.2. Full inspection is default; a different plan requires customer specification/approval.
17	Sections 6.2 and 6.3; QP-015 Rev B. Current drawings checked against orders and used by owner.
18	Section 6.7.2; QP-006 Rev B; QP-007 Rev B; WI-005/WI-006 Rev B.
19	Section 6.7.3 and section 6.10. Tool identification, condition, storage and records controlled.
20	Section 6.8; QP-008 Rev B. Owner may rework/scrap; repair or use-as-is needs customer approval.
21	Section 6.10. At least 10 years, or longest applicable period; access as the contract requires.
22	Section 6.9; QP-009 Rev B; QP-014 Rev B. Corrective action and preventive risk controls.

Owner confirmation: QMS controls are currently used and records retained. Supplied QMS references: QM-001 Rev D (Quality Manual) and QM-002 Rev C (Quality Policy). No quality-standard certification or compliance is claimed.

Systima Technologies, INC.
INNOVATION FOR ADVANCED TECHNOLOGIES

Supplier Self-Survey Questionnaire

Questions for Explosives Suppliers Only

23	Does supplier have an implemented explosive operations safety program?		YES		NO		NA
24	Is explosive operations safety program documented? (site plan, or similar document)		YES		NO		NA
25	Which DOT Class/Hazard-Divisions of explosives are stored, manufactured, or utilized on site? (DOT HD, 1.1, 1.3, 1.4 etc.)						
26	Which regulatory bodies does the explosive operations facility operate under?						
27	Have the BATF, WA L&I, or other explosives regulatory bodies performed evaluations of supplier's site?		YES		NO		NA
28	Is all relevant licensure in place from these regulatory bodies?		YES		NO		NA
29	Please list relevant license numbers.						
30	Has supplier received any corrective action prompts from DCMA, DoD, ATF, WA L&I, or any other regulatory body pertaining to explosive/energetic operations?		YES		NO		NA
31	If yes, how have corrective actions been addressed?						
32	If supplier is a manufacturer of explosives, does the quantity of materials generated meet the OSHA threshold for Process Safety Management (PSM) reporting?		YES		NO		NA
33	If yes, is there a PSM program instituted which is compliant with OSHA PSM standard, 29 CFR-1910.119?		YES		NO		NA
34	Is safety infrastructure in place, including:						
34a	Lightning protection infrastructure and/or program.		YES		NO		NA
34b	Regularly tested ESD safety ground infrastructure.		YES		NO		NA
34c	Building signage indicating explosive hazard.		YES		NO		NA
34d	Explosive operations area signage indicating Net Explosive Weight (NEW) limits and personnel limits for each area.		YES		NO		NA
34e	No smoking/fire/"hot-work" signage within 75 feet of all explosive operations areas.		YES		NO		NA
34f	Tested facility fire suppression system, and appropriate fire extinguisher placement.		YES		NO		NA
35	Are all site explosive operations areas (including storage) secure/protected, and checked regularly (weekly check for		YES		NO		NA
36	Are all organizational personnel trained to the appropriate level; including non-explosive operations personnel given awareness level explosive safety training, and explosive operations personnel given in-depth explosive operations training?		YES		NO		NA
37a	Is training documented?		YES		NO		NA
37b	If no, please explain.						
38	If explosive materials are transported, are all DOT requirements observed?		YES		NO		NA
39	Are contractual safety requirements flowed down to sub-tier suppliers?		YES		NO		NA

Supplier Self-Survey Questionnaire

Questions below for DoD contracts only

40	Has DCMA performed a site-survey within the last year?		YES		NO	X	NA
41	Do supplier explosives/energetic operations comply to Specification DoD 4145.26m?		YES		NO		NA
42	Is there a current written site plan compliant to DoD 4145.26m?		YES		NO		NA
43	Has site plan been submitted to DCMA without DCMA requiring further revisions to it?		YES		NO		NA
44	If no, please explain.						
45	Does site plan identify Quantity Distances (QD)?		YES		NO		NA
46	Does site plan include scale maps/drawings which describe Potential Explosion Sites (PES) and Exposed Sites (ES), and the distance measurements between them?		YES		NO		NA
47	Are Net Explosive Weight limits (NEW) and personnel limits noted on the site plan for each explosive operations area?		YES		NO		NA

Please add additional information if you like, that will enable us to better understand your business, your Quality Management System, and your capabilities:

Development/test machining only; no flight-critical work accepted under the current scope. Single shop only; one US-citizen owner/operator performs all functions.

No DoD work is or has been performed; no DCMA site survey. Questions 40-47 are not applicable. Explosives-only sections are left blank per the supplied instructions.

Not ITAR registered; ITAR compliance is not claimed. Owner follows QM-001 section 6.1 document controls. No ITAR-controlled work/data is accepted.

No NIST SP 800-171 assessment, POAM or SPRS score; no DFARS 252.204-7012 compliance claimed. No CUI orders accepted. No quality certifications/compliance claimed.

Systima Technologies, INC.
INNOVATION FOR ADVANCED TECHNOLOGIES

Additional Location #1

Company Name:							Date:		
Address:									
City:		State:		Zip:					
Number of Employees:	Admin:		Engr:		QA:		Prod:		
	Please type or handwrite your answer								
Is this a foreign-owned business?				**Are all employees US Persons?**					
ITAR Registered?				If you answered "**NO**" above, you must submit an exposure mitigation procedure, or equivalent.					
ITAR Registration Expiration:									
ITAR Compliant? (If not registered)				ITAR compliance is having a process to ensure that ITAR products and data will not be exposed to foreign nationals or exported to foreign countries. ITAR data and products can only be handled by US citizens or US Persons (Green Card holders).					
Scope of services:									

	Questions							
1	Is your Quality System certified to: ***Please submit an electronic copy of your certificate with the survey.***		AS9100		ISO 9001		OTHERS?	
			ISO 17025		NADCAP		NONE OF THE ABOVE	
2	If others was selected, please list other certifications:							
3	Is your site compliant with cybersecurity DFARS 252.204-7012? If yes, please show objective evidence that you have completed a self-attestation against the 110 controls defined within National Institute of Standards and Technology Special Publication (NIST SP 800-171).		YES		NO		NA	
4	Does your site have a Plan of Action and Milestones (POAM) as part of your compliance with DFARS 252.204-7012?		YES		NO		NA	
5	Does your company have a current assessment score in the DoD Supplier Performance Risk System (SPRS) in accordance with DFARS 252.204-7019 and DFARS 252.204-7020?		YES		NO		NA	

NOT USED - NO ADDITIONAL LOCATION

Only surveyed facility: 1721 63rd ST SE, Everett, WA 98203.
All applicable company and ITAR responses are on the main profile.

Systima Technologies, INC.
INNOVATION FOR ADVANCED TECHNOLOGIES

Additional Location #2

Company Name:							Date:		
Address:									
City:		State:		Zip:					
Number of Employees:	Admin:		Engr:		QA:		Prod:		
	Please type or handwrite your answer								
Is this a foreign-owned business?			**Are all employees US Persons?**						
ITAR Registered?			If you answered "**NO**" above, you must submit an exposure mitigation procedure, or equivalent.						
ITAR Registration Expiration:									
ITAR Compliant? (If not registered)			ITAR compliance is having a process to ensure that ITAR products and data will not be exposed to foreign nationals or exported to foreign countries. ITAR data and products can only be handled by US citizens or US Persons (Green Card holders).						
Scope of services:									

	Questions							
1	Is your Quality System certified to: ***Please submit an electronic copy of your certificate with the survey.***		AS9100		ISO 9001		OTHERS?	
			ISO 17025		NADCAP		NONE OF THE ABOVE	
2	If others was selected, please list other certifications:							
3	Is your site compliant with cybersecurity DFARS 252.204-7012? If yes, please show objective evidence that you have completed a self-attestation against the 110 controls defined within National Institute of Standards and Technology Special Publication (NIST SP 800-171).		YES		NO		NA	
4	Does your site have a Plan of Action and Milestones (POAM) as part of your compliance with DFARS 252.204-7012?		YES		NO		NA	
5	Does your company have a current assessment score in the DoD Supplier Performance Risk System (SPRS) in accordance with DFARS 252.204-7019 and DFARS 252.204-7020?		YES		NO		NA	

NOT USED - NO ADDITIONAL LOCATION

Only surveyed facility: 1721 63rd ST SE, Everett, WA 98203.
All applicable company and ITAR responses are on the main profile.