

(a) Reference: BoneMarrowMap
(118,509 real cells)
(b) Query: authors' labels
(8,627 cells)
(c) Query: viewmastR prediction
(reference labels)
(d) Prediction vs
authors' label
HSC
MPP-MyLy
MPP-MkEry
LMPP
Cycling Progenitor
MLP
MLP-II
CLP
Pre-ProB
Pro-B VDJ
Pro-B Cycling
Large Pre-B
Small Pre-B
Immature B
Mature B
Plasma Cell
Early GMP
GMP-Cycle
GMP-Neut
GMP-Mono
Early ProMono
Late ProMono
CD14 Mono
CD16 Mono
Pre-cDC
cDC1
cDC2
ASDC
Pre-pDC
Pre-pDC Cycling
pDC
EoBasoMast Precursor
MEP
Megakaryocyte Precursor
Megakaryocyte
BFU-E
CFU-E
Pro-Erythroblast
Basophilic Erythroblast
Polychromatic Erythroblast
Orthochromatic Erythroblast
CD4 Naive
CD4 Central Memory
CD4 Effector Memory
CD4 Regulatory
CD8 Naive
CD8 Central Memory
CD8 Effector Memory 1
CD8 Effector Memory 2
CD8 Tissue Resident Memory
T Proliferating
NK CD56high
NK
NK Proliferating
Stromal
HSC
HMP
CLP
preproB
proB
preB
NaiveB
MyeloidPre
MonoPre
Mono
cDC
pDC
MEP
Mega
MyEry
EryPre1
EryPre2
Ery
viewmastR prediction (reference label)
Query authors' label
Fraction of column
1.0
0.8
0.6
0.4
0.2
0.0
3,878 common genes used for transfer