






File Edit Selection View Go Run Terminal Help
Portfolio Building
Update
Explorer
Portfolio Building
Hello_World.c
Hello_World.cpp
Hello_World.zip
stack.cpp
Test.class
Test.java
test.py
Hello_World.c
Test.java
stack.cpp
test.py
Hello_World.cpp
stack.class
Hello_World.zip
Test.java > Test
1 public class Test {
Run | Debug
2 public static void main(String[] args) {
3 System.out.println("Hello World");
4 }
5
6 }
Problems
Output
Debug Console
Terminal
Ports
Spell Checker
Filter (e.g. text, !excludeText, t...
Code
[Running] cd "e:\3rd Semester\Portfolio Building\" && javac Test.java && java Test
Hello World
[Done] exited with code=0 in 1.98 seconds
Outline
Timeline
Java Projects
CodeTour
Launchpad
0 0
Live Share
Java: Ready
Ln 6, Col 2
Spaces: 4
UTF-8
CRLF
Java
Go Live
Continue (NE)
Prettier


File Edit Selection View Go Run Terminal Help
Portfolio Building
Update
Explorer
Portfolio Building
Hello_World.c
Hello_World.cpp
Hello_World.zip
stack.cpp
Test.class
Test.java
test.py
Hello_World.c
Test.java
stack.cpp
test.py
Hello_World.cpp
stack.class
Hello_World.zip
test.py
1 print("Hello World")
Problems Output Debug Console Terminal Ports Spell Checker
powershell
PS E:\3rd Semester\Portfolio Building> python test.py
Hello World
PS E:\3rd Semester\Portfolio Building>
Outline
Timeline
Java Projects
CodeTour
Launchpad
0 0
Live Share
Java: Ready
Ln 1, Col 21
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
Continue (NE)
Prettier
Search
ENG
IN
15:16
27-10-2026


File Edit Selection View Go Run Terminal Help
Portfolio Building
Update
Explorer
Portfolio Building
Hello_World.c
Hello_World.cpp
Hello_World.zip
sample.html
stack.cpp
Test.class
Test.java
test.py
Outline
Timeline
Java Projects
CodeTour
Hello_World.c
Test.java
stack.cpp
test.py
sample.html
Hello_World.cpp
stack.class
Hello_World.zip
sample.html > html > body > div.container > button
Text Editor
1
2 <!DOCTYPE html>
3 <html>
4 <head>
5 <title>Sample Page</title>
6 <style>
7 body{font-family:Arial,sans-serif;margin:20px;background-color: #f0f0f0;}
8 h1{color: blue;text-align:center;}
9 </style>
10 </head>
11 <body>
12 <h1>Welcome to Prettier</h1>
13
14 This is a sample HTML page for testing code formatting.
15
16 HTML Formatting
17 CSS Formatting
18 Clean Indentation
19
20 <button onclick="alert('Hello World!')">Click Me</button>
21
22 <script>
23 function greet(){console.log("Hello from Prettier!");}
24 greet();
25 </script>
26 </body>
27 </html>
28
Launchpad
0 0
Live Share
Java: Ready
Ln 20, Col 58
Spaces: 4
UTF-8
CRLF
HTML
Go Live
Continue (NE)
Prettier


File Edit Selection View Go Run Terminal Help
Portfolio Building
Update
Extensions: Marketplace
pret
Prettier - Code formatter 82ms
Code formatter using prettier
Prettier
Prettier ESLint 4.8M 4
A Visual Studio Extension to format...
Rebecca Vest
Install
Prettify JSON 2.9M 3
Visual Studio Code Prettify JSON Ex...
Mohsen Azimi
Install
Prettier SQL VSCode 3.6M 3
VSCode Extension to format SQL files
inferrinizzard
Install
Pretty TypeScript Err... 2.3M 5
Make TypeScript errors prettier and...
yoavbls
Install
Pretty Formatter 445K 3.5
Safe Twig and HTML formatting, wit...
mblode
Install
Pretty XML 420K 4.5
XML formatter extension for Visual ...
Prateek Mahendrakar
Install
Markdown Table Pre... 371K 5
Transforms markdown tables to be ...
Krisztian Daroczi
Install
Prettier-Standard - J... 412K 5
VS Code plugin for prettier + stand...
numso
Install
JSON Pretty Printer 153K 4.5
sample.html
Extension: Prettier - Code formatter
sample.html > html > head > style > h1
Text Editor
1 <!doctype html>
2 <html>
3 <head>
4 <title>Sample Page</title>
5 <style>
6 body {
7 font-family: Arial, sans-serif;
8 margin: 20px;
9 background-color: #f0f0f0;
10 }
11 h1 {
12 color: blue;
13 text-align: center;
14 }
15 </style>
16 </head>
17 <body>
18 <h1>Welcome to Prettier</h1>
19
20 This is a sample HTML page for testing code formatting.
21
22 HTML Formatting
23 CSS Formatting
24 Clean Indentation
25
26 <button onclick="alert('Hello World!')">Click Me</button>
27
28 <script>
29 function greet() {
30 console.log("Hello from Prettier!");
31 }
32 greet();
33 </script>
34 </body>
35 </html>
36
Launchpad
0 0
Live Share
Java: Ready
Ln 14, Col 8
Spaces: 4
UTF-8
CRLF
{ } HTML
Go Live
Continue (NE)
Prettier
Search
ENG
IN
15:22
27-10-2026


editor.ts .../common
TS preview.ts .../src
TS refactor.ts
TS customE
extensions > typescript-language-features > src > features > TS refactor.ts > ApplyRefactoringCommand
17 import * as fileSchemes from '../utils/fileSchemes';
18
19 const localize = nls.loadMessageBundle();
20
21
You, 5 months ago | 1 author (You)
22 class ApplyRefactoringCommand implements Command {
23 public static readonly ID = '_typescript.applyRefactoring';
24 public readonly id = ApplyRefactoringCommand.ID;
25
26 constructor(
27 private readonly client: ITypeScriptServiceClient,
28 private readonly telemetryReporter: TelemetryReporter
29) { }
30 You, 2 years ago • Use command manager for refactoring
31 public async execute(
32 document: vscode.TextDocument,
33 refactor: string,
34 action: string,
35 range: vscode.Range
36): Promise<boolean> {
37 const file = this.client.toOpenedFilePath(document);
38 if (!file) {
master
131 0
Sign in...
Live Share
mjbvz
UTF-8
LF
TypeScript
3.8.0-dev.20200124


LIVE SHARE
SESSION DETAILS
Participants (1)
Mr-Neffets • following you
Shared Terminals (2)
zsh (Read-only)
Python (Read/write)
Shared Servers (0)
Share server...
Comments (0)
Session chat (1 new)
p1_pokemon_battle.py M
Name:
Enter your python code below. Replace this line with a description.
print("Hello world")
print("Hello again")
print("Hello again again")
PROBLEMS
OUTPUT
TERMINAL
jacobsteffen@MSB-JSTEFFEN22 p1-pokemon-battle-prof_steffen_test % /usr/local/bin/python3 "/Users/jacobsteffen/Library/CloudStorage/Dropbox/Academic/BYU/Teaching/IS 303/Student Practice/p1-pokemon-battle-prof_steffen_test/p1_pokemon_battle.py"
Hello world
Hello again
Hello again again
jacobsteffen@MSB-JSTEFFEN22 p1-pokemon-battle-prof_steffen_test %
HELP
Following jacobsteffenBYU
Activate Windows