实验六.txt 实验六, Spring2后通知

```
AfterAdviceDemo
          l----tarena
                    |----spring-config.xml
加入Spring2Core包
加入Spring2AOP包
步骤一,
public interface IHello {
         public void hello(String name);
}
步骤二,
public class HelloSpeaker implements IHello {
         public void hello(String name) {
                   System.out.println("你好," + name);
         }
}
步骤三,
//日志切面
@Aspect
public class LogAspect {
         private Logger logger =
Logger.getLogger(this.getClass().getName());
          // 日志代码
         @Pointcut("execution(* tarena.IHello.*(..))")
```

```
实验六.txt
          private void logger() {
          @Before("logger()")
          public void before(JoinPoint joinPoint) {
                    System.out.println("日志开始");
          }
}
步骤四,
//日志切面
@Aspect
public class LogAspect {
          private Logger logger =
Logger.getLogger(this.getClass().getName());
          //日志代码
          @Pointcut("execution(* tarena.IHello.*(..))")
          private void logger(){}
          @AfterReturning(pointcut="logger()")
          public void afterReturning(JoinPoint joinPoint){
                    System.out.println("日志结束");
          }
}
步骤五,
public class Test {
          public static void main(String[] args) {
                    ApplicationContext context =
                               new
```

实验六.txt ClassPathXmlApplicationContext("tarena/spring-config.xml"); IHello proxy =

```
(IHello)context.getBean("HelloSpeaker");
proxy.hello("赵君");
}
```

步骤六, 你好,赵君 日志结束