


TITLE : PI5008K XS PERI R1.0


| No | HISTORY                     | VERSION | DATE       | Create/ Modify |
|----|-----------------------------|---------|------------|----------------|
| 1  | Preliminary version release | 1.0     | 2017.01.15 | Create         |
|    |                             |         |            |                |
|    |                             |         |            |                |
|    |                             |         |            |                |
|    |                             |         | ·          |                |
|    |                             |         |            |                |

| Γitle | PI5008 XS PERI R1.0 |  |  |     |
|-------|---------------------|--|--|-----|
|       |                     |  |  |     |
| Size  | Document Number     |  |  | Rev |
| A3    | 01.Title            |  |  | 1 1 |












## HDMI Connector




## Analog RGB (15-pin D-SUB Connector)







|            | PI5008 XS PERI R1.0                      |  |  |            |
|------------|--|--|--|------------|
| Size<br>A3 | Document Number<br>06.MDIN380(Connector) |  |  | Rev<br>1.0 |


## MICOM (MDIN Control)





2














C197

GND

4.7K(1005)

4.7K(1005)

GND

100nF(1005)

GND

100nF(1005)

GND

PI5008 XS PERI R1.0 Monday, February 06, 2017 Sheet

10uF(1005) 20pin\_2.54mm\_Box\_Header(T32)

GND

