

# Bitbucket cloud import repository

백도운


Exported on 10/04/2019

## Table of Contents

1 Repository Import .....	3
---------------------------	---

# 1 Repository Import

아래  아이콘을 클릭하여 Repository 생성을 진행합니다.



아래와 같이 제공된 Git URL을 입력하고 import 과정을 진행합니다.

## Import existing code

[Create new repository](#)

### Old repository

Source

Git

URL \*

https://git.osci.kr/scm/jbprj/samplejavaweb.git

☐ Requires authorization

### New repository

Repository name \*

samplejavaweb

Access level

☒ This is a private repository  
Uncheck to make this repository public. Public repositories typically contain open-source code and can be viewed by anyone.

Version control system

☒ Git  
☐ Mercurial

[Advanced settings](#)


Import repository

Cancel

아래와 같이 import 과정이 진행됩니다.

## Importing repository

We're getting things warm and cozy for your code.



```
13:32:11 git import for: https://git.osci.kr/scm/jbprj/samplejavaweb.git
13:32:11 Cloning https://git.osci.kr/scm/jbprj/samplejavaweb.git...
13:32:12 Cloning into bare repository 'mr100do/samplejavaweb'...

13:32:14 remote: Counting objects: 77, done.
13:32:14 remote: Compressing objects: 97% (41/42) remote: Compressing objects: 100% (42/42) remote: Compressing
objects: 100% (42/42), done.
13:32:14 remote: Total 77 (delta 6), reused 0 (delta 0)
```