

uNature

1.0

Generated by Doxygen 1.8.11

Contents

1	Namespace Index	1
1.1	Packages	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	7
3.1	Class List	7
4	Namespace Documentation	11
4.1	uNature Namespace Reference	11
4.2	uNature.Core Namespace Reference	11
4.3	uNature.Core.ClassExtensions Namespace Reference	11
4.4	uNature.Core.Collections Namespace Reference	12
4.5	uNature.Core.Editor Namespace Reference	12
4.6	uNature.Core.Editor.Helpers Namespace Reference	12
4.7	uNature.Core.Extensions Namespace Reference	12
4.8	uNature.Core.FoliageClasses Namespace Reference	13
4.9	uNature.Core.Math Namespace Reference	14
4.10	uNature.Core.Networking Namespace Reference	14
4.11	uNature.Core.Pooling Namespace Reference	14
4.12	uNature.Core.Sectors Namespace Reference	15
4.13	uNature.Core.Seekers Namespace Reference	15
4.14	uNature.Core.Settings Namespace Reference	15
4.14.1	Enumeration Type Documentation	16
4.14.1.1	UNSettingCategories	16
4.15	uNature.Core.Targets Namespace Reference	16
4.16	uNature.Core.Terrains Namespace Reference	16
4.17	uNature.Core.Threading Namespace Reference	17
4.18	uNature.Core.Utility Namespace Reference	17
4.19	uNature.Demo Namespace Reference	17

5	Class Documentation	19
5.1	uNature.Core.FoliageClasses.BaseInteraction Class Reference	19
5.1.1	Member Function Documentation	20
5.1.1.1	OnDisable()	20
5.1.1.2	OnPositionChanged(Vector3 newPosition)	20
5.1.1.3	UpdateInteraction(FoliageReceiver receiver)	20
5.1.1.4	UpdateInteraction(FoliageReceiver receiver, Vector2 normalizedPosition)	20
5.2	uNature.Core.Utility.BasePrototypeItem Class Reference	21
5.2.1	Detailed Description	21
5.3	uNature.Core.Networking.BaseUNNetworkData Class Reference	21
5.3.1	Member Function Documentation	22
5.3.1.1	UnPack()	22
5.4	uNature.Core.Sectors.Chunk Class Reference	22
5.4.1	Detailed Description	24
5.4.2	Member Function Documentation	24
5.4.2.1	Awake()	24
5.4.2.2	Contains(Vector2 point, float offset)	24
5.4.2.3	Contains(Vector3 point, float offset)	24
5.4.2.4	CreateChunk< T >(Sector sector, Vector2 position, int x, int z, Vector2 scale, short chunkID)	24
5.4.2.5	OnCreated()	25
5.4.2.6	OnDisable()	25
5.4.2.7	OnDrawGizmos()	25
5.4.2.8	OnEnable()	25
5.4.2.9	OnSizeChanged()	25
5.4.2.10	ResetChunk()	26
5.5	uNature.Core.Sectors.ChunkObject Class Reference	26
5.6	uNature.Core.FoliageClasses.FoliageChunk Class Reference	26
5.6.1	Member Function Documentation	27
5.6.1.1	GetDensity(int prototypeIndex)	27
5.6.1.2	GetMaxDensityOnArea(int prototypeIndex)	27

5.6.1.3	OnCreated()	27
5.6.1.4	OnDisable()	28
5.6.1.5	OnSizeChanged()	28
5.6.1.6	ResetChunk()	28
5.7	uNature.Core.FoliageClasses.FoliageCore_Chunk Class Reference	28
5.7.1	Member Function Documentation	29
5.7.1.1	GetOrCreateFoliageManagerInstance()	29
5.7.1.2	InBounds(Vector3 normalizedPosition, float distance)	29
5.7.1.3	OnCreated()	29
5.7.1.4	OnDrawGizmos()	29
5.7.1.5	OnSizeChanged()	30
5.7.2	Property Documentation	30
5.7.2.1	isFoliageInstanceAttached	30
5.8	uNature.Core.FoliageClasses.FoliageCore_MainManager Class Reference	30
5.8.1	Member Function Documentation	32
5.8.1.1	Awake()	32
5.8.1.2	CallInstancesChunksUpdate()	32
5.8.1.3	CheckChunkInBounds(int chunkID)	32
5.8.1.4	GetChunkID(float x, float z)	32
5.8.1.5	GetDetailLayer(int baseX, int baseZ, int sizeX, int sizeZ, int prototypeIndex)	32
5.8.1.6	InitializeAndCreateIfNotFound()	33
5.8.1.7	InsertFoliageFromTerrain(Terrain terrain)	33
5.8.1.8	OnDisable()	33
5.8.1.9	RemoveGrassMap(FoliagePrototype prototype)	33
5.8.1.10	ResetGrassMap(List< FoliagePrototype > prototypes)	33
5.8.1.11	SaveDelayedMaps()	34
5.8.1.12	SetDetailLayer(int baseX, int baseZ, int sizeX, int sizeZ, int prototypeIndex, byte[,] densities)	34
5.8.1.13	UpdateGrassMap()	34
5.8.2	Property Documentation	34
5.8.2.1	instancesSectorChunkSize	34

5.8.2.2	instancesSectorResolution	34
5.9	uNature.Core.FoliageClasses.FoliageCore_Sector Class Reference	35
5.9.1	Member Function Documentation	35
5.9.1.1	OnChunkCreated(Chunk chunk)	35
5.9.1.2	OnResolutionChanged()	35
5.9.1.3	OnStartCreatingChunks()	36
5.10	uNature.Core.FoliageClasses.FoliageDB Class Reference	36
5.10.1	Detailed Description	37
5.10.2	Member Function Documentation	37
5.10.2.1	AddPrototype(Texture2D texture, GameObject prefab, float minWidth, float min↵ Height, float maxWidth, float maxHeight, float spread, int layer, Color healthy↵ Color, Color dryColor)	37
5.10.2.2	AddPrototype(DetailPrototype detailPrototype)	37
5.10.2.3	AddPrototype(Texture2D texture)	37
5.10.2.4	AddPrototype(GameObject prefab)	37
5.10.2.5	RemovePrototype(FoliagePrototype prototype)	37
5.10.2.6	UpdateShaderGeneralSettings()	37
5.10.2.7	UpdateShaderWindSettings()	37
5.10.3	Property Documentation	38
5.10.3.1	instance	38
5.11	uNature.Core.FoliageClasses.FoliageDynamicSurface Class Reference	38
5.12	uNature.Core.Utility.FoliageGrassMap Class Reference	38
5.12.1	Detailed Description	39
5.12.2	Member Function Documentation	39
5.12.2.1	GetDensity(int x, int z)	39
5.12.2.2	SetDensity(int x, int z, byte density)	40
5.12.2.3	UpdateGrassMaps(FoliageManagerInstance mInstance)	40
5.13	uNature.Core.FoliageClasses.FoliageLODLevel Struct Reference	40
5.14	uNature.Core.FoliageClasses.FoliageManagerInstance Class Reference	41
5.14.1	Member Function Documentation	42
5.14.1.1	ForceMapsRestore()	42

5.14.1.2	InverseCord(float x, float addOffset)	42
5.14.1.3	InverseCordCustom(float x, float addOffset, float multiplier)	42
5.14.1.4	InverseCordCustomFloat(float x, float addOffset, float multiplier)	43
5.14.1.5	InverseCordFloat(float x, float addOffset)	43
5.14.1.6	OnDisable()	43
5.14.1.7	TransformCord(float x, float removeOffset)	43
5.14.1.8	TransformCordCustom(float x, float removeOffset, float multiplier)	44
5.14.1.9	TransformCordCustomFloat(float x, float removeOffset, float multiplier)	44
5.14.1.10	TransformCordFloat(float x, float removeOffset)	44
5.15	uNature.Core.FoliageClasses.FoliageMesh Class Reference	44
5.16	uNature.Core.FoliageClasses.FoliageMeshInstance Class Reference	45
5.16.1	Member Function Documentation	46
5.16.1.1	CalculatePhysics()	46
5.17	uNature.Core.FoliageClasses.FoliageMeshInstancesGroup Class Reference	46
5.18	uNature.Core.FoliageClasses.FoliageMeshManager Class Reference	46
5.18.1	Member Function Documentation	48
5.18.1.1	DestroyMeshInstance(int prototypeID)	48
5.18.1.2	DestroyMeshInstances()	48
5.18.1.3	GenerateFoliageMeshInstanceForIndex(int prototypeIndex, FoliageResolutions resolution)	48
5.18.1.4	GenerateFoliageMeshInstances()	48
5.18.1.5	GenerateFoliageMeshInstances(FoliageResolutions resolution)	48
5.18.1.6	GenerateFoliageMeshInstances(int prototypeID)	49
5.18.1.7	OnDisable()	49
5.18.1.8	Update()	49
5.18.1.9	UpdateMeshBounds(Vector3 centerPos)	49
5.19	uNature.Core.FoliageClasses.FoliagePrototype Class Reference	49
5.19.1	Member Function Documentation	51
5.19.1.1	ApplyColorMap(Texture2D map, Texture2D normalMap)	51
5.19.1.2	ApplyGrassMap(Texture2D map)	51
5.19.1.3	ApplyWind()	52

5.19.1.4	CreatePrototype(Texture2D texture, GameObject prefab, float minWidth, float minHeight, float maxWidth, float maxHeight, float spread, int layer, int id, Color healthyColor, Color dryColor)	52
5.19.1.5	GetPreview()	52
5.19.1.6	UpdateManagerInformation()	52
5.19.1.7	UpdateTouchBending()	52
5.20	uNature.Core.FoliageClasses.FoliageReceiver Class Reference	53
5.20.1	Member Function Documentation	54
5.20.1.1	OnDisable()	54
5.20.1.2	Update()	54
5.21	uNature.Core.FoliageClasses.FoliageSector Class Reference	54
5.21.1	Detailed Description	55
5.21.2	Member Function Documentation	55
5.21.2.1	OnChunkCreated(Chunk chunk)	55
5.21.2.2	OnStartCreatingChunks()	55
5.22	uNature.Core.Utility.FoliageWorldMap Class Reference	55
5.22.1	Detailed Description	56
5.22.2	Member Function Documentation	56
5.22.2.1	GetHeight(Color32 pixel)	56
5.22.2.2	UpdateHeight_RANGE(float x, float z, int sizeX, int sizeZ, bool save)	56
5.22.2.3	UpdateHeight_WorldMap(int index, float height)	57
5.23	uNature.Core.FoliageClasses.GPUMesh Class Reference	57
5.23.1	Detailed Description	57
5.23.2	Member Data Documentation	58
5.23.2.1	LODMeshInstances	58
5.24	uNature.Core.FoliageClasses.GPUMeshLOD Class Reference	58
5.24.1	Detailed Description	58
5.25	uNature.Core.Sectors.GrassLODLevel Class Reference	58
5.25.1	Detailed Description	59
5.26	uNature.Core.Pooling.HarvestableTIPoolItem Class Reference	59
5.26.1	Detailed Description	61

5.26.2	Member Function Documentation	61
5.26.2.1	Awake()	61
5.26.2.2	HandleColliderDeath()	61
5.26.2.3	HandleHealthChange(int damage)	61
5.26.2.4	HandleTreeInstanceDeath()	61
5.26.2.5	Hit()	61
5.26.2.6	Hit(int damage)	61
5.26.2.7	OnPool()	62
5.26.2.8	OnReturnedToPool()	62
5.26.3	Member Data Documentation	62
5.26.3.1	canHarvestCollider	62
5.26.3.2	maxHealth	62
5.26.3.3	minHealth	62
5.26.4	Event Documentation	62
5.26.4.1	OnItemDamagedEvent	62
5.26.4.2	OnItemPooledEvent	62
5.26.4.3	OnItemReturnedToPoolEvent	63
5.27	uNature.Core.Pooling.IHarvestableItem Interface Reference	63
5.28	uNature.Core.FoliageClasses.InteractionMap Class Reference	63
5.28.1	Detailed Description	64
5.29	uNature.Core.Pooling.IPoolComponent Interface Reference	64
5.30	uNature.Core.Threading.IThreadTask Interface Reference	64
5.30.1	Detailed Description	65
5.31	uNature.Core.IUTCPysicsIgnored Interface Reference	65
5.31.1	Detailed Description	65
5.32	uNature.Core.Extensions.MethodHelperAttribute Class Reference	65
5.33	uNature.Core.FoliageClasses.PaintBrush Class Reference	65
5.34	uNature.Core.Pooling.Pool Class Reference	66
5.34.1	Detailed Description	67
5.34.2	Member Function Documentation	67

5.34.2.1	AddToPool(PoolItem item, int itemID, int itemID_Offset)	67
5.34.2.2	CreatePool(string name, GameObject requester)	68
5.34.2.3	GetPoolOfItem(int itemUID, int itemID_Offset)	68
5.34.2.4	IsAlreadyPooled(int uid)	68
5.34.2.5	PoolItem(PoolItem PoolItem, bool locked, int uid)	68
5.34.2.6	RemoveDuplications(string name)	69
5.34.2.7	RemoveFromPool(PoolItem item)	69
5.34.2.8	ResetFarAway()	69
5.34.2.9	ReturnToPool(PoolItem item, bool force)	69
5.34.2.10	TryGetType< T >()	69
5.34.2.11	TryPool< T >(int itemUID, int itemID_Offset, int uid, bool locked)	70
5.34.2.12	TryResetOnUID(int uid, bool forceReset)	70
5.34.3	Member Data Documentation	70
5.34.3.1	items	70
5.34.3.2	owner	71
5.35	uNature.Core.Pooling.PoolItem Class Reference	71
5.35.1	Detailed Description	72
5.35.2	Member Function Documentation	72
5.35.2.1	Awake()	72
5.35.2.2	MoveItem(Vector3 position)	72
5.35.2.3	OnCreated()	73
5.35.2.4	OnDisable()	73
5.35.2.5	OnEnable()	73
5.35.2.6	OnPool()	73
5.35.2.7	OnReturnedToPool()	73
5.35.3	Member Data Documentation	73
5.35.3.1	_gameObject	73
5.35.3.2	itemID_Offset	73
5.35.3.3	locked	74
5.35.3.4	Pool	74

5.35.3.5	realItemID	74
5.35.3.6	uid	74
5.35.3.7	used	74
5.35.4	Property Documentation	74
5.35.4.1	itemID	74
5.35.4.2	PoolTypes	74
5.36	uNature.Core.FoliageClasses.ReadDensityInformation Class Reference	74
5.37	uNature.Core.Sectors.Sector Class Reference	75
5.37.1	Detailed Description	76
5.37.2	Member Function Documentation	76
5.37.2.1	ApplicationQuit()	76
5.37.2.2	Awake()	76
5.37.2.3	GenerateSector< T, T1 >(Transform owner, Vector3 bounds, T sector, int res)	76
5.37.2.4	getChunk(Vector2 pos, float offset)	77
5.37.2.5	getChunk(Vector3 pos, float offset)	77
5.37.2.6	getChunk(Vector3 pos)	77
5.37.2.7	getChunks(Vector2 pos, float offset, bool sortResult)	78
5.37.2.8	getChunks(Vector3 pos, float offset, bool sortResult)	78
5.37.2.9	OnChunkCreated(Chunk chunk)	78
5.37.2.10	OnCreated(Transform owner, int resolution)	79
5.37.2.11	OnResolutionChanged()	79
5.37.2.12	OnStartCreatingChunks()	79
5.37.2.13	ResetChunks()	79
5.38	uNature.Core.Pooling.TerrainPoolItem Class Reference	79
5.38.1	Detailed Description	80
5.38.2	Member Function Documentation	81
5.38.2.1	ConvertTreeInstanceOnTerrain(Terrain terrain, int treeInstanceUID)	81
5.38.2.2	MoveItem(Vector3 position)	81
5.38.2.3	RemoveTreeInstanceFromTerrain(Terrain terrain, int treeInstanceUID)	82
5.38.2.4	RestoreTreeInstanceToTerrain(Terrain terrain, int treeInstanceUID)	82

5.38.3	Member Data Documentation	82
5.38.3.1	_terrain	82
5.38.3.2	canModify	82
5.38.3.3	canRestore	82
5.38.3.4	isCollider	82
5.39	uNature.Core.Threading.ThreadItem Class Reference	83
5.39.1	Detailed Description	83
5.39.2	Member Function Documentation	84
5.39.2.1	OnDisable()	84
5.39.2.2	OnPositionChanged(Vector3 newPosition)	84
5.39.2.3	Update()	84
5.39.2.4	UpdateItem()	84
5.39.3	Member Data Documentation	84
5.39.3.1	_threadItems	84
5.40	uNature.Core.Threading.ThreadManager Class Reference	84
5.40.1	Detailed Description	85
5.40.2	Member Function Documentation	85
5.40.2.1	DelayActionFrames(int frames, IThreadTask task)	85
5.40.2.2	DelayActionSeconds(IThreadTask task, float time)	86
5.40.2.3	OnThreadProcess(System.Object processObject)	86
5.40.2.4	RunOnThread(IThreadTask action)	86
5.40.2.5	RunOnUnityThread(IThreadTask action)	86
5.40.2.6	UpdateThreadItems()	86
5.40.3	Member Data Documentation	87
5.40.3.1	updateThreadItemsTime	87
5.40.4	Property Documentation	87
5.40.4.1	threadEnabled	87
5.40.4.2	threadWorkersCount	87
5.41	uNature.Core.Threading.ThreadTask Class Reference	87
5.41.1	Detailed Description	87

5.42	uNature.Core.Threading.ThreadTask Class Reference	87
5.42.1	Detailed Description	87
5.43	uNature.Core.Threading.ThreadTask Class Reference	88
5.43.1	Detailed Description	88
5.44	uNature.Core.Threading.ThreadTask Class Reference	88
5.44.1	Detailed Description	88
5.45	uNature.Core.Threading.ThreadTask Class Reference	88
5.45.1	Detailed Description	88
5.46	uNature.Core.Sectors.TIChunk Class Reference	89
5.46.1	Member Function Documentation	89
5.46.1.1	AddTreeInstance(int instanceID, Vector3 terrainSize, TreeInstance treeInstance, TerrainData terrainData, Vector3 terrainPos, UNTerrainSector sector)	89
5.46.1.2	Awake()	90
5.46.1.3	CheckForNearbyTreeInstances(UNSeeker seeker, UNTerrain terrain)	90
5.46.1.4	GenerateTreeInstances(TreeInstance[] trees, Vector3 terrainSize, TerrainData t←Data, Vector3 terrainPos)	90
5.46.1.5	OnCreated()	90
5.46.1.6	OnDrawGizmos()	90
5.46.1.7	OnSizeChanged()	91
5.46.1.8	ResetChunk()	91
5.47	uNature.Core.FoliageClasses.TouchBending Class Reference	91
5.47.1	Member Function Documentation	92
5.47.1.1	OnDisable()	92
5.47.1.2	OnPositionChanged(Vector3 newPosition)	92
5.48	uNature.Core.Sectors.TreeFetchingTask_MultiThreaded Struct Reference	92
5.49	uNature.Demo.UN_FirstPersonController Class Reference	93
5.50	uNature.Core.Extensions.UN_ForgeNetworking Class Reference	93
5.51	uNature.Core.Extensions.UN_GAIA Class Reference	94
5.52	uNature.Core.Extensions.UN_GENA Class Reference	94
5.53	uNature.Core.Extensions.UN_MapMagic Class Reference	95
5.54	uNature.Demo.UN_MouseLook Class Reference	95

5.55 uNature.Core.Extensions.UN_PhotonBolt Class Reference	96
5.56 uNature.Core.Extensions.UN_PhotonCloud Class Reference	96
5.57 uNature.Core.Extensions.UN_TerrainComposer Class Reference	97
5.58 uNature.Core.Extensions.UN_UFPS Class Reference	98
5.59 uNature.Core.Extensions.UN_UNet Class Reference	98
5.60 uNature.Core.Extensions.UN_WorldStreamer Class Reference	99
5.61 uNature.Core.Utility.UNBatchTask Class Reference	99
5.61.1 Detailed Description	100
5.62 uNature.Core.Utility.UNBatchMeshProcessingTask Class Reference	100
5.63 uNature.Core.Utility.UNBrushUtility Class Reference	101
5.63.1 Detailed Description	101
5.63.2 Member Function Documentation	101
5.63.2.1 DrawBrush(Texture2D brushTexture, Color brushColor, Vector3 originPosition, Quaternion originRotation, float brushSize)	101
5.63.2.2 Resize(Texture2D source, int newWidth, int newHeight)	102
5.64 uNature.Core.Utility.UNCombineInstance Struct Reference	102
5.65 uNature.Core.Utility.UNDictionary< T, T1 > Class Template Reference	102
5.66 uNature.Core.Collections.UNDimensionalList< T > Class Template Reference	103
5.66.1 Detailed Description	103
5.66.2 Member Function Documentation	103
5.66.2.1 ContainsKey(int key)	103
5.66.2.2 ContainsValue(T value)	103
5.66.2.3 TryAddKey(List< T > value)	103
5.66.3 Property Documentation	104
5.66.3.1 Count	104
5.66.3.2 this[int index]	104
5.67 uNature.Core.Editor.Helpers.UNEditorHelpers Class Reference	104
5.68 uNature.Core.Extensions.UNExtension Class Reference	105
5.68.1 Detailed Description	106
5.68.2 Member Function Documentation	106
5.68.2.1 GetLogo(UNExtension instance)	106

5.68.2.2	LoadMethods(UNExtension instance, Type type)	107
5.68.2.3	OpenAssetStore(UNExtension instance)	107
5.68.2.4	OpenDocs(UNExtension instance)	107
5.68.3	Member Data Documentation	107
5.68.3.1	HelperMethods	107
5.68.3.2	isViewed	107
5.68.4	Property Documentation	107
5.68.4.1	AssetDescription	107
5.68.4.2	AssetDocumentationName	108
5.68.4.3	AssetLogoName	108
5.68.4.4	AssetName	108
5.68.4.5	AssetNameSpace	108
5.68.4.6	AssetStoreAdress	108
5.68.4.7	Featured	108
5.68.4.8	isActivated	108
5.68.4.9	IsDefault	108
5.68.4.10	PublisherName	108
5.69	uNature.Core.Extensions.UNExtensionsEditor Class Reference	109
5.70	uNature.Core.FoliageClasses.UNFoliageEditor Class Reference	109
5.71	uNature.Core.FoliageClasses.UNFoliageManagerEditor Class Reference	110
5.72	uNature.Core.Collections.UNList< T > Class Template Reference	110
5.72.1	Detailed Description	110
5.72.2	Member Function Documentation	111
5.72.2.1	Add(T item)	111
5.72.2.2	Contains(System.Object item)	111
5.72.2.3	Remove(T item)	111
5.72.2.4	TryGet(System.Object similarItem)	111
5.72.3	Property Documentation	112
5.72.3.1	Count	112
5.72.3.2	this[int index]	112

5.73	uNature.Core.Utility.UNMap Class Reference	112
5.73.1	Detailed Description	113
5.74	uNature.Core.FoliageClasses.UNMeshData Class Reference	113
5.75	uNature.Core.Networking.UNNetworkData< T > Class Template Reference	113
5.75.1	Detailed Description	114
5.75.2	Member Function Documentation	115
5.75.2.1	Deserialize(byte[] bytes)	115
5.75.2.2	Equals(object obj)	115
5.75.2.3	GetHashCode()	115
5.75.2.4	Pack< T1, T2 >(Terrain terrain, int treeInstanceId, int health, PacketType type)	115
5.75.2.5	SendToClients()	116
5.75.2.6	SendToConnection(T connection)	116
5.75.2.7	SendToOthers()	116
5.75.2.8	SendToServer()	116
5.75.2.9	Serialize()	116
5.75.2.10	UnPack()	116
5.76	uNature.Core.Networking.UNNetworkManager< T1, T2 > Class Template Reference	116
5.76.1	Detailed Description	118
5.76.2	Constructor & Destructor Documentation	118
5.76.2.1	UNNetworkManager(MonoBehaviour managerInstance)	118
5.76.3	Member Function Documentation	118
5.76.3.1	Awake()	118
5.76.3.2	CheckForStreamingBufferedUpdates()	118
5.76.3.3	OnClientConnected(T1 conn)	118
5.76.3.4	OnHarvestableTreeInstancePooled(HarvestableTIPoolItem instance)	119
5.76.3.5	OnItemDamaged(HarvestableTIPoolItem item, int damage)	119
5.76.3.6	SendEvent(UNNetworkData< T1 > instance)	119
5.76.3.7	SendToClients(UNNetworkData< T1 > instance)	119
5.76.3.8	SendToConnection(T1 connection, UNNetworkData< T1 > instance)	120
5.76.3.9	SendToOthers(UNNetworkData< T1 > instance)	120

5.76.3.10	SendToServer(UNNetworkData< T1 > instance)	120
5.76.3.11	UpdatePermissions()	120
5.76.4	Member Data Documentation	120
5.76.4.1	manager	120
5.76.5	Property Documentation	121
5.76.5.1	bufferedData	121
5.76.5.2	isAuth	121
5.76.5.3	isServer	121
5.77	uNature.Core.Networking.UNNetworkPlayerController Class Reference	121
5.78	uNature.Core.UNPhysicsHit_Grass Struct Reference	122
5.78.1	Detailed Description	122
5.79	uNature.Core.UNPhysicsHitsArray Class Reference	122
5.79.1	Detailed Description	123
5.80	uNature.Core.UNPhysicsObject Struct Reference	123
5.80.1	Detailed Description	123
5.80.2	Member Function Documentation	123
5.80.2.1	DrawShape(Matrix4x4 matrix)	123
5.80.2.2	OnDrawGizmos()	124
5.80.2.3	Raycast(Ray ray, out UNPhysicsHit_Grass _hit, LayerMask mask)	124
5.80.2.4	UpdateBounds()	124
5.81	uNature.Core.UNPhysicsTemplate Struct Reference	124
5.82	uNature.Core.Seekers.UNSeeker Class Reference	125
5.82.1	Detailed Description	126
5.82.2	Member Function Documentation	126
5.82.2.1	Start()	126
5.82.2.2	Update()	126
5.82.3	Member Data Documentation	126
5.82.3.1	attackTrees	126
5.82.3.2	detectTreeInstancesInteraction	126
5.82.3.3	seekingDistance	126

5.83	uNature.Core.Settings.UNSetting Class Reference	126
5.83.1	Detailed Description	127
5.83.2	Member Function Documentation	127
5.83.2.1	DrawGUI()	127
5.84	uNature.Core.Settings.UNSettingAttribute Class Reference	127
5.84.1	Detailed Description	128
5.85	uNature.Core.Settings.UNSettingCategory Class Reference	128
5.85.1	Detailed Description	128
5.86	uNature.Core.Settings.UNSettings Class Reference	129
5.86.1	Detailed Description	129
5.86.2	Member Function Documentation	129
5.86.2.1	Log(string context)	129
5.86.2.2	ResetDefaults()	130
5.86.3	Member Data Documentation	130
5.86.3.1	fileName	130
5.86.3.2	ProjectName	130
5.86.3.3	ProjectVersion	130
5.86.4	Property Documentation	130
5.86.4.1	ProjectPath	130
5.87	uNature.Core.Settings.UNSettingsEditor Class Reference	130
5.88	uNature.Core.Targets.UNTarget Class Reference	131
5.88.1	Detailed Description	132
5.88.2	Member Function Documentation	133
5.88.2.1	Awake()	133
5.88.2.2	Check(Seekers.UNSeeker seeker, Vector3 seekerPos, float seekingDistance, bool isPlaying)	133
5.88.2.3	CheckTargets(UNSeeker seeker, float distance)	133
5.88.2.4	CreatePool(System.Type PoolItemType)	133
5.88.2.5	FixPosition(Vector3 position)	133
5.88.2.6	InDistance(UNSeeker seeker)	134
5.88.2.7	OnDisable()	134

5.88.2.8	OnDrawGizmos()	134
5.88.2.9	OnEnable()	134
5.88.2.10	Update()	134
5.88.3	Member Data Documentation	135
5.88.3.1	Pool	135
5.88.3.2	PoolAmount	135
5.88.3.3	PoolTypeSerializedName	135
5.88.3.4	worldTargets	135
5.88.4	Property Documentation	135
5.88.4.1	useMultithreadedCheck	135
5.89	uNature.Core.Targets.UNTargetEditor Class Reference	135
5.90	uNature.Core.Terrains.UNTerrain Class Reference	136
5.90.1	Detailed Description	137
5.90.2	Member Function Documentation	137
5.90.2.1	Awake()	137
5.90.2.2	Check(Seekers.UNSeeker seeker, Vector3 seekerPos, float seekingDistance, bool isPlaying)	137
5.90.2.3	CheckForTreeInstancesRespawns()	138
5.90.2.4	CreatePool(System.Type PoolItemType)	138
5.90.2.5	FixPosition(Vector3 position)	138
5.90.2.6	GenerateSector(int sectorResolution, bool multiThread)	138
5.90.2.7	GenerateSector(int sectorResolution)	138
5.90.2.8	InDistance(Seekers.UNSeeker seeker)	139
5.90.2.9	OnDisable()	139
5.90.2.10	OnEnable()	139
5.90.2.11	OnPositionChanged(Vector3 newPosition)	139
5.90.2.12	OnTerrainChanged(int changedFlags)	139
5.90.3	Member Data Documentation	140
5.90.3.1	collidersPoolItemInstanceIncrease	140
5.90.3.2	distanceOffset	140
5.90.3.3	removedTreeInstanceHeight	140

5.90.3.4	terrains	140
5.90.3.5	verifyTreeInstancesChangeRoutine	140
5.90.4	Property Documentation	140
5.90.4.1	manageGrass	140
5.90.4.2	manageTrees	140
5.90.4.3	sectorResolution	141
5.91	uNature.Core.Terrains.UNTerrainData Class Reference	141
5.91.1	Detailed Description	142
5.91.2	Member Function Documentation	142
5.91.2.1	ApplyBackup(Terrain terrain)	142
5.91.2.2	Backup()	142
5.91.2.3	CheckForTreePrototypesChange()	142
5.91.2.4	DeleteBackup()	142
5.91.2.5	GetInstance(TerrainData terrainData)	142
5.91.2.6	GetPrototype(TreePrototype prototype)	143
5.91.2.7	Initialize()	143
5.91.2.8	SendUpdateEventToLinkedTerrains(TerrainChangedFlags flag)	143
5.91.2.9	UpdateMultithreadedVariables()	143
5.91.3	Property Documentation	143
5.91.3.1	heights	143
5.91.3.2	terrainData	143
5.92	uNature.Core.Terrains.UNTerrainEditor Class Reference	144
5.93	uNature.Core.Sectors.UNTerrainSector Class Reference	144
5.93.1	Detailed Description	145
5.93.2	Member Function Documentation	145
5.93.2.1	ApplicationQuit()	145
5.93.2.2	Awake()	146
5.93.2.3	FetchTreeInstances(bool useUNThread, System.Action OnFinish)	146
5.93.2.4	OnChunkCreated(Chunk chunk)	146
5.93.2.5	OnCreated(Transform owner, int resolution)	146

5.93.2.6	OnStartCreatingChunks()	146
5.94	uNature.Core.Terrains.UNTreePrototype Class Reference	147
5.94.1	Detailed Description	148
5.94.2	Constructor & Destructor Documentation	148
5.94.2.1	UNTreePrototype(TreePrototype prototype)	148
5.94.3	Member Function Documentation	148
5.94.3.1	CheckForMissings(List< UNTreePrototype > items, TreePrototype[] prototypes)	148
5.94.3.2	Equals(object obj)	148
5.94.3.3	GetHashCode()	148
5.94.3.4	GetPreview()	149
5.94.4	Member Data Documentation	149
5.94.4.1	isMissing	149
5.94.4.2	prototypeObject	149
5.94.5	Property Documentation	149
5.94.5.1	isEnabled	149
5.95	uNature.Core.Vector2i Struct Reference	149
5.96	uNature.Core.FoliageClasses.WindSettings Class Reference	150
5.97	uNature.Core.FoliageClasses.WindZones Class Reference	150
5.97.1	Member Function Documentation	150
5.97.1.1	UpdateInteraction(FoliageReceiver receiver, Vector2 normalizedPosition)	150
Index		153

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

uNature	11
uNature.Core	11
uNature.Core.ClassExtensions	11
uNature.Core.Collections	12
uNature.Core.Editor	12
uNature.Core.Editor.Helpers	12
uNature.Core.Extensions	12
uNature.Core.FoliageClasses	13
uNature.Core.Math	14
uNature.Core.Networking	14
uNature.Core.Pooling	14
uNature.Core.Sectors	15
uNature.Core.Seekers	15
uNature.Core.Settings	15
uNature.Core.Targets	16
uNature.Core.Terrains	16
uNature.Core.Threading	17
uNature.Core.Utility	17
uNature.Demo	17

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Attribute	
uNature.Core.Extensions.MethodHelperAttribute	65
uNature.Core.Settings.UNSettingAttribute	127
uNature.Core.Utility.BasePrototypeItem	21
uNature.Core.FoliageClasses.FoliagePrototype	49
uNature.Core.FoliageClasses.PaintBrush	65
uNature.Core.Terrains.UNTreePrototype	147
uNature.Core.Networking.BaseUNNetworkData	21
uNature.Core.Networking.UNNetworkData< T >	113
uNature.Core.Sectors.ChunkObject	26
Editor	
uNature.Core.FoliageClasses.UNFoliageManagerEditor	110
uNature.Core.Targets.UNTargetEditor	135
uNature.Core.Terrains.UNTerrainEditor	144
EditorWindow	
uNature.Core.Extensions.UNExtensionsEditor	109
uNature.Core.FoliageClasses.UNFoliageEditor	109
uNature.Core.Settings.UNSettingsEditor	130
uNature.Core.FoliageClasses.FoliageLODLevel	40
uNature.Core.FoliageClasses.FoliageMesh	44
uNature.Core.FoliageClasses.FoliageMeshInstance	45
uNature.Core.FoliageClasses.FoliageMeshInstancesGroup	46
uNature.Core.FoliageClasses.GPUMesh	57
uNature.Core.FoliageClasses.GPUMeshLOD	58
uNature.Core.Sectors.GrassLODLevel	58
uNature.Core.Pooling.IHarvestableItem	63
uNature.Core.Pooling.HarvestableTIPoolItem	59
uNature.Core.Pooling.IPoolComponent	64
uNature.Core.Threading.IThreadTask	64
uNature.Core.Threading.ThreadTask< T, T1, T2, T3 >	88
uNature.Core.Threading.ThreadTask< T, T1, T2, T3 >	88
uNature.Core.Threading.ThreadTask< T, T1, T2, T3 >	88
uNature.Core.Threading.ThreadTask< T, T1, T2, T3 >	88
uNature.Core.Threading.ThreadTask< T, T1, T2, T3 >	88

uNature.Core.IUTCPysicsIgnored	65
MonoBehaviour	
uNature.Core.FoliageClasses.FoliageDynamicSurface	38
uNature.Core.Networking.UNNetworkPlayerController	121
uNature.Core.Pooling.Pool	66
uNature.Core.Sectors.Chunk	22
uNature.Core.FoliageClasses.FoliageChunk	26
uNature.Core.FoliageClasses.FoliageCore_Chunk	28
uNature.Core.Sectors.TIChunk	89
uNature.Core.Sectors.Sector	75
uNature.Core.FoliageClasses.FoliageCore_Sector	35
uNature.Core.FoliageClasses.FoliageSector	54
uNature.Core.Sectors.UNTerrainSector	144
uNature.Core.Threading.ThreadItem	83
uNature.Core.FoliageClasses.BaseInteraction	19
uNature.Core.FoliageClasses.TouchBending	91
uNature.Core.FoliageClasses.WindZones	150
uNature.Core.FoliageClasses.FoliageManagerInstance	41
uNature.Core.FoliageClasses.FoliageReceiver	53
uNature.Core.Seekers.UNSeeker	125
uNature.Core.Pooling.PoolItem	71
uNature.Core.Pooling.TerrainPoolItem	79
uNature.Core.Pooling.HarvestableTIPoolItem	59
uNature.Core.Targets.UNTarget	131
uNature.Core.FoliageClasses.FoliageMeshManager	46
uNature.Core.FoliageClasses.FoliageCore_MainManager	30
uNature.Core.Terrains.UNTerrain	136
uNature.Core.Threading.ThreadManager	84
uNature.Core.Utility.UNBrushUtility	101
uNature.Demo.UN_FirstPersonController	93
uNature.Core.FoliageClasses.ReadDensityInformation	74
ScriptableObject	
uNature.Core.FoliageClasses.FoliageDB	36
uNature.Core.Settings.UNSettings	129
uNature.Core.Terrains.UNTerrainData	141
uNature.Core.Threading.ThreadTask	88
uNature.Core.Threading.ThreadTask< T >	88
uNature.Core.Threading.ThreadTask< T, T1 >	88
uNature.Core.Threading.ThreadTask< T, T1, T2 >	88
uNature.Core.Sectors.TreeFetchingTask_MultiThreaded	92
uNature.Demo.UN_MouseLook	95
uNature.Core.Utility.UNBatchTask	99
uNature.Core.Utility.UNBatchMeshProcessingTask	100
uNature.Core.Utility.UNCombineInstance	102
uNature.Core.Utility.UNDictionary< T, T1 >	102
uNature.Core.Collections.UNDimensionalList< T >	103
uNature.Core.Collections.UNDimensionalList< int >	103
uNature.Core.Editor.Helpers.UNEditorHelpers	104
uNature.Core.Extensions.UNExtension	105
uNature.Core.Extensions.UN_ForgeNetworking	93
uNature.Core.Extensions.UN_GAIA	94
uNature.Core.Extensions.UN_GENA	94
uNature.Core.Extensions.UN_MapMagic	95
uNature.Core.Extensions.UN_PhotonBolt	96
uNature.Core.Extensions.UN_PhotonCloud	96
uNature.Core.Extensions.UN_TerrainComposer	97
uNature.Core.Extensions.UN_UFPS	98

uNature.Core.Extensions.UN_UNet	98
uNature.Core.Extensions.UN_WorldStreamer	99
uNature.Core.Collections.UNList< T >	110
uNature.Core.Collections.UNList< uNature.Core.Networking.BaseUNNetworkData >	110
uNature.Core.Utility.UNMap	112
uNature.Core.FoliageClasses.InteractionMap	63
uNature.Core.Utility.FoliageGrassMap	38
uNature.Core.Utility.FoliageWorldMap	55
uNature.Core.FoliageClasses.UNMeshData	113
uNature.Core.Networking.UNNetworkManager< T1, T2 >	116
uNature.Core.UNPhysicsHit_Grass	122
uNature.Core.UNPhysicsHitsArray	122
uNature.Core.UNPhysicsObject	123
uNature.Core.UNPhysicsTemplate	124
uNature.Core.Settings.UNSetting	126
uNature.Core.Settings.UNSettingCategory	128
uNature.Core.Vector2i	149
uNature.Core.FoliageClasses.WindSettings	150

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

uNature.Core.FoliageClasses.BaseInteraction	19
uNature.Core.Utility.BasePrototypeItem	
An base prototype item which is used for the uNature ui utility.	21
uNature.Core.Networking.BaseUNNetworkData	21
uNature.Core.Sectors.Chunk	
part of the sector which contains information.	22
uNature.Core.Sectors.ChunkObject	26
uNature.Core.FoliageClasses.FoliageChunk	26
uNature.Core.FoliageClasses.FoliageCore_Chunk	28
uNature.Core.FoliageClasses.FoliageCore_MainManager	30
uNature.Core.FoliageClasses.FoliageCore_Sector	35
uNature.Core.FoliageClasses.FoliageDB	
The database class of the Foliage, holds a lot of important data such as Foliage prototypes, Foliage map and more.	36
uNature.Core.FoliageClasses.FoliageDynamicSurface	38
uNature.Core.Utility.FoliageGrassMap	
Channels:	38
uNature.Core.FoliageClasses.FoliageLODLevel	40
uNature.Core.FoliageClasses.FoliageManagerInstance	41
uNature.Core.FoliageClasses.FoliageMesh	44
uNature.Core.FoliageClasses.FoliageMeshInstance	45
uNature.Core.FoliageClasses.FoliageMeshInstancesGroup	46
uNature.Core.FoliageClasses.FoliageMeshManager	46
uNature.Core.FoliageClasses.FoliagePrototype	49
uNature.Core.FoliageClasses.FoliageReceiver	53
uNature.Core.FoliageClasses.FoliageSector	
An sector class dedicated only to Foliage.	54
uNature.Core.Utility.FoliageWorldMap	
Channels: R: Normals X-Axis G: Normals Y-Axis B: Heights Channel #1 A: Heights Channel #2	55
uNature.Core.FoliageClasses.GPUMesh	
A class used to hold the gpu meshes	57
uNature.Core.FoliageClasses.GPUMeshLOD	
GPU Mesh Lods.	58
uNature.Core.Sectors.GrassLODLevel	
A class that holds a level which all assigned on different frames.	58

uNature.Core.Pooling.HarvestableTIPoolItem	
A Pool item for terrain where the tree instances should be harvestable. (Tree cutting for instance) Inherite from this class to create your own harvestable type.	59
uNature.Core.Pooling.IHarvestableItem	63
uNature.Core.FoliageClasses.InteractionMap	
Channels: R: Wind Direction G: Grass Offset X (Touch bending) B: Grass Offset Z (Touch bending) A: Saved for custom work.	63
uNature.Core.Pooling.IPoolComponent	64
uNature.Core.Threading.IThreadTask	
A thread task interface. Implement on any customely created thread task.	64
uNature.Core.IUTCPysicsIgnored	
Ignore all physics on this script.	65
uNature.Core.Extensions.MethodHelperAttribute	65
uNature.Core.FoliageClasses.PaintBrush	65
uNature.Core.Pooling.Pool	
A class that manages the Pooling of the system, Which allows huge runtime performance increase.	66
uNature.Core.Pooling.PoolItem	
An abstract class that handles the Pool items.	71
uNature.Core.FoliageClasses.ReadDensityInformation	74
uNature.Core.Sectors.Sector	
A sector which is used to divide the UNTerrain objects in the world to increase performance (can handle more than 200k trees!!)	75
uNature.Core.Pooling.TerrainPoolItem	
A Pool item for terrain. (Tree instances)	79
uNature.Core.Threading.ThreadItem	
This class handles assigning parameters before multi-threaded actions that can be called from outside of unity's main thread. for example : position.	83
uNature.Core.Threading.ThreadManager	
This class handles the multi-threading mechanics.	84
uNature.Core.Threading.ThreadTask	
A thread task that takes no parameters.	88
uNature.Core.Threading.ThreadTask< T >	
A thread task that takes 1 parameter.	

Template Parameters

<i>T</i>	Type 1
----------	--------

88

uNature.Core.Threading.ThreadTask< T, T1 >	
A thread task that takes 2 parameters.	

Template Parameters

<i>T</i>	Type 1
<i>T1</i>	Type 2

88

uNature.Core.Threading.ThreadTask< T, T1, T2, T3 >	
A thread task that takes 4 parameters.	

Template Parameters

<i>T</i>	Type 1
<i>T1</i>	Type 2
<i>T2</i>	Type 3

Template Parameters

<i>T3</i>	Type 4
-----------	--------

88

[uNature.Core.Threading.ThreadTask< T, T1, T2 >](#)

A thread task that takes 3 parameters.

Template Parameters

<i>T</i>	Type 1
<i>T1</i>	Type 2
<i>T2</i>	Type 3

88

uNature.Core.Sectors.TIChunk	89
uNature.Core.FoliageClasses.TouchBending	91
uNature.Core.Sectors.TreeFetchingTask_MultiThreaded	92
uNature.Demo.UN_FirstPersonController	93
uNature.Core.Extensions.UN_ForgeNetworking	93
uNature.Core.Extensions.UN_GAIA	94
uNature.Core.Extensions.UN_GENA	94
uNature.Core.Extensions.UN_MapMagic	95
uNature.Demo.UN_MouseLook	95
uNature.Core.Extensions.UN_PhotonBolt	96
uNature.Core.Extensions.UN_PhotonCloud	96
uNature.Core.Extensions.UN_TerrainComposer	97
uNature.Core.Extensions.UN_UFPS	98
uNature.Core.Extensions.UN_UNet	98
uNature.Core.Extensions.UN_WorldStreamer	99
uNature.Core.Utility.UNBatchTask	
An task	99
uNature.Core.Utility.UNBatcMeshhProcessingTask	100
uNature.Core.Utility.UNBrushUtility	
Using this class you can paint an brush on the scene.	101
uNature.Core.Utility.UNCombineInstance	102
uNature.Core.Utility.UNDictionary< T, T1 >	102
uNature.Core.Collections.UNDimensionalList< T >	
A 2 dimensional list which is used by certain mechanics in uNature .	103
uNature.Core.Editor.Helpers.UNEditorHelpers	104
uNature.Core.Extensions.UNExtension	
A uConstruct extension that will allow other 3d party systems to work with uConstruct.	105
uNature.Core.Extensions.UNExtensionsEditor	109
uNature.Core.FoliageClasses.UNFoliageEditor	109
uNature.Core.FoliageClasses.UNFoliageManagerEditor	110
uNature.Core.Collections.UNList< T >	
A custom list which is used on some important interfaces in UN.	110
uNature.Core.Utility.UNMap	
The abstract Map class.	112
uNature.Core.FoliageClasses.UNMeshData	113
uNature.Core.Networking.UNNetworkData< T >	
A class which can be used for an abstract networking data.	

Template Parameters

<i>T</i>	The network connection type which the networking library uses.
----------	--

113

[uNature.Core.Networking.UNNetworkManager< T1, T2 >](#)
 A template for networking, which can be used by networking extensions to easily get the network-
 ing actions done.

Template Parameters

<i>T1</i>	the targeted networking connection
<i>T2</i>	the type of the data

116

[uNature.Core.Networking.UNNetworkPlayerController](#) 121

[uNature.Core.UNPhysicsHit_Grass](#)
 A class that holds the data for the hit data 122

[uNature.Core.UNPhysicsHitsArray](#)
 An custom array that holds all ray results in an array 122

[uNature.Core.UNPhysicsObject](#)
 This is a base class for a UCPysicsObject. Every class that inherits this class will be counted
 in the physics system. 123

[uNature.Core.UNPhysicsTemplate](#) 124

[uNature.Core.Seekers.UNSeeker](#)
 Seekers are basically GameObjects in the scene which should interact with the objects in the
 game. 125

[uNature.Core.Settings.UNSetting](#)
 A class which should be used on custom classes that needs to be shown and serialized as a
 setting. 126

[uNature.Core.Settings.UNSettingAttribute](#)
 The attribute of each setting which handles the drawing of the setting (generically). 127

[uNature.Core.Settings.UNSettingCategory](#)
 The class of a category which handles keeping hold of all of the categories and makes all of the
 reflection needed. 128

[uNature.Core.Settings.UNSettings](#)
 A class which handles certain settings of aspects in UN 129

[uNature.Core.Settings.UNSettingsEditor](#) 130

[uNature.Core.Targets.UNTarget](#)
 A target is what will be taken into account with the system. For example terrains. 131

[uNature.Core.Targets.UNTargetEditor](#) 135

[uNature.Core.Terrains.UNTerrain](#)
 A class that needs to be on each terrain that needs to be taken into account when managing the
 system. 136

[uNature.Core.Terrains.UNTerrainData](#)
 The terrain data class which is used by [uNature](#). Can be accesed by "UNTerrain.terrainData". . 141

[uNature.Core.Terrains.UNTerrainEditor](#) 144

[uNature.Core.Sectors.UNTerrainSector](#)
 An sector class dedicated only for terrains. 144

[uNature.Core.Terrains.UNTreePrototype](#)
 A custom class for the normal tree prototypes. Holds custom data that is used over this certain
 terrain data. 147

[uNature.Core.Vector2i](#) 149

[uNature.Core.FoliageClasses.WindSettings](#) 150

[uNature.Core.FoliageClasses.WindZones](#) 150

Chapter 4

Namespace Documentation

4.1 uNature Namespace Reference

Namespaces

4.2 uNature.Core Namespace Reference

Namespaces

Classes

- interface [IUTCPhysicsIgnored](#)
Ignore all physics on this script.
- class **UNMath**
An custom math class.
- class **UNPhysics**
This class handles all custom physics.
- struct [UNPhysicsHit_Grass](#)
A class that holds the data for the hit data
- class [UNPhysicsHitsArray](#)
An custom array that holds all ray results in an array
- struct [UNPhysicsObject](#)
This is a base class for a UCPhysicsObject. Every class that inherits this class will be counted in the physics system.
- struct [UNPhysicsTemplate](#)
- struct [Vector2i](#)

4.3 uNature.Core.ClassExtensions Namespace Reference

Classes

- class **ClassExtensions**
Some extensions that helps achieving things that aren't built in with unity.

4.4 uNature.Core.Collections Namespace Reference

Classes

- class [UNDimensionalList](#)
A 2 dimensional list which is used by certain mechanics in [uNature](#).
- class [UNList](#)
A custom list which is used on some important interfaces in UN.

4.5 uNature.Core.Editor Namespace Reference

Namespaces

4.6 uNature.Core.Editor.Helpers Namespace Reference

Classes

- class [UNEditorHelpers](#)

4.7 uNature.Core.Extensions Namespace Reference

Classes

- class [MethodHelperAttribute](#)
- class [UN_ForgeNetworking](#)
- class [UN_GAIA](#)
- class [UN_GENA](#)
- class [UN_MapMagic](#)
- class [UN_PhotonBolt](#)
- class [UN_PhotonCloud](#)
- class [UN_TerrainComposer](#)
- class [UN_UFPS](#)
- class [UN_UNet](#)
- class [UN_WorldStreamer](#)
- class [UNExtension](#)
A uConstruct extension that will allow other 3d party systems to work with uConstruct.
- class [UNExtensionsEditor](#)

4.8 uNature.Core.FoliageClasses Namespace Reference

Classes

- class [BaseInteraction](#)
- class [FoliageChunk](#)
- class [FoliageCore_Chunk](#)
- class [FoliageCore_MainManager](#)
- class [FoliageCore_Sector](#)
- class [FoliageDB](#)

The database class of the Foliage, holds a lot of important data such as Foliage prototypes, Foliage map and more.

- class [FoliageDynamicSurface](#)
- struct [FoliageLODLevel](#)
- class [FoliageManagerInstance](#)
- class [FoliageMesh](#)
- class [FoliageMeshInstance](#)
- class [FoliageMeshInstancesGroup](#)
- class [FoliageMeshManager](#)
- class [FoliagePrototype](#)
- class [FoliageReceiver](#)
- class [FoliageSector](#)

An sector class dedicated only to Foliage.

- class [GPUMesh](#)

A class used to hold the gpu meshes

- class [GPUMeshLOD](#)

GPU Mesh Lods.

- class [InteractionMap](#)

Channels: R: Wind Direction G: Grass Offset X (Touch bending) B: Grass Offset Z (Touch bending) A: Saved for custom work.

- class [PaintBrush](#)
- class [ReadDensityInformation](#)
- class [TouchBending](#)
- class [UNFoliageEditor](#)
- class [UNFoliageManagerEditor](#)
- class [UNMeshData](#)
- class [WindSettings](#)
- class [WindZones](#)

Enumerations

- enum **FoliageType** { **Prefab**, **Texture** }
- enum **FoliageResolutions** { **_512** = 512, **_1024** = 1024, **_2048** = 2048 }
- enum **FoliageGenerationRadius** { **_1x1** = 1, **_3x3** = 3, **_5x5** = 5 }
- enum **InteractionResolutions** { **_32** = 32, **_64** = 64, **_128** = 128, **_256** = 256, **_512** = 512, **_1024** = 1024 }
- enum **CurrentPaintMethod** { **Normal_Paint**, **Spline_Paint** }

Functions

- delegate void **OnFoliageEnableChanged** ([FoliagePrototype](#) changedPrototype, bool value)

4.9 uNature.Core.Math Namespace Reference

Classes

- class **UNMath**

4.10 uNature.Core.Networking Namespace Reference

Classes

- class [BaseUNNetworkData](#)
- class [UNNetworkData](#)
A class which can be used for an abstract networking data.

Template Parameters

T	<i>The network connection type which the networking library uses.</i>
---	---

- class [UNNetworkManager](#)
A template for networking, which can be used by networking extensions to easily get the networking actions done.

Template Parameters

T1	<i>the targeted networking connection</i>
T2	<i>the type of the data</i>

- class [UNNetworkPlayerController](#)

Enumerations

- enum **PacketType** { **HealthUpdate** }

4.11 uNature.Core.Pooling Namespace Reference

Classes

- class [HarvestableTIPoolItem](#)
A [Pool](#) item for terrain where the tree instances should be harvestable. (Tree cutting for instance) Inherite from this class to create your own harvestable type.
- interface [IHarvestableItem](#)
- interface [IPoolComponent](#)
- class [Pool](#)
A class that manages the [Pooling](#) of the system, Which allows huge runtime performance increase.
- class [PoolItem](#)
An abstract class that handles the [Pool](#) items.
- class [TerrainPoolItem](#)
A [Pool](#) item for terrain. (Tree instances)

Functions

- delegate void **OnHealthChanged** (int value)
- delegate void **OnItemStateChanged** ([HarvestableTIPoolItem](#) item)
- delegate void **OnItemDamaged** ([HarvestableTIPoolItem](#) item, int damage)
- delegate void **OnTreeInstanceStateChanged** (Terrain terrain, int instanceID)

4.12 uNature.Core.Sectors Namespace Reference

Classes

- class [Chunk](#)
part of the sector which contains information.
- class [ChunkObject](#)
- class [GrassLODLevel](#)
A class that holds a level which all assigned on different frames.
- class [Sector](#)
A sector which is used to divide the UNTerrain objects in the world to increase performance (can handle more than 200k trees!!)
- class [TChunk](#)
- struct [TreeFetchingTask_MultiThreaded](#)
- class [UNTerrainSector](#)
An sector class dedicated only for terrains.

Functions

- delegate void **SectorRecalculated** (List< [Chunk](#) > newChunks, Vector2 newChunkSize)

4.13 uNature.Core.Seekers Namespace Reference

Classes

- class [UNSeeker](#)
[Seekers](#) are basically GameObjects in the scene which should interact with the objects in the game.

4.14 uNature.Core.Settings Namespace Reference

Classes

- class [UNSetting](#)
A class which should be used on custom classes that needs to be shown and serialized as a setting.
- class [UNSettingAttribute](#)
The attribute of each setting which handles the drawing of the setting (generically).
- class [UNSettingCategory](#)
The class of a category which handles keeping hold of all of the categories and makes all of the reflection needed.
- class [UNSettings](#)
A class which handles certain settings of aspects in UN
- class [UNSettingsEditor](#)

Enumerations

- enum [UNSettingCategories](#) {
Terrain, General, Networking, Interaction,
Threading, Grass }

The categories of the settings which will be used on the editor.

4.14.1 Enumeration Type Documentation

4.14.1.1 enum `uNature.Core.Settings.UNSettingCategories` [strong]

The categories of the settings which will be used on the editor.

4.15 uNature.Core.Targets Namespace Reference

Classes

- class [UNTarget](#)
A target is what will be taken into account with the system. For example terrains.
- class [UNTargetEditor](#)

4.16 uNature.Core.Terrains Namespace Reference

Classes

- class [UNTerrain](#)
A class that needs to be on each terrain that needs to be taken into account when managing the system.
- class [UNTerrainData](#)
The terrain data class which is used by [uNature](#). Can be accessed by "UNTerrain.terrainData".
- class [UNTerrainEditor](#)
- class [UNTTreePrototype](#)
A custom class for the normal tree prototypes. Holds custom data that is used over this certain terrain data.

Enumerations

- enum **TerrainChangedFlags** {
NoChange = 0, Heightmap = 1, TreeInstances = 2, DelayedHeightmapUpdate = 4,
FlushEverythingImmediately = 8, RemoveDirtyDetailsImmediately = 16, TreePrototypesChanged = 32,
WillBeDestroyed = 256 }
- enum **TerrainTabs** { Grids, Pool, Vegetation, Trees }

4.17 uNature.Core.Threading Namespace Reference

Classes

- interface [IThreadTask](#)
A thread task interface. Implement on any customely created thread task.
- class [ThreadItem](#)
This class handles assigning parameters before multi-threaded actions that can be called from outside of unity's main thread. for example : position.
- class [ThreadManager](#)
This class handles the multi-threading mechanics.
- class [ThreadTask](#)
A thread task that takes no parameters.

Enumerations

- enum [uNature_Thread_Workers](#) {
 One_Worker = 1, **Two_Workers** = 2, **Three_Workers** = 3, **Four_Workers** = 4,
 Five_Workers = 5 }

4.18 uNature.Core.Utility Namespace Reference

Classes

- class [BasePrototypeltem](#)
An base prototype item which is used for the [uNature](#) ui utility.
- class [FoliageGrassMap](#)
Channels:
- class [FoliageWorldMap](#)
Channels: R: Normals X-Axis G: Normals Y-Axis B: Heights Channel #1 A: Heights Channel #2
- class [UNBatchTask](#)
An task
- class [UNBatchUtility](#)
An utility class for batching items.
- class [UNBatcMeshhProcessingTask](#)
- class [UNBrushUtility](#)
Using this class you can paint an brush on the scene.
- struct [UNCombineInstance](#)
- class [UNDictionary](#)
- class [UNMap](#)
The abstract Map class.
- class [UNMapGenerators](#)
- class [UNStandaloneUtility](#)

4.19 uNature.Demo Namespace Reference

Classes


- class [UN_FirstPersonController](#)
- class [UN_MouseLook](#)

Chapter 5

Class Documentation

5.1 uNature.Core.FoliageClasses.BaseInteraction Class Reference

Inheritance diagram for uNature.Core.FoliageClasses.BaseInteraction:



Public Member Functions

- void `UpdateInteraction` (`FoliageReceiver` receiver)
Update the interaction

Static Public Member Functions

- static List< `BaseInteraction` > `GetRelevantInteractions` (`FoliageReceiver` receiver)

Protected Member Functions

- override void `OnEnable` ()
- override void `OnDisable` ()
Called when the object is disabled
- override void `OnPositionChanged` (`Vector3` newPosition)
Called when the item's position changed
- virtual void `UpdateInteraction` (`FoliageReceiver` receiver, `Vector2` normalizedPosition)
Please dont use map.SetPixels, it will be assigned later on automatically..
- `Vector2` `GetNormalizedPosition` (`FoliageReceiver` receiver)
- `Vector2` `GetNormalizedPosition` (`Vector2` position, `FoliageReceiver` receiver)

Properties

- static List< [BaseInteraction](#) > **interactions** [get]
- virtual bool **includedInInteractionMap** [get]

Additional Inherited Members

5.1.1 Member Function Documentation

5.1.1.1 override void [uNature.Core.FoliageClasses.BaseInteraction.OnDisable](#) () [protected],[virtual]

Called when the object is disabled

Reimplemented from [uNature.Core.Threading.ThreadItem](#).

Reimplemented in [uNature.Core.FoliageClasses.TouchBending](#).

5.1.1.2 override void [uNature.Core.FoliageClasses.BaseInteraction.OnPositionChanged](#) ([Vector3](#) *newPosition*) [protected],[virtual]

Called when the item's position changed

Reimplemented from [uNature.Core.Threading.ThreadItem](#).

Reimplemented in [uNature.Core.FoliageClasses.TouchBending](#).

5.1.1.3 void [uNature.Core.FoliageClasses.BaseInteraction.UpdateInteraction](#) ([FoliageReceiver](#) *receiver*)

Update the interaction

Parameters

<i>receiver</i>	
-----------------	--

5.1.1.4 virtual void [uNature.Core.FoliageClasses.BaseInteraction.UpdateInteraction](#) ([FoliageReceiver](#) *receiver*, [Vector2](#) *normalizedPosition*) [protected],[virtual]

Please dont use `map.SetPixels`, it will be assigned later on automatically..

Parameters

<i>receiver</i>	
-----------------	--

Reimplemented in [uNature.Core.FoliageClasses.WindZones](#).


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foliage/Interaction/BaseInteraction.cs

5.2 uNature.Core.Utility.BasePrototypeItem Class Reference

An base prototype item which is used for the [uNature](#) ui utility.

Inheritance diagram for uNature.Core.Utility.BasePrototypeItem:



Protected Member Functions

- virtual Texture2D **GetPreview** ()

Properties

- Texture2D **preview** [get, set]
- virtual bool **isEnabled** [get]
- virtual bool **chooseableOnDisabled** [get]

5.2.1 Detailed Description


An base prototype item which is used for the [uNature](#) ui utility.

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Utility/BasePropertyItem.cs

5.3 uNature.Core.Networking.BaseUNNetworkData Class Reference

Inheritance diagram for uNature.Core.Networking.BaseUNNetworkData:



Public Member Functions

- virtual void **UnPack** ()
Unpack the data

Public Attributes

- int **treeInstanceId**
- string **terrainID**
- PacketType **eventType** = PacketType.HealthUpdate

Protected Attributes

- int **_health**

Properties

- int **minHealth** [get, set]
- int **maxHealth** [get, set]
- int **health** [get, set]

5.3.1 Member Function Documentation

5.3.1.1 virtual void uNature.Core.Networking.BaseUNNetworkData.UnPack () [virtual]

Unpack the data

Reimplemented in [uNature.Core.Networking.UNNetworkData< T >](#).


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Networking_Templates/BaseUNNetworkData.cs

5.4 uNature.Core.Sectors.Chunk Class Reference

part of the sector which contains information.

Inheritance diagram for uNature.Core.Sectors.Chunk:



Public Member Functions

- virtual void [Awake](#) ()
Called when the object is created/ initializes.

Parameters

terrain	the terrain
---------	-------------

- bool [Contains](#) (Vector2 point, float offset)
Is this point inside the chunk?
- bool [Contains](#) (Vector3 point, float offset)
Is this point inside the chunk?
- virtual void [OnCreated](#) ()
Called when the chunk is created.
- virtual void [ResetChunk](#) ()
Reset the chunk's propoties.
- virtual void [OnDrawGizmos](#) ()
Draw gizmos.

Static Public Member Functions

- static T [CreateChunk< T >](#) ([Sector](#) sector, Vector2 position, int x, int z, Vector2 scale, short chunkID)
Create a new chunk

Public Attributes

- Vector2 **terrainRelativeSize**
- Vector2 **minPoint**
- Vector2 **maxPoint**
- short **chunkID**
- int **x**
- int **z**
- Transform **sectorOwner**

Protected Member Functions

- virtual void [OnSizeChanged](#) ()
On size parameter changed.
- virtual void [OnEnable](#) ()
Called on disable
- virtual void [OnDisable](#) ()
Called on disable

Properties

- Vector2 **position** [get, set]
- Vector3 **position3D** [get]
- Vector2 **size** [get, set]
- Vector2 **extents** [get, set]
- Vector2 **center** [get]
- virtual string **chunkType** [get]

5.4.1 Detailed Description

part of the sector which contains information.

5.4.2 Member Function Documentation

5.4.2.1 virtual void uNature.Core.Sectors.Chunk.Awake () [virtual]

Called when the object is created/ initializes.

Parameters

<i>terrain</i>	the terrain
----------------	-------------

Reimplemented in [uNature.Core.Sectors.TIChunk](#).

5.4.2.2 bool uNature.Core.Sectors.Chunk.Contains (Vector2 *point*, float *offset*)

Is this point inside the chunk?

Parameters

<i>point</i>	the point
--------------	-----------

Returns

5.4.2.3 bool uNature.Core.Sectors.Chunk.Contains (Vector3 *point*, float *offset*)

Is this point inside the chunk?

Parameters

<i>point</i>	the point
--------------	-----------

Returns

5.4.2.4 static T uNature.Core.Sectors.Chunk.CreateChunk< T > (Sector *sector*, Vector2 *position*, int *x*, int *z*, Vector2 *scale*, short *chunkID*) [static]

Create a new chunk

Template Parameters

<i>T</i>	
----------	--

Parameters

<i>sector</i>	
<i>position</i>	
<i>scale</i>	
<i>unTerrain</i>	

Returns

Type Constraints

T* : *Chunk

5.4.2.5 virtual void uNature.Core.Sectors.Chunk.OnCreated () [virtual]

Called when the chunk is created.

Reimplemented in [uNature.Core.Sectors.TIChunk](#), [uNature.Core.FoliageClasses.FoliageChunk](#), and [uNature.Core.FoliageClasses.FoliageCore_Chunk](#).

5.4.2.6 virtual void uNature.Core.Sectors.Chunk.OnDisable () [protected],[virtual]

Called on disable

Reimplemented in [uNature.Core.FoliageClasses.FoliageChunk](#).

5.4.2.7 virtual void uNature.Core.Sectors.Chunk.OnDrawGizmos () [virtual]

Draw gizmos.

Reimplemented in [uNature.Core.Sectors.TIChunk](#), and [uNature.Core.FoliageClasses.FoliageCore_Chunk](#).

5.4.2.8 virtual void uNature.Core.Sectors.Chunk.OnEnable () [protected],[virtual]

Called on disable

5.4.2.9 virtual void uNature.Core.Sectors.Chunk.OnSizeChanged () [protected],[virtual]

On size parameter changed.

Reimplemented in [uNature.Core.FoliageClasses.FoliageChunk](#), [uNature.Core.FoliageClasses.FoliageCore_Chunk](#), and [uNature.Core.Sectors.TIChunk](#).

5.4.2.10 `virtual void uNature.Core.Sectors.Chunk.ResetChunk () [virtual]`

Reset the chunk's propoties.

Reimplemented in [uNature.Core.Sectors.TIChunk](#), and [uNature.Core.FoliageClasses.FoliageChunk](#).

The documentation for this class was generated from the following file:

- `D:/Projects/uNature/Assets/uNature/Scripts/Core/Sectors/Chunk.cs`

5.5 `uNature.Core.Sectors.ChunkObject` Class Reference

Public Member Functions

- **ChunkObject** (int `_instanceID`, TreeInstance `treeInstance`, Vector3 `terrainSize`, TerrainData `tData`, Vector3 `terrainPosition`)
- void **Remove** ()

Public Attributes

- TreeInstance **treeInstance**
- int **prototypeID**
- int **instanceID**
- Vector3 **worldPosition**
- Vector2 **depthPosition**
- System.DateTime **removedTime**
- float **originalHeight**
- [HarvestableTIPoolItem](#) **prefabHarvestableComponent**
- [HarvestableTIPoolItem](#) **harvestableComponent**

Properties


- bool **isRemoved** [get]

The documentation for this class was generated from the following file:

- `D:/Projects/uNature/Assets/uNature/Scripts/Core/Sectors/Chunk.cs`

5.6 `uNature.Core.FoliageClasses.FoliageChunk` Class Reference

Inheritance diagram for `uNature.Core.FoliageClasses.FoliageChunk`:



Public Member Functions

- override void [ResetChunk](#) ()
Reset population.
- override void [OnCreated](#) ()
Create colliders
- [ReadDensityInformation](#) [GetDensity](#) (int prototypeIndex)
Get Density Information
- byte [GetMaxDensityOnArea](#) (int prototypeIndex)
Get max density on area

Protected Member Functions

- override void [OnDisable](#) ()
Called on disable
- override void [OnSizeChanged](#) ()
Called when the size of the chunk is changed.

Additional Inherited Members

5.6.1 Member Function Documentation

5.6.1.1 [ReadDensityInformation](#) uNature.Core.FoliageClasses.FoliageChunk.GetDensity (int *prototypeIndex*)

Get Density Information

Returns

5.6.1.2 byte uNature.Core.FoliageClasses.FoliageChunk.GetMaxDensityOnArea (int *prototypeIndex*)

Get max density on area

Returns

5.6.1.3 override void uNature.Core.FoliageClasses.FoliageChunk.OnCreated () [virtual]

Create colliders

Reimplemented from [uNature.Core.Sectors.Chunk](#).

5.6.1.4 `override void uNature.Core.FoliageClasses.FoliageChunk.OnDisable () [protected],[virtual]`

Called on disable

Reimplemented from [uNature.Core.Sectors.Chunk](#).

5.6.1.5 `override void uNature.Core.FoliageClasses.FoliageChunk.OnSizeChanged () [protected],[virtual]`

Called when the size of the chunk is changed.

Reimplemented from [uNature.Core.Sectors.Chunk](#).

5.6.1.6 `override void uNature.Core.FoliageClasses.FoliageChunk.ResetChunk () [virtual]`

Reset population.


Reimplemented from [uNature.Core.Sectors.Chunk](#).

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/FoliageChunk.cs

5.7 uNature.Core.FoliageClasses.FoliageCore_Chunk Class Reference

Inheritance diagram for uNature.Core.FoliageClasses.FoliageCore_Chunk:



Public Member Functions

- `override void OnDrawGizmos ()`
On Draw Gizmos
- `override void OnCreated ()`
Called when the chunk is created.
- `FoliageManagerInstance GetOrCreateFoliageManagerInstance ()`
Get the attached Foliage Manager Instance and if not availabe, create one.
- `bool InBounds (Vector3 normalizedPosition, float distance)`
Check for in bounds

Protected Member Functions

- override void [OnSizeChanged](#) ()
On size parameter changed.

Properties

- bool [isFoliageInstanceAttached](#) [get]
Checks if an foliage instance exist on this chunk.

Additional Inherited Members

5.7.1 Member Function Documentation

5.7.1.1 [FoliageManagerInstance](#) uNature.Core.FoliageClasses.FoliageCore_Chunk.GetOrCreateFoliageManagerInstance ()

Get the attached Foliage Manager Instance and if not available, create one.

Returns

5.7.1.2 bool uNature.Core.FoliageClasses.FoliageCore_Chunk.InBounds ([Vector3](#) *normalizedPosition*, float *distance*)

Check for in bounds

Parameters

<i>normalizedPosition</i>	
<i>distance</i>	

Returns

5.7.1.3 override void uNature.Core.FoliageClasses.FoliageCore_Chunk.OnCreated () [virtual]

Called when the chunk is created.

Reimplemented from [uNature.Core.Sectors.Chunk](#).

5.7.1.4 override void uNature.Core.FoliageClasses.FoliageCore_Chunk.OnDrawGizmos () [virtual]

On Draw Gizmos

Reimplemented from [uNature.Core.Sectors.Chunk](#).

5.7.1.5 `override void uNature.Core.FoliageClasses.FoliageCore_Chunk.OnSizeChanged () [protected], [virtual]`

On size parameter changed.

Reimplemented from [uNature.Core.Sectors.Chunk](#).

5.7.2 Property Documentation

5.7.2.1 `bool uNature.Core.FoliageClasses.FoliageCore_Chunk.isFoliageInstanceAttached [get]`


Checks if an foliage instance exist on this chunk.

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/GPU_Uilities/FoliageCore_Chunk.cs

5.8 uNature.Core.FoliageClasses.FoliageCore_MainManager Class Reference

Inheritance diagram for uNature.Core.FoliageClasses.FoliageCore_MainManager:



Public Member Functions

- int [GetChunkID](#) (float x, float z)
Get chunk from bounds.
- bool [CheckChunkInBounds](#) (int chunkID)
Check if the chunk id is in range
- void [InsertFoliageFromTerrain](#) (Terrain terrain)
Copy the terrain's details and use it with the custom Foliage system.
- void **UpdateHeights** (int x, int z, int scaleX, int scaleZ)
- byte[,] [GetDetailLayer](#) (int baseX, int baseZ, int sizeX, int sizeZ, int prototypeIndex)
Set detail layer in world cords
- void [SetDetailLayer](#) (int baseX, int baseZ, int sizeX, int sizeZ, int prototypeIndex, byte[,] densities)
Set detail layer in world cords

Static Public Member Functions

- static void [SaveDelayedMaps](#) ()
Save maps that have been marked as delayed (waiting for update)
- static void [CallInstancesChunksUpdate](#) ()
Reset the foliage chunks
- static void [RemoveGrassMap](#) ([FoliagePrototype](#) prototype)
Remove Grass Map Globally
- static void [UpdateGrassMap](#) ()
Update the existing grass maps
- static void [ResetGrassMap](#) (List< [FoliagePrototype](#) > prototypes)
Reset the existing grass maps
- static void [InitializeAndCreatelfNotFound](#) ()
Create an instance if not created

Public Attributes

- const int **FOLIAGE_MAIN_AREA_RADIUS** = 10240
- const int **FOLIAGE_INSTANCE_AREA_SIZE** = (FOLIAGE_MAIN_AREA_RADIUS * 2) / FOLIAGE_MAIN↵
_AREA_RESOLUTION
- bool **useQualitySettingsShadowDistance** = false
- float **foliageShadowDistance** = 100

Protected Member Functions

- override void [Awake](#) ()
Initiate awake settings.
- override void **OnEnable** ()
- override void [OnDisable](#) ()
Called when the object is disabled

Static Protected Member Functions

- static void **CreateInstance** ()

Properties

- static [FoliageCore_MainManager](#) **instance** [get]
- string **guid** [get]
- new bool **enabled** [get, set]
- float **density** [get, set]
- int **FoliageGenerationLayerMask** [get, set]
- [FoliageCore_Sector](#) **sector** [get]
- int [instancesSectorResolution](#) [get, set]
The sector resolution that the manager's sector will have. [default : 10]
- float [instancesSectorChunkSize](#) [get]
Get the chunk size of the manager instances.

Additional Inherited Members

5.8.1 Member Function Documentation

5.8.1.1 `override void uNature.Core.FoliageClasses.FoliageCore_MainManager.Awake ()` `[protected]`, `[virtual]`

Initiate awake settings.

Reimplemented from [uNature.Core.Targets.UNTarget](#).

5.8.1.2 `static void uNature.Core.FoliageClasses.FoliageCore_MainManager.CallInstancesChunksUpdate ()` `[static]`

Reset the foliage chunks

5.8.1.3 `bool uNature.Core.FoliageClasses.FoliageCore_MainManager.CheckChunkInBounds (int chunkID)`

Check if the chunk id is in range

Parameters

<i>chunkID</i>	
----------------	--

Returns

5.8.1.4 `int uNature.Core.FoliageClasses.FoliageCore_MainManager.GetChunkID (float x, float z)`

Get chunk from bounds.

[REMOVE MAIN MANAGER POSITION FROM CORDS!!] for example: `cordX = transform.position.x - FoliageCore_MainManager.instance.transform.position.x`.

Parameters

<i>x</i>	
<i>z</i>	

Returns

5.8.1.5 `byte [,] uNature.Core.FoliageClasses.FoliageCore_MainManager.GetDetailLayer (int baseX, int baseZ, int sizeX, int sizeZ, int prototypeIndex)`

Set detail layer in world cords

Parameters

<i>baseX</i>	WORLD CORDS!!
<i>baseZ</i>	WORLD CORDS!!
<i>sizeX</i>	WORLD CORDS!!
<i>sizeZ</i>	WORLD CORDS!!
<i>prototypeIndex</i>	prototype.FoliageID

5.8.1.6 `static void uNature.Core.FoliageClasses.FoliageCore_MainManager.InitializeAndCreatelfNotFound () [static]`

Create an instance if not created

5.8.1.7 `void uNature.Core.FoliageClasses.FoliageCore_MainManager.InsertFoliageFromTerrain (Terrain terrain)`

Copy the terrain's details and use it with the custom Foliage system.

Parameters

<i>terrain</i>	
----------------	--

5.8.1.8 `override void uNature.Core.FoliageClasses.FoliageCore_MainManager.OnDisable () [protected], [virtual]`

Called when the object is disabled

Reimplemented from [uNature.Core.Threading.ThreadItem](#).

5.8.1.9 `static void uNature.Core.FoliageClasses.FoliageCore_MainManager.RemoveGrassMap (FoliagePrototype prototype) [static]`

Remove Grass Map Globally

Parameters

<i>foliageID</i>	
------------------	--

5.8.1.10 `static void uNature.Core.FoliageClasses.FoliageCore_MainManager.ResetGrassMap (List< FoliagePrototype > prototypes) [static]`

Reset the existing grass maps

Parameters

<i>prototype</i>	
------------------	--

5.8.1.11 `static void uNature.Core.FoliageClasses.FoliageCore_MainManager.SaveDelayedMaps () [static]`

Save maps that have been marked as delayed (waiting for update)

5.8.1.12 `void uNature.Core.FoliageClasses.FoliageCore_MainManager.SetDetailLayer (int baseX, int baseZ, int sizeX, int sizeZ, int prototypeIndex, byte densities[,])`

Set detail layer in world cords

Parameters

<i>baseX</i>	WORLD CORDS!!
<i>baseZ</i>	WORLD CORDS!!
<i>sizeX</i>	WORLD CORDS!!
<i>sizeZ</i>	WORLD CORDS!!
<i>prototypeIndex</i>	prototype.FoliageID
<i>densities</i>	the density in bytes from 0 -> 15

5.8.1.13 `static void uNature.Core.FoliageClasses.FoliageCore_MainManager.UpdateGrassMap () [static]`

Update the existing grass maps

Parameters

<i>prototype</i>	
------------------	--

5.8.2 Property Documentation

5.8.2.1 `float uNature.Core.FoliageClasses.FoliageCore_MainManager.instancesSectorChunkSize [get]`

Get the chunk size of the manager instances.

5.8.2.2 `int uNature.Core.FoliageClasses.FoliageCore_MainManager.instancesSectorResolution [get], [set]`


The sector resolution that the manager's sector will have. [default : 10]

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/GPU_Uilities/FoliageCore_MainManager.cs

5.9 uNature.Core.FoliageClasses.FoliageCore_Sector Class Reference

Inheritance diagram for uNature.Core.FoliageClasses.FoliageCore_Sector:



Public Attributes

- List< [FoliageCore_Chunk](#) > **foliageChunks** = new List<[FoliageCore_Chunk](#)>()

Protected Member Functions

- override void [OnChunkCreated](#) ([Chunk](#) chunk)
Called when a chunk is created to allow custom logic on the inherited sectors.
- override void [OnStartCreatingChunks](#) ()
Called right before starting to create the chunks.
- override void [OnResolutionChanged](#) ()
Called when the resolution has been updated.

Additional Inherited Members

5.9.1 Member Function Documentation

5.9.1.1 override void uNature.Core.FoliageClasses.FoliageCore_Sector.OnChunkCreated ([Chunk](#) chunk)
[protected], [virtual]

Called when a chunk is created to allow custom logic on the inherited sectors.

Parameters

chunk	
-----------------------	--

Reimplemented from [uNature.Core.Sectors.Sector](#).

5.9.1.2 override void uNature.Core.FoliageClasses.FoliageCore_Sector.OnResolutionChanged () [protected], [virtual]

Called when the resolution has been updated.

Reimplemented from [uNature.Core.Sectors.Sector](#).

5.9.1.3 `override void uNature.Core.FoliageClasses.FoliageCore_Sector.OnStartCreatingChunks () [protected], [virtual]`

Called right before starting to create the chunks.

Reimplemented from [uNature.Core.Sectors.Sector](#).


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/GPU_Uilities/FoliageCore_Sector.cs

5.10 uNature.Core.FoliageClasses.FoliageDB Class Reference

The database class of the Foliage, holds a lot of important data such as Foliage prototypes, Foliage map and more.

Inheritance diagram for uNature.Core.FoliageClasses.FoliageDB:



Public Member Functions

- void [AddPrototype](#) (Texture2D texture, GameObject prefab, float minWidth, float minHeight, float maxWidth, float maxHeight, float spread, int layer, Color healthyColor, Color dryColor)
Add a new Foliage prototype.
- void [AddPrototype](#) (DetailPrototype detailPrototype)
Add a new Foliage prototype.
- void [AddPrototype](#) (Texture2D texture)
Add a new Foliage prototype.
- void [AddPrototype](#) (GameObject prefab)
Add a new Foliage prototype.
- void [RemovePrototype](#) ([FoliagePrototype](#) prototype)
Remove an existing Foliage prototype.
- void [UpdateShaderWindSettings](#) ()
Update wind settings globally
- void [UpdateShaderGeneralSettings](#) ()
This will update the general settings of the shader such as density, min width, max width etc

Public Attributes

- [WindSettings](#) `globalWindSettings` = new [WindSettings](#)()

Properties

- static [FoliageDB instance](#) [get]
Get the instance, if not found, it will automatically create one.
- static List< [FoliagePrototype](#) > **unSortedPrototypes** [get]
- static Dictionary< int, [FoliagePrototype](#) > **sortedPrototypes** [get]
- List< [PaintBrush](#) > **brushes** [get, set]

5.10.1 Detailed Description

The database class of the Foliage, holds a lot of important data such as Foliage prototypes, Foliage map and more.

5.10.2 Member Function Documentation

5.10.2.1 void uNature.Core.FoliageClasses.FoliageDB.AddPrototype (Texture2D *texture*, GameObject *prefab*, float *minWidth*, float *minHeight*, float *maxWidth*, float *maxHeight*, float *spread*, int *layer*, Color *healthyColor*, Color *dryColor*)

Add a new Foliage prototype.

5.10.2.2 void uNature.Core.FoliageClasses.FoliageDB.AddPrototype (DetailPrototype *detailPrototype*)

Add a new Foliage prototype.

5.10.2.3 void uNature.Core.FoliageClasses.FoliageDB.AddPrototype (Texture2D *texture*)

Add a new Foliage prototype.

5.10.2.4 void uNature.Core.FoliageClasses.FoliageDB.AddPrototype (GameObject *prefab*)

Add a new Foliage prototype.

5.10.2.5 void uNature.Core.FoliageClasses.FoliageDB.RemovePrototype (FoliagePrototype *prototype*)

Remove an existing Foliage prototype.

5.10.2.6 void uNature.Core.FoliageClasses.FoliageDB.UpdateShaderGeneralSettings ()

This will update the general settings of the shader such as density, min width, max width etc

5.10.2.7 void uNature.Core.FoliageClasses.FoliageDB.UpdateShaderWindSettings ()

Update wind settings globally

5.10.3 Property Documentation

5.10.3.1 FoliageDB `uNature.Core.FoliageClasses.FoliageDB.instance` `[static], [get]`


Get the instance, if not found, it will automatically create one.

The documentation for this class was generated from the following file:

- `D:/Projects/uNature/Assets/uNature/Scripts/Core/Foliage/FoliageDB.cs`

5.11 `uNature.Core.FoliageClasses.FoliageDynamicSurface` Class Reference

Inheritance diagram for `uNature.Core.FoliageClasses.FoliageDynamicSurface`:



Public Attributes

- float **updateDistanceDifference** = 1

Protected Member Functions

- virtual void **OnEnable** ()
- virtual void **OnDisable** ()
- virtual void **Update** ()
- virtual void **ApplyPositionChange** ()
- virtual void **ApplyScaleChange** ()


The documentation for this class was generated from the following file:

- `D:/Projects/uNature/Assets/uNature/Scripts/Core/Foliage/GPU_Uilities/FoliageDynamicSurface.cs`

5.12 `uNature.Core.Utility.FoliageGrassMap` Class Reference

Channels:

Inheritance diagram for `uNature.Core.Utility.FoliageGrassMap`:



Public Member Functions

- **FoliageGrassMap** (Texture2D texture, [FoliagePrototype](#) prototype, [FoliageManagerInstance](#) mInstance)
- **FoliageGrassMap** (Texture2D texture, Color32[] pixels, [FoliagePrototype](#) prototype, [FoliageManagerInstance](#) mInstance)
- void **UpdateMap** (bool newMap)
- void **ResetDensity** ()
- byte **GetDensity** (int x, int z)
Get density at normalized x & z
- void **SetDensity** (int x, int z, byte density)
Set density at normalized x & z
- void **CallChunksUpdate** ()
- void **Save** ()

Static Public Member Functions

- static void **SaveAllMaps** ()
- static void **ApplyAreaSizeChange** ([FoliageManagerInstance](#) mInstance)
- static void **UpdateGrassMaps** ([FoliageManagerInstance](#) mInstance)
Update all of the available grass maps (pixels)

Protected Member Functions

- override void **OnDirty** (bool value)

Properties

- float **perlinScale** [get, set]
- int **prototypeID** [get]
- static bool **globalDirty** [get]

Additional Inherited Members

5.12.1 Detailed Description

Channels:

R: Free G: Free B: Density A: Perlin Noise

5.12.2 Member Function Documentation

5.12.2.1 byte uNature.Core.Utility.FoliageGrassMap.GetDensity (int x, int z)

Get density at normalized x & z

Parameters

<i>x</i>	
<i>z</i>	

Returns

5.12.2.2 `void uNature.Core.Utility.FoliageGrassMap.SetDensity (int x, int z, byte density)`

Set density at normalized x & z

Parameters

<i>x</i>	
<i>z</i>	

Returns

5.12.2.3 `static void uNature.Core.Utility.FoliageGrassMap.UpdateGrassMaps (FoliageManagerInstance mInstance)`
[static]

Update all of the available grass maps (pixels)

Parameters

<i>size</i>	
-------------	--

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Utility/UNMapGenerators.cs

5.13 uNature.Core.FoliageClasses.FoliageLODLevel Struct Reference

Public Member Functions

- **FoliageLODLevel** (float lodDistance, float lodValue)

Public Attributes

- const int **LOD_MAX_DISTANCE** = 500
- Vector2 **_vectorRepresentation**
- bool **_isDirty**

Properties


- Vector2 **vectorRepresentation** [get]
- float **lodDistance** [get, set]
- float **lodValue** [get, set]

The documentation for this struct was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/FoliagePrototype.cs

5.14 uNature.Core.FoliageClasses.FoliageManagerInstance Class Reference

Inheritance diagram for uNature.Core.FoliageClasses.FoliageManagerInstance:



Public Member Functions

- void **ForceMapsRestore** ()
Restores the changes on the maps as long as saving changes on runtime isnt checked on the settings.
- void **UpdateMaterialBlock** (MaterialPropertyBlock mBlock)
- void **RemoveGrassMap** (FoliagePrototype prototype)
- int **TransformCord** (float x, float removeOffset)
Transform 1 cord
- float **TransformCordFloat** (float x, float removeOffset)
Transform 1 cord
- int **TransformCordCustom** (float x, float removeOffset, float multiplier)
Transform 1 cord
- float **TransformCordCustomFloat** (float x, float removeOffset, float multiplier)
Transform 1 cord
- int **InverseCord** (float x, float addOffset)
Transform 1 cord
- float **InverseCordFloat** (float x, float addOffset)
Transform 1 cord
- int **InverseCordCustom** (float x, float addOffset, float multiplier)
Transform 1 cord
- float **InverseCordCustomFloat** (float x, float addOffset, float multiplier)
Transform 1 cord

Protected Member Functions

- override void **OnEnable** ()
- override void **OnDisable** ()
Called when the object is disabled

Properties

- static List< [FoliageManagerInstance](#) > **instances** [get]
- string **guid** [get]
- Dictionary< int, [GPUMesh](#) > **meshInstances** [get]
- FoliageResolutions **foliageAreaResolution** [get, set]
- int **foliageAreaResolutionIntegral** [get]
- float **transformCordsMultiplier** [get, set]
- int **FoliageGenerationLayerMask** [get, set]
- Texture2D **colorMap** [get, set]
- [FoliageWorldMap](#) **worldMap** [get, set]
- Dictionary< [FoliagePrototype](#), [FoliageGrassMap](#) > **grassMaps** [get, set]
- [FoliageCore_Chunk](#) **attachedTo** [get]
- [FoliageSector](#) **sector** [get]

Additional Inherited Members

5.14.1 Member Function Documentation

5.14.1.1 void uNature.Core.FoliageClasses.FoliageManagerInstance.ForceMapsRestore ()

Restores the changes on the maps as long as saving changes on runtime isnt checked on the settings.

5.14.1.2 int uNature.Core.FoliageClasses.FoliageManagerInstance.InverseCord (float x, float *addOffset*)

Transform 1 cord

Parameters

x	
---	--

Returns

5.14.1.3 int uNature.Core.FoliageClasses.FoliageManagerInstance.InverseCordCustom (float x, float *addOffset*, float *multiplier*)

Transform 1 cord

Parameters

x	
---	--

Returns

5.14.1.4 float uNature.Core.FoliageClasses.FoliageManagerInstance.InverseCordCustomFloat (float *x*, float *addOffset*, float *multiplier*)

Transform 1 cord

Parameters

<i>x</i>	
----------	--

Returns

5.14.1.5 float uNature.Core.FoliageClasses.FoliageManagerInstance.InverseCordFloat (float *x*, float *addOffset*)

Transform 1 cord

Parameters

<i>x</i>	
----------	--

Returns

5.14.1.6 override void uNature.Core.FoliageClasses.FoliageManagerInstance.OnDisable () [protected], [virtual]

Called when the object is disabled

Reimplemented from [uNature.Core.Threading.ThreadItem](#).

5.14.1.7 int uNature.Core.FoliageClasses.FoliageManagerInstance.TransformCord (float *x*, float *removeOffset*)

Transform 1 cord

Parameters

<i>x</i>	
----------	--

Returns

5.14.1.8 `int uNature.Core.FoliageClasses.FoliageManagerInstance.TransformCordCustom (float x, float removeOffset, float multiplier)`

Transform 1 cord

Parameters

<i>x</i>	
----------	--

Returns

5.14.1.9 `float uNature.Core.FoliageClasses.FoliageManagerInstance.TransformCordCustomFloat (float x, float removeOffset, float multiplier)`

Transform 1 cord

Parameters

<i>x</i>	
----------	--

Returns

5.14.1.10 `float uNature.Core.FoliageClasses.FoliageManagerInstance.TransformCordFloat (float x, float removeOffset)`

Transform 1 cord

Parameters

<i>x</i>	
----------	--

Returns

The documentation for this class was generated from the following file:

- `D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/GPU_Uilities/FoliageManagerInstance.cs`

5.15 `uNature.Core.FoliageClasses.FoliageMesh` Class Reference

Public Member Functions

- **FoliageMesh** (GameObject go, int layer, Vector3 offset)

Public Attributes

- const int **OPTIMIZATION_MESH_INSTANCES_DENSITIES_LIMITER** = 12
- Vector3[] **positions**
- Mesh[] **meshes**
- Material **mat**
- Vector3 **eulerAngles**
- Vector3 **scale** = Vector3.one
- Vector3 **offset**
- int **vertexCount**

Static Public Attributes

- static string **materialsCachePath** = [Settings.UNSettings.ProjectPath](#) + "Resources/Foliage/Materials/"

Properties

- Vector3 **rendererScale** [get]
- Vector3 **worldScale** [get]
- [UNMeshData](#) **meshData** [get]
- int **MeshInstancesLimiter_Optimization_Clamp** [get]

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/FoliagePrototype.cs

5.16 uNature.Core.FoliageClasses.FoliageMeshInstance Class Reference

Public Member Functions

- Vector3 **GetPosition** (Vector3 pos)
- void [CalculatePhysics](#) ()
Calculate physics

Static Public Member Functions

- static int **GENERATION_RANGE_OFFSET** ([FoliagePrototype](#) prototype)
- static [FoliageMeshInstance](#) **CreateFoliageMesh** ([FoliagePrototype](#) prototype, Vector3 position, int max↔ InstancesPerMesh)
- static [FoliageMeshInstancesGroup](#) **CreateFoliageInstances** (int prototypeIndex, int density, List< [UN↔ PhysicsTemplate](#) > templates, FoliageResolutions resolution)
- static void **CreateGPUMesh** ([FoliagePrototype](#) prototype, Mesh mesh, int density, out List< [UNPhysics↔ Template](#) > physicsObjects)

Public Attributes

- [FoliagePrototype](#) **prototype**
- Vector3 **position**
- List< [UNPhysicsObject](#) > **physicsObjects** = new List<[UNPhysicsObject](#)>()

Properties

- int **maxInstancesPerMesh** [get]
- [FoliageChunk](#) **currentChunk** [get, set]

5.16.1 Member Function Documentation

5.16.1.1 void `uNature.Core.FoliageClasses.FoliageMeshInstance.CalculatePhysics` ()

Calculate physics

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/GPU_Uilities/FoliageMeshInstance.cs

5.17 `uNature.Core.FoliageClasses.FoliageMeshInstancesGroup` Class Reference

Public Member Functions

- void **AddMeshInstance** ([FoliageMeshInstance](#) instance)
- void **Destroy** ()

Properties


- [FoliageMeshInstance](#) **this[int index]** [get, set]
- int **Count** [get]

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/GPU_Uilities/FoliageMeshManager.cs

5.18 `uNature.Core.FoliageClasses.FoliageMeshManager` Class Reference

Inheritance diagram for `uNature.Core.FoliageClasses.FoliageMeshManager`:



Public Member Functions

- void [UpdateMeshBounds](#) (Vector3 centerPos)
Update the mesh instances bounds
- void **OnGlobalPostRender** (Camera camera)
- void **OnDrawCamera** (Camera camera)
- void **DEBUG_DrawUI** ()

Static Public Member Functions

- static void [GenerateFoliageMeshInstances](#) ()
Generate new mesh instances
- static void [GenerateFoliageMeshInstances](#) (FoliageResolutions resolution)
Generate new mesh instances
- static void [GenerateFoliageMeshInstances](#) (int prototypeID)
Generate new mesh instances
- static void [GenerateFoliageMeshInstanceForIndex](#) (int prototypeIndex, FoliageResolutions resolution)
Create Foliage mesh instances for a certain index and foliage size.
- static void [DestroyMeshInstance](#) (int prototypeID)
Destroy a mesh instance

Public Attributes

- bool **DEBUG_Window_Open** = true
- bool **DEBUG_Window_Minimized** = false

Static Public Attributes

- static List< Mesh > **globalMeshesThreshold** = new List<Mesh>()

Protected Member Functions

- override void **OnEnable** ()
- override void [OnDisable](#) ()
Called when the object is disabled
- override void [Update](#) ()
Update...

Static Protected Member Functions

- static void [DestroyMeshInstances](#) ()
Destroy the current mesh instances.

Protected Attributes

- int **_lastRenderedVertices**
- int **_lastRenderedDrawCalls**
- int **_lastRenderedPrototypes**

Properties

- static Dictionary< FoliageResolutions, Dictionary< int, [GPUMesh](#) > > **prototypeMeshInstances** [get]
- int **lastRenderedVertices** [get]
- int **lastRenderedDrawCalls** [get]
- int **lastRenderedPrototypes** [get]

5.18.1 Member Function Documentation

5.18.1.1 static void uNature.Core.FoliageClasses.FoliageMeshManager.DestroyMeshInstance (int *prototypeID*) [static]

Destroy a mesh instance

Parameters

<i>prototypeID</i>	
--------------------	--

5.18.1.2 static void uNature.Core.FoliageClasses.FoliageMeshManager.DestroyMeshInstances () [static],
[protected]

Destroy the current mesh instances.

5.18.1.3 static void uNature.Core.FoliageClasses.FoliageMeshManager.GenerateFoliageMeshInstanceForIndex (int *prototypeIndex*, FoliageResolutions *resolution*) [static]

Create Foliage mesh instances for a certain index and foliage size.

Parameters

<i>meshInstances</i>	
<i>prototypeIndex</i>	

5.18.1.4 static void uNature.Core.FoliageClasses.FoliageMeshManager.GenerateFoliageMeshInstances () [static]

Generate new mesh instances

Parameters

<i>areaSize</i>	
-----------------	--

5.18.1.5 static void uNature.Core.FoliageClasses.FoliageMeshManager.GenerateFoliageMeshInstances (FoliageResolutions *resolution*) [static]

Generate new mesh instances

Parameters

<i>areaSize</i>	
-----------------	--

5.18.1.6 static void uNature.Core.FoliageClasses.FoliageMeshManager.GenerateFoliageMeshInstances (int *prototypeID*)
[static]

Generate new mesh instances

Parameters

<i>areaSize</i>	
-----------------	--

5.18.1.7 override void uNature.Core.FoliageClasses.FoliageMeshManager.OnDisable () [protected],[virtual]

Called when the object is disabled

Reimplemented from [uNature.Core.Threading.ThreadItem](#).

5.18.1.8 override void uNature.Core.FoliageClasses.FoliageMeshManager.Update () [protected],[virtual]

Update...

Reimplemented from [uNature.Core.Threading.ThreadItem](#).

5.18.1.9 void uNature.Core.FoliageClasses.FoliageMeshManager.UpdateMeshBounds (Vector3 *centerPos*)


Update the mesh instances bounds

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/GPU_Uilities/FoliageMeshManager.cs

5.19 uNature.Core.FoliageClasses.FoliagePrototype Class Reference

Inheritance diagram for uNature.Core.FoliageClasses.FoliagePrototype:



Public Member Functions

- bool **EqualsToPrototype** (DetailPrototype detail)
- void **ApplyWind** ()
Apply the wind parameters to this Foliage prototype.
- void **ApplyColorMap** (Texture2D map, Texture2D normalMap)
Apply color map
- void **ApplyGrassMap** (Texture2D map)
Apply color map
- void **UpdateManagerInformation** ()
Update the global spread noise.
- void **UpdateTouchBending** ()
Update the touch bending

Static Public Member Functions

- static **FoliagePrototype CreatePrototype** (Texture2D texture, GameObject prefab, float minWidth, float min↵Height, float maxWidth, float maxHeight, float spread, int layer, int id, Color healthyColor, Color dryColor)
Create a prototype.

Public Attributes

- const float **SIZE_MIN_VALUE** = 0.1f
- const float **SIZE_MAX_VALUE** = 5.0f
- int **FoliageID**
- int **maxFoliageCapability** = 0
- **WindSettings customWindSettings** = new **WindSettings**()
- Vector3 **instancedEuler**

Static Public Attributes

- static Color **DEFAULT_HEALTHY_COLOR** = new Color(33f / 255, 129f / 255, 25f / 255, 1)
- static Color **DEFAULT_DRY_COLOR** = new Color(205f / 255, 188f / 255, 26f / 255, 1)

Protected Member Functions

- override Texture2D **GetPreview** ()
Get Preview

Properties

- static GameObject **FoliageTexGameObject** [get]
- FoliageType **FoliageType** [get, set]
- GameObject **FoliageMesh** [get, set]
- Texture2D **FoliageTexture** [get, set]
- float **spread** [get, set]
- float **minimumWidth** [get, set]
- float **maximumWidth** [get, set]
- float **minimumHeight** [get, set]
- float **maximumHeight** [get, set]
- bool **receiveShadows** [get, set]
- Color **dryColor** [get, set]
- Color **healthyColor** [get, set]
- bool **castShadows** [get, set]
- float **fadeDistance** [get, set]
- int **maxGeneratedDensity** [get, set]
- bool **useColorMap** [get, set]
- string **name** [get]
- FoliageGenerationRadius **FoliageGenerationRadius** [get, set]
- bool **enabled** [get, set]
- int **meshLodsCount** [get, set]
- int **renderingLayer** [get, set]
- bool **touchBendingEnabled** [get, set]
- float **touchBendingStrength** [get, set]
- override bool **isEnabled** [get]
- override bool **chooseableOnDisabled** [get]
- bool **useCustomWind** [get, set]
- bool **useLODs** [get, set]
- [FoliageLODLevel](#)[] **lods** [get, set]
- [FoliageMesh](#) **FoliageInstancedMeshData** [get]

Events

- static OnFoliageEnableChanged **OnFoliageEnabledStateChangedEvent**

5.19.1 Member Function Documentation

5.19.1.1 void uNature.Core.FoliageClasses.FoliagePrototype.ApplyColorMap (Texture2D *map*, Texture2D *normalMap*)

Apply color map

Res = area size.

5.19.1.2 void uNature.Core.FoliageClasses.FoliagePrototype.ApplyGrassMap (Texture2D *map*)

Apply color map

Res = area size.

5.19.1.3 void uNature.Core.FoliageClasses.FoliagePrototype.ApplyWind ()

Apply the wind parameters to this Foliage prototype.

5.19.1.4 static FoliagePrototype uNature.Core.FoliageClasses.FoliagePrototype.CreatePrototype (Texture2D *texture*, GameObject *prefab*, float *minWidth*, float *minHeight*, float *maxWidth*, float *maxHeight*, float *spread*, int *layer*, int *id*, Color *healthyColor*, Color *dryColor*) [static]

Create a prototype.

Parameters

<i>texture</i>	
<i>prefab</i>	
<i>minSize</i>	
<i>maxSize</i>	
<i>spread</i>	
<i>id</i>	

Returns

5.19.1.5 override Texture2D uNature.Core.FoliageClasses.FoliagePrototype.GetPreview () [protected], [virtual]

Get Preview

Returns

Reimplemented from [uNature.Core.Utility.BasePrototypeltem](#).

5.19.1.6 void uNature.Core.FoliageClasses.FoliagePrototype.UpdateManagerInformation ()

Update the global spread noise.

5.19.1.7 void uNature.Core.FoliageClasses.FoliagePrototype.UpdateTouchBending ()


Update the touch bending

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/FoliagePrototype.cs

5.20 uNature.Core.FoliageClasses.FoliageReceiver Class Reference

Inheritance diagram for uNature.Core.FoliageClasses.FoliageReceiver:



Static Public Member Functions

- static void **CallInteractionsRefresh** ()
- static List< [FoliageReceiver](#) > **GetRelevantReceivers** ([BaseInteraction](#) interaction)

Public Attributes

- bool **isGrassReceiver** = true

Static Public Attributes

- static readonly List< [FoliageReceiver](#) > **FReceivers** = new List<[FoliageReceiver](#)>()

Protected Member Functions

- override void **OnEnable** ()
- override void **OnDisable** ()
Called when the object is disabled
- override void **Update** ()
Update...
- virtual void **OnLastFoliageChunkChanged** ([FoliageChunk](#) oldChunk, [FoliageChunk](#) newChunk)

Protected Attributes

- float **checkDistance** = 5f

Properties

- [FoliageCore_Chunk](#)[] **neighbors** [get]
- [FoliageCore_Chunk](#) **middleFoliageChunkFromNeighbors** [get]
- [FoliageChunk](#) **latestChunk** [get]
- Camera **playerCamera** [get]
- [InteractionMap](#) **interactionMap** [get]
- InteractionResolutions **interactionMapResolution** [get, set]
- int **interactionMapResolutionIntegral** [get]

Additional Inherited Members

5.20.1 Member Function Documentation

5.20.1.1 `override void uNature.Core.FoliageClasses.FoliageReceiver.OnDisable ()` [protected],[virtual]

Called when the object is disabled

Reimplemented from [uNature.Core.Threading.ThreadItem](#).

5.20.1.2 `override void uNature.Core.FoliageClasses.FoliageReceiver.Update ()` [protected],[virtual]

Update...

Reimplemented from [uNature.Core.Threading.ThreadItem](#).

Reimplemented in [uNature.Core.Seekers.UNSeeker](#).


The documentation for this class was generated from the following file:

- `D:/Projects/uNature/Assets/uNature/Scripts/Core/Foliage/GPU_Uilities/FoliageReceiver.cs`

5.21 uNature.Core.FoliageClasses.FoliageSector Class Reference

An sector class dedicated only to Foliage.

Inheritance diagram for `uNature.Core.FoliageClasses.FoliageSector`:



Public Attributes

- `List< FoliageChunk > FoliageChunks = new List<FoliageChunk>()`

Protected Member Functions

- `override void OnChunkCreated (Chunk chunk)`
Called when a chunk is created to allow custom logic on the inherited sectors.
- `override void OnStartCreatingChunks ()`
Called right before starting to create the chunks.

Additional Inherited Members

5.21.1 Detailed Description

An sector class dedicated only to Foliage.

5.21.2 Member Function Documentation

5.21.2.1 `override void uNature.Core.FoliageClasses.FoliageSector.OnChunkCreated (Chunk chunk)` `[protected]`,
`[virtual]`

Called when a chunk is created to allow custom logic on the inherited sectors.

Parameters

<i>chunk</i>	
--------------	--

Reimplemented from [uNature.Core.Sectors.Sector](#).

5.21.2.2 `override void uNature.Core.FoliageClasses.FoliageSector.OnStartCreatingChunks ()` `[protected]`,
`[virtual]`

Called right before starting to create the chunks.

Reimplemented from [uNature.Core.Sectors.Sector](#).


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/FoliageSector.cs

5.22 uNature.Core.Utility.FoliageWorldMap Class Reference

Channels: R: Normals X-Axis G: Normals Y-Axis B: Heights Channel #1 A: Heights Channel #2

Inheritance diagram for uNature.Core.Utility.FoliageWorldMap:



Public Member Functions

- **FoliageWorldMap** (Texture2D texture, [FoliageManagerInstance](#) mInstance)
- float [GetHeight](#) (Color32 pixel)
Transform height from normalized cords to world cords
- void [UpdateHeight_WorldMap](#) (int index, float height)
Update height
- void [UpdateHeight_RANGE](#) (float x, float z, int sizeX, int sizeZ, bool save)
Update height on a certain range.
- Vector2 **NormalizeHeight** (float worldHeight)
- void **Save** ()

Static Public Member Functions

- static void **ApplyAreaSizeChange** ([FoliageManagerInstance](#) mInstance)
- static void **SaveAllMaps** ()

Properties

- static bool **globalDirty** [get]

Additional Inherited Members

5.22.1 Detailed Description

Channels: R: Normals X-Axis G: Normals Y-Axis B: Heights Channel #1 A: Heights Channel #2

5.22.2 Member Function Documentation

5.22.2.1 float uNature.Core.Utility.FoliageWorldMap.GetHeight (Color32 pixel)

Transform height from normalized cords to world cords

Parameters

<i>pixel</i>	
--------------	--

Returns

5.22.2.2 void uNature.Core.Utility.FoliageWorldMap.UpdateHeight_RANGE (float x, float z, int sizeX, int sizeZ, bool save)

Update height on a certain range.

Parameters

<i>x</i>	
<i>z</i>	
<i>sizeX</i>	
<i>sizeZ</i>	

5.22.2.3 void uNature.Core.Utility.FoliageWorldMap.UpdateHeight_WorldMap (int *index*, float *height*)

Update height

Parameters

<i>worldMap</i>	
-----------------	--

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Utility/UNMapGenerators.cs

5.23 uNature.Core.FoliageClasses.GPUMesh Class Reference

A class used to hold the gpu meshes

Public Member Functions

- **GPUMesh** (Mesh[] LODMeshes, int[] LODLevels, int prototypeIndex, List< [UNPhysicsTemplate](#) >[] physicsInformation, FoliageResolutions resolution)
- void **Destroy** ()
- int **GetMesh** (int density)

Public Attributes

- List< [GPUMeshLOD](#) > **meshes** = new List<[GPUMeshLOD](#)>()
 - [FoliageMeshInstancesGroup](#)[] **LODMeshInstances** = null
- Dimension 1 : x chunk Dimension 2 : z chunk Dimension 3 : LOD index*

5.23.1 Detailed Description

A class used to hold the gpu meshes

5.23.2 Member Data Documentation

5.23.2.1 FoliageMeshInstancesGroup [] uNature.Core.FoliageClasses.GPUMesh.LODMeshInstances = null

Dimension 1 : x chunk Dimension 2 : z chunk Dimension 3 : LOD index

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/GPU_Uilities/FoliageMeshManager.cs

5.24 uNature.Core.FoliageClasses.GPUMeshLOD Class Reference

GPU Mesh Lods.

Public Member Functions

- **GPUMeshLOD** (Mesh _mesh, int _density, int _prototypeIndex, List< [UNPhysicsTemplate](#) > physics←
Information)
- void **Destroy** ()

Public Attributes

- Mesh **mesh**
- int **density**
- List< [UNPhysicsTemplate](#) > **physicsTemplates** = new List<[UNPhysicsTemplate](#)>()

5.24.1 Detailed Description

GPU Mesh Lods.

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/GPU_Uilities/FoliageMeshManager.cs

5.25 uNature.Core.Sectors.GrassLODLevel Class Reference

A class that holds a level which all assigned on different frames.

Public Member Functions

- void **Add** (int x, int value, Vector2 pos)

Static Public Member Functions

- static [GrassLODLevel](#) **Create** ()

Public Attributes

- [UNDimensionalList](#)< int > **details** = new [UNDimensionalList](#)<int>()
- Vector2 **position** = new Vector2(Mathf.Infinity, Mathf.Infinity)

5.25.1 Detailed Description

A class that holds a level which all assigned on different frames.


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Sectors/Chunk.cs

5.26 uNature.Core.Pooling.HarvestableTIPoolItem Class Reference

A [Pool](#) item for terrain where the tree instances should be harvestable. (Tree cutting for instance) Inherite from this class to create your own harvestable type.

Inheritance diagram for uNature.Core.Pooling.HarvestableTIPoolItem:



Public Member Functions

- override void [Awake](#) ()
Called on awake.
- virtual void [HandleHealthChange](#) (int damage)
Handle the health change, remove the current tree instance if needed, and instantiate a replacment.

Parameters

damage	The amount of damage that the tree has received.
--------	--

- virtual void [HandleColliderDeath](#) ()
Handle death of the colliders (remove tree instance from terrain and replace it with actual tree instance prefab)
- virtual void [HandleTreeInstanceDeath](#) ()
Handle death of an actual tree instance (Add gravity and make it fall)
- virtual void [Hit](#) ()
Hit this harvestable building and apply damage
- virtual void [Hit](#) (int damage)
Hit this harvestable building and apply damage

Parameters

damage	apply the damage
--------	------------------

- override void [OnReturnedToPool](#) ()
Called when the item returns to the [Pool](#), reset the propoties
- override void [OnPool](#) ()
Called when the item pulled to the [Pool](#)

Public Attributes

- int [minHealth](#) = 0
the minimum health possible to be assigned to the tree instance (For example - 0).
- int [maxHealth](#) = 100
The maximum amount of health that can be assigned to this tree instance, which will also be assigned on default (For example - 100).
- float [respawnTimeInMinutes](#) = 2
- float [minFallDisappearTime](#) = 2
- float [maxFallDisappearTime](#) = 10

Static Public Attributes

- static bool [canHarvestCollider](#) = true
Can this machine harvest a COLLIDER ?

Properties

- int [health](#) [get, set]

Events

- static OnItemStateChanged [OnItemPooledEvent](#)
Called when an HarvestableTreeInstance has been Pooled
- static OnItemDamaged [OnItemDamagedEvent](#)
Called when any harvestable item has been damaged.
- static OnItemStateChanged [OnItemReturnedToPoolEvent](#)
Called when an HarvestableTreeInstance has been returned to [Pool](#)
- OnHealthChanged [OnHealthChangedEvent](#)

Additional Inherited Members

5.26.1 Detailed Description

A [Pool](#) item for terrain where the tree instances should be harvestable. (Tree cutting for instance) Inherit from this class to create your own harvestable type.

5.26.2 Member Function Documentation

5.26.2.1 override void uNature.Core.Pooling.HarvestableTIPoolItem.Awake () [virtual]

Called on awake.

Reimplemented from [uNature.Core.Pooling.PoolItem](#).

5.26.2.2 virtual void uNature.Core.Pooling.HarvestableTIPoolItem.HandleColliderDeath () [virtual]

Handle death of the colliders (remove tree instance from terrain and replace it with actual tree instance prefab)

5.26.2.3 virtual void uNature.Core.Pooling.HarvestableTIPoolItem.HandleHealthChange (int *damage*) [virtual]

Handle the health change, remove the current tree instance if needed, and instantiate a replacment.

Parameters

<i>damage</i>	The amount of damage that the tree has received.
---------------	--

5.26.2.4 virtual void uNature.Core.Pooling.HarvestableTIPoolItem.HandleTreeInstanceDeath () [virtual]

Handle death of an actual tree instance (Add gravity and make it fall)

5.26.2.5 virtual void uNature.Core.Pooling.HarvestableTIPoolItem.Hit () [virtual]

Hit this harvestable building and apply damage

Implements [uNature.Core.Pooling.IHarvestableItem](#).

5.26.2.6 virtual void uNature.Core.Pooling.HarvestableTIPoolItem.Hit (int *damage*) [virtual]

Hit this harvestable building and apply damage

Parameters

<i>damage</i>	apply the damage
---------------	------------------

Implements [uNature.Core.Pooling.IHarvestableItem](#).

5.26.2.7 override void [uNature.Core.Pooling.HarvestableTIPoolItem.OnPool](#) () [virtual]

Called when the item pulled to the [Pool](#)

Reimplemented from [uNature.Core.Pooling.PoolItem](#).

5.26.2.8 override void [uNature.Core.Pooling.HarvestableTIPoolItem.OnReturnedToPool](#) () [virtual]

Called when the item returns to the [Pool](#), reset the propoties

Reimplemented from [uNature.Core.Pooling.PoolItem](#).

5.26.3 Member Data Documentation

5.26.3.1 bool [uNature.Core.Pooling.HarvestableTIPoolItem.canHarvestCollider](#) = true [static]

Can this machine harvest a COLLIDER ?

5.26.3.2 int [uNature.Core.Pooling.HarvestableTIPoolItem.maxHealth](#) = 100

The maximum amount of health that can be assigned to this tree instance, which will also be assigned on default (For example - 100).

5.26.3.3 int [uNature.Core.Pooling.HarvestableTIPoolItem.minHealth](#) = 0

the minimum health possible to be assigned to the tree instance (For example - 0).

5.26.4 Event Documentation

5.26.4.1 OnItemDamaged [uNature.Core.Pooling.HarvestableTIPoolItem.OnItemDamagedEvent](#) [static]

Called when any harvestable item has been damaged.

5.26.4.2 OnItemStateChanged [uNature.Core.Pooling.HarvestableTIPoolItem.OnItemPooledEvent](#) [static]

Called when an HarvestableTreeInstance has been Pooled

5.26.4.3 OnItemStateChanged uNature.Core.Pooling.HarvestableTIPoolItem.OnItemReturnedToPoolEvent [static]


Called when an HarvestableTreeInstance has been returned to [Pool](#)

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Pool/PoolItems/HarvestableTIPoolItem.cs

5.27 uNature.Core.Pooling.IHarvestableItem Interface Reference

Inheritance diagram for uNature.Core.Pooling.IHarvestableItem:



Public Member Functions

- void **Hit** ()
- void **Hit** (int damage)


The documentation for this interface was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Pool/PoolItems/HarvestableTIPoolItem.cs

5.28 uNature.Core.FoliageClasses.InteractionMap Class Reference

Channels: R: Wind Direction G: Grass Offset X (Touch bending) B: Grass Offset Z (Touch bending) A: Saved for custom work.

Inheritance diagram for uNature.Core.FoliageClasses.InteractionMap:



Public Member Functions

- float **TransformCord** (float cord)
- Vector2 **TransformCord** (Vector2 cord)
- float **InverseTransformCord** (float cord)
- void **RecalculateInteractions** ([FoliageReceiver](#) receiver)

Static Public Member Functions

- static [InteractionMap](#) **CreateMap** ([FoliageReceiver](#) receiver)

Public Attributes

- int **radius**
- int **areaSize**
- int **areaResolution**

Additional Inherited Members

5.28.1 Detailed Description

Channels: R: Wind Direction G: Grass Offset X (Touch bending) B: Grass Offset Z (Touch bending) A: Saved for custom work.

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/GPU_Uilities/FoliageReceiver.cs

5.29 uNature.Core.Pooling.IPoolComponent Interface Reference


The documentation for this interface was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Pool/Abstracts/IPoolComponent.cs

5.30 uNature.Core.Threading.IThreadTask Interface Reference

A thread task interface. Implement on any customely created thread task.

Inheritance diagram for uNature.Core.Threading.IThreadTask:



Public Member Functions

- void **Invoke** ()

Properties

- int **creationFrame** [get]

5.30.1 Detailed Description

A thread task interface. Implement on any customely created thread task.

The documentation for this interface was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/MultiThreading/ThreadManager.cs

5.31 uNature.Core.IUTCPhysicsIgnored Interface Reference

Ignore all physics on this script.

Properties

- bool **ignore** [get]

5.31.1 Detailed Description


Ignore all physics on this script.

The documentation for this interface was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Physics/UNPhysics.cs

5.32 uNature.Core.Extensions.MethodHelperAttribute Class Reference

Inheritance diagram for uNature.Core.Extensions.MethodHelperAttribute:




The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Extensions/Base/UNExtension.cs

5.33 uNature.Core.FoliageClasses.PaintBrush Class Reference

Inheritance diagram for uNature.Core.FoliageClasses.PaintBrush:



Public Member Functions

- **PaintBrush** (Texture2D _texture)
- void **TryToResize** (int size)

Public Attributes

- Texture2D **brushTexture**

Protected Member Functions

- override Texture2D **GetPreview** ()

Properties

- Texture2D **instancedTexture** [get]
- Color32[,] **pixels** [get]


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/PaintBrush.cs

5.34 uNature.Core.Pooling.Pool Class Reference

A class that manages the [Pooling](#) of the system, Which allows huge runtime performance increase.

Inheritance diagram for uNature.Core.Pooling.Pool:



Public Member Functions

- void **AddToPool** ([PoolItem](#) item, int itemID, int itemID_Offset)
Add an item to the [Pool](#).
- void **RemoveFromPool** ([PoolItem](#) item)
Remove an item from the [Pool](#)
- void **ReturnToPool** ([PoolItem](#) item, bool force)
Return a certain item to [Pool](#).
- void **TryResetOnUID** (int uid, bool forceReset)
Reset a certain item which is on a certain UID

Parameters

uid	<i>the targeted UID</i>
forceReset	<i>Force reset will make it ignore the locked state of the item.</i>

- T [TryPool< T >](#) (int itemUID, int itemID_Offset, int uid, bool locked)
Try to [Pool](#) an item, will return null if no target is found.
- List< [PoolItem](#) > [GetPoolOfItem](#) (int itemUID, int itemID_Offset)
Get [Pool](#) of a certain item
- void [PoolItem](#) ([PoolItem](#) [PoolItem](#), bool locked, int uid)
[Pool](#) the certain item.
- void [ResetFarAway](#) ()
This method will find and reset far away items to be "recycled"
- bool [IsAlreadyPooled](#) (int uid)
Check if a certain uid is already Pooled.
- T [TryGetType< T >](#) ()
Try to get an object from the [Pool](#) with a certain component.

Static Public Member Functions

- static [Pool](#) [CreatePool](#) (string name, GameObject requester)
Create a new [Pool](#)
- static void [RemoveDuplications](#) (string name)
Remove [Pool](#) duplications.

Public Attributes

- List< [PoolItem](#) > [items](#) = new List<[PoolItem](#)>()
A list that holds all of the [Pool](#) items in our [Pool](#).
- GameObject [owner](#)
Who created this [Pool](#)?

5.34.1 Detailed Description

A class that manages the [Pooling](#) of the system, Which allows huge runtime performance increase.

5.34.2 Member Function Documentation**5.34.2.1 void uNature.Core.Pooling.Pool.AddToPool ([PoolItem](#) item, int itemID, int itemID_Offset)**

Add an item to the [Pool](#).

Parameters

<i>item</i>	the item.
<i>itemID</i>	The targeted item id
<i>itemID_Offset</i>	The offset of the item id to make it unique.

5.34.2.2 `static Pool uNature.Core.Pooling.Pool.CreatePool (string name, GameObject requester) [static]`

Create a new [Pool](#)

Parameters

<i>name</i>	the Pool name (Without Pool at the end)
<i>requester</i>	who is the owner of this Pool

Returns

the newly created [Pool](#).

5.34.2.3 `List<PoolItem> uNature.Core.Pooling.Pool.GetPoolOfItem (int itemUID, int itemID_Offset)`

Get [Pool](#) of a certain item

Parameters

<i>itemUID</i>	
<i>itemID_Offset</i>	

Returns

5.34.2.4 `bool uNature.Core.Pooling.Pool.IsAlreadyPooled (int uid)`

Check if a certain uid is already Pooled.

Parameters

<i>uid</i>	the uid of the targeted item
------------	------------------------------

Returns

is this item already Pooled?

5.34.2.5 `void uNature.Core.Pooling.Pool.PoolItem (PoolItem PoolItem, bool locked, int uid)`

[Pool](#) the certain item.

Template Parameters

<i>T</i>	
----------	--

Parameters

<i>PoolItem</i>	
-----------------	--

5.34.2.6 static void uNature.Core.Pooling.Pool.RemoveDuplications (string *name*) [static]

Remove [Pool](#) duplications.

Parameters

<i>name</i>	
-------------	--

5.34.2.7 void uNature.Core.Pooling.Pool.RemoveFromPool ([PoolItem](#) *item*)

Remove an item from the [Pool](#)

Parameters

<i>item</i>	the item.
-------------	-----------

5.34.2.8 void uNature.Core.Pooling.Pool.ResetFarAway ()

This method will find and reset far away items to be "recycled"

5.34.2.9 void uNature.Core.Pooling.Pool.ReturnToPool ([PoolItem](#) *item*, bool *force*)

Return a certain item to [Pool](#).

Parameters

<i>item</i>	the item.
-------------	-----------

\

Parameters

<i>force</i>	making force true, will make the system ignore the locked state of the item. (if exists)
--------------	--

5.34.2.10 T uNature.Core.Pooling.Pool.TryGetType< T > ()

Try to get an object from the [Pool](#) with a certain component.

Template Parameters

<i>T</i>	the type of the component
----------	---------------------------

Returns

Type Constraints

T : Component

5.34.2.11 `T uNature.Core.Pooling.Pool.TryPool< T > (int itemUID, int itemID_Offset, int uid, bool locked)`

Try to [Pool](#) an item, will return null if no target is found.

Parameters

<i>itemUID</i>	the uid of the item (without offset)
<i>itemID_Offset</i>	the offset of the required item id
<i>uid</i>	a unique id of the object which will be attached to this game object. (HAS TO BE UNIQUE...)
<i>locked</i>	if the Pool item is locked, it wont be able to return to Pool unless its unlocked.

Returns

A [Pool](#) item.

Type Constraints

T : PoolItem

5.34.2.12 `void uNature.Core.Pooling.Pool.TryResetOnUID (int uid, bool forceReset)`

Reset a certain item which is on a certain UID

Parameters

<i>uid</i>	the targeted UID
<i>forceReset</i>	Force reset will make it ignore the locked state of the item.

5.34.3 Member Data Documentation

5.34.3.1 `List<PoolItem> uNature.Core.Pooling.Pool.items = new List<PoolItem>()`

A list that holds all of the [Pool](#) items in our [Pool](#).

5.34.3.2 GameObject uNature.Core.Pooling.Pool.owner

Who created this [Pool](#)?


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Pool/Pool.cs

5.35 uNature.Core.Pooling.PoolItem Class Reference

An abstract class that handles the [Pool](#) items.

Inheritance diagram for uNature.Core.Pooling.PoolItem:



Public Member Functions

- virtual void [Awake](#) ()
Called on awake.
- virtual void [OnPool](#) ()
Called when the item has been Pooled.
- virtual void [OnReturnedToPool](#) ()
Called when the item has returned to the [Pool](#)
- virtual void [OnCreated](#) ()
Called when the item has been created.
- virtual void [MoveItem](#) (Vector3 position)
Move the item to a certain position. NOTE: in order to move the item, use this method and DONT change the position externally!!

Public Attributes

- [Pool](#) [Pool](#)
What [Pool](#) are we belonged to?
- `GameObject` [_gameObject](#)
An gameobject reference which can be used on a different thread.
- `bool` [used](#)
is the item currently used?
- `bool` [locked](#)
Is this [Pool](#) item locked? If so, dont let it return back to [Pool](#) unless forced.
- `int` [realItemID](#)
The [Pool](#) item unique id, which is used to identify the item. (not including offset)
- `int` [itemID_Offset](#)
The offset of the item id which allows the item id to be more unique. Can be left 0.
- `int` [uid](#) = -1
What is the uid of the item we are attached to.

Protected Member Functions

- override void [OnEnable](#) ()
Called when the object is enabled.
- override void [OnDisable](#) ()
Called when the object is disabled.

Properties

- static `System.Type[]` [PoolTypes](#) [get]
All the [Pool](#) types in the assembly.
- `int` [itemID](#) [get]
The [Pool](#) item unique id, which is used to identify the item. (including offset)

Additional Inherited Members

5.35.1 Detailed Description

An abstract class that handles the [Pool](#) items.

5.35.2 Member Function Documentation

5.35.2.1 virtual void uNature.Core.Pooling.PoolItem.Awake () [virtual]

Called on awake.

Reimplemented in [uNature.Core.Pooling.HarvestableTIPoolItem](#).

5.35.2.2 virtual void uNature.Core.Pooling.PoolItem.MoveItem (Vector3 position) [virtual]

Move the item to a certain position. NOTE: in order to move the item, use this method and DONT change the position externally!!

Parameters

<i>position</i>	target position.
-----------------	------------------

Reimplemented in [uNature.Core.Pooling.TerrainPoolItem](#).

5.35.2.3 virtual void [uNature.Core.Pooling.PoolItem.OnCreated](#) () [virtual]

Called when the item has been created.

5.35.2.4 override void [uNature.Core.Pooling.PoolItem.OnDisable](#) () [protected],[virtual]

Called when the object is disabled.

Reimplemented from [uNature.Core.Threading.ThreadItem](#).

5.35.2.5 override void [uNature.Core.Pooling.PoolItem.OnEnable](#) () [protected],[virtual]

Called when the object is enabled.

Reimplemented from [uNature.Core.Threading.ThreadItem](#).

5.35.2.6 virtual void [uNature.Core.Pooling.PoolItem.OnPool](#) () [virtual]

Called when the item has been Pooled.

Reimplemented in [uNature.Core.Pooling.HarvestableTIPoolItem](#).

5.35.2.7 virtual void [uNature.Core.Pooling.PoolItem.OnReturnedToPool](#) () [virtual]

Called when the item has returned to the [Pool](#)

Reimplemented in [uNature.Core.Pooling.HarvestableTIPoolItem](#).

5.35.3 Member Data Documentation

5.35.3.1 GameObject [uNature.Core.Pooling.PoolItem._gameObject](#)

An gameobject reference which can be used on a different thread.

5.35.3.2 int [uNature.Core.Pooling.PoolItem.itemID_Offset](#)

The offset of the item id which allows the item id to be more unique. Can be left 0.

5.35.3.3 `bool uNature.Core.Pooling.PoolItem.locked`

Is this [Pool](#) item locked? If so, dont let it return back to [Pool](#) unless forced.

5.35.3.4 `Pool uNature.Core.Pooling.PoolItem.Pool`

What [Pool](#) are we belonged to?

5.35.3.5 `int uNature.Core.Pooling.PoolItem.realItemID`

The [Pool](#) item unique id, which is used to identify the item. (not including offset)

5.35.3.6 `int uNature.Core.Pooling.PoolItem.uid = -1`

What is the uid of the item we are attached to.

5.35.3.7 `bool uNature.Core.Pooling.PoolItem.used`

is the item currently used?

5.35.4 Property Documentation

5.35.4.1 `int uNature.Core.Pooling.PoolItem.itemID` `[get]`

The [Pool](#) item unique id, which is used to identify the item. (including offset)

5.35.4.2 `System.Type [] uNature.Core.Pooling.PoolItem.PoolTypes` `[static], [get]`

All the [Pool](#) types in the assembly.

The documentation for this class was generated from the following file:

- `D:/Projects/uNature/Assets/uNature/Scripts/Core/Pool/Abstracts/PoolItem.cs`

5.36 `uNature.Core.FoliageClasses.ReadDensityInformation` Class Reference

Public Attributes

- byte **maxDensity**
- bool **isDirty**


The documentation for this class was generated from the following file:

- `D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/FoliageChunk.cs`

5.37 uNature.Core.Sectors.Sector Class Reference

A sector which is used to divide the UNTerrain objects in the world to increase performance (can handle more than 200k trees!!)

Inheritance diagram for uNature.Core.Sectors.Sector:



Public Member Functions

- virtual void [OnCreated](#) (Transform owner, int resolution)

Called when the object is created.

Parameters

terrain	<i>The terrain we belong to.</i>
---------	----------------------------------

- virtual void [Awake](#) ()
Called on awake.
- void [ResetChunks](#) ()
This method will reset the chunks' propoties, so it can be used again instead of recreating the whole sector.
- [Chunk](#) [getChunk](#) (Vector2 pos, float offset)
Get a chunk on a certain local space position
- [Chunk](#) [getChunk](#) (Vector3 pos, float offset)
Get a chunk on a certain local space position
- [Chunk](#) [getChunk](#) (Vector3 pos)
Get a chunk on a certain local space position
- List< [Chunk](#) > [getChunks](#) (Vector2 pos, float offset, bool sortResult)
Get all of the chunks that contains this specific position
- List< [Chunk](#) > [getChunks](#) (Vector3 pos, float offset, bool sortResult)
Get all of the chunks that contains this specific position
- virtual void [ApplicationQuit](#) ()
This method will be called when the application quits, used to revert all changes on terrain.

Static Public Member Functions

- static T [GenerateSector](#)< T, T1 > (Transform owner, Vector3 bounds, T sector, int res)
Generate a new sector

Public Attributes

- const int **resolutionLimit** = 40
- int **sectorResolution**
- Transform **sectorOwner**
- List< [Chunk](#) > **chunks** = new List<[Chunk](#)>()

Protected Member Functions

- virtual void [OnResolutionChanged](#) ()
Called when the resolution has been updated.
- virtual void [OnChunkCreated](#) ([Chunk](#) chunk)
Called when a chunk is created to allow custom logic on the inherited sectors.
- virtual void [OnStartCreatingChunks](#) ()
Called right before starting to create the chunks.

Properties

- Vector2 **chunkSize** [get]

Events

- SectorRecalculated **OnSectorRecalculated**

5.37.1 Detailed Description

A sector which is used to divide the UNTerrain objects in the world to increase performance (can handle more than 200k trees!!)

5.37.2 Member Function Documentation

5.37.2.1 virtual void [uNature.Core.Sectors.Sector.ApplicationQuit](#) () [virtual]

This method will be called when the application quits, used to revert all changes on terrain.

Reimplemented in [uNature.Core.Sectors.UNTerrainSector](#).

5.37.2.2 virtual void [uNature.Core.Sectors.Sector.Awake](#) () [virtual]

Called on awake.

Parameters

<i>terrain</i>	The terrain we belong to
----------------	--------------------------

Reimplemented in [uNature.Core.Sectors.UNTerrainSector](#).

5.37.2.3 static T [uNature.Core.Sectors.Sector.GenerateSector](#)< T, T1 > (Transform owner, Vector3 bounds, T sector, int res) [static]

Generate a new sector

Parameters

<i>terrain</i>	The terrain this sector will be generated on
<i>res</i>	the resolution of the sector (how many times will it be sliced)

Returns

The new generated sector.

Type Constraints

T* : *Sector

T1* : *Chunk

5.37.2.4 Chunk uNature.Core.Sectors.Sector.getChunk (Vector2 *pos*, float *offset*)

Get a chunk on a certain local space position

Parameters

<i>pos</i>	the local space position
<i>offset</i>	the offset (The bigger it is, the farder chunks it will find)

Returns

5.37.2.5 Chunk uNature.Core.Sectors.Sector.getChunk (Vector3 *pos*, float *offset*)

Get a chunk on a certain local space position

Parameters

<i>pos</i>	the local space position
<i>offset</i>	the offset (The bigger it is, the farder chunks it will find)

Returns

5.37.2.6 Chunk uNature.Core.Sectors.Sector.getChunk (Vector3 *pos*)

Get a chunk on a certain local space position

Parameters

<i>pos</i>	the local space position
<i>offset</i>	the offset (The bigger it is, the farder chunks it will find)

Returns

5.37.2.7 `List<Chunk> uNature.Core.Sectors.Sector.getChunks (Vector2 pos, float offset, bool sortResult)`

Get all of the chunks that contains this specific position

Parameters

<i>pos</i>	a local space position
<i>offset</i>	the offset (The bigger it is, the farder chunks it will find)

Returns

The chunks that contains the local space position

5.37.2.8 `List<Chunk> uNature.Core.Sectors.Sector.getChunks (Vector3 pos, float offset, bool sortResult)`

Get all of the chunks that contains this specific position

Parameters

<i>pos</i>	a local space position
<i>offset</i>	the offset (The bigger it is, the farder chunks it will find)

Returns

The chunks that contains the local space position

5.37.2.9 `virtual void uNature.Core.Sectors.Sector.OnChunkCreated (Chunk chunk)` `[protected],[virtual]`

Called when a chunk is created to allow custom logic on the inherited sectors.

Parameters

<i>chunk</i>	
--------------	--

Reimplemented in [uNature.Core.Sectors.UNTerrainSector](#), [uNature.Core.FoliageClasses.FoliageSector](#), and [uNature.Core.FoliageClasses.FoliageCore_Sector](#).

5.37.2.10 `virtual void uNature.Core.Sectors.Sector.OnCreated (Transform owner, int resolution)` [virtual]

Called when the object is created.

Parameters

<i>terrain</i>	The terrain we belong to.
----------------	---------------------------

Reimplemented in [uNature.Core.Sectors.UNTerrainSector](#).

5.37.2.11 `virtual void uNature.Core.Sectors.Sector.OnResolutionChanged ()` [protected],[virtual]

Called when the resolution has been updated.

Reimplemented in [uNature.Core.FoliageClasses.FoliageCore_Sector](#).

5.37.2.12 `virtual void uNature.Core.Sectors.Sector.OnStartCreatingChunks ()` [protected],[virtual]

Called right before starting to create the chunks.

Reimplemented in [uNature.Core.Sectors.UNTerrainSector](#), [uNature.Core.FoliageClasses.FoliageSector](#), and [uNature.Core.FoliageClasses.FoliageCore_Sector](#).

5.37.2.13 `void uNature.Core.Sectors.Sector.ResetChunks ()`

This method will reset the chunks' propoties, so it can be used again instead of recreating the whole sector.

Resets:

TreeInstances


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Sectors/Sector.cs

5.38 uNature.Core.Pooling.TerrainPoolItem Class Reference

A [Pool](#) item for terrain. (Tree instances)

Inheritance diagram for uNature.Core.Pooling.TerrainPoolItem:



Public Member Functions

- override void [MoveItem](#) (Vector3 position)
Move with rigidbody to avoid colliders movement.

Static Public Member Functions

- static void [RemoveTreeInstanceFromTerrain](#) (Terrain terrain, int treeInstanceUID)
Remove a tree instance from the terrain, Allowing you to replace it with anything else - for instance, the actual game object of the tree.
- static void [ConvertTreeInstanceOnTerrain](#) (Terrain terrain, int treeInstanceUID)
Remove a tree instance from the terrain, And replace it with a [Pool](#) item.
- static void [RestoreTreeInstanceToTerrain](#) (Terrain terrain, int treeInstanceUID)
Restore the tree instance back into the terrain.

Public Attributes

- bool [isCollider](#)
is this instance a collider ? or an actual tree instance ?
- Terrain [_terrain](#)
The terrain which owns this [Pool](#) item.

Static Public Attributes

- static bool [canModify](#) = true
Can this machine modify tree instances?
- static bool [canRestore](#) = true
Can this machine restore tree instances?

Properties

- Rigidbody **rigid** [get]
- Terrain **terrain** [get]

Events

- static OnTreeInstanceStateChanged **OnTreeInstanceRemoved**
- static OnTreeInstanceStateChanged **OnTreeInstanceRestored**

Additional Inherited Members

5.38.1 Detailed Description

A [Pool](#) item for terrain. (Tree instances)

5.38.2 Member Function Documentation

5.38.2.1 static void uNature.Core.Pooling.TerrainPoolItem.ConvertTreeInstanceOnTerrain (Terrain *terrain*, int *treeInstanceUID*)
[static]

Remove a tree instance from the terrain, And replace it with a [Pool](#) item.

5.38.2.2 override void uNature.Core.Pooling.TerrainPoolItem.MoveItem (Vector3 *position*) [virtual]

Move with rigidbody to avoid colliders movement.

Parameters

<i>position</i>	target position
-----------------	-----------------

Reimplemented from [uNature.Core.Pooling.PoolItem](#).

5.38.2.3 `static void uNature.Core.Pooling.TerrainPoolItem.RemoveTreeInstanceFromTerrain (Terrain terrain, int treeInstanceUID)` `[static]`

Remove a tree instance from the terrain, Allowing you to replace it with anything else - for instance, the actual game object of the tree.

5.38.2.4 `static void uNature.Core.Pooling.TerrainPoolItem.RestoreTreeInstanceToTerrain (Terrain terrain, int treeInstanceUID)` `[static]`

Restore the tree instance back into the terrain.

5.38.3 Member Data Documentation

5.38.3.1 `Terrain uNature.Core.Pooling.TerrainPoolItem._terrain`

The terrain which owns this [Pool](#) item.

5.38.3.2 `bool uNature.Core.Pooling.TerrainPoolItem.canModify = true` `[static]`

Can this machine modify tree instances?

5.38.3.3 `bool uNature.Core.Pooling.TerrainPoolItem.canRestore = true` `[static]`

Can this machine restore tree instances?

5.38.3.4 `bool uNature.Core.Pooling.TerrainPoolItem.isCollider`

is this instance a collider ? or an actual tree instance ?

The documentation for this class was generated from the following file:

- `D:/Projects/uNature/Assets/uNature/Scripts/Core/Pool/PoolItems/TerrainPoolItem.cs`

5.39.2 Member Function Documentation

5.39.2.1 `virtual void uNature.Core.Threading.ThreadItem.OnDisable () [protected], [virtual]`

Called when the object is disabled

Reimplemented in [uNature.Core.Terrains.UNTerrain](#), [uNature.Core.FoliageClasses.FoliageManagerInstance](#), [uNature.Core.FoliageClasses.FoliageCore_MainManager](#), [uNature.Core.FoliageClasses.FoliageReceiver](#), [uNature.Core.FoliageClasses.FoliageMeshManager](#), [uNature.Core.Targets.UNTarget](#), [uNature.Core.Pooling.PoolItem](#), [uNature.Core.FoliageClasses.TouchBending](#), and [uNature.Core.FoliageClasses.BaseInteraction](#).

5.39.2.2 `virtual void uNature.Core.Threading.ThreadItem.OnPositionChanged (Vector3 newPosition) [protected], [virtual]`

Called when the item's position changed

Reimplemented in [uNature.Core.Terrains.UNTerrain](#), [uNature.Core.FoliageClasses.TouchBending](#), and [uNature.Core.FoliageClasses.BaseInteraction](#).

5.39.2.3 `virtual void uNature.Core.Threading.ThreadItem.Update () [protected], [virtual]`

Update...

Reimplemented in [uNature.Core.FoliageClasses.FoliageMeshManager](#), [uNature.Core.FoliageClasses.FoliageReceiver](#), [uNature.Core.Targets.UNTarget](#), and [uNature.Core.Seekers.UNSeeker](#).

5.39.2.4 `virtual void uNature.Core.Threading.ThreadItem.UpdateItem () [virtual]`

This method will update this thread item, called externally from unity's main thread.

5.39.3 Member Data Documentation

5.39.3.1 `List<ThreadItem> uNature.Core.Threading.ThreadItem._threadItems [static]`

A list that holds all of the thread items in the scene.


The documentation for this class was generated from the following file:

- `D:/Projects/uNature/Assets/uNature/Scripts/Core/MultiThreading/ThreadItem.cs`

5.40 uNature.Core.Threading.ThreadManager Class Reference

This class handles the multi-threading mechanics.

Inheritance diagram for `uNature.Core.Threading.ThreadManager`:



Public Member Functions

- void [UpdateThreadItems](#) ()
Updates the thread items in the scene.
- void [RunOnUnityThread](#) (IThreadTask action)
Add an action to the unity thread
- void [RunOnThread](#) (IThreadTask action)
Add an action to the UN thread
- void [DelayActionSeconds](#) (IThreadTask task, float time)
Run any action with a specific delay of seconds.
- void [DelayActionFrames](#) (int frames, IThreadTask task)
Run any action after 1 frame

Static Public Member Functions

- static void [InitializeIfNotAvailable](#) ()

Static Public Attributes

- static float [updateThreadItemsTime](#) = 0.1f
How often will the thread manager update the thread items.

Protected Member Functions

- void [OnThreadProcess](#) (System.Object processObject)
Called when the thread needs to process the task.

Properties

- static [ThreadManager](#) **instance** [get]
- bool [threadEnabled](#) [get]
Is the multi-thread option enabled?
- int [threadWorkersCount](#) [get]
Thread workers count
- static bool [inUnityThread](#) [get]

5.40.1 Detailed Description

This class handles the multi-threading mechanics.

5.40.2 Member Function Documentation

5.40.2.1 void uNature.Core.Threading.ThreadManager.DelayActionFrames (int frames, IThreadTask task)

Run any action after 1 frame

Parameters

<i>task</i>	the task you want to run after 1 frame
-------------	--

5.40.2.2 `void uNature.Core.Threading.ThreadManager.DelayActionSeconds (IThreadTask task, float time)`

Run any action with a specific delay of seconds.

Parameters

<i>task</i>	the task you want to run after the specific amount of seconds
<i>time</i>	the specific amount of seconds to wait

5.40.2.3 `void uNature.Core.Threading.ThreadManager.OnThreadProcess (System.Object processObject)` [protected]

Called when the thread needs to process the task.

Parameters

<i>processObject</i>	
----------------------	--

5.40.2.4 `void uNature.Core.Threading.ThreadManager.RunOnThread (IThreadTask action)`

Add an action to the UN thread

Parameters

<i>action</i>	the action
---------------	------------

5.40.2.5 `void uNature.Core.Threading.ThreadManager.RunOnUnityThread (IThreadTask action)`

Add an action to the unity thread

Parameters

<i>action</i>	the action
---------------	------------

5.40.2.6 `void uNature.Core.Threading.ThreadManager.UpdateThreadItems ()`

Updates the thread items in the scene.

5.40.3 Member Data Documentation

5.40.3.1 float uNature.Core.Threading.ThreadManager.updateThreadItemsTime = 0.1f [static]

How often will the thread manager update the thread items.

5.40.4 Property Documentation

5.40.4.1 bool uNature.Core.Threading.ThreadManager.threadEnabled [get]

Is the multi-thread option enabled?

5.40.4.2 int uNature.Core.Threading.ThreadManager.threadWorkersCount [get]

Thread workers count

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/MultiThreading/ThreadManager.cs

5.41 uNature.Core.Threading.ThreadTask Class Reference

A thread task that takes no parameters.

5.41.1 Detailed Description

A thread task that takes no parameters.

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/MultiThreading/ThreadManager.cs

5.42 uNature.Core.Threading.ThreadTask Class Reference

A thread task that takes no parameters.

5.42.1 Detailed Description

A thread task that takes no parameters.

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/MultiThreading/ThreadManager.cs

5.43 uNature.Core.Threading.ThreadTask Class Reference

A thread task that takes no parameters.

5.43.1 Detailed Description

A thread task that takes no parameters.

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/MultiThreading/ThreadManager.cs

5.44 uNature.Core.Threading.ThreadTask Class Reference

A thread task that takes no parameters.

5.44.1 Detailed Description

A thread task that takes no parameters.

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/MultiThreading/ThreadManager.cs

5.45 uNature.Core.Threading.ThreadTask Class Reference

A thread task that takes no parameters.

5.45.1 Detailed Description


A thread task that takes no parameters.

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/MultiThreading/ThreadManager.cs

5.46 uNature.Core.Sectors.TIChunk Class Reference

Inheritance diagram for uNature.Core.Sectors.TIChunk:



Public Member Functions

- override void [Awake](#) ()
Called on awake
- override void [OnDrawGizmos](#) ()
Draw gizmos.
- override void [OnCreated](#) ()
Called when created.
- virtual void [GenerateTreeInstances](#) (TreeInstance[] trees, Vector3 terrainSize, TerrainData tData, Vector3 terrainPos)
Generate tree instances, derived from a certain provided tree instances
- void [AddTreeInstance](#) (int instanceID, Vector3 terrainSize, TreeInstance treeInstance, TerrainData terrainData, Vector3 terrainPos, UNTerrainSector sector)
Add a tree instance into this chunk
- override void [ResetChunk](#) ()
Reset chunk.
- void [CheckForNearbyTreeInstances](#) (UNSeeker seeker, UNTerrain terrain)
Check and assign nearby tree instances.

Public Attributes

- List< int > **objectsInstanceIDs** = new List<int>()
- List< [ChunkObject](#) > **objects** = new List<[ChunkObject](#)>()

Protected Member Functions

- override void [OnSizeChanged](#) ()
Called when the size is changed

Properties

- override string **chunkType** [get]
- Terrain **terrain** [get, set]

Additional Inherited Members

5.46.1 Member Function Documentation

- 5.46.1.1 void uNature.Core.Sectors.TIChunk.AddTreeInstance (int *instanceID*, Vector3 *terrainSize*, TreeInstance *treeInstance*, TerrainData *terrainData*, Vector3 *terrainPos*, UNTerrainSector *sector*)

Add a tree instance into this chunk

Parameters

<i>instanceID</i>	the targeted tree instance.
<i>treeInstance</i>	the tree instance you want to add
<i>terrainData</i>	the terrain data that this chunk belongs to

5.46.1.2 `override void uNature.Core.Sectors.TIChunk.Awake () [virtual]`

Called on awake

Parameters

<i>terrain</i>	
<i>terrainBase</i>	

Reimplemented from [uNature.Core.Sectors.Chunk](#).

5.46.1.3 `void uNature.Core.Sectors.TIChunk.CheckForNearbyTreeInstances (UNSeeker seeker, UNTerrain terrain)`

Check and assign nearby tree instances.

5.46.1.4 `virtual void uNature.Core.Sectors.TIChunk.GenerateTreeInstances (TreeInstance[] trees, Vector3 terrainSize, TerrainData tData, Vector3 terrainPos) [virtual]`

Generate tree instances, derived from a certain provided tree instances

Parameters

<i>trees</i>	the tree instances
<i>tData</i>	the terrain data

5.46.1.5 `override void uNature.Core.Sectors.TIChunk.OnCreated () [virtual]`

Called when created.

Reimplemented from [uNature.Core.Sectors.Chunk](#).

5.46.1.6 `override void uNature.Core.Sectors.TIChunk.OnDrawGizmos () [virtual]`

Draw gizmos.

Reimplemented from [uNature.Core.Sectors.Chunk](#).

5.46.1.7 `override void uNature.Core.Sectors.TIChunk.OnSizeChanged ()` `[protected]`, `[virtual]`

Called when the size is changed

Reimplemented from [uNature.Core.Sectors.Chunk](#).

5.46.1.8 `override void uNature.Core.Sectors.TIChunk.ResetChunk ()` `[virtual]`

Reset chunk.


Reimplemented from [uNature.Core.Sectors.Chunk](#).

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Sectors/TIChunk.cs

5.47 uNature.Core.FoliageClasses.TouchBending Class Reference

Inheritance diagram for uNature.Core.FoliageClasses.TouchBending:



Public Attributes

- bool **simulateOnEditorTime** = true
- float **radius** = 1
- float **seekingRange** = 50

Static Public Attributes

- static Vector4[] **bendingTargets** = new Vector4[20]

Protected Member Functions

- override void **OnEnable** ()
- override void **OnDisable** ()
Called when the object is disabled
- override void **OnPositionChanged** (Vector3 newPosition)
Called when the item's position changed

Properties

- float **transformedRadius** [get, set]
- override bool **includedInInteractionMap** [get]

Additional Inherited Members

5.47.1 Member Function Documentation

5.47.1.1 override void uNature.Core.FoliageClasses.TouchBending.OnDisable () [protected],[virtual]

Called when the object is disabled

Reimplemented from [uNature.Core.FoliageClasses.BaseInteraction](#).

5.47.1.2 override void uNature.Core.FoliageClasses.TouchBending.OnPositionChanged (Vector3 *newPosition*) [protected],[virtual]

Called when the item's position changed

Reimplemented from [uNature.Core.FoliageClasses.BaseInteraction](#).

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/Interaction/TouchBending.cs

5.48 uNature.Core.Sectors.TreeFetchingTask_MultiThreaded Struct Reference

Public Member Functions

- **TreeFetchingTask_MultiThreaded** (TreeInstance[] treeInstances, TreePrototype[] treePrototypes, TerrainData tData, bool isRunning, System.Action OnFinish)

Public Attributes


- TreeInstance[] **treeInstances**
- TreePrototype[] **treePrototypes**
- TerrainData **tData**
- bool **isRunning**
- System.Action **OnFinish**

The documentation for this struct was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Terrain/UNTerrainSector.cs

5.49 uNature.Demo.UN_FirstPersonController Class Reference

Inheritance diagram for uNature.Demo.UN_FirstPersonController:



Public Attributes


- bool **getInputsMouse** = true

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Demo/UN_FirstPersonController.cs

5.50 uNature.Core.Extensions.UN_ForgeNetworking Class Reference

Inheritance diagram for uNature.Core.Extensions.UN_ForgeNetworking:



Public Member Functions

- void **CreateManager** ()

Properties

- override string **AssetName** [get]
- override string **AssetDescription** [get]
- override string **AssetNameSpace** [get]
- override string **AssetStoreAdress** [get]
- override string **PublisherName** [get]
- override string **AssetLogoName** [get]
- override string **AssetDocumentationName** [get]


Additional Inherited Members

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Extensions/Integrations/ForgeNetworking/UN_ForgeNetworking.cs

5.51 uNature.Core.Extensions.UN_GAIA Class Reference

Inheritance diagram for uNature.Core.Extensions.UN_GAIA:



Properties

- override string **AssetName** [get]
- override string **AssetDescription** [get]
- override string **AssetNameSpace** [get]
- override bool **IsDefault** [get]
- override string **AssetStoreAddress** [get]
- override string **PublisherName** [get]
- override string **AssetLogoName** [get]
- override string **AssetDocumentationName** [get]


Additional Inherited Members

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Extensions/Integrations/GAIA/UN_GAIA.cs

5.52 uNature.Core.Extensions.UN_GENA Class Reference

Inheritance diagram for uNature.Core.Extensions.UN_GENA:



Properties

- override string **AssetName** [get]
- override string **AssetDescription** [get]
- override string **AssetNameSpace** [get]
- override bool **IsDefault** [get]
- override string **AssetStoreAddress** [get]
- override string **PublisherName** [get]
- override string **AssetLogoName** [get]
- override string **AssetDocumentationName** [get]


Additional Inherited Members

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Extensions/Integrations/GENA/UN_GENA.cs

5.53 uNature.Core.Extensions.UN_MapMagic Class Reference

Inheritance diagram for uNature.Core.Extensions.UN_MapMagic:



Properties

- override string **AssetName** [get]
- override string **AssetNameSpace** [get]
- override string **PublisherName** [get]
- override bool **Featured** [get]
- override string **AssetDocumentationName** [get]
- override string **AssetDescription** [get]
- override string **AssetStoreAddress** [get]
- override string **AssetLogoName** [get]

Additional Inherited Members

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Extensions/Integrations/MapMagic/UN_MapMagic.cs

5.54 uNature.Demo.UN_MouseLook Class Reference

Public Member Functions

- void **Init** (Transform character, Transform camera)
- void **LookRotation** (Transform character, Transform camera)

Public Attributes


- float **XSensitivity** = 2f
- float **YSensitivity** = 2f
- bool **clampVerticalRotation** = true
- float **MinimumX** = -90F
- float **MaximumX** = 90F
- bool **smooth**
- float **smoothTime** = 5f

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Demo/UN_MouseLook.cs

5.55 uNature.Core.Extensions.UN_PhotonBolt Class Reference

Inheritance diagram for uNature.Core.Extensions.UN_PhotonBolt:



Properties

- override string **AssetName** [get]
- override string **AssetNameSpace** [get]
- override string **PublisherName** [get]
- override string **AssetDocumentationName** [get]
- override string **AssetDescription** [get]
- override string **AssetStoreAddress** [get]
- override string **AssetLogoName** [get]


Additional Inherited Members

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Extensions/Integrations/PhotonBolt/UN_PhotonBolt.cs

5.56 uNature.Core.Extensions.UN_PhotonCloud Class Reference

Inheritance diagram for uNature.Core.Extensions.UN_PhotonCloud:



Public Member Functions

- void **CreateManager** ()

Properties

- override string **AssetName** [get]
- override string **AssetNameSpace** [get]
- override string **PublisherName** [get]
- override string **AssetDocumentationName** [get]
- override string **AssetDescription** [get]
- override string **AssetStoreAdress** [get]
- override string **AssetLogoName** [get]


Additional Inherited Members

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Extensions/Integrations/PhotonCloud/UN_PhotonCloud.cs

5.57 uNature.Core.Extensions.UN_TerrainComposer Class Reference

Inheritance diagram for uNature.Core.Extensions.UN_TerrainComposer:



Properties

- override string **AssetName** [get]
- override string **AssetNameSpace** [get]
- override string **PublisherName** [get]
- override bool **Featured** [get]
- override bool **IsDefault** [get]
- override string **AssetDescription** [get]
- override string **AssetStoreAdress** [get]
- override string **AssetLogoName** [get]


Additional Inherited Members

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Extensions/Integrations/TC2/UN_TerrainComposer.cs

5.58 uNature.Core.Extensions.UN_UFPS Class Reference

Inheritance diagram for uNature.Core.Extensions.UN_UFPS:



Public Member Functions

- void **ApplyOnCurrentPool** ()

Properties

- override string **AssetName** [get]
- override string **AssetDescription** [get]
- override string **AssetLogoName** [get]
- override string **AssetNameSpace** [get]
- override string **AssetStoreAdress** [get]
- override string **PublisherName** [get]
- override string **AssetDocumentationName** [get]


Additional Inherited Members

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Extensions/Integrations/UFPS/UN_UFPS.cs

5.59 uNature.Core.Extensions.UN_UNet Class Reference

Inheritance diagram for uNature.Core.Extensions.UN_UNet:



Public Member Functions

- void **CreateManager** ()

Properties

- override string **AssetName** [get]
- override string **AssetNameSpace** [get]
- override string **PublisherName** [get]
- override string **AssetDocumentationName** [get]


Additional Inherited Members

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Extensions/Integrations/UNet/UN_UNet.cs

5.60 uNature.Core.Extensions.UN_WorldStreamer Class Reference

Inheritance diagram for uNature.Core.Extensions.UN_WorldStreamer:



Properties

- override string **AssetName** [get]
- override string **AssetNameSpace** [get]
- override string **PublisherName** [get]
- override bool **Featured** [get]
- override string **AssetDocumentationName** [get]
- override string **AssetDescription** [get]
- override string **AssetStoreAdress** [get]
- override string **AssetLogoName** [get]

Additional Inherited Members

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Extensions/Integrations/WorldStreamer/UN_WorldStreamer.cs

5.61 uNature.Core.Utility.UNBatchTask Class Reference

An task

Public Member Functions

- **UNBatchTask** (Vector3[] vertices, Vector3[] normals, Vector2[] uv1s, Vector2[] uv2s, Vector2[] uv3s, Vector2[] uv4s, int[] triangles, Mesh _mesh, int id)
- void **Apply** ()

Public Attributes

- int **ID**
- bool **initialized**
- Mesh **mesh**

5.61.1 Detailed Description

An task

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Utility/UNBatchUtility.cs

5.62 uNature.Core.Utility.UNBatcMeshhhProcessingTask Class Reference

Public Member Functions

- **UNBatcMeshhhProcessingTask** (List< [UNCombineInstance](#) > _instances, Material _material, Mesh _mesh, [FoliagePrototype](#) _prototype, bool _multiThread, bool _applyInstantly, int _lastID)

Public Attributes

- List< [UNCombineInstance](#) > **instances**
- Mesh **mesh**
- Material **material**
- bool **multiThread**
- bool **applyInstantly**
- [FoliagePrototype](#) **prototype**
- [UNMeshData](#) **meshData**
- int **lastID**


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Utility/UNBatchUtility.cs

5.63 uNature.Core.Utility.UNBrushUtility Class Reference

Using this class you can paint an brush on the scene.

Inheritance diagram for uNature.Core.Utility.UNBrushUtility:



Public Member Functions

- void [DrawBrush](#) (Texture2D brushTexture, Color brushColor, Vector3 originPosition, Quaternion originRotation, float brushSize)
Draw a brush on the scene.

Static Public Member Functions

- static Texture2D [Resize](#) (Texture2D source, int newWidth, int newHeight)
Resize texture by Justin Markwell and Smoke.

Properties

- static [UNBrushUtility instance](#) [get]
- static Projector [projector](#) [get]

5.63.1 Detailed Description

Using this class you can paint an brush on the scene.

5.63.2 Member Function Documentation

- 5.63.2.1 void uNature.Core.Utility.UNBrushUtility.DrawBrush (Texture2D *brushTexture*, Color *brushColor*, Vector3 *originPosition*, Quaternion *originRotation*, float *brushSize*)

Draw a brush on the scene.

Parameters

<i>brushTexture</i>	The brush's texture.
<i>brushColor</i>	The brush's color.
<i>position</i>	The brush's origin position (for example the camera's position).
<i>rotation</i>	The brush's origin rotation (for example the camera's rotation).
<i>brushSize</i>	The brush's size. (Varies from 1 -> 100)

5.63.2.2 `static Texture2D uNature.Core.Utility.UNBrushUtility.Resize (Texture2D source, int newWidth, int newHeight)`
`[static]`

Resize texture by Justin Markwell and Smoke.

Parameters

<i>source</i>	
<i>newWidth</i>	
<i>newHeight</i>	

Returns

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Utility/UNBrushUtility.cs

5.64 uNature.Core.Utility.UNCombineInstance Struct Reference

Public Attributes

- Matrix4x4 **transform**
- Mesh **mesh**
- Vector2 **densityOffset**
- int **density**

The documentation for this struct was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Utility/UNBatchUtility.cs

5.65 uNature.Core.Utility.UNDictionary< T, T1 > Class Template Reference

Public Member Functions

- void **Add** (T key, T1 value)
- void **RemoveAt** (int index)
- void **Remove** (T key)
- int **TryGetKeyIndex** (T key)

Properties

- List< T > **Keys** `[get]`
- List< T1 > **Values** `[get]`
- int **Count** `[get]`

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Utility/UNDictionary.cs

5.66 uNature.Core.Collections.UNDimensionalList< T > Class Template Reference

A 2 dimensional list which is used by certain mechanics in [uNature](#).

Public Member Functions

- bool [ContainsKey](#) (int key)
Checks if the list contains a certain key.
- bool [ContainsValue](#) (T value)
Does the two dimensional list contain this value?
- void [TryAddKey](#) (List< T > value)
Try to add a key.

Properties

- List< T > [this\[int index\]](#) [get, set]
Get the stashed list.
- int [Count](#) [get]
Count of the two dimensional list elements.

5.66.1 Detailed Description

A 2 dimensional list which is used by certain mechanics in [uNature](#).

5.66.2 Member Function Documentation

5.66.2.1 bool uNature.Core.Collections.UNDimensionalList< T >.ContainsKey (int key)

Checks if the list contains a certain key.

5.66.2.2 bool uNature.Core.Collections.UNDimensionalList< T >.ContainsValue (T value)

Does the two dimensional list contain this value?

Parameters

<i>value</i>	the value
--------------	-----------

Returns

is it contained ?

5.66.2.3 void uNature.Core.Collections.UNDimensionalList< T >.TryAddKey (List< T > value)

Try to add a key.

Parameters

<i>value</i>	the value
--------------	-----------

5.66.3 Property Documentation

5.66.3.1 `int uNature.Core.Collections.UNDimensionalList< T >.Count` [get]

Count of the two dimensional list elements.

5.66.3.2 `List<T> uNature.Core.Collections.UNDimensionalList< T >.this[int index]` [get], [set]

Get the stashed list.

Parameters

<i>index</i>	index
--------------	-------

Returns

The documentation for this class was generated from the following file:

- `D:/Projects/uNature/Assets/uNature/Scripts/Core/Collections/UNDimensionalList.cs`

5.67 uNature.Core.Editor.Helpers.UNEditorHelpers Class Reference

Static Public Member Functions

- static void **SetupSceneTerrains** ()
- static void **FixCorruptedTreeInstanceOnSceneTerrains** ()
- static void **CopySelectedTerrains** ()
- static void **ShowDebugWindow** ()


The documentation for this class was generated from the following file:

- `D:/Projects/uNature/Assets/uNature/Scripts/Editor/UNEditorHelpers.cs`

5.68 uNature.Core.Extensions.UNExtension Class Reference

A uConstruct extension that will allow other 3d party systems to work with uConstruct.

Inheritance diagram for uNature.Core.Extensions.UNExtension:



Static Public Member Functions

- static void [OpenDocs](#) ([UNExtension](#) instance)
Open the documentation of the extension

Parameters

instance	<i>Extension instance</i>
----------	---------------------------

- static void [OpenAssetStore](#) ([UNExtension](#) instance)
Open the asset store page of the extension

Parameters

instance	<i>Extension instance</i>
----------	---------------------------

- static Texture [GetLogo](#) ([UNExtension](#) instance)
Get the extension logo
- static void [LoadMethods](#) ([UNExtension](#) instance, Type type)
Load helper methods from an instance.

Public Attributes

- bool `isViewed`
Is the extension viewed?
- List< MethodInfo > `HelperMethods`
Loaded methods that are created to give tools to people who activated the extension.

Properties

- virtual string `AssetName` [get]
The asset name (for example TreesManagerSystem).
- virtual string `AssetDescription` [get]
The asset description (for example :
- virtual bool `Featured` [get]
Is this asset featured?
- virtual string `AssetLogoName` [get]
Asset logo name that will be searched on the project.
- virtual string `PublisherName` [get]
The asset publisher name (for example EEProductions).
- virtual string `AssetDocumentationName` [get]
Asset extension documentation name.
- virtual string `AssetStoreAdress` [get]
Asset extension asset store adress - (For exmaple - <https://www.assetstore.unity3d.com/en/#!/content/43129>).
- virtual string `AssetNameSpace` [get]
The namespace that will be added to the defines when the extension is activated.
- virtual bool `IsDefault` [get]
Default means that this asset doesnt require it to be enabled, that means that its working with uConstruct out of the box.
- bool `isActivated` [get, set]
Is the extension activated currently?

5.68.1 Detailed Description

A uConstruct extension that will allow other 3d party systems to work with uConstruct.

5.68.2 Member Function Documentation

5.68.2.1 static Texture uNature.Core.Extensions.UNExtension.GetLogo (UNExtension instance) [static]

Get the extension logo

Parameters

<i>instance</i>	Extension instance
-----------------	--------------------

5.68.2.2 `static void uNature.Core.Extensions.UNExtension.LoadMethods (UNExtension instance, Type type)`
`[static]`

Load helper methods from an instance.

Parameters

<i>instance</i>	Extension instance
-----------------	--------------------

5.68.2.3 `static void uNature.Core.Extensions.UNExtension.OpenAssetStore (UNExtension instance)` `[static]`

Open the asset store page of the extension

Parameters

<i>instance</i>	Extension instance
-----------------	--------------------

5.68.2.4 `static void uNature.Core.Extensions.UNExtension.OpenDocs (UNExtension instance)` `[static]`

Open the documentation of the extension

Parameters

<i>instance</i>	Extension instance
-----------------	--------------------

5.68.3 Member Data Documentation

5.68.3.1 `List<MethodInfo> uNature.Core.Extensions.UNExtension.HelperMethods`

Loaded methods that are created to give tools to people who activated the extension.

5.68.3.2 `bool uNature.Core.Extensions.UNExtension.isViewed`

Is the extension viewed?

5.68.4 Property Documentation

5.68.4.1 `virtual string uNature.Core.Extensions.UNExtension.AssetDescription` `[get]`

The asset description (for example :

An asset used for optimizing terrain & game world. Features :

5.68.4.2 virtual string uNature.Core.Extensions.UNExtension.AssetDocumentationName [get]

Asset extension documentation name.

5.68.4.3 virtual string uNature.Core.Extensions.UNExtension.AssetLogoName [get]

Asset logo name that will be searched on the project.

For example: uConstructLogo

5.68.4.4 virtual string uNature.Core.Extensions.UNExtension.AssetName [get]

The asset name (for example TreesManagerSystem).

5.68.4.5 virtual string uNature.Core.Extensions.UNExtension.AssetNameSpace [get]

The namespace that will be added to the defines when the extension is activated.

5.68.4.6 virtual string uNature.Core.Extensions.UNExtension.AssetStoreAdress [get]

Asset extension asset store adress - (For exmaple - <https://www.assetstore.unity3d.com/en/#!/content/43129>).

5.68.4.7 virtual bool uNature.Core.Extensions.UNExtension.Featued [get]

Is this asset featured?

5.68.4.8 bool uNature.Core.Extensions.UNExtension.isActivated [get], [set]

Is the extension activated currently?

5.68.4.9 virtual bool uNature.Core.Extensions.UNExtension.IsDefault [get]

Default means that this asset doesnt require it to be enabled, that means that its working with uConstruct out of the box.

5.68.4.10 virtual string uNature.Core.Extensions.UNExtension.PublisherName [get]


The asset publisher name (for example EEProductions).

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Extensions/Base/UNExtension.cs

5.69 uNature.Core.Extensions.UNExtensionsEditor Class Reference

Inheritance diagram for uNature.Core.Extensions.UNExtensionsEditor:



Static Public Member Functions

- static void **Open** ()
- static void **HandleCompile** ()

Public Attributes

- const string **UN_DEFINE** = "UN_INSTALLED"

Properties


- static Texture2D **featuredIcon** [get]
- static GUIStyle **featuredFoldoutStyle** [get]

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Extensions/Editor/UNExtensionsEditor.cs

5.70 uNature.Core.FoliageClasses.UNFoliageEditor Class Reference

Inheritance diagram for uNature.Core.FoliageClasses.UNFoliageEditor:



Public Member Functions

- void **OnGUI** ()

Static Public Member Functions


- static void **OpenWindow** ()

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Editor/UNFoliageEditor.cs

5.71 uNature.Core.FoliageClasses.UNFoliageManagerEditor Class Reference

Inheritance diagram for uNature.Core.FoliageClasses.UNFoliageManagerEditor:



Public Member Functions

- override void **OnInspectorGUI** ()

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Editor/UNFoliageManagerEditor.cs

5.72 uNature.Core.Collections.UNList< T > Class Template Reference

A custom list which is used on some important interfaces in UN.

Public Member Functions

- void **Add** (T item)
Add an item to the list.
- void **Remove** (T item)
Remove an item from the list.
- T **TryGet** (System.Object similarItem)
Get a similar instance by a custom Equals which needs to be initialized on the item.
- bool **Contains** (System.Object item)
Is this item contained in the list?

Properties

- int **Count** [get]
Get list count
- T **this[int index]** [get, set]
Get an element from the list.

5.72.1 Detailed Description

A custom list which is used on some important interfaces in UN.

Template Parameters

<i>T</i>	the list type.
----------	----------------

5.72.2 Member Function Documentation

5.72.2.1 void uNature.Core.Collections.UNList< T >.Add (T *item*)

Add an item to the list.

Parameters

<i>item</i>	
-------------	--

5.72.2.2 bool uNature.Core.Collections.UNList< T >.Contains (System.Object *item*)

Is this item contained in the list?

Parameters

<i>item</i>	
-------------	--

Returns

5.72.2.3 void uNature.Core.Collections.UNList< T >.Remove (T *item*)

Remove an item from the list.

Parameters

<i>item</i>	
-------------	--

5.72.2.4 T uNature.Core.Collections.UNList< T >.TryGet (System.Object *similarItem*)

Get a similar instance by a custom Equals which needs to be initialized on the item.

Parameters

<i>similarItem</i>	
--------------------	--

Returns

5.72.3 Property Documentation

5.72.3.1 `int uNature.Core.Collections.UNList< T >.Count` [get]

Get list count

5.72.3.2 `T uNature.Core.Collections.UNList< T >.this[int index]` [get], [set]

Get an element from the list.

Parameters

<i>index</i>	
--------------	--

Returns


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Collections/UNList.cs

5.73 uNature.Core.Utility.UNMap Class Reference

The abstract Map class.

Inheritance diagram for uNature.Core.Utility.UNMap:



Public Member Functions

- void **RestoreChanges** ()
- void **Apply** (Color32[] pixels)
- void **SetPixels32** ()
- void **SetPixels32** (Color32[] pixels)
- void **SetPixelsNoApply** ()
- void **SetPixels32Delayed** ()
- byte[] **EncodeToPNG** ()
- void **Resize** (int size)
- void **Clear** (bool autoApply, Color32 defaultColor)

Protected Member Functions

- **UNMap** (Texture2D texture, Color32[] pixels, [FoliageManagerInstance](#) mInstance)
- virtual void **OnDirty** (bool value)

Protected Attributes

- Color32[] **_mapPixels**

Properties

- Texture2D **map** [get, set]
- Color32[] **mapPixels** [get, set]
- int **mapWidth** [get]
- bool **dirty** [get, set]
- [FoliageManagerInstance](#) **mInstance** [get]

5.73.1 Detailed Description

The abstract Map class.

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Utility/UNMapGenerators.cs

5.74 uNature.Core.FoliageClasses.UNMeshData Class Reference

Public Member Functions

- **UNMeshData** (Mesh[] meshes)

Public Attributes

- List< Vector3 > **vertices**
- List< Vector3 > **normals**
- List< int > **triangles**
- List< Vector2 > **uv1s**
- int **verticesLength**
- int **normalsLength**
- int **uv1sLength**
- int **trianglesLength**

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foliage/FoliagePrototype.cs


5.75 uNature.Core.Networking.UNNetworkData< T > Class Template Reference

A class which can be used for an abstract networking data.

Template Parameters

<i>T</i>	The network connection type which the networking library uses.
----------	--

Inheritance diagram for uNature.Core.Networking.UNNetworkData< T >:



Public Member Functions

- override void [UnPack](#) ()
Unpack the data
- virtual void [SendToServer](#) ()
Send data to server
- virtual void [SendToConnection](#) (T connection)
Send data to connection

Parameters

connection	<i>the targeted connection</i>
------------	--------------------------------

- virtual void [SendToClients](#) ()
Send data to clients
- virtual void [SendToOthers](#) ()
Send data to other connections
- override bool [Equals](#) (object obj)
Create equal state which checks whether those 2 instances of NetworkData are equal
- override int [GetHashCode](#) ()
Overriden this method only to get rid of a warning.
- virtual byte[] [Serialize](#) ()
Serialize the object

Static Public Member Functions

- static T2 [Pack](#)< T1, T2 > (Terrain terrain, int treeInstanceId, int health, PacketType type)
Pack the data and create a data instance
- static [UNNetworkData](#)< T > [Deserialize](#) (byte[] bytes)
Deserialize the data.

Additional Inherited Members

5.75.1 Detailed Description

A class which can be used for an abstract networking data.

Template Parameters

<i>T</i>	The network connection type which the networking library uses.
----------	--

5.75.2 Member Function Documentation

5.75.2.1 **static UNNetworkData<T> uNature.Core.Networking.UNNetworkData< T >.Deserialize (byte[] bytes)**
[static]

Deserialize the data.

Parameters

<i>bytes</i>	the data.
--------------	-----------

Returns

the deserialized object.

5.75.2.2 **override bool uNature.Core.Networking.UNNetworkData< T >.Equals (object obj)**

Create equal state which checks whether those 2 instances of NetworkData are equal

Parameters

<i>obj</i>	
------------	--

Returns

5.75.2.3 **override int uNature.Core.Networking.UNNetworkData< T >.GetHashCode ()**

Overrided this method only to get rid of a warning.

Returns

5.75.2.4 **static T2 uNature.Core.Networking.UNNetworkData< T >.Pack< T1, T2 > (Terrain terrain, int treeInstanceId, int health, PacketType type)** [static]

Pack the data and create a data instance

Type Constraints

T2 : UNNetworkData<T1>

5.75.2.5 `virtual void uNature.Core.Networking.UNNetworkData< T >.SendToClients ()` [virtual]

Send data to clients

5.75.2.6 `virtual void uNature.Core.Networking.UNNetworkData< T >.SendToConnection (T connection)`
[virtual]

Send data to connection

Parameters

<i>connection</i>	the targeted connection
-------------------	-------------------------

5.75.2.7 `virtual void uNature.Core.Networking.UNNetworkData< T >.SendToOthers ()` [virtual]

Send data to other connections

5.75.2.8 `virtual void uNature.Core.Networking.UNNetworkData< T >.SendToServer ()` [virtual]

Send data to server

5.75.2.9 `virtual byte [] uNature.Core.Networking.UNNetworkData< T >.Serialize ()` [virtual]

Serialize the object

Returns

serialized bytes

5.75.2.10 `override void uNature.Core.Networking.UNNetworkData< T >.UnPack ()` [virtual]

Unpack the data

Reimplemented from [uNature.Core.Networking.BaseUNNetworkData](#).

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Networking_Templates/UNNetworkData.cs

5.76 uNature.Core.Networking.UNNetworkManager< T1, T2 > Class Template Reference

A template for networking, which can be used by networking extensions to easily get the networking actions done.

Template Parameters

<i>T1</i>	the targeted networking connection
<i>T2</i>	the type of the data

Public Member Functions

- [UNNetworkManager](#) (MonoBehaviour managerInstance)
The constructor of this class, initiate basic events.
- virtual void [Awake](#) ()
Called when the network manager is initialized.
- virtual void [UpdatePermissions](#) ()
Reupdate the permissions for the Pool items. (needs to be called when ever there's a networking change for the owner/controller)
- virtual void [SendEvent](#) (UNNetworkData< T1 > instance)
Send event to the correct location
- virtual void [SendToConnection](#) (T1 connection, UNNetworkData< T1 > instance)
Send to certain connection the data
- virtual void [SendToClients](#) (UNNetworkData< T1 > instance)
Send to all of the clients.
- virtual void [SendToOthers](#) (UNNetworkData< T1 > instance)
Send to all other connections.
- virtual void [SendToServer](#) (UNNetworkData< T1 > instance)
Send to the server the data.
- void [OnClientConnected](#) (T1 conn)
Called when the client connects, send all data.

Public Attributes

- const float **STREAM_UPDATE_CHECK_INTERVAL_SECONDS** = 2

Static Public Attributes

- static [UNNetworkManager](#)< T1, T2 > [manager](#)
a static instance of this object.

Protected Member Functions

- IEnumerator [CheckForStreamingBufferedUpdates](#) ()
This method is checking every certain amount of seconds for new loaded streamed areas to update data that is waiting for a streamed terrain to be loaded.
- void [OnHarvestableTreeInstancePooled](#) (HarvestableTIPoolItem instance)
Called when an harvestable item instance has been created
- void [OnItemDamaged](#) (HarvestableTIPoolItem item, int damage)
Update item damage and handle synchorization.

Properties

- static [UNList](#)< [BaseUNNetworkData](#) > [bufferedData](#) [get]
The buffered data which will be sent to all of the connecting connections.
- virtual bool [isServer](#) [get]
Are we the server?
- virtual bool [isAuth](#) [get]
is the server architecture is authoritative?

5.76.1 Detailed Description

A template for networking, which can be used by networking extensions to easily get the networking actions done.

Template Parameters

<i>T1</i>	the targeted networking connection
<i>T2</i>	the type of the data

Type Constraints

T2 : [UNNetworkData](#)<*T1*>

5.76.2 Constructor & Destructor Documentation

5.76.2.1 `uNature.Core.Networking.UNNetworkManager< T1, T2 >.UNNetworkManager (MonoBehaviour managerInstance)`

The constructor of this class, initiate basic events.

5.76.3 Member Function Documentation

5.76.3.1 `virtual void uNature.Core.Networking.UNNetworkManager< T1, T2 >.Awake ()` [virtual]

Called when the network manager is initialized.

5.76.3.2 `IEnumerator uNature.Core.Networking.UNNetworkManager< T1, T2 >.CheckForStreamingBufferedUpdates ()` [protected]

This method is checking every certain amount of seconds for new loaded streamed areas to update data that is waiting for a streamed terrain to be loaded.

Returns

5.76.3.3 `void uNature.Core.Networking.UNNetworkManager< T1, T2 >.OnClientConnected (T1 conn)`

Called when the client connects, send all data.

Parameters

<i>conn</i>	the connection
-------------	----------------

5.76.3.4 void uNature.Core.Networking.UNNetworkManager< T1, T2 >.OnHarvestableTreeInstancePooled (HarvestableTIPoolItem *instance*) [protected]

Called when an harvestable item instance has been created

Parameters

<i>instance</i>	the created instance
-----------------	----------------------

5.76.3.5 void uNature.Core.Networking.UNNetworkManager< T1, T2 >.OnItemDamaged (HarvestableTIPoolItem *item*, int *damage*) [protected]

Update item damage and handle synchorization.

Parameters

<i>item</i>	
<i>health</i>	

5.76.3.6 virtual void uNature.Core.Networking.UNNetworkManager< T1, T2 >.SendEvent (UNNetworkData< T1 > *instance*) [virtual]

Send event to the correct location

Parameters

<i>instance</i>	the data instance
-----------------	-------------------

5.76.3.7 virtual void uNature.Core.Networking.UNNetworkManager< T1, T2 >.SendToClients (UNNetworkData< T1 > *instance*) [virtual]

Send to all of the clients.

Parameters

<i>terrainName</i>	the terrain name (terrain.name)
<i>instanceID</i>	the tree instance
<i>destroy</i>	you want to destroy/ restore the tree?

5.76.3.8 `virtual void uNature.Core.Networking.UNNetworkManager< T1, T2 >.SendToConnection (T1 connection, UNNetworkData< T1 > instance)` `[virtual]`

Send to certain connection the data

Parameters

<i>connection</i>	the connection
<i>terrainName</i>	the terrain name (terrain.name)
<i>instanceID</i>	the tree instance
<i>destroy</i>	you want to destroy/ restore the tree?

5.76.3.9 `virtual void uNature.Core.Networking.UNNetworkManager< T1, T2 >.SendToOthers (UNNetworkData< T1 > instance)` `[virtual]`

Send to all other connections.

Parameters

<i>terrainName</i>	the terrain name (terrain.name)
<i>instanceID</i>	the tree instance
<i>destroy</i>	you want to destroy/ restore the tree?

5.76.3.10 `virtual void uNature.Core.Networking.UNNetworkManager< T1, T2 >.SendToServer (UNNetworkData< T1 > instance)` `[virtual]`

Send to the server the data.

Parameters

<i>terrainName</i>	the terrain name (terrain.name)
<i>instanceID</i>	the tree instance
<i>destroy</i>	you want to destroy/ restore the tree?

5.76.3.11 `virtual void uNature.Core.Networking.UNNetworkManager< T1, T2 >.UpdatePermissions ()` `[virtual]`

Reupdate the permissions for the Pool items. (needs to be called when ever there's a networking change for the owner/controller)

5.76.4 Member Data Documentation

5.76.4.1 `UNNetworkManager<T1, T2> uNature.Core.Networking.UNNetworkManager< T1, T2 >.manager` `[static]`

a static instance of this object.

5.76.5 Property Documentation

5.76.5.1 UNList<BaseUNNetworkData> uNature.Core.Networking.UNNetworkManager< T1, T2 >.bufferedData [static], [get]

The buffered data which will be sent to all of the connecting connections.

5.76.5.2 virtual bool uNature.Core.Networking.UNNetworkManager< T1, T2 >.isAuth [get]

is the server architecture is authoritative?

5.76.5.3 virtual bool uNature.Core.Networking.UNNetworkManager< T1, T2 >.isServer [get]


Are we the server?

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Networking_Templates/UNNetworkManager.cs

5.77 uNature.Core.Networking.UNNetworkPlayerController Class Reference

Inheritance diagram for uNature.Core.Networking.UNNetworkPlayerController:



Public Member Functions

- virtual void **OnAttached** ()
- void **ManageEnableOnProxies** (bool value)

Public Attributes

- MonoBehaviour[] **disableOnProxies**
- Camera **Camera**
- CharacterController **controller**

Protected Member Functions

- virtual void **Awake** ()

Properties

- virtual bool **hasControl** [get]

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Networking_Templates/UNNetworkPlayerController.cs

5.78 uNature.Core.UNPhysicsHit_Grass Struct Reference

A class that holds the data for the hit data

Public Attributes

- Vector3 **point**
- float **distance**

5.78.1 Detailed Description

A class that holds the data for the hit data

The documentation for this struct was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Physics/UNPhysics.cs

5.79 uNature.Core.UNPhysicsHitsArray Class Reference

An custom array that holds all ray results in an array

Public Member Functions

- void **AddToList** ([UNPhysicsHit_Grass](#) hit)
- void **Sort** ()

Properties

- [UNPhysicsHit_Grass](#) **this[int index]** [get]
- int **Count** [get]

5.79.1 Detailed Description

An custom array that holds all ray results in an array

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Physics/UNPhysics.cs

5.80 uNature.Core.UNPhysicsObject Struct Reference

This is a base class for a UCPysicsObject. Every class that inherits this class will be counted in the physics system.

Public Member Functions

- void [UpdateBounds](#) ()
Update object's bounds
- void [OnDrawGizmos](#) ()
Draw gizmos
- void [DrawShape](#) (Matrix4x4 matrix)
Draw the shape of the bounds
- bool [Raycast](#) (Ray ray, out [UNPhysicsHit_Grass](#) _hit, LayerMask mask)
Raycast the physics object

Static Public Attributes

- static [UNPhysicsHit_Grass](#) hit

Properties

- bool **enabled** [get, set]

5.80.1 Detailed Description

This is a base class for a UCPysicsObject. Every class that inherits this class will be counted in the physics system.

5.80.2 Member Function Documentation

5.80.2.1 void uNature.Core.UNPhysicsObject.DrawShape (Matrix4x4 matrix)

Draw the shape of the bounds

Parameters

<i>matrix</i>	the matrix of the bounds
<i>selected</i>	is the shape selected in heirachy

5.80.2.2 void uNature.Core.UNPhysicsObject.OnDrawGizmos ()

Draw gizmos

5.80.2.3 bool uNature.Core.UNPhysicsObject.Raycast (Ray ray, out UNPhysicsHit_Grass _hit, LayerMask mask)

Raycast the physics object

Parameters

<i>origin</i>	ray origin
<i>direction</i>	ray direction
<i>_hit</i>	hit data
<i>distance</i>	max distance
<i>mask</i>	layerMask

Returns

Did we hit something?

5.80.2.4 void uNature.Core.UNPhysicsObject.UpdateBounds ()

Update object's bounds

Parameters

<i>center</i>	The center of the bounds, worldspace
<i>size</i>	The size of the bounds, worldspace

The documentation for this struct was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Physics/UNPhysicsObject.cs

5.81 uNature.Core.UNPhysicsTemplate Struct Reference

Public Member Functions

- **UNPhysicsTemplate** (Vector3 position, float spreadX, float spreadZ, int densityIndex, [FoliagePrototype](#) prototype)

Public Attributes

- Vector3 **position**
- Vector2 **spread**
- int **densityIndex**
- [FoliagePrototype](#) **prototype**


The documentation for this struct was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Physics/UNPhysicsTemplate.cs

5.82 uNature.Core.Seekers.UNSeeker Class Reference

[Seekers](#) are basically GameObjects in the scene which should interact with the objects in the game.

Inheritance diagram for uNature.Core.Seekers.UNSeeker:



Public Member Functions

- virtual IEnumerator [Start](#) ()
Called on start, initiate initial check targets.

Public Attributes

- float [seekingDistance](#) = 20f
How far will it look ?
- bool [detectTreeInstancesInteraction](#) = true
Will the seeker handle the instances interaction
- bool [attackTrees](#) = true
Disable this if you want to do your own trees logic.

Protected Member Functions

- override void [Update](#) ()
Check for movement.

Additional Inherited Members

5.82.1 Detailed Description

[Seekers](#) are basically GameObjects in the scene which should interact with the objects in the game.

5.82.2 Member Function Documentation

5.82.2.1 `virtual IEnumerator uNature.Core.Seekers.UNSeeker.Start () [virtual]`

Called on start, initiate initial check targets.

5.82.2.2 `override void uNature.Core.Seekers.UNSeeker.Update () [protected],[virtual]`

Check for movement.

Reimplemented from [uNature.Core.FoliageClasses.FoliageReceiver](#).

5.82.3 Member Data Documentation

5.82.3.1 `bool uNature.Core.Seekers.UNSeeker.attackTrees = true`

Disable this if you want to do your own trees logic.

5.82.3.2 `bool uNature.Core.Seekers.UNSeeker.detectTreeInstancesInteraction = true`

Will the seeker handle the instances interaction

5.82.3.3 `float uNature.Core.Seekers.UNSeeker.seekingDistance = 20f`

How far will it look ?

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Seekers/UNSeeker.cs

5.83 uNature.Core.Settings.UNSetting Class Reference

A class which should be used on custom classes that needs to be shown and serialized as a setting.

Public Member Functions

- virtual void [DrawGUI](#) ()

Draw the gui of the setting on this method. This will be called from the [UNSettingsEditor](#).

5.83.1 Detailed Description

A class which should be used on custom classes that needs to be shown and serialized as a setting.

5.83.2 Member Function Documentation

5.83.2.1 virtual void uNature.Core.Settings.UNSetting.DrawGUI () [virtual]

Draw the gui of the setting on this method. This will be called from the [UNSettingsEditor](#).


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Settings/UNSetting.cs

5.84 uNature.Core.Settings.UNSettingAttribute Class Reference

The attribute of each setting which handles the drawing of the setting (generically).

Inheritance diagram for uNature.Core.Settings.UNSettingAttribute:



Public Member Functions

- **UNSettingAttribute** ([UNSettingCategories](#) category, string name)
- **UNSettingAttribute** ([UNSettingCategories](#) category, string name, string desc)
- object **Draw** (object instance)

Public Attributes

- [UNSettingCategories](#) **category**
- string **name**
- string **desc**

5.84.1 Detailed Description

The attribute of each setting which handles the drawing of the setting (generically).

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Settings/UNSettings.cs

5.85 uNature.Core.Settings.UNSettingCategory Class Reference

The class of a category which handles keeping hold of all of the categories and makes all of the reflection needed.

Public Member Functions

- **UNSettingCategory** ([UNSettingCategories](#) category)

Static Public Member Functions

- static [UNSettingCategory](#) **GetCategory** ([UNSettingCategories](#) category)

Public Attributes

- bool **show**
- [UNSettingCategories](#) **type**
- List< [UNSettingAttribute](#) > **attributes** = new List<[UNSettingAttribute](#)>()
- List< FieldInfo > **fields** = new List<FieldInfo>()

Properties

- static List< [UNSettingCategory](#) > **categories** [get]

5.85.1 Detailed Description

The class of a category which handles keeping hold of all of the categories and makes all of the reflection needed.


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Settings/UNSettings.cs

5.86 uNature.Core.Settings.UNSettings Class Reference

A class which handles certain settings of aspects in UN

Inheritance diagram for uNature.Core.Settings.UNSettings:



Public Member Functions

- void [ResetDefaults](#) ()
Reset the settings to the default state.

Static Public Member Functions

- static void [Log](#) (string context)
Log a message on the [uNature](#) debug mode.

Public Attributes

- const string [ProjectVersion](#) = "BETA 4_0"
The version number of this package.
- const string [fileName](#) = "UNSettings"
The file name which will be created for this settings file.
- const string [ProjectName](#) = "uNature"
Project name (UN folder name).
- bool [UN_TreeInstancesRespawnsEnabled](#) = false
- bool [UN_Networking_Auth](#) = true
- float [UN_TreeInstancesRespawnsTime](#) = 1
- bool [UN_Threading_Enabled](#) = true
- Threading.uNature_Thread_Workers [UN_Threading_WorkersCount](#) = Threading.uNature_Thread_↔
Workers.One_Worker
- bool [UN_Debugging_Enabled](#) = false
- bool [UN_Console_Debugging_Enabled](#) = false
- bool [UN_Foliage_RUNTIME_SAVECHANGES](#) = false

Properties

- static string [ProjectPath](#) [get]
The found path to the project directory (based on the name provided on ProjectName).
- static [UNSettings instance](#) [get]

5.86.1 Detailed Description

A class which handles certain settings of aspects in UN

5.86.2 Member Function Documentation

5.86.2.1 static void uNature.Core.Settings.UNSettings.Log (string context) [static]

Log a message on the [uNature](#) debug mode.

Parameters

<i>context</i>	
----------------	--

5.86.2.2 void uNature.Core.Settings.UNSettings.ResetDefaults ()

Reset the settings to the default state.

5.86.3 Member Data Documentation

5.86.3.1 const string uNature.Core.Settings.UNSettings.fileName = "UNSettings"

The file name which will be created for this settings file.

5.86.3.2 const string uNature.Core.Settings.UNSettings.ProjectName = "uNature"

Project name (UN folder name).

5.86.3.3 const string uNature.Core.Settings.UNSettings.ProjectVersion = "BETA 4_0"

The version number of this package.

5.86.4 Property Documentation

5.86.4.1 string uNature.Core.Settings.UNSettings.ProjectPath [static], [get]


The found path to the project directory (based on the name provided on ProjectName).

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Settings/UNSettings.cs

5.87 uNature.Core.Settings.UNSettingsEditor Class Reference

Inheritance diagram for uNature.Core.Settings.UNSettingsEditor:



Static Public Member Functions

- static void **Open** ()

Public Attributes

- [UNSettings](#) **_settings**

Properties

- [UNSettings](#) **settings** [get]


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Settings/Editor/UNSettingsEditor.cs

5.88 uNature.Core.Targets.UNTarget Class Reference

A target is what will be taken into account with the system. For example terrains.

Inheritance diagram for uNature.Core.Targets.UNTarget:



Public Member Functions

- virtual void **Check** ([Seekers.UNSeeker](#) seeker, Vector3 seekerPos, float seekingDistance, bool isPlaying)
Check and apply AOI from seeker.

Parameters

seeker	<i>Our seeker</i>
seekerPos	<i>the seeker position -> in order to maintain multithreading.</i>

- virtual bool **InDistance** ([UNSeeker](#) seeker)
Confirm that a seeker is in the range of the target.
- virtual Vector3 **FixPosition** (Vector3 position)
Fix the position that is given to the local space position of this target - for example in the terrain you want to reduce the terrain position.

- virtual void [OnDrawGizmos](#) ()
Draw gizmos
- virtual void [CreatePool](#) (System.Type PoolItemType)
Create Pool.

Static Public Member Functions

- static void [CheckTargets](#) ([UNSeeker](#) seeker, float distance)
Check and apply aoi from a certain seekr.

Public Attributes

- [Pool](#) [Pool](#)
A Pool which is used to increase performance on runtime, which manages objects smartly than instantiating them manually on runtime each time.
- string [PoolTypeSerializedName](#) = ""
Was the Pool type de-serialized.
- int [PoolAmount](#) = 15
How many objects will be created for each Pool type.

Static Public Attributes

- static List< [UNTarget](#) > [worldTargets](#) = new List<[UNTarget](#)>()
All of the targets in the scene.

Protected Member Functions

- virtual void [Awake](#) ()
Initiate awake settings.
- override void [Update](#) ()
Called every frame
- override void [OnEnable](#) ()
Add this target to the targets Pool
- override void [OnDisable](#) ()
Remove this target to the targets Pool

Properties

- System.Type **PoolItemType** [get, set]
- virtual bool [useMultithreadedCheck](#) [get]
Will the system call a multi-threaded task for making the checks ?

5.88.1 Detailed Description

A target is what will be taken into account with the system. For example terrains.

5.88.2 Member Function Documentation

5.88.2.1 virtual void uNature.Core.Targets.UNTarget.Awake () [protected],[virtual]

Initiate awake settings.

Reimplemented in [uNature.Core.FoliageClasses.FoliageCore_MainManager](#), and [uNature.Core.Terrains.UNTerrain](#).

5.88.2.2 virtual void uNature.Core.Targets.UNTarget.Check (Seekers.UNSeeker *seeker*, Vector3 *seekerPos*, float *seekingDistance*, bool *isPlaying*) [virtual]

Check and apply AOI from seeker.

Parameters

<i>seeker</i>	Our seeker
<i>seekerPos</i>	the seeker position -> in order to maintain multithreading.

5.88.2.3 static void uNature.Core.Targets.UNTarget.CheckTargets (UNSeeker *seeker*, float *distance*) [static]

Check and apply aoi from a certain seeekr.

Parameters

<i>seeker</i>	our seeker.
<i>distance</i>	seeking distance

5.88.2.4 virtual void uNature.Core.Targets.UNTarget.CreatePool (System.Type *PoolItemType*) [virtual]

Create Pool.

Reimplemented in [uNature.Core.Terrains.UNTerrain](#).

5.88.2.5 virtual Vector3 uNature.Core.Targets.UNTarget.FixPosition (Vector3 *position*) [virtual]

Fix the position that is given to the local space position of this target - for example in the terrain you want to reduce the terrain position.

Parameters

<i>position</i>	the position
-----------------	--------------

Returns

fixed position

Reimplemented in [uNature.Core.Terrains.UNTerrain](#).

5.88.2.6 virtual bool uNature.Core.Targets.UNTarget.InDistance (UNSeeker *seeker*) [virtual]

Confirm that a seeker is in the range of the target.

Parameters

<i>seeker</i>	The seeker.
---------------	-------------

Returns

Is the inrange of our target?

5.88.2.7 override void uNature.Core.Targets.UNTarget.OnDisable () [protected],[virtual]

Remove this target to the targets Pool

Reimplemented from [uNature.Core.Threading.ThreadItem](#).

Reimplemented in [uNature.Core.Terrains.UNTerrain](#).

5.88.2.8 virtual void uNature.Core.Targets.UNTarget.OnDrawGizmos () [virtual]

Draw gizmos

5.88.2.9 override void uNature.Core.Targets.UNTarget.OnEnable () [protected],[virtual]

Add this target to the targets Pool

Reimplemented from [uNature.Core.Threading.ThreadItem](#).

Reimplemented in [uNature.Core.Terrains.UNTerrain](#).

5.88.2.10 override void uNature.Core.Targets.UNTarget.Update () [protected],[virtual]

Called every frame

Reimplemented from [uNature.Core.Threading.ThreadItem](#).

5.88.3 Member Data Documentation

5.88.3.1 Pool uNature.Core.Targets.UNTarget.Pool

A Pool which is used to increase performance on runtime, which manages objects smartly than instantiating them manually on runtime each time.

5.88.3.2 int uNature.Core.Targets.UNTarget.PoolAmount = 15

How many objects will be created for each Pool type.

5.88.3.3 string uNature.Core.Targets.UNTarget.PoolTypeSerializedName = ""

Was the Pool type de-serialized.

5.88.3.4 List<UNTarget> uNature.Core.Targets.UNTarget.worldTargets = new List<UNTarget>() [static]

All of the targets in the scene.

5.88.4 Property Documentation

5.88.4.1 virtual bool uNature.Core.Targets.UNTarget.useMultithreadedCheck [get], [protected]


Will the system call a multi-threaded task for making the checks ?

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Targets/UNTarget.cs

5.89 uNature.Core.Targets.UNTargetEditor Class Reference

Inheritance diagram for uNature.Core.Targets.UNTargetEditor:



Public Member Functions

- override void **OnInspectorGUI** ()


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Editor/UNTargetEditor.cs

5.90 uNature.Core.Terrains.UNTerrain Class Reference

A class that needs to be on each terrain that needs to be taken into account when managing the system.

Inheritance diagram for uNature.Core.Terrains.UNTerrain:



Public Member Functions

- virtual **UNTerrainSector GenerateSector** (int **sectorResolution**, bool multiThread)
*Generate a sector and assign it to the **UNTerrain**.*
- virtual **UNTerrainSector GenerateSector** (int **sectorResolution**)
*Generate a sector and assign it to the **UNTerrain**.*
- override void **Check** (**Seekers.UNSeeker** seeker, Vector3 seekerPos, float seekingDistance, bool isPlaying)
Check for seeker on terrain.
- override bool **InDistance** (**Seekers.UNSeeker** seeker)
Check if the seeker is in range of the terrain.
- override void **CreatePool** (System.Type PoolItemType)
Fill up our Pool.
- override Vector3 **FixPosition** (Vector3 position)
Return the position that can be used with the chunks.

Public Attributes

- const float **removedTreeInstanceHeight** = 0f
The height which "destroyed" tree instances will get. Don't change if not needed.
- const int **collidersPoolItemInstanceIncrease** = 10000
The height which "destroyed" tree instances will get. Don't change if not needed.
- float **distanceOffset**
By how much will the terrain distance be still considered?
- Vector3 **lastSceneViewPosition** = Vector3.zero
- IEnumerator **verifyTreeInstancesChangeRoutine**
An routine that is used from the editor to perform realtime tree instances updates.

Static Public Attributes

- static List< [UNTerrain](#) > [terrains](#) = new List<[UNTerrain](#)>()
All of the current existing terrains in the current scene.

Protected Member Functions

- override void [Awake](#) ()
Initiate startup variables
- virtual void [OnTerrainChanged](#) (int changedFlags)
On terrain changed.
- virtual void [CheckForTreeInstancesRespawns](#) ()
This method will check every set amount of time the trees in the terrain and restore them if needed.
- override void [OnEnable](#) ()
Add this terrain to the terrains Pool
- override void [OnDisable](#) ()
Remove this terrain to the terrains Pool
- override void [OnPositionChanged](#) (Vector3 newPosition)
On terrain position changed

Properties

- Terrain **terrain** [get, set]
- [UNTerrainData](#) **terrainData** [get]
- [UNTerrainSector](#) **sector** [get, set]
- int [sectorResolution](#) [get, set]
How much times will the terrain be divided? the more => the slower creation but higher performance on runtime.. the less => faster creation but lower performance on runtime.
- bool [manageGrass](#) [get, set]
Will the system try to optimize your grass?
- bool [updateGrassOnHeightsChange](#) [get, set]
- bool [manageTrees](#) [get, set]
Will the system try to optimize your trees?

Additional Inherited Members

5.90.1 Detailed Description

A class that needs to be on each terrain that needs to be taken into account when managing the system.

5.90.2 Member Function Documentation

5.90.2.1 override void uNature.Core.Terrains.UNTerrain.Awake () [protected],[virtual]

Initiate startup variables

Reimplemented from [uNature.Core.Targets.UNTarget](#).

5.90.2.2 override void uNature.Core.Terrains.UNTerrain.Check (Seekers.UNSeeker seeker, Vector3 seekerPos, float seekingDistance, bool isPlaying)

Check for seeker on terrain.

Parameters

<i>seeker</i>	Our seeker.
<i>seekerPos</i>	the seeker pos

5.90.2.3 `virtual void uNature.Core.Terrains.UNTerrain.CheckForTreeInstancesRespawns ()` [protected],
[virtual]

This method will check every set amount of time the trees in the terrain and restore them if needed.

5.90.2.4 `override void uNature.Core.Terrains.UNTerrain.CreatePool (System.Type PoolItemType)` [virtual]

Fill up our Pool.

Reimplemented from [uNature.Core.Targets.UNTarget](#).

5.90.2.5 `override Vector3 uNature.Core.Terrains.UNTerrain.FixPosition (Vector3 position)` [virtual]

Return the position that can be used with the chunks.

Parameters

<i>position</i>	the original position
-----------------	-----------------------

Returns

position that can be used in local space with the terrain

Reimplemented from [uNature.Core.Targets.UNTarget](#).

5.90.2.6 `virtual UNTerrainSector uNature.Core.Terrains.UNTerrain.GenerateSector (int sectorResolution, bool multiThread)` [virtual]

Generate a sector and assign it to the [UNTerrain](#).

Parameters

<i>sectorResolution</i>	How many pieces will the terrain be divided to? the bigger it is the more pieces.
-------------------------	---

5.90.2.7 `virtual UNTerrainSector uNature.Core.Terrains.UNTerrain.GenerateSector (int sectorResolution)` [virtual]

Generate a sector and assign it to the [UNTerrain](#).

Parameters

<i>sectorResolution</i>	How many pieces will the terrain be divided to? the bigger it is the more pieces.
-------------------------	---

5.90.2.8 override bool uNature.Core.Terrains.UNTerrain.InDistance (Seekers.UNSeeker *seeker*)

Check if the seeker is in range of the terrain.

Parameters

<i>seeker</i>	Seeker
---------------	--------

Returns

in range?

5.90.2.9 override void uNature.Core.Terrains.UNTerrain.OnDisable () [protected],[virtual]

Remove this terrain to the terrains Pool

Reimplemented from [uNature.Core.Targets.UNTarget](#).

5.90.2.10 override void uNature.Core.Terrains.UNTerrain.OnEnable () [protected],[virtual]

Add this terrain to the terrains Pool

Reimplemented from [uNature.Core.Targets.UNTarget](#).

5.90.2.11 override void uNature.Core.Terrains.UNTerrain.OnPositionChanged (Vector3 *newPosition*) [protected],[virtual]

On terrain position changed

Parameters

<i>newPosition</i>	
--------------------	--

Reimplemented from [uNature.Core.Threading.ThreadItem](#).

5.90.2.12 virtual void uNature.Core.Terrains.UNTerrain.OnTerrainChanged (int *changedFlags*) [protected],[virtual]

On terrain changed.

Parameters

<i>changedFlags</i>	
---------------------	--

5.90.3 Member Data Documentation

5.90.3.1 `const int uNature.Core.Terrains.UNTerrain.collidersPoolItemInstanceIncrease = 10000`

The height which "destroyed" tree instances will get. Don't change if not needed.

5.90.3.2 `float uNature.Core.Terrains.UNTerrain.distanceOffset`

By how much will the terrain distance be still considered?

5.90.3.3 `const float uNature.Core.Terrains.UNTerrain.removedTreeInstanceHeight = 0f`

The height which "destroyed" tree instances will get. Don't change if not needed.

5.90.3.4 `List<UNTerrain> uNature.Core.Terrains.UNTerrain.terrains = new List<UNTerrain>() [static]`

All of the current existing terrains in the current scene.

5.90.3.5 `IEnumerator uNature.Core.Terrains.UNTerrain.verifyTreeInstancesChangeRoutine`

An routine that is used from the editor to perform realtime tree instances updates.

5.90.4 Property Documentation

5.90.4.1 `bool uNature.Core.Terrains.UNTerrain.manageGrass [get], [set]`

Will the system try to optimize your grass?

Also, make sure to design the grass LODs if the grass doesnt work as you'd like (Window/uNature/Settings).

5.90.4.2 `bool uNature.Core.Terrains.UNTerrain.manageTrees [get], [set]`

Will the system try to optimize your trees?

5.90.4.3 int uNature.Core.Terrains.UNTerrain.sectorResolution [get], [set]

How much times will the terrain be divided? the more => the slower creation but higher performance on runtime.. the less => faster creation but lower performance on runtime.


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Terrain/UNTerrain.cs

5.91 uNature.Core.Terrains.UNTerrainData Class Reference

The terrain data class which is used by [uNature](#). Can be accessed by "UNTerrain.terrainData".

Inheritance diagram for uNature.Core.Terrains.UNTerrainData:



Public Member Functions

- [UNTreePrototype GetPrototype](#) (TreePrototype prototype)
Get a terrain tree prototype ([UNTerrainData](#)) from a unity's tree prototype.
- void [UpdateMultithreadedVariables](#) ()
Update the current multi-threaded variables on this terrain so it can be used on a different thread.
- void [Backup](#) ()
Backup the terrain data.
- void [ApplyBackup](#) (Terrain terrain)
Apply the current backup.
- void [DeleteBackup](#) ()
Delete the current backup.
- void [Initialize](#) ()
Initialize the terrain data.

Static Public Member Functions

- static string [GetBackUpPath](#) (string backUpName)
- static [UNTerrainData GetInstance](#) (TerrainData terrainData)
Get the [UNTerrainData](#) instance from providing a terrainData.

Public Attributes

- Vector2 [FoliageRelativeMultiplier](#)
- int [multiThreaded_detailResolution](#)
- int [multiThreaded_detailWidth](#)
- int [multiThreaded_detailHeight](#)
- Vector3[,] [multiThreaded_terrainSampleNormals](#)
- DetailPrototype[] [multiThreaded_detailPrototypes](#)
- float [multiThreaded_heightMapWidth](#)
- float [multiThreaded_heightMapHeight](#)

Protected Member Functions

- virtual void [CheckForTreePrototypesChange](#) ()
Checks and updates dirty terrain tree prototypes.
- void [SendUpdateEventToLinkedTerrains](#) (TerrainChangedFlags flag)
Send an TerrainData changed event to all linked terrains.

Properties

- static string **persistentPath** [get]
- string **objectName** [get, set]
- TerrainData [terrainData](#) [get, protected set]
The terrain data which this object resembles
- TerrainData **backedUpTerrainData** [get]
- List< [UNTreePrototype](#) > **treePrototypes** [get]
- float[,] [heights](#) [get]
Get the heights of the terrain (used in multi-threading).
- bool **isDirty** [get]
- Vector3 **multiThreaded_terrainDataSize** [get, set]
- float[,] **multiThreaded_terrainHeights** [get, set]

5.91.1 Detailed Description

The terrain data class which is used by [uNature](#). Can be accessed by "UNTerrain.terrainData".

5.91.2 Member Function Documentation

5.91.2.1 void uNature.Core.Terrains.UNTerrainData.ApplyBackup (Terrain *terrain*)

Apply the current backup.

5.91.2.2 void uNature.Core.Terrains.UNTerrainData.Backup ()

Backup the terrain data.

5.91.2.3 virtual void uNature.Core.Terrains.UNTerrainData.CheckForTreePrototypesChange () [protected], [virtual]

Checks and updates dirty terrain tree prototypes.

5.91.2.4 void uNature.Core.Terrains.UNTerrainData.DeleteBackup ()

Delete the current backup.

5.91.2.5 static UNTerrainData uNature.Core.Terrains.UNTerrainData.GetInstance (TerrainData *terrainData*) [static]

Get the [UNTerrainData](#) instance from providing a terrainData.

Parameters

<i>terrainData</i>	the terrain data which this UNTerrainData belongs to.
--------------------	---

Returns

the [UNTerrainData](#) instance for the provided terrain data.

5.91.2.6 **UNTreePrototype** uNature.Core.Terrains.UNTerrainData.GetPrototype (*TreePrototype prototype*)

Get a terrain tree prototype ([UNTerrainData](#)) from a unity's tree prototype.

Parameters

<i>prototype</i>	
------------------	--

Returns

5.91.2.7 **void** uNature.Core.Terrains.UNTerrainData.Initialize ()

Initialize the terrain data.

5.91.2.8 **void** uNature.Core.Terrains.UNTerrainData.SendUpdateEventToLinkedTerrains (*TerrainChangedFlags flag*) [protected]

Send an TerrainData changed event to all linked terrains.

5.91.2.9 **void** uNature.Core.Terrains.UNTerrainData.UpdateMultithreadedVariables ()

Update the current multi-threaded variables on this terrain so it can be used on a different thread.

5.91.3 Property Documentation

5.91.3.1 **float []** uNature.Core.Terrains.UNTerrainData.heights [get]

Get the heights of the terrain (used in multi-threading).

5.91.3.2 **TerrainData** uNature.Core.Terrains.UNTerrainData.terrainData [get], [protected set]


The terrain data which this object resembles

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Terrain/TerrainData/UNTerrainData.cs

5.92 uNature.Core.Terrains.UNTerrainEditor Class Reference

Inheritance diagram for uNature.Core.Terrains.UNTerrainEditor:



Public Member Functions

- override void **OnInspectorGUI** ()

Public Attributes

- List< [UNTreePrototype](#) > **selectedPrototypes** = new List<[UNTreePrototype](#)>()
- TerrainTabs **currentTab** = TerrainTabs.Grids

Properties

- List< SelectionBoxItems< System.Type > > **PoolCache** [get]


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Editor/UNTerrainEditor.cs

5.93 uNature.Core.Sectors.UNTerrainSector Class Reference

An sector class dedicated only for terrains.

Inheritance diagram for uNature.Core.Sectors.UNTerrainSector:



Public Member Functions

- override void [OnCreated](#) (Transform owner, int resolution)
Called when the object is created.

Parameters

terrain	The terrain we belong to.
---------	---------------------------

- override void [Awake](#) ()
Called on awake.
- void [FetchTreeInstances](#) (bool useUNThread, System.Action OnFinish)
Get all the terrain tree instances into chunks

Parameters

useUNThread	Do you want to use the uNature thread to reduce performance issues ?
-------------	--

- override void [ApplicationQuit](#) ()
Called when the application has quit.

Public Attributes

- [UNTerrain](#) **unTerrain**
- Terrain **_terrain**
- TreeInstance[] **originalTreeInstances**

Protected Member Functions

- override void [OnChunkCreated](#) ([Chunk](#) chunk)
Called when a chunk is created to allow custom logic on the inherited sectors.
- override void [OnStartCreatingChunks](#) ()
Called right before starting to create the chunks.

Properties

- Terrain **terrain** [get, set]
- int **treeInstancesCount** [get, set]
- List< [TChunk](#) > **treeInstancesChunks** [get]
- bool **restoreComplete** [get]

Additional Inherited Members**5.93.1 Detailed Description**

An sector class dedicated only for terrains.

5.93.2 Member Function Documentation**5.93.2.1** override void uNature.Core.Sectors.UNTerrainSector.ApplicationQuit () [virtual]

Called when the application has quit.

Reimplemented from [uNature.Core.Sectors.Sector](#).

5.93.2.2 `override void uNature.Core.Sectors.UNTerrainSector.Awake () [virtual]`

Called on awake.

Reimplemented from [uNature.Core.Sectors.Sector](#).

5.93.2.3 `void uNature.Core.Sectors.UNTerrainSector.FetchTreeInstances (bool useUNThread, System.Action OnFinish)`

Get all the terrain tree instances into chunks

Parameters

<i>useUNThread</i>	Do you want to use the uNature thread to reduce performance issues ?
--------------------	--

5.93.2.4 `override void uNature.Core.Sectors.UNTerrainSector.OnChunkCreated (Chunk chunk) [protected], [virtual]`

Called when a chunk is created to allow custom logic on the inherited sectors.

Parameters

<i>chunk</i>	
--------------	--

Reimplemented from [uNature.Core.Sectors.Sector](#).

5.93.2.5 `override void uNature.Core.Sectors.UNTerrainSector.OnCreated (Transform owner, int resolution) [virtual]`

Called when the object is created.

Parameters

<i>terrain</i>	The terrain we belong to.
----------------	---------------------------

Reimplemented from [uNature.Core.Sectors.Sector](#).

5.93.2.6 `override void uNature.Core.Sectors.UNTerrainSector.OnStartCreatingChunks () [protected], [virtual]`

Called right before starting to create the chunks.

Reimplemented from [uNature.Core.Sectors.Sector](#).


The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Terrain/UNTerrainSector.cs

5.94 uNature.Core.Terrains.UNTreePrototype Class Reference

A custom class for the normal tree prototypes. Holds custom data that is used over this certain terrain data.

Inheritance diagram for uNature.Core.Terrains.UNTreePrototype:



Public Member Functions

- [UNTreePrototype](#) (TreePrototype prototype)
Create a new instance of the object
- override bool [Equals](#) (object obj)
Custom equals operator to take into account treePrototypes.
- override int [GetHashCode](#) ()
Override to avoid warnings.

Static Public Member Functions

- static void [CheckForMissings](#) (List< [UNTreePrototype](#) > items, TreePrototype[] prototypes)
This method will check whether any of the items is missing.

Public Attributes

- GameObject [prototypeObject](#)
the game object of the tree prototype.
- bool [isMissing](#) = false
Is this prototype missing on the terrainData? if so, make sure to wait for it to "comeback" and meanwhile store its data.
- int [prototypeIndex](#)

Protected Member Functions

- override Texture2D [GetPreview](#) ()
Get Item Preview

Properties

- override bool [isEnabled](#) [get]
Is this prototype missing?
- bool [enabled](#) [get, set]
- bool [forcePoolCreation](#) [get, set]

5.94.1 Detailed Description

A custom class for the normal tree prototypes. Holds custom data that is used over this certain terrain data.

5.94.2 Constructor & Destructor Documentation

5.94.2.1 uNature.Core.Terrains.UNTreePrototype.UNTreePrototype (TreePrototype *prototype*)

Create a new instance of the object

Parameters

<i>prototype</i>	The tree prototype this instance is based on.
------------------	---

5.94.3 Member Function Documentation

5.94.3.1 static void uNature.Core.Terrains.UNTreePrototype.CheckForMissings (List< UNTreePrototype > *items*, TreePrototype[] *prototypes*) [static]

This method will check whether any of the items is missing.

Parameters

<i>items</i>	the items list
<i>prototypes</i>	the tree prototypes of the terrain data

5.94.3.2 override bool uNature.Core.Terrains.UNTreePrototype.Equals (object *obj*)

Custom equals operator to take into account treePrototypes.

Parameters

<i>obj</i>	
------------	--

Returns

5.94.3.3 override int uNature.Core.Terrains.UNTreePrototype.GetHashCode ()

Override to avoid warnings.

Returns

5.94.3.4 `override Texture2D uNature.Core.Terrains.UNTreePrototype.GetPreview () [protected],[virtual]`

Get Item Preview

Returns

Reimplemented from [uNature.Core.Utility.BasePrototypeItem](#).

5.94.4 Member Data Documentation

5.94.4.1 `bool uNature.Core.Terrains.UNTreePrototype.isMissing = false`

Is this prototype missing on the terrainData? if so, make sure to wait for it to "comeback" and meanwhile store its data.

5.94.4.2 `GameObject uNature.Core.Terrains.UNTreePrototype.prototypeObject`

the game object of the tree prototype.

5.94.5 Property Documentation

5.94.5.1 `override bool uNature.Core.Terrains.UNTreePrototype.isEnabled [get]`

Is this prototype missing?

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Terrain/TerrainData/UNTerrainData.cs

5.95 uNature.Core.Vector2i Struct Reference

Public Member Functions

- **Vector2i** (int x, int y)
- `override bool Equals` (object obj)
- `override int GetHashCode` ()
- `override string ToString` ()

Static Public Member Functions

- static **Vector2i operator+** (**Vector2i** a, **Vector2i** b)
- static **Vector2i operator-** (**Vector2i** a, **Vector2i** b)
- static **Vector2i operator*** (**Vector2i** a, **Vector2i** b)
- static **Vector2i operator/** (**Vector2i** a, **Vector2i** b)
- static bool **operator==** (**Vector2i** a, **Vector2i** b)
- static bool **operator!=** (**Vector2i** a, **Vector2i** b)

Public Attributes

- int **x**
- int **y**

The documentation for this struct was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Utility/UNMath.cs

5.96 uNature.Core.FoliageClasses.WindSettings Class Reference

Properties


- float **windBending** [get, set]
- float **windSpeed** [get, set]

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/FoliageDB.cs

5.97 uNature.Core.FoliageClasses.WindZones Class Reference

Inheritance diagram for uNature.Core.FoliageClasses.WindZones:



Protected Member Functions

- override void **UpdateInteraction** (**FoliageReceiver** receiver, Vector2 normalizedPosition)
Please dont use map.SetPixels, it will be assigned later on automatically..

Additional Inherited Members

5.97.1 Member Function Documentation

- 5.97.1.1 override void uNature.Core.FoliageClasses.WindZones.UpdateInteraction (**FoliageReceiver** receiver, Vector2 **normalizedPosition**) [protected], [virtual]

Please dont use map.SetPixels, it will be assigned later on automatically..

Parameters

<i>receiver</i>	
-----------------	--

Reimplemented from [uNature.Core.FoliageClasses.BaseInteraction](#).

The documentation for this class was generated from the following file:

- D:/Projects/uNature/Assets/uNature/Scripts/Core/Foilage/Interaction/WindZones.cs

Index

- [_gameObject](#)
 - [uNature::Core::Pooling::PoolItem, 73](#)
 - [_terrain](#)
 - [uNature::Core::Pooling::TerrainPoolItem, 82](#)
 - [_threadItems](#)
 - [uNature::Core::Threading::ThreadItem, 84](#)
- [Add](#)
 - [uNature::Core::Collections::UNList, 111](#)
- [AddPrototype](#)
 - [uNature::Core::FoliageClasses::FoliageDB, 37](#)
- [AddToPool](#)
 - [uNature::Core::Pooling::Pool, 67](#)
- [AddTreeInstance](#)
 - [uNature::Core::Sectors::TICChunk, 89](#)
- [ApplicationQuit](#)
 - [uNature::Core::Sectors::Sector, 76](#)
 - [uNature::Core::Sectors::UNTerrainSector, 145](#)
- [ApplyBackup](#)
 - [uNature::Core::Terrains::UNTerrainData, 142](#)
- [ApplyColorMap](#)
 - [uNature::Core::FoliageClasses::FoliagePrototype, 51](#)
- [ApplyGrassMap](#)
 - [uNature::Core::FoliageClasses::FoliagePrototype, 51](#)
- [ApplyWind](#)
 - [uNature::Core::FoliageClasses::FoliagePrototype, 51](#)
- [AssetDescription](#)
 - [uNature::Core::Extensions::UNExtension, 107](#)
- [AssetDocumentationName](#)
 - [uNature::Core::Extensions::UNExtension, 107](#)
- [AssetLogoName](#)
 - [uNature::Core::Extensions::UNExtension, 108](#)
- [AssetName](#)
 - [uNature::Core::Extensions::UNExtension, 108](#)
- [AssetNameSpace](#)
 - [uNature::Core::Extensions::UNExtension, 108](#)
- [AssetStoreAdress](#)
 - [uNature::Core::Extensions::UNExtension, 108](#)
- [attackTrees](#)
 - [uNature::Core::Seekers::UNSeeker, 126](#)
- [Awake](#)
 - [uNature::Core::FoliageClasses::FoliageCore_↔ MainManager, 32](#)
 - [uNature::Core::Networking::UNNetworkManager, 118](#)
 - [uNature::Core::Pooling::HarvestableTIPoolItem, 61](#)
 - [uNature::Core::Pooling::PoolItem, 72](#)
 - [uNature::Core::Sectors::Chunk, 24](#)
 - [uNature::Core::Sectors::Sector, 76](#)
 - [uNature::Core::Sectors::TICChunk, 90](#)
 - [uNature::Core::Sectors::UNTerrainSector, 145](#)
 - [uNature::Core::Targets::UNTARGET, 133](#)
 - [uNature::Core::Terrains::UNTerrain, 137](#)
- [Backup](#)
 - [uNature::Core::Terrains::UNTerrainData, 142](#)
- [bufferedData](#)
 - [uNature::Core::Networking::UNNetworkManager, 121](#)
- [CalculatePhysics](#)
 - [uNature::Core::FoliageClasses::FoliageMesh↔ Instance, 46](#)
- [CallInstancesChunksUpdate](#)
 - [uNature::Core::FoliageClasses::FoliageCore_↔ MainManager, 32](#)
- [canHarvestCollider](#)
 - [uNature::Core::Pooling::HarvestableTIPoolItem, 62](#)
- [canModify](#)
 - [uNature::Core::Pooling::TerrainPoolItem, 82](#)
- [canRestore](#)
 - [uNature::Core::Pooling::TerrainPoolItem, 82](#)
- [Check](#)
 - [uNature::Core::Targets::UNTARGET, 133](#)
 - [uNature::Core::Terrains::UNTerrain, 137](#)
- [CheckChunkInBounds](#)
 - [uNature::Core::FoliageClasses::FoliageCore_↔ MainManager, 32](#)
- [CheckForMissings](#)
 - [uNature::Core::Terrains::UNTTreePrototype, 148](#)
- [CheckForNearbyTreeInstances](#)
 - [uNature::Core::Sectors::TICChunk, 90](#)
- [CheckForStreamingBufferedUpdates](#)
 - [uNature::Core::Networking::UNNetworkManager, 118](#)
- [CheckForTreeInstancesRespawns](#)
 - [uNature::Core::Terrains::UNTerrain, 138](#)
- [CheckForTreePrototypesChange](#)
 - [uNature::Core::Terrains::UNTerrainData, 142](#)
- [CheckTargets](#)
 - [uNature::Core::Targets::UNTARGET, 133](#)
- [collidersPoolItemInstanceIncrease](#)
 - [uNature::Core::Terrains::UNTerrain, 140](#)
- [Contains](#)
 - [uNature::Core::Collections::UNList, 111](#)
 - [uNature::Core::Sectors::Chunk, 24](#)
- [ContainsKey](#)

- uNature::Core::Collections::UNDimensionalList, 103
- ContainsValue
 - uNature::Core::Collections::UNDimensionalList, 103
- ConvertTreeInstanceOnTerrain
 - uNature::Core::Pooling::TerrainPoolItem, 81
- Count
 - uNature::Core::Collections::UNDimensionalList, 104
 - uNature::Core::Collections::UNList, 112
- CreateChunk< T >
 - uNature::Core::Sectors::Chunk, 24
- CreatePool
 - uNature::Core::Pooling::Pool, 68
 - uNature::Core::Targets::UNTarget, 133
 - uNature::Core::Terrains::UNTerrain, 138
- CreatePrototype
 - uNature::Core::FoliageClasses::FoliagePrototype, 52
- DelayActionFrames
 - uNature::Core::Threading::ThreadManager, 85
- DelayActionSeconds
 - uNature::Core::Threading::ThreadManager, 86
- DeleteBackup
 - uNature::Core::Terrains::UNTerrainData, 142
- Deserialize
 - uNature::Core::Networking::UNNetworkData, 115
- DestroyMeshInstance
 - uNature::Core::FoliageClasses::FoliageMesh↔Manager, 48
- DestroyMeshInstances
 - uNature::Core::FoliageClasses::FoliageMesh↔Manager, 48
- detectTreeInstancesInteraction
 - uNature::Core::Seekers::UNSeeker, 126
- distanceOffset
 - uNature::Core::Terrains::UNTerrain, 140
- DrawBrush
 - uNature::Core::Utility::UNBrushUtility, 101
- DrawGUI
 - uNature::Core::Settings::UNSetting, 127
- DrawShape
 - uNature::Core::UNPhysicsObject, 123
- Equals
 - uNature::Core::Networking::UNNetworkData, 115
 - uNature::Core::Terrains::UNTTreePrototype, 148
- Featured
 - uNature::Core::Extensions::UNExtension, 108
- FetchTreeInstances
 - uNature::Core::Sectors::UNTerrainSector, 146
- fileName
 - uNature::Core::Settings::UNSettings, 130
- FixPosition
 - uNature::Core::Targets::UNTarget, 133
 - uNature::Core::Terrains::UNTerrain, 138
- ForceMapsRestore
 - uNature::Core::FoliageClasses::FoliageManager↔Instance, 42
- GenerateFoliageMeshInstanceForIndex
 - uNature::Core::FoliageClasses::FoliageMesh↔Manager, 48
- GenerateFoliageMeshInstances
 - uNature::Core::FoliageClasses::FoliageMesh↔Manager, 48, 49
- GenerateSector
 - uNature::Core::Terrains::UNTerrain, 138
- GenerateSector< T, T1 >
 - uNature::Core::Sectors::Sector, 76
- GenerateTreeInstances
 - uNature::Core::Sectors::TICChunk, 90
- getChunk
 - uNature::Core::Sectors::Sector, 77
- GetChunkID
 - uNature::Core::FoliageClasses::FoliageCore↔MainManager, 32
- getChunks
 - uNature::Core::Sectors::Sector, 78
- GetDensity
 - uNature::Core::FoliageClasses::FoliageChunk, 27
 - uNature::Core::Utility::FoliageGrassMap, 39
- GetDetailLayer
 - uNature::Core::FoliageClasses::FoliageCore↔MainManager, 32
- GetHashCode
 - uNature::Core::Networking::UNNetworkData, 115
 - uNature::Core::Terrains::UNTTreePrototype, 148
- GetHeight
 - uNature::Core::Utility::FoliageWorldMap, 56
- GetInstance
 - uNature::Core::Terrains::UNTerrainData, 142
- GetLogo
 - uNature::Core::Extensions::UNExtension, 106
- GetMaxDensityOnArea
 - uNature::Core::FoliageClasses::FoliageChunk, 27
- GetOrCreateFoliageManagerInstance
 - uNature::Core::FoliageClasses::FoliageCore↔Chunk, 29
- GetPoolOfItem
 - uNature::Core::Pooling::Pool, 68
- GetPreview
 - uNature::Core::FoliageClasses::FoliagePrototype, 52
 - uNature::Core::Terrains::UNTTreePrototype, 148
- GetPrototype
 - uNature::Core::Terrains::UNTerrainData, 143
- HandleColliderDeath
 - uNature::Core::Pooling::HarvestableTIPoolItem, 61
- HandleHealthChange
 - uNature::Core::Pooling::HarvestableTIPoolItem, 61
- HandleTreeInstanceDeath
 - uNature::Core::Pooling::HarvestableTIPoolItem, 61
- heights

- uNature::Core::Terrains::UNTerrainData, 143
- HelperMethods
 - uNature::Core::Extensions::UNExtension, 107
- Hit
 - uNature::Core::Pooling::HarvestableTIPoolItem, 61
- InBounds
 - uNature::Core::FoliageClasses::FoliageCore_↔
Chunk, 29
- InDistance
 - uNature::Core::Targets::UNTTarget, 134
 - uNature::Core::Terrains::UNTerrain, 139
- Initialize
 - uNature::Core::Terrains::UNTerrainData, 143
- InitializeAndCreateIfNotFound
 - uNature::Core::FoliageClasses::FoliageCore_↔
MainManager, 33
- InsertFoliageFromTerrain
 - uNature::Core::FoliageClasses::FoliageCore_↔
MainManager, 33
- instance
 - uNature::Core::FoliageClasses::FoliageDB, 38
- instancesSectorChunkSize
 - uNature::Core::FoliageClasses::FoliageCore_↔
MainManager, 34
- instancesSectorResolution
 - uNature::Core::FoliageClasses::FoliageCore_↔
MainManager, 34
- InverseCord
 - uNature::Core::FoliageClasses::FoliageManager↔
Instance, 42
- InverseCordCustom
 - uNature::Core::FoliageClasses::FoliageManager↔
Instance, 42
- InverseCordCustomFloat
 - uNature::Core::FoliageClasses::FoliageManager↔
Instance, 42
- InverseCordFloat
 - uNature::Core::FoliageClasses::FoliageManager↔
Instance, 43
- isActive
 - uNature::Core::Extensions::UNExtension, 108
- IsAlreadyPooled
 - uNature::Core::Pooling::Pool, 68
- isAuth
 - uNature::Core::Networking::UNNetworkManager,
121
- isCollider
 - uNature::Core::Pooling::TerrainPoolItem, 82
- IsDefault
 - uNature::Core::Extensions::UNExtension, 108
- isEnabled
 - uNature::Core::Terrains::UNTTreePrototype, 149
- isFoliageInstanceAttached
 - uNature::Core::FoliageClasses::FoliageCore_↔
Chunk, 30
- isMissing
 - uNature::Core::Terrains::UNTTreePrototype, 149
- isServer
 - uNature::Core::Networking::UNNetworkManager,
121
- isViewed
 - uNature::Core::Extensions::UNExtension, 107
- itemID_Offset
 - uNature::Core::Pooling::PoolItem, 73
- itemID
 - uNature::Core::Pooling::PoolItem, 74
- items
 - uNature::Core::Pooling::Pool, 70
- LODMeshInstances
 - uNature::Core::FoliageClasses::GPUMesh, 58
- LoadMethods
 - uNature::Core::Extensions::UNExtension, 106
- locked
 - uNature::Core::Pooling::PoolItem, 73
- Log
 - uNature::Core::Settings::UNSettings, 129
- manageGrass
 - uNature::Core::Terrains::UNTerrain, 140
- manageTrees
 - uNature::Core::Terrains::UNTerrain, 140
- manager
 - uNature::Core::Networking::UNNetworkManager,
120
- maxHealth
 - uNature::Core::Pooling::HarvestableTIPoolItem, 62
- minHealth
 - uNature::Core::Pooling::HarvestableTIPoolItem, 62
- MoveItem
 - uNature::Core::Pooling::PoolItem, 72
 - uNature::Core::Pooling::TerrainPoolItem, 81
- OnChunkCreated
 - uNature::Core::FoliageClasses::FoliageCore_↔
Sector, 35
 - uNature::Core::FoliageClasses::FoliageSector, 55
 - uNature::Core::Sectors::Sector, 78
 - uNature::Core::Sectors::UNTerrainSector, 146
- OnClientConnected
 - uNature::Core::Networking::UNNetworkManager,
118
- OnCreated
 - uNature::Core::FoliageClasses::FoliageChunk, 27
 - uNature::Core::FoliageClasses::FoliageCore_↔
Chunk, 29
 - uNature::Core::Pooling::PoolItem, 73
 - uNature::Core::Sectors::Chunk, 25
 - uNature::Core::Sectors::Sector, 78
 - uNature::Core::Sectors::TICChunk, 90
 - uNature::Core::Sectors::UNTerrainSector, 146
- OnDisable
 - uNature::Core::FoliageClasses::BaseInteraction,
20
 - uNature::Core::FoliageClasses::FoliageChunk, 27
 - uNature::Core::FoliageClasses::FoliageCore_↔
MainManager, 33

- uNature::Core::FoliageClasses::FoliageManager↔
Instance, 43
- uNature::Core::FoliageClasses::FoliageMesh↔
Manager, 49
- uNature::Core::FoliageClasses::FoliageReceiver,
54
- uNature::Core::FoliageClasses::TouchBending, 92
- uNature::Core::Pooling::PoolItem, 73
- uNature::Core::Sectors::Chunk, 25
- uNature::Core::Targets::UNTarget, 134
- uNature::Core::Terrains::UNTerrain, 139
- uNature::Core::Threading::ThreadItem, 84
- OnDrawGizmos
 - uNature::Core::FoliageClasses::FoliageCore_↔
Chunk, 29
 - uNature::Core::Sectors::Chunk, 25
 - uNature::Core::Sectors::TICChunk, 90
 - uNature::Core::Targets::UNTarget, 134
 - uNature::Core::UNPhysicsObject, 124
- OnEnable
 - uNature::Core::Pooling::PoolItem, 73
 - uNature::Core::Sectors::Chunk, 25
 - uNature::Core::Targets::UNTarget, 134
 - uNature::Core::Terrains::UNTerrain, 139
- OnHarvestableTreeInstancePooled
 - uNature::Core::Networking::UNNetworkManager,
119
- OnItemDamaged
 - uNature::Core::Networking::UNNetworkManager,
119
- OnItemDamagedEvent
 - uNature::Core::Pooling::HarvestableTIPoolItem, 62
- OnItemPooledEvent
 - uNature::Core::Pooling::HarvestableTIPoolItem, 62
- OnItemReturnedToPoolEvent
 - uNature::Core::Pooling::HarvestableTIPoolItem, 62
- OnPool
 - uNature::Core::Pooling::HarvestableTIPoolItem, 62
 - uNature::Core::Pooling::PoolItem, 73
- OnPositionChanged
 - uNature::Core::FoliageClasses::BaseInteraction,
20
 - uNature::Core::FoliageClasses::TouchBending, 92
 - uNature::Core::Terrains::UNTerrain, 139
 - uNature::Core::Threading::ThreadItem, 84
- OnResolutionChanged
 - uNature::Core::FoliageClasses::FoliageCore_↔
Sector, 35
 - uNature::Core::Sectors::Sector, 79
- OnReturnedToPool
 - uNature::Core::Pooling::HarvestableTIPoolItem, 62
 - uNature::Core::Pooling::PoolItem, 73
- OnSizeChanged
 - uNature::Core::FoliageClasses::FoliageChunk, 28
 - uNature::Core::FoliageClasses::FoliageCore_↔
Chunk, 29
 - uNature::Core::Sectors::Chunk, 25
 - uNature::Core::Sectors::TICChunk, 90
- OnStartCreatingChunks
 - uNature::Core::FoliageClasses::FoliageCore_↔
Sector, 35
 - uNature::Core::FoliageClasses::FoliageSector, 55
 - uNature::Core::Sectors::Sector, 79
 - uNature::Core::Sectors::UNTerrainSector, 146
- OnTerrainChanged
 - uNature::Core::Terrains::UNTerrain, 139
- OnThreadProcess
 - uNature::Core::Threading::ThreadManager, 86
- OpenAssetStore
 - uNature::Core::Extensions::UNExtension, 107
- OpenDocs
 - uNature::Core::Extensions::UNExtension, 107
- owner
 - uNature::Core::Pooling::Pool, 70
- Pack< T1, T2 >
 - uNature::Core::Networking::UNNetworkData, 115
- Pool
 - uNature::Core::Pooling::PoolItem, 74
 - uNature::Core::Targets::UNTarget, 135
- PoolAmount
 - uNature::Core::Targets::UNTarget, 135
- PoolItem
 - uNature::Core::Pooling::Pool, 68
- PoolTypeSerializedName
 - uNature::Core::Targets::UNTarget, 135
- PoolTypes
 - uNature::Core::Pooling::PoolItem, 74
- ProjectName
 - uNature::Core::Settings::UNSettings, 130
- ProjectPath
 - uNature::Core::Settings::UNSettings, 130
- ProjectVersion
 - uNature::Core::Settings::UNSettings, 130
- prototypeObject
 - uNature::Core::Terrains::UNTTreePrototype, 149
- PublisherName
 - uNature::Core::Extensions::UNExtension, 108
- Raycast
 - uNature::Core::UNPhysicsObject, 124
- realItemID
 - uNature::Core::Pooling::PoolItem, 74
- Remove
 - uNature::Core::Collections::UNList, 111
- RemoveDuplications
 - uNature::Core::Pooling::Pool, 69
- RemoveFromPool
 - uNature::Core::Pooling::Pool, 69
- RemoveGrassMap
 - uNature::Core::FoliageClasses::FoliageCore_↔
MainManager, 33
- RemovePrototype
 - uNature::Core::FoliageClasses::FoliageDB, 37
- RemoveTreeInstanceFromTerrain
 - uNature::Core::Pooling::TerrainPoolItem, 82
- removedTreeInstanceHeight

- uNature::Core::Terrains::UNTerrain, [140](#)
- ResetChunk
 - uNature::Core::FoliageClasses::FoliageChunk, [28](#)
 - uNature::Core::Sectors::Chunk, [25](#)
 - uNature::Core::Sectors::TICChunk, [91](#)
- ResetChunks
 - uNature::Core::Sectors::Sector, [79](#)
- ResetDefaults
 - uNature::Core::Settings::UNSettings, [130](#)
- ResetFarAway
 - uNature::Core::Pooling::Pool, [69](#)
- ResetGrassMap
 - uNature::Core::FoliageClasses::FoliageCore_↔
MainManager, [33](#)
- Resize
 - uNature::Core::Utility::UNBrushUtility, [102](#)
- RestoreTreeInstanceToTerrain
 - uNature::Core::Pooling::TerrainPoolItem, [82](#)
- ReturnToPool
 - uNature::Core::Pooling::Pool, [69](#)
- RunOnThread
 - uNature::Core::Threading::ThreadManager, [86](#)
- RunOnUnityThread
 - uNature::Core::Threading::ThreadManager, [86](#)
- SaveDelayedMaps
 - uNature::Core::FoliageClasses::FoliageCore_↔
MainManager, [34](#)
- sectorResolution
 - uNature::Core::Terrains::UNTerrain, [140](#)
- seekingDistance
 - uNature::Core::Seekers::UNSeeker, [126](#)
- SendEvent
 - uNature::Core::Networking::UNNetworkManager, [119](#)
- SendToClients
 - uNature::Core::Networking::UNNetworkData, [115](#)
 - uNature::Core::Networking::UNNetworkManager, [119](#)
- SendToConnection
 - uNature::Core::Networking::UNNetworkData, [116](#)
 - uNature::Core::Networking::UNNetworkManager, [119](#)
- SendToOthers
 - uNature::Core::Networking::UNNetworkData, [116](#)
 - uNature::Core::Networking::UNNetworkManager, [120](#)
- SendToServer
 - uNature::Core::Networking::UNNetworkData, [116](#)
 - uNature::Core::Networking::UNNetworkManager, [120](#)
- SendUpdateEventToLinkedTerrains
 - uNature::Core::Terrains::UNTerrainData, [143](#)
- Serialize
 - uNature::Core::Networking::UNNetworkData, [116](#)
- SetDensity
 - uNature::Core::Utility::FoliageGrassMap, [40](#)
- SetDetailLayer
 - uNature::Core::FoliageClasses::FoliageCore_↔
MainManager, [34](#)
- Start
 - uNature::Core::Seekers::UNSeeker, [126](#)
- terrainData
 - uNature::Core::Terrains::UNTerrainData, [143](#)
- terrains
 - uNature::Core::Terrains::UNTerrain, [140](#)
- this[int index]
 - uNature::Core::Collections::UNDimensionalList, [104](#)
 - uNature::Core::Collections::UNList, [112](#)
- threadEnabled
 - uNature::Core::Threading::ThreadManager, [87](#)
- threadWorkersCount
 - uNature::Core::Threading::ThreadManager, [87](#)
- TransformCord
 - uNature::Core::FoliageClasses::FoliageManager_↔
Instance, [43](#)
- TransformCordCustom
 - uNature::Core::FoliageClasses::FoliageManager_↔
Instance, [43](#)
- TransformCordCustomFloat
 - uNature::Core::FoliageClasses::FoliageManager_↔
Instance, [44](#)
- TransformCordFloat
 - uNature::Core::FoliageClasses::FoliageManager_↔
Instance, [44](#)
- TryAddKey
 - uNature::Core::Collections::UNDimensionalList, [103](#)
- TryGet
 - uNature::Core::Collections::UNList, [111](#)
- TryGetType< T >
 - uNature::Core::Pooling::Pool, [69](#)
- TryPool< T >
 - uNature::Core::Pooling::Pool, [70](#)
- TryResetOnUID
 - uNature::Core::Pooling::Pool, [70](#)
- UNNetworkManager
 - uNature::Core::Networking::UNNetworkManager, [118](#)
- UNSettingCategories
 - uNature::Core::Settings, [16](#)
- UNTreePrototype
 - uNature::Core::Terrains::UNTreePrototype, [148](#)
- uNature, [11](#)
- uNature.Core, [11](#)
- uNature.Core.ClassExtensions, [11](#)
- uNature.Core.Collections, [12](#)
- uNature.Core.Collections.UNDimensionalList< T >, [103](#)
- uNature.Core.Collections.UNList< T >, [110](#)
- uNature.Core.Editor, [12](#)
- uNature.Core.Editor.Helpers, [12](#)
- uNature.Core.Editor.Helpers.UNEditorHelpers, [104](#)
- uNature.Core.Extensions, [12](#)

- uNature.Core.Extensions.MethodHelperAttribute, 65
- uNature.Core.Extensions.UN_ForgeNetworking, 93
- uNature.Core.Extensions.UN_GAIA, 94
- uNature.Core.Extensions.UN_GENA, 94
- uNature.Core.Extensions.UN_MapMagic, 95
- uNature.Core.Extensions.UN_PhotonBolt, 96
- uNature.Core.Extensions.UN_PhotonCloud, 96
- uNature.Core.Extensions.UN_TerrainComposer, 97
- uNature.Core.Extensions.UN_UFPS, 98
- uNature.Core.Extensions.UN_UNet, 98
- uNature.Core.Extensions.UN_WorldStreamer, 99
- uNature.Core.Extensions.UNExtension, 105
- uNature.Core.Extensions.UNExtensionsEditor, 109
- uNature.Core.FoliageClasses, 13
- uNature.Core.FoliageClasses.BaseInteraction, 19
- uNature.Core.FoliageClasses.FoliageChunk, 26
- uNature.Core.FoliageClasses.FoliageCore_Chunk, 28
- uNature.Core.FoliageClasses.FoliageCore_Main↔Manager, 30
- uNature.Core.FoliageClasses.FoliageCore_Sector, 35
- uNature.Core.FoliageClasses.FoliageDB, 36
- uNature.Core.FoliageClasses.FoliageDynamicSurface, 38
- uNature.Core.FoliageClasses.FoliageLODLevel, 40
- uNature.Core.FoliageClasses.FoliageManagerInstance, 41
- uNature.Core.FoliageClasses.FoliageMesh, 44
- uNature.Core.FoliageClasses.FoliageMeshInstance, 45
- uNature.Core.FoliageClasses.FoliageMeshInstances↔Group, 46
- uNature.Core.FoliageClasses.FoliageMeshManager, 46
- uNature.Core.FoliageClasses.FoliagePrototype, 49
- uNature.Core.FoliageClasses.FoliageReceiver, 53
- uNature.Core.FoliageClasses.FoliageSector, 54
- uNature.Core.FoliageClasses.GPUMesh, 57
- uNature.Core.FoliageClasses.GPUMeshLOD, 58
- uNature.Core.FoliageClasses.InteractionMap, 63
- uNature.Core.FoliageClasses.PaintBrush, 65
- uNature.Core.FoliageClasses.ReadDensityInformation, 74
- uNature.Core.FoliageClasses.TouchBending, 91
- uNature.Core.FoliageClasses.UNFoliageEditor, 109
- uNature.Core.FoliageClasses.UNFoliageManager↔Editor, 110
- uNature.Core.FoliageClasses.UNMeshData, 113
- uNature.Core.FoliageClasses.WindSettings, 150
- uNature.Core.FoliageClasses.WindZones, 150
- uNature.Core.IUTCPysicsIgnored, 65
- uNature.Core.Math, 14
- uNature.Core.Networking, 14
- uNature.Core.Networking.BaseUNNetworkData, 21
- uNature.Core.Networking.UNNetworkData< T >, 113
- uNature.Core.Networking.UNNetworkManager< T1, T2 >, 116
- uNature.Core.Networking.UNNetworkPlayerController, 121
- uNature.Core.Pooling, 14
- uNature.Core.Pooling.HarvestableTIPoolItem, 59
- uNature.Core.Pooling.IHarvestableItem, 63
- uNature.Core.Pooling.IPoolComponent, 64
- uNature.Core.Pooling.Pool, 66
- uNature.Core.Pooling.PoolItem, 71
- uNature.Core.Pooling.TerrainPoolItem, 79
- uNature.Core.Sectors, 15
- uNature.Core.Sectors.Chunk, 22
- uNature.Core.Sectors.ChunkObject, 26
- uNature.Core.Sectors.GrassLODLevel, 58
- uNature.Core.Sectors.Sector, 75
- uNature.Core.Sectors.TIChunk, 89
- uNature.Core.Sectors.TreeFetchingTask_MultiThreaded, 92
- uNature.Core.Sectors.UNTerrainSector, 144
- uNature.Core.Seekers, 15
- uNature.Core.Seekers.UNSeeker, 125
- uNature.Core.Settings, 15
- uNature.Core.Settings.UNSetting, 126
- uNature.Core.Settings.UNSettingAttribute, 127
- uNature.Core.Settings.UNSettingCategory, 128
- uNature.Core.Settings.UNSettings, 129
- uNature.Core.Settings.UNSettingsEditor, 130
- uNature.Core.Targets, 16
- uNature.Core.Targets.UNTarget, 131
- uNature.Core.Targets.UNTargetEditor, 135
- uNature.Core.Terrains, 16
- uNature.Core.Terrains.UNTerrain, 136
- uNature.Core.Terrains.UNTerrainData, 141
- uNature.Core.Terrains.UNTerrainEditor, 144
- uNature.Core.Terrains.UNTreePrototype, 147
- uNature.Core.Threading, 17
- uNature.Core.Threading.IThreadTask, 64
- uNature.Core.Threading.ThreadItem, 83
- uNature.Core.Threading.ThreadManager, 84
- uNature.Core.Threading.ThreadTask, 87, 88
- uNature.Core.UNPhysicsHit_Grass, 122
- uNature.Core.UNPhysicsHitsArray, 122
- uNature.Core.UNPhysicsObject, 123
- uNature.Core.UNPhysicsTemplate, 124
- uNature.Core.Utility, 17
- uNature.Core.Utility.BasePrototypeltem, 21
- uNature.Core.Utility.FoliageGrassMap, 38
- uNature.Core.Utility.FoliageWorldMap, 55
- uNature.Core.Utility.UNBatcMeshhProcessingTask, 100
- uNature.Core.Utility.UNBatchTask, 99
- uNature.Core.Utility.UNBrushUtility, 101
- uNature.Core.Utility.UNCombineInstance, 102
- uNature.Core.Utility.UNDictionary< T, T1 >, 102
- uNature.Core.Utility.UNMap, 112
- uNature.Core.Vector2i, 149
- uNature.Demo, 17
- uNature.Demo.UN_FirstPersonController, 93
- uNature.Demo.UN_MouseLook, 95
- uNature::Core::Collections::UNDimensionalList
 - ContainsKey, 103
 - ContainsValue, 103
 - Count, 104
 - this[int index], 104

- TryAddKey, 103
- uNature::Core::Collections::UNList
 - Add, 111
 - Contains, 111
 - Count, 112
 - Remove, 111
 - this[int index], 112
 - TryGet, 111
- uNature::Core::Extensions::UNExtension
 - AssetDescription, 107
 - AssetDocumentationName, 107
 - AssetLogoName, 108
 - AssetName, 108
 - AssetNameSpace, 108
 - AssetStoreAdress, 108
 - Featured, 108
 - GetLogo, 106
 - HelperMethods, 107
 - isActive, 108
 - IsDefault, 108
 - isViewed, 107
 - LoadMethods, 106
 - OpenAssetStore, 107
 - OpenDocs, 107
 - PublisherName, 108
- uNature::Core::FoliageClasses::BaseInteraction
 - OnDisable, 20
 - OnPositionChanged, 20
 - UpdateInteraction, 20
- uNature::Core::FoliageClasses::FoliageChunk
 - GetDensity, 27
 - GetMaxDensityOnArea, 27
 - OnCreated, 27
 - OnDisable, 27
 - OnSizeChanged, 28
 - ResetChunk, 28
- uNature::Core::FoliageClasses::FoliageCore_Chunk
 - GetOrCreateFoliageManagerInstance, 29
 - InBounds, 29
 - isFoliageInstanceAttached, 30
 - OnCreated, 29
 - OnDrawGizmos, 29
 - OnSizeChanged, 29
- uNature::Core::FoliageClasses::FoliageCore_Main↔
 - Manager
 - Awake, 32
 - CallInstancesChunksUpdate, 32
 - CheckChunkInBounds, 32
 - GetChunkID, 32
 - GetDetailLayer, 32
 - InitializeAndCreatelfNotFound, 33
 - InsertFoliageFromTerrain, 33
 - instancesSectorChunkSize, 34
 - instancesSectorResolution, 34
 - OnDisable, 33
 - RemoveGrassMap, 33
 - ResetGrassMap, 33
 - SaveDelayedMaps, 34
 - SetDetailLayer, 34
 - UpdateGrassMap, 34
- uNature::Core::FoliageClasses::FoliageCore_Sector
 - OnChunkCreated, 35
 - OnResolutionChanged, 35
 - OnStartCreatingChunks, 35
- uNature::Core::FoliageClasses::FoliageDB
 - AddPrototype, 37
 - instance, 38
 - RemovePrototype, 37
 - UpdateShaderGeneralSettings, 37
 - UpdateShaderWindSettings, 37
- uNature::Core::FoliageClasses::FoliageManager↔
 - Instance
 - ForceMapsRestore, 42
 - InverseCord, 42
 - InverseCordCustom, 42
 - InverseCordCustomFloat, 42
 - InverseCordFloat, 43
 - OnDisable, 43
 - TransformCord, 43
 - TransformCordCustom, 43
 - TransformCordCustomFloat, 44
 - TransformCordFloat, 44
- uNature::Core::FoliageClasses::FoliageMeshInstance
 - CalculatePhysics, 46
- uNature::Core::FoliageClasses::FoliageMeshManager
 - DestroyMeshInstance, 48
 - DestroyMeshInstances, 48
 - GenerateFoliageMeshInstanceForIndex, 48
 - GenerateFoliageMeshInstances, 48, 49
 - OnDisable, 49
 - Update, 49
 - UpdateMeshBounds, 49
- uNature::Core::FoliageClasses::FoliagePrototype
 - ApplyColorMap, 51
 - ApplyGrassMap, 51
 - ApplyWind, 51
 - CreatePrototype, 52
 - GetPreview, 52
 - UpdateManagerInformation, 52
 - UpdateTouchBending, 52
- uNature::Core::FoliageClasses::FoliageReceiver
 - OnDisable, 54
 - Update, 54
- uNature::Core::FoliageClasses::FoliageSector
 - OnChunkCreated, 55
 - OnStartCreatingChunks, 55
- uNature::Core::FoliageClasses::GPUMesh
 - LODMeshInstances, 58
- uNature::Core::FoliageClasses::TouchBending
 - OnDisable, 92
 - OnPositionChanged, 92
- uNature::Core::FoliageClasses::WindZones
 - UpdateInteraction, 150
- uNature::Core::Networking::BaseUNNetworkData
 - UnPack, 22
- uNature::Core::Networking::UNNetworkData

- Deserialize, 115
- Equals, 115
- GetHashCode, 115
- Pack< T1, T2 >, 115
- SendToClients, 115
- SendToConnection, 116
- SendToOthers, 116
- SendToServer, 116
- Serialize, 116
- UnPack, 116
- uNature::Core::Networking::UNNetworkManager
 - Awake, 118
 - bufferedData, 121
 - CheckForStreamingBufferedUpdates, 118
 - isAuth, 121
 - isServer, 121
 - manager, 120
 - OnClientConnected, 118
 - OnHarvestableTreeInstancePooled, 119
 - OnItemDamaged, 119
 - SendEvent, 119
 - SendToClients, 119
 - SendToConnection, 119
 - SendToOthers, 120
 - SendToServer, 120
 - UNNetworkManager, 118
 - UpdatePermissions, 120
- uNature::Core::Pooling::HarvestableTIPoolItem
 - Awake, 61
 - canHarvestCollider, 62
 - HandleColliderDeath, 61
 - HandleHealthChange, 61
 - HandleTreeInstanceDeath, 61
 - Hit, 61
 - maxHealth, 62
 - minHealth, 62
 - OnItemDamagedEvent, 62
 - OnItemPooledEvent, 62
 - OnItemReturnedToPoolEvent, 62
 - OnPool, 62
 - OnReturnedToPool, 62
- uNature::Core::Pooling::Pool
 - AddToPool, 67
 - CreatePool, 68
 - GetPoolOfItem, 68
 - IsAlreadyPooled, 68
 - items, 70
 - owner, 70
 - PoolItem, 68
 - RemoveDuplications, 69
 - RemoveFromPool, 69
 - ResetFarAway, 69
 - ReturnToPool, 69
 - TryGetType< T >, 69
 - TryPool< T >, 70
 - TryResetOnUID, 70
- uNature::Core::Pooling::PoolItem
 - _gameObject, 73
 - Awake, 72
 - itemID_Offset, 73
 - itemID, 74
 - locked, 73
 - MovelItem, 72
 - OnCreated, 73
 - OnDisable, 73
 - OnEnable, 73
 - OnPool, 73
 - OnReturnedToPool, 73
 - Pool, 74
 - PoolTypes, 74
 - realItemID, 74
 - uid, 74
 - used, 74
- uNature::Core::Pooling::TerrainPoolItem
 - _terrain, 82
 - canModify, 82
 - canRestore, 82
 - ConvertTreeInstanceOnTerrain, 81
 - isCollider, 82
 - MovelItem, 81
 - RemoveTreeInstanceFromTerrain, 82
 - RestoreTreeInstanceToTerrain, 82
- uNature::Core::Sectors::Chunk
 - Awake, 24
 - Contains, 24
 - CreateChunk< T >, 24
 - OnCreated, 25
 - OnDisable, 25
 - OnDrawGizmos, 25
 - OnEnable, 25
 - OnSizeChanged, 25
 - ResetChunk, 25
- uNature::Core::Sectors::Sector
 - ApplicationQuit, 76
 - Awake, 76
 - GenerateSector< T, T1 >, 76
 - getChunk, 77
 - getChunks, 78
 - OnChunkCreated, 78
 - OnCreated, 78
 - OnResolutionChanged, 79
 - OnStartCreatingChunks, 79
 - ResetChunks, 79
- uNature::Core::Sectors::TChunk
 - AddTreeInstance, 89
 - Awake, 90
 - CheckForNearbyTreeInstances, 90
 - GenerateTreeInstances, 90
 - OnCreated, 90
 - OnDrawGizmos, 90
 - OnSizeChanged, 90
 - ResetChunk, 91
- uNature::Core::Sectors::UNTerrainSector
 - ApplicationQuit, 145
 - Awake, 145
 - FetchTreeInstances, 146

- OnChunkCreated, [146](#)
- OnCreated, [146](#)
- OnStartCreatingChunks, [146](#)
- uNature::Core::Seekers::UNSeeker
 - attackTrees, [126](#)
 - detectTreeInstancesInteraction, [126](#)
 - seekingDistance, [126](#)
 - Start, [126](#)
 - Update, [126](#)
- uNature::Core::Settings
 - UNSettingCategories, [16](#)
- uNature::Core::Settings::UNSetting
 - DrawGUI, [127](#)
- uNature::Core::Settings::UNSettings
 - fileName, [130](#)
 - Log, [129](#)
 - ProjectName, [130](#)
 - ProjectPath, [130](#)
 - ProjectVersion, [130](#)
 - ResetDefaults, [130](#)
- uNature::Core::Targets::UNTarget
 - Awake, [133](#)
 - Check, [133](#)
 - CheckTargets, [133](#)
 - CreatePool, [133](#)
 - FixPosition, [133](#)
 - InDistance, [134](#)
 - OnDisable, [134](#)
 - OnDrawGizmos, [134](#)
 - OnEnable, [134](#)
 - Pool, [135](#)
 - PoolAmount, [135](#)
 - PoolTypeSerializedName, [135](#)
 - Update, [134](#)
 - useMultithreadedCheck, [135](#)
 - worldTargets, [135](#)
- uNature::Core::Terrains::UNTerrain
 - Awake, [137](#)
 - Check, [137](#)
 - CheckForTreeInstancesRespawns, [138](#)
 - collidersPoolItemInstanceIncrease, [140](#)
 - CreatePool, [138](#)
 - distanceOffset, [140](#)
 - FixPosition, [138](#)
 - GenerateSector, [138](#)
 - InDistance, [139](#)
 - manageGrass, [140](#)
 - manageTrees, [140](#)
 - OnDisable, [139](#)
 - OnEnable, [139](#)
 - OnPositionChanged, [139](#)
 - OnTerrainChanged, [139](#)
 - removedTreeInstanceHeight, [140](#)
 - sectorResolution, [140](#)
 - terrains, [140](#)
 - verifyTreeInstancesChangeRoutine, [140](#)
- uNature::Core::Terrains::UNTerrainData
 - ApplyBackup, [142](#)
 - Backup, [142](#)
 - CheckForTreePrototypesChange, [142](#)
 - DeleteBackup, [142](#)
 - GetInstance, [142](#)
 - GetPrototype, [143](#)
 - heights, [143](#)
 - Initialize, [143](#)
 - SendUpdateEventToLinkedTerrains, [143](#)
 - terrainData, [143](#)
 - UpdateMultithreadedVariables, [143](#)
- uNature::Core::Terrains::UNTreePrototype
 - CheckForMissings, [148](#)
 - Equals, [148](#)
 - GetHashCode, [148](#)
 - GetPreview, [148](#)
 - isEnabled, [149](#)
 - isMissing, [149](#)
 - prototypeObject, [149](#)
 - UNTreePrototype, [148](#)
- uNature::Core::Threading::ThreadItem
 - _threadItems, [84](#)
 - OnDisable, [84](#)
 - OnPositionChanged, [84](#)
 - Update, [84](#)
 - UpdateItem, [84](#)
- uNature::Core::Threading::ThreadManager
 - DelayActionFrames, [85](#)
 - DelayActionSeconds, [86](#)
 - OnThreadProcess, [86](#)
 - RunOnThread, [86](#)
 - RunOnUnityThread, [86](#)
 - threadEnabled, [87](#)
 - threadWorkersCount, [87](#)
 - UpdateThreadItems, [86](#)
 - updateThreadItemsTime, [87](#)
- uNature::Core::UNPhysicsObject
 - DrawShape, [123](#)
 - OnDrawGizmos, [124](#)
 - Raycast, [124](#)
 - UpdateBounds, [124](#)
- uNature::Core::Utility::FoliageGrassMap
 - GetDensity, [39](#)
 - SetDensity, [40](#)
 - UpdateGrassMaps, [40](#)
- uNature::Core::Utility::FoliageWorldMap
 - GetHeight, [56](#)
 - UpdateHeight_RANGE, [56](#)
 - UpdateHeight_WorldMap, [57](#)
- uNature::Core::Utility::UNBrushUtility
 - DrawBrush, [101](#)
 - Resize, [102](#)
- uid
 - uNature::Core::Pooling::PoolItem, [74](#)
- UnPack
 - uNature::Core::Networking::BaseUNNetworkData, [22](#)
 - uNature::Core::Networking::UNNetworkData, [116](#)
- Update

- uNature::Core::FoliageClasses::FoliageMesh↔
Manager, 49
- uNature::Core::FoliageClasses::FoliageReceiver,
54
- uNature::Core::Seekers::UNSeeker, 126
- uNature::Core::Targets::UNTTarget, 134
- uNature::Core::Threading::ThreadItem, 84
- UpdateBounds
 - uNature::Core::UNPhysicsObject, 124
- UpdateGrassMap
 - uNature::Core::FoliageClasses::FoliageCore_↔
MainManager, 34
- UpdateGrassMaps
 - uNature::Core::Utility::FoliageGrassMap, 40
- UpdateHeight_RANGE
 - uNature::Core::Utility::FoliageWorldMap, 56
- UpdateHeight_WorldMap
 - uNature::Core::Utility::FoliageWorldMap, 57
- UpdateInteraction
 - uNature::Core::FoliageClasses::BaseInteraction,
20
 - uNature::Core::FoliageClasses::WindZones, 150
- UpdateItem
 - uNature::Core::Threading::ThreadItem, 84
- UpdateManagerInformation
 - uNature::Core::FoliageClasses::FoliagePrototype,
52
- UpdateMeshBounds
 - uNature::Core::FoliageClasses::FoliageMesh↔
Manager, 49
- UpdateMultithreadedVariables
 - uNature::Core::Terrains::UNTTerrainData, 143
- UpdatePermissions
 - uNature::Core::Networking::UNNetworkManager,
120
- UpdateShaderGeneralSettings
 - uNature::Core::FoliageClasses::FoliageDB, 37
- UpdateShaderWindSettings
 - uNature::Core::FoliageClasses::FoliageDB, 37
- UpdateThreadItems
 - uNature::Core::Threading::ThreadManager, 86
- updateThreadItemsTime
 - uNature::Core::Threading::ThreadManager, 87
- UpdateTouchBending
 - uNature::Core::FoliageClasses::FoliagePrototype,
52
- useMultithreadedCheck
 - uNature::Core::Targets::UNTTarget, 135
- used
 - uNature::Core::Pooling::PoolItem, 74
- verifyTreeInstancesChangeRoutine
 - uNature::Core::Terrains::UNTTerrain, 140
- worldTargets
 - uNature::Core::Targets::UNTTarget, 135