Program Output

Run 1

- 0. Ping custom IP address
- 1. Ping localhost
- 2. Ping United Kingdom
- 3. Ping Mexico
- 4. Ping Canada
- 5. Ping United States

Enter a number: 0

Enter IP Address you want to ping: 8.8.8.8

Pinging 8.8.8.8 10 times!

Pinging 8.8.8.8:

0.0215528011322

0.0204432010651

0.0189929008484

0.0210530757904

0.0188040733337

0.0189418792725

0.0206780433655

0.0174920558929

0.0190048217773

0.0197758674622

('*** ', '8.8.8.8', ' ping stats ***')

('Packets transmitted:', 10)

('Packets received:', 10)

('Packet loss :', 0.0, '%')

('Min RTT: ', '0.01749', 'seconds')

('Max RTT: ', '0.02155', 'seconds')

('Avg RTT: ', '0.01967', 'seconds')

Run 2

- 0. Ping custom IP address
- 1. Ping localhost
- 2. Ping United Kingdom
- 3. Ping Mexico
- 4. Ping Canada
- 5. Ping United States

Enter a number: 1

Pining localhost 10 times!

Pinging 127.0.0.1:

0.000108003616333

0.000203847885132

0.000180959701538

0.000224113464355

0.000121831893921

0.000210046768188

0.000178813934326

0.000176906585693

0.000179052352905

('*** ', '127.0.0.1', ' ping stats ***')

('Packets transmitted:', 10)

('Packets received:', 10)

('Packet loss :', 0.0, '%')

('Min RTT: ', '0.00011', 'seconds')

('Max RTT: ', '0.00022', 'seconds')

('Avg RTT: ', '0.00018', 'seconds')

Run 3

- 0. Ping custom IP address
- 1. Ping localhost
- 2. Ping United Kingdom
- 3. Ping Mexico
- 4. Ping Canada
- 5. Ping United States

Enter a number: 2

Pinging United Kingdom 10 times!

Pinging 104.102.231.197:

0.0478239059448

0.0350830554962

0.0329320430756

0.0342090129852

0.0348281860352

0.0335102081299

```
0.034243106842
```

0.0353338718414

0.0343070030212

```
('*** ', '104.102.231.197', 'ping stats ***')
```

('Packets transmitted:', 10)

('Packets received:', 10)

('Packet loss :', 0.0, '%')

('Min RTT: ', '0.03293', 'seconds')

('Max RTT: ', '0.04782', 'seconds')

('Avg RTT: ', '0.03619', 'seconds')

Run 4

- 0. Ping custom IP address
- 1. Ping localhost
- 2. Ping United Kingdom
- 3. Ping Mexico
- 4. Ping Canada
- 5. Ping United States

Enter a number: 3

Pinging Mexico 10 times!

Pinging 23.3.122.214:

0.0229241847992

0.0182929039001

0.0206100940704

```
0.0285248756409
```

0.0220150947571

0.0285918712616

0.0228378772736

0.0234589576721

0.0223898887634

('Packets transmitted:', 10)

('Packets received:', 10)

('Packet loss :', 0.0, '%')

('Min RTT: ', '0.01829', 'seconds')

('Max RTT: ', '0.02859', 'seconds')

('Avg RTT: ', '0.02297', 'seconds')

Run 5

- 0. Ping custom IP address
- 1. Ping localhost
- 2. Ping United Kingdom
- 3. Ping Mexico
- 4. Ping Canada
- 5. Ping United States

Enter a number: 4

Pinging Canada 10 times!

Pinging 23.3.126.101:

```
0.0300660133362
```

0.0213820934296

0.0224750041962

0.0224738121033

0.0394971370697

0.0208249092102

0.0222651958466

0.022782087326

0.0446288585663

```
('*** ', '23.3.126.101', 'ping stats ***')
```

('Packets transmitted:', 10)

('Packets received :', 10)

('Packet loss :', 0.0, '%')

('Min RTT: ', '0.02082', 'seconds')

('Max RTT: ', '0.04463', 'seconds')

('Avg RTT: ', '0.02694', 'seconds')

Run 6

- 0. Ping custom IP address
- 1. Ping localhost
- 2. Ping United Kingdom
- 3. Ping Mexico
- 4. Ping Canada
- 5. Ping United States

Enter a number: 5

```
Pinging United States 10 times!
```

Pinging 176.32.98.166:

0.019357919693

0.0313069820404

0.0181269645691

0.0228140354156

0.0192251205444

0.0179300308228

0.0183110237122

0.0188658237457

0.0199887752533

0.0212090015411

```
('*** ', '176.32.98.166', 'ping stats ***')
```

('Packets transmitted:', 10)

('Packets received:', 10)

('Packet loss :', 0.0, '%')

('Min RTT: ', '0.01793', 'seconds')

('Max RTT: ', '0.03131', 'seconds')

('Avg RTT: ', '0.02071', 'seconds')