singlesite−singledisturb−multipool

factorized−tau filter, 21 seeds x 25 years (525 filter steps)

| | |
|---|---|
| steps with any dropped mass: | 0 (0 seeds) |
| from collapsed importance weights: | 0 |
| from singular covariances: | 0 (0 components in all) |
| largest mass dropped in one step: | 0 |
| mean mass dropped per step: | 0 |

grid points with zero mass after dropping: 0 in all, in 0 steps (0 seeds)
active grid points per step: 47 − 48

Dropped mass: share of the forecast probability (over the tau blocks, history groups and scenarios) on components given zero weight before the update.
Zero−mass grid points: grid points all of whose components were dropped; they are restored at their prior weights (on unweighted placeholder moments).


singlesite−singledisturb−multipool
forecast mass dropped (all causes); blank = none
seed
42
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
5
10
15
20
25
year
0
−2
−4
−6
−8
−10
−12
log10 mass (bottom: <= −12)


mass dropped for collapsed importance weights; blank = none
seed
42
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
5
10
15
20
25
year
0
−2
−4
−6
−8
−10
−12
log10 mass (bottom: <= −12)


mass dropped for singular covariances; blank = none
seed
42
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
5
10
15
20
25
year
0
−2
−4
−6
−8
−10
−12
log10 mass (bottom: <= −12)


zero−mass grid points after dropping
(label: zero−mass / active grid points); blank = none
seed
42
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
5
10
15
20
25
year
grid points
1.4
1.2
1.0
0.8
0.6


Seeds with any dropped mass, by year (of 21 seeds)
seeds
1
0
1 2 3 4 5 6 7 8 9 11 13 15 17 19 21 23 25
year
Zero−mass grid points summed over seeds, by year
grid points
1
0
1 2 3 4 5 6 7 8 9 11 13 15 17 19 21 23 25
year