

National Institute on Alcohol Abuse and Alcoholism Division of Epidemiology and Prevention Research Alcohol Epidemiologic Data System

SURVEILLANCE REPORT #113

APPARENT PER CAPITA ALCOHOL CONSUMPTION: NATIONAL, STATE, AND REGIONAL TRENDS, 1977–2017

Megan E. Slater, Ph.D. Hillel R. Alpert, Sc.D.

CSR, Incorporated¹ Suite 904A 901 N. Stuart Street Arlington, VA 22203

April 2019

U.S. Department of Health and Human Services Public Health Service National Institutes of Health

¹ CSR, Incorporated, operates the Alcohol Epidemiologic Data System (AEDS) under Contract No. HHSN275201800004C for the National Institute on Alcohol Abuse and Alcoholism (NIAAA). Dr. Michael E. Hilton (Division of Epidemiology and Prevention Research) serves as the NIAAA Contracting Officer's Representative on the contract.



HIGHLIGHTS

This surveillance report on 1977–2017 apparent per capita alcohol consumption in the United States is the 33rd in a series of consumption reports produced annually by the National Institute on Alcohol Abuse and Alcoholism (NIAAA). Findings are based on alcoholic beverage sales data collected by the Alcohol Epidemiologic Data System (AEDS) from the States or from the National Alcohol Beverage Control Association and from various reports produced by beverage industry sources. Population data from the U.S. Census Bureau are used as denominators to calculate per capita rates.

The following are highlights from the current report, which updates consumption trends through 2017:

- Per capita consumption of ethanol from all alcoholic beverages combined in 2017 was 2.34 gallons, representing a 0.4 percent decrease from 2.35 gallons in 2016.
- Between 2016 and 2017, changes in overall per capita ethanol consumption included increases in 14 States, decreases in 28 States and the District of Columbia, and no changes in 8 States.
- Analysis of overall per capita alcohol consumption by U.S. Census region between 2016 and 2017 indicated an increase of 0.4 percent in the Midwest. The analysis also showed decreases of 0.4 percent in the Northeast, 0.9 percent in the South, and 1.2 percent in the West.
- Healthy People 2020 set the national objective for per capita annual alcohol consumption at no more than 2.1 gallons. Per capita consumption would need to decrease by 3.4 percent each year for the next 3 years to achieve this goal. In 2017, the overall per capita annual alcohol consumption level was more than 10 percent above target (> 2.31 gallons) in 28 States and the District of Columbia, 10 percent or less above target (> 2.10–2.31 gallons) in 13 States, 10 percent below target (1.89–2.10 gallons) in 5 States, and more than 10 percent below target (< 1.89 gallons) in 4 States.</p>

INTRODUCTION

This surveillance report on apparent per capita alcohol consumption in the United States is the 33rd in a series of reports that examine alcohol consumption trends on a national, State, and regional basis. Like previous reports on per capita alcohol consumption, it is intended to provide updated alcohol information for policymakers, health care providers, researchers, and others concerned about alcohol issues.

Data presented in this report are related to one of the national objectives set in *Healthy People 2020* for alcohol consumption. Healthy People, a program initiated by the U.S. Department of Health and Human Services, establishes benchmarks to promote longer and higher-quality lives for Americans. The program's objective for alcohol consumption is to reduce the national per capita annual alcohol consumption level by 10 percent from the 2007

baseline value of 2.3 gallons per year to no more than 2.1 gallons per year by 2020 (U.S. Department of Health and Human Services 2012). According to NIAAA (2010), a "standard drink" in the United States contains 0.6 fluid ounces of ethanol. Thus, the target annual per capita consumption level of 2.1 gallons of ethanol equates to a person age 14 or older consuming approximately an average of 448 standard drinks in a year.

The current report updates the 1977–2016 alcohol consumption trends (Haughwout and Slater 2018) with new data for 2017. Data are shown in four tables. Table 1 presents national data on trends in beer, wine, and spirits consumption as well as on all alcoholic beverages combined. Table 2 presents data on alcohol consumption for individual States for 2017. States also are ranked in deciles according to annual per capita ethanol consumption. Table 3 presents the alcoholic

beverage sales and shipment data sources for the volume data presented in Table 2. Table 4 presents data on consumption trends for each type of beverage and all beverages combined for the States as well as for the four regions defined by the U.S. Census Bureau: Northeast, Midwest, South, and West.

DATA

Alcohol Consumption Data

AEDS makes every effort to obtain alcoholic beverage sales data from all States and the District of Columbia. AEDS prefers sales data to production and shipments data from beverage industry sources because sales data more accurately reflect actual alcoholic beverage consumption levels. States provide sales data in the form of volume or tax revenue that AEDS converts to gallons by using State tax rates. For 2017, AEDS received beverage sales and/or tax receipts reports from 38 States. AEDS also received spirits and wine sales data for alcoholic beverage control States from the National Alcohol Beverage Control Association. When State data were unavailable or unusable, AEDS used shipment data from beverage industry sources (Beverage Information Group 2018a, b, c) as a supplementary data source (Table 3). National and regional consumption data were estimated based on the sum of corresponding State-level volumes in gallons. The mixed use of data from sales and shipments sources appears to have little effect on overall trends in per capita alcohol consumption (Campbell et al. 1994; Haughwout et al. 2015). Some of the consumption estimates reported in the current report may differ slightly from those published in the previous year due to updates and revisions based on data received after publication. The types of data sources AEDS used to obtain alcohol consumption data are listed for years 2001-2017 in this report's data file

(http://pubs.niaaa.nih.gov/publications/surveillance.htm).

Population Data

AEDS obtained State population estimates for people ages 14 and older from the Centers for Disease Control and Prevention's WONDER online query system, which provides bridged-race population estimates produced by the U.S. Census Bureau in collaboration with the National Center for Health Statistics (U.S. Department of Health and Human Services 2018). These data are used as denominators to calculate the per capita consumption figures.

To make the trend data more precise, AEDS revises data published in previous reports when the Census Bureau revises its population estimates. This report updates the 2010–2016 population estimates using revised bridged-race estimates of the July 1 resident population from the Vintage 2017 postcensal series (U.S. Department of Health and Human Services 2018).

METHODS

Conversion of Ethanol Content

AEDS uses an estimate of average ethanol content in the alcoholic beverages to convert the gallons of sold or shipped beer, wine, and spirits into gallons of ethanol (pure alcohol) before calculating per capita consumption estimates. For data years 1977–2017, the ethanol conversion coefficients (ECC; i.e., proportion of pure alcohol for each beverage type) are 0.045 for beer, 0.129 for wine, and 0.411 for spirits (Doernberg and Stinson 1985). Following the ethanol conversions, gallons of ethanol for beer, wine, and spirits are summed to gallons of ethanol for all beverages.

AEDS has considered changes in the alcoholic beverage market that may affect the ECCs used in this report. For instance, the introduction of "light" beer, "light" wines, and coolers (both wine and spirits) may have slightly lowered the average ethanol content in some alcoholic beverages. Kling (1989, 1991) suggests that there were decreases in the ethanol content of spirits during the 1980s. However, such decreases may be offset by the increase in sales of drinks with higher ethanol content, such as premium brand liquors, fortified wines, malt liquors, and locally produced beers and ales (microbrews). "Ice" beers and "dry" beers, for example, both have higher ethanol content than either premium or light beers (M. Shanken Communications, Inc. 1994). Therefore, changes in the average net ethanol content across all beverages have probably been minimal and not large enough to alter the trends in overall per capita consumption.

Studies by Kerr and colleagues (2006a, b) estimated national average and State-specific ECCs for beer, wine, and spirits for each year from 1950 to 2002 and recently updated them for the period 2003 to 2016 (Martinez et al. 2019). Their method derived ECCs for each beverage type based on three data components: (1) market shares for subcategories within the beverage type (e.g., table wine and wine coolers within wine); (2) market shares for leading brands in each subcategory; and (3) ethanol contents of these leading brands. Their findings suggest that in 2002, the national average ethanol content was 4.67 percent for beer, 11.45 percent for wine, and 36.90 percent for spirits. Their State-specific estimates indicate that ECCs for all beverage types varied by State and over time. AEDS previously compared per capita consumption estimates derived by Kerr and colleagues with data presented in this surveillance report (Lakins et al. 2007). Results revealed that cross-State correlations between the two data sets are higher than 0.99 for all three beverage types. Similar patterns also were observed in national trends between the two sets of estimates, although there were some differences in absolute values that fluctuated over time. Given the fact that Kerr and colleagues applied their ECCs to the same AEDS beverage volume data to derive their per capita consumption estimates, it was concluded

that consumption trends are mainly driven by beverage volumes rather than changes in the ECC estimates.

Because most of the analyses provided in this surveillance report are focused on consumption trends over time, and because of the time- and labor-intensive nature of estimating the ECC every year for each State, AEDS will continue to use the current fixed set of ECCs.

Population Denominator

In this report, AEDS uses the population of people ages 14 and older to calculate per capita consumption rates. Although age 14 is below the minimum legal age for purchasing alcoholic beverages throughout the United States, most self-report surveys indicate that many people drink alcoholic beverages at age 14. For example, data from the NIAAA 2012-2013 National Epidemiologic Survey on Alcohol and Related Conditions indicate that 9.56 percent of current drinkers ages 18 and older in the United States began drinking at age 14 or younger (Chen et al. 2016). Results from the Monitoring the Future survey in 2016 (Johnston et al. 2017) indicate that 17.6 percent of eighth graders (students ages 13 to 14) reported past-year use of alcohol (i.e., beyond a few sips). Also, using data from the National Survey on Drug Use and Health 2013–2015, Chen and colleagues (2017) found the median age of initiation of alcohol use among people ages 12 to 20 to be age 14.6. Nonetheless, per capita consumption estimates for population ages 21 years and older are provided in this report's data file (http://pubs.niaaa.nih.gov/publications/surveilla nce.htm).

Estimation of Per Capita Ethanol Consumption

Per capita ethanol consumption for each beverage type are calculated by multiplying national, State, or regional beverage volume by the corresponding ECC and dividing by the national, State, or regional population ages 14 and older. Per capita ethanol consumption of all beverages is calculated directly from the

estimated gallons of ethanol for all beverages divided by the population.

Percentage change calculations in this report are based on the numbers presented in the tables, which are rounded to two decimal places.

Limitations

Readers familiar with survey reports and other scientific literature are accustomed to the presentation of significance tests, or confidence intervals, on any data comparisons or trends. However, because data presented in this report are based on total actual sales and/or shipments, AEDS does not provide measures of statistical significance. Nonetheless, it is important to note that these data are still only estimates and may be subject to reporting error and random fluctuation over time.

In addition to ECCs, many factors may result in inaccuracies of per capita alcohol consumption estimates. For instance, these estimates in some States may be inflated by such factors as crossborder sales to buyers from neighboring States (e.g., in New Hampshire) or tourist consumption of alcohol (e.g., in Washington, D.C.). Other factors include variation in State reporting practices for sales of alcoholic beverages; time delay between State taxation records and actual consumption; exclusion of alcohol contained in medications and foods; unrecorded legal home production; and illicit production, importation, and sales (Rehm et al. 2014). These factors are discussed in detail in the AEDS data reference manual on per capita alcohol consumption (Nephew et al. 2004). Note that the word *apparent* in this report's title is pertinent, because the estimates in this report are based on the reported volumes of alcoholic beverages released to the market for sale and not on actual measures of people's alcohol consumption.

REFERENCES

Beverage Information Group. *Beer Handbook*, 2018. Norwalk, CT: Beverage Information Group, 2018a.

- Beverage Information Group. Liquor Handbook, 2018.

 Norwalk, CT: Beverage Information Group, 2018b.

 Payage and Information Group. Wing Handbook, 2018.
- Beverage Information Group. *Wine Handbook, 2018.* Norwalk, CT: Beverage Information Group, 2018c.
- Campbell, K.E.; Clem, D.; and Williams, G.D. Technical Report: 1986–91 Per Capita Ethanol Consumption Trends Using Beverage Industry Shipments Data Compared to Combined Sales/Tax Receipt and Shipments Data. Washington, DC: NIAAA, Alcohol Epidemiologic Data System, August 1994.
- Chen, C.M.; Slater, M.E.; Castle, I-J.P.; and Grant, B.F. Alcohol Use and Alcohol Use Disorders in the United States: Main Findings from the 2012–2013 National Epidemiologic Survey on Alcohol and Related Conditions-III (U.S. Alcohol Epidemiologic Data Reference Manual, Vol. 10). Rockville, MD: NIAAA, Alcohol Epidemiologic Data System, April 2016.
- Chen, C.M.; Yi, H.; and Faden, V.B. Surveillance Report #107: Trends in Underage Drinking in the United States, 1991–2015. Rockville, MD: NIAAA, Division of Epidemiology and Prevention Research, Alcohol Epidemiologic Data System, March 2017.
- Doernberg, D.; and Stinson, F.S. U.S. Apparent
 Consumption of Alcoholic Beverages Based on State
 Sales, Taxation, or Receipt Data (U.S. Alcohol
 Epidemiologic Data Reference Manual, Vol. 1).
 Washington, DC: U.S Government Printing Office,
 September 1985.
- Haughwout, S.P.; Castle, I-J.P.; and LaVallee, R.A.

 Comparison of State Alcoholic Beverage Sales Data
 with Industry Shipment Data, 2001–2013: Apparent
 Per Capita Alcohol Consumption Surveillance Report
 Methodological Addendum. Rockville, MD: NIAAA,
 Division of Epidemiology and Prevention Research,
 Alcohol Epidemiologic Data System, April 2015.
 Available at:
 - http://pubs.niaaa.nih.gov/publications/surveillance102/m addendum.pdf. Accessed March 13, 2018.
- Haughwout, S.P.; and Slater, M.E. Surveillance Report #110: Apparent Per Capita Alcohol Consumption: National, State, and Regional Trends, 1977–2016. Rockville, MD: NIAAA, Division of Epidemiology and Prevention Research, Alcohol Epidemiologic Data System, April 2018.
- Hyman, M.; Zimmerman, M.; Gurioli, C.; and Helrich, A. Drinkers, Drinking and Alcohol-Related Mortality and Hospitalizations: A Statistical Compendium, 1980 ed. New Brunswick, NJ: Rutgers University, 1980.
- Johnston, L.D.; O'Malley, P.M.; Miech, R.A.; Bachman, J.G.; and Schulenberg, J.E. Monitoring the Future, National Results on Adolescent Drug Use: Overview of Key Findings, 2016. Ann Arbor, MI: Institute for Social Research, University of Michigan, 2017.
- Kerr, W.C.; Greenfield, T.K.; Tujague, J.; and Brown, S.E. The alcohol content of wine consumed in the US and per capita consumption: New estimates reveal

- different trends. *Alcoholism: Clinical and Experimental Research* 30(3):516–522, 2006a.
- Kerr, W.C.; Greenfield, T.K.; and Tujague, J. Estimates of the mean alcohol concentration of the spirits, wine, and beer sold in the United States and per capita consumption: 1950 to 2002. *Alcoholism: Clinical and Experimental Research* 30(9):1583–1591, 2006b.
- Kling, W. Measurement of ethanol consumed in distilled spirits. *Journal of Studies on Alcohol* 50:456–460, 1989.
- Kling, W. Errata: Measurement of ethanol consumed in distilled spirits. *Journal of Studies on Alcohol* 52:503–504, 1991.
- Lakins, N.E.; LaVallee, R.A.; Williams, G.D.; and Yi, H. Surveillance Report #82: Apparent Per Capita Alcohol Consumption: National, State, and Regional Trends, 1977–2005. Rockville, MD: NIAAA, Division of Epidemiology and Prevention Research, Alcohol Epidemiologic Data System, August 2007.
- Martinez, P.; Kerr, W.C.; Subbaraman, M.S.; and Roberts, S.C.M. New estimates of the mean alcohol content of beer, wine, and spirits sold in the United States show a greater increase in per capita alcohol consumption than previous estimates. *Alcoholism: Clinical and Experimental Research*, 2019 (Epub ahead of print doi: 10.1111/acer.13958).
- M. Shanken Communications, Inc. *The U.S. Beer Market: Impact Databank Review and Forecast, 1994 Edition.* New York: Shanken, 1994.
- National Institute on Alcohol Abuse and Alcoholism. *Rethinking Drinking: Alcohol and Your Health.* NIH Publication No. 13-3770. Rockville, MD: National Institutes of Health, 2010.
- Nephew, T.M.; Yi, H.; Williams, G.D.; Stinson, F.S.; and Dufour, M.C. Apparent Consumption of Alcoholic Beverages Based on State Sales, Taxation, or Receipt Data (U.S. Alcohol Epidemiologic Data Reference Manual, Vol. 1, 4th ed.). NIH Publication No. 04-5563. Bethesda, MD: National Institutes of Health, June 2004.

- Rehm, J.; Kailasapillai, S.; Larsen, E.; Rehm. M.X.; Samokhvalov, A.V.; Shield, K.D.; Roerecke, M.; and Lachenmeier, D.W. A systematic review of the epidemiology of unrecorded alcohol consumption and the chemical composition of unrecorded alcohol. *Addiction* 109:880–893, 2014
- U.S. Department of Health and Human Services, *Healthy People 2020*. Washington, DC: DHHS, 2012. Available at: http://www.healthypeople.gov/2020/topicsobjectives2020/objectiveslist.aspx?topicId=40. Accessed March 13, 2018.
- U.S. Department of Health and Human Services, Centers for Disease Control and Prevention (CDC), National Center for Health Statistics (NCHS). *Bridged-Race Population Estimates, United States July 1st Resident Population by State, County, Age, Sex, Bridged-Race, and Hispanic Origin.* Compiled from 1990–1999 bridged-race intercensal population estimates (released by NCHS on 7/26/2004); revised bridged-race 2000–2009 intercensal population estimates (released by NCHS on 10/26/2012); and bridged-race Vintage 2017 (2010–2017) postcensal population estimates (released by NCHS on 6/27/2018). Available on CDC WONDER Online Database at: https://wonder.cdc.gov/bridged-race-v2017.html. Accessed January 8, 2019.

List of Figures

		Page
Figure 1	Total per capita ethanol consumption, United States, 1935–2017	7
Figure 2	Per capita ethanol consumption by beverage type, United States, 1977–2017	7
Figure 3	Percentage change in per capita ethanol consumption, United States, 1977–2017	8
Figure 4	Total per capita consumption of gallons of ethanol by State, United States, 2017	9
Figure 5	Percentage change in total per capita ethanol consumption by State, United States, 2016–2017	9
Figure 6	Total per capita ethanol consumption by region, United States, 1977–2017	10
Figure 7	Per capita ethanol consumption from beer by region, United States, 1977–2017	10
Figure 8	Per capita ethanol consumption from wine by region, United States, 1977–2017	11
Figure 9	Per capita ethanol consumption from spirits by region, United States, 1977–2017	11
	List of Tables	
		Page
Table 1	Apparent per capita ethanol consumption, United States, 1850–2017	12
Table 2	Apparent alcohol consumption for States, census regions, and the United States, 2017	14
Table 3	Sources of alcoholic beverages sales and shipment data by State and beverage type, 2017	16
Table 4	Per capita ethanol consumption for States, census regions, and the United States, 1977–2017	18

Figure 1. Total per capita ethanol consumption, United States, 1935–2017





Figure 2. Per capita ethanol consumption by beverage type, United States, 1977–2017






Figure 3. Percentage change in per capita ethanol consumption, United States, 1977–2017

Figure 4. Total per capita consumption of gallons of ethanol by State, United States, 2017




Figure 5. Percentage change in total per capita ethanol consumption by State, United States, 2016–2017




Figure 6. Total per capita ethanol consumption by region, United States, 1977–2017




Figure 7. Per capita ethanol consumption from beer by region, United States, 1977–2017




Figure 8. Per capita ethanol consumption from wine by region, United States, 1977–2017




Figure 9. Per capital ethanol consumption from spirits by region, United States, 1977–2017




Table 1. Apparent per capita ethanol consumption, United States, 1850–2017. (Gallons of ethanol based on population ages 15 and older prior to 1970 and on population ages 14 and older thereafter.)

Year	Beer	Wine	Spirits	All beverages
2017	1.06	0.43	0.84	2.34
2016	1.08	0.43	0.83	2.35
2015	1.09	0.42	0.81	2.32
2014	1.10	0.43	0.80	2.32
2013	1.12	0.42	0.79	2.33
2012	1.13	0.42	0.78	2.34
2011	1.12	0.41	0.76	2.29
2010	1.14	0.38	0.74	2.26
2009	1.17	0.39	0.73	2.29
2008	1.20	0.38	0.73	2.31
2007	1.21	0.38	0.72	2.31
2006	1.20	0.37	0.72	2.28
2005	1.20	0.36	0.70	2.25
2004	1.21	0.35	0.68	2.24
2003	1.21	0.34	0.67	2.22
2002	1.23	0.33	0.64	2.20
2001	1.23	0.31	0.64	2.18
2000	1.23	0.31	0.64	2.19
1999	1.23	0.31	0.63	2.17
1998	1.22	0.30	0.62	2.15
1997	1.22	0.30	0.62	2.15
1996	1.23	0.30	0.63	2.16
1995	1.24	0.29	0.63	2.15
1994	1.25	0.28	0.65	2.18
1993	1.26	0.28	0.68	2.23
1992	1.29	0.30	0.71	2.30
1991	1.29	0.30	0.71	2.30
1990	1.34	0.33	0.77	2.45
1989	1.32	0.34	0.78	2.43
1988	1.33	0.36	0.79	2.49
1987	1.34	0.38	0.83	2.55
1986	1.35	0.39	0.84	2.58
1985	1.33	0.38	0.91	2.62
1984	1.35	0.37	0.94	2.65
1983	1.37	0.36	0.96	2.69
1982	1.38	0.36	0.98	2.72
1981	1.39	0.35	1.02	2.76
1980	1.37	0.34	1.04	2.75
1979	1.34	0.31	1.04	2.70
1978	1.30	0.30	1.05	2.66
1977	1.27	0.29	1.04	2.60
1976	1.25	0.32	1.09	2.66
1975	1.25	0.32	1.10	2.67
1974	1.24	0.31	1.10	2.65
1973	1.20	0.31	1.10	2.60
1972	1.16	0.30	1.08	2.54
1971				2.5 4 2.58
1970	1.15 1.14	0.31 0.27	1.12 1.11	2.58 2.52
1969	1.12	0.26	1.13	2.51
1968	1.09	0.26	1.10	2.45
1967	1.07	0.25	1.05	2.37
1966	1.06	0.24	1.02	2.32
1965	1.04	0.24	0.99	2.27
1964	1.04	0.24	0.95	2.23

Numbers may not sum because of rounding.

Table 1. Apparent per capita ethanol consumption, United States, 1850–2017. (Gallons of ethanol, based on population ages 15 and older prior to 1970 and on population ages 14 and older thereafter.) (Continued)

Year	Beer	Wine	Spirits	All beverages
1963	1.01	0.23	0.91	2.15
1962	0.99	0.22	0.90	2.11
1961	0.97	0.23	0.86	2.06
1960	0.99	0.22	0.86	2.07
1959	1.00	0.22	0.84	2.06
1958	0.96	0.22	0.80	1.98
1957	0.97	0.22	0.80	1.99
1956	1.00	0.22	0.81	2.03
1955	1.01	0.22	0.77	2.00
1954	1.01	0.21	0.74	1.96
1953	1.04	0.20	0.77	2.01
1952	1.04	0.20	0.73	1.98
1951	1.03	0.20	0.78	2.01
	1.03	0.20	0.76	2.04
1950	1.04	0.23	0.77	2.04
1949	1.06	0.22	0.70	1.98
1948	1.07	0.20	0.70	1.97
1947	1.11	0.16	0.76	2.03
1946	1.07	0.24	0.99	2.30
1945	1.17	0.20	0.88	2.25
1944	1.13	0.18	0.76	2.07
1943	1.00	0.17	0.66	1.83
1942	0.90	0.22	0.85	1.97
1941	0.81	0.18	0.71	1.70
1940	0.73	0.16	0.67	1.56
1939	0.75	0.14	0.62	1.51
1938	0.75	0.13	0.59	1.47
1937	0.82	0.13	0.64	1.59
1936	0.79	0.12	0.59	1.50
1935	0.68	0.09	0.43	1.20
1934	0.61	0.07	0.29	0.97
(Prohibition)				
1916–1919	1.08	0.12	0.76	1.96
1911–1915	1.48	0.12	0.70	2.56
1906–1910	1.47	0.17	0.96	2.60
1900–1910	1.31	0.17	0.95	2.39
1896–1900	1.19	0.13	0.93	2.06
1891–1895	1.19	0.10	0.77	2.00
1881–1890	0.90	0.11	0.95	2.23 1.99
1871–1880	0.56	0.14	1.02	1.72
1870	0.44	0.10	1.53	2.07
1860	0.27	0.10	2.16	2.53
1850	0.14	0.08	1.88	2.10

Numbers may not sum because of rounding.

Note: Data prior to 1977 are from Hyman et al. 1980.

Table 2. Apparent alcohol consumption for States, census regions, and the United States, 2017. (Volume and ethanol in thousands of gallons, per capita ethanol consumption in gallons, based on population ages 14 and older.)

State or other		Beer			Wine			Spirits		All	beverages	
geographic area	Volume	Ethanol	Per capita	Volume	Ethanol	Per capita	Volume	Ethanol	Per capita	Ethanol	Per capita	U.S. decile
Alabama	95,387	4,292	1.06	8,120	1,048	0.26	6,535	2,686	0.67	8,026	1.99	9
Alaska	14,006	630	1.06	2,432	314	0.53	1,757	722	1.22	1,666	2.81	3
Arizona	142,228	6,400	1.11	17,599	2,270	0.39	11,080	4,554	0.79	13,224	2.30	6
Arkansas	50,336	2,265	0.92	4,336	559	0.23	3,987	1,639	0.67	4,463	1.82	10
California	679,723	30,588	0.94	145,969	18,830	0.58	61,835	25,414	0.78	74,832	2.30	6
Colorado	117,582	5,291	1.14	18,485	2,385	0.52	13,402	5,508	1.19	13,184	2.85	3
Connecticut	54,948	2,473	0.82	14,084	1,817	0.60	7,230	2,971	0.98	7,261	2.40	5
Delaware	20,486	922	1.15	4,465	576	0.72	3,404	1,399	1.74	2,897	3.60	1
Dist. of Columb.	14,477	651	1.10	4,688	605	1.02	2,422	995	1.69	2,252	3.81	1
Florida	421,631	18,973	1.07	72,108	9,302	0.52	44,732	18,385	1.04	46,660	2.63	4
Georgia	183,613	8,263	0.97	16,429	2,119	0.25	14,519	5,967	0.70	16,349	1.92	10
Hawaii	33,821	1,522	1.28	5,318	686	0.58	2,257	928	0.78	3,136	2.65	4
Idaho	27,671	1,245	0.91	12,700	1,638	1.19	2,734	1,124	0.82	4,007	2.92	2
Illinois	257,845	11,603	1.10	36,749	4,741	0.45	21,398	8,795	0.83	25,138	2.38	5
Indiana	117,420	5,284	0.97	12,318	1,589	0.29	11,314	4,650	0.85	11,523	2.11	8
lowa	72,660	3,270	1.27	4,762	614	0.24	5,589	2,297	0.89	6,181	2.40	5
Kansas	53,915	2,426	1.03	2,632	340	0.14	4,602	1,891	0.80	4,657	1.97	9
Kentucky	77,010	3,465	0.94	5,941	766	0.21	7,328	3,012	0.82	7,244	1.97	9
Louisiana	104,780	4,715	1.23	9,895	1,276	0.33	9,228	3,793	0.99	9,784	2.56	5
Maine	34,286	1,543	1.35	3,917	505	0.44	2,936	1,207	1.05	3,255	2.84	3
Maryland	90,649	4,079	0.81	15,450	1,993	0.40	11,210	4,607	0.92	10,680	2.13	8
Massachusetts	122,373	5,507	0.95	29,569	3,814	0.66	13,789	5,667	0.97	14,988	2.58	4
Michigan	186,717	8,402	1.01	25,515	3,291	0.40	18,872	7,756	0.93	19,450	2.34	6
Minnesota	116,097	5,224	1.14	15,588	2,011	0.44	13,152	5,406	1.18	12,641	2.77	3
Mississippi	67,642	3,044	1.25	3,331	430	0.18	4,591	1,887	0.78	5,360	2.20	7
Missouri	127,055	5,717	1.13	15,150	1,954	0.39	12,378	5,087	1.01	12,759	2.53	5
Montana	31,229	1,405	1.61	3,471	448	0.51	2,081	855	0.98	2,708	3.11	2
Nebraska	43,245	1,946	1.26	2,608	336	0.22	2,720	1,118	0.72	3,401	2.20	7
Nevada	75,764	3,409	1.38	11,548	1,490	0.60	8,681	3,568	1.45	8,467	3.43	1
New Hampshire	46,996	2,115	1.84	7,804	1,007	0.88	5,653	2,323	2.02	5,445	4.74	1

Table 2. Apparent alcohol consumption for States, census regions, and the United States, 2017. (Volume and ethanol in thousands of gallons, per capita ethanol consumption in gallons, based on population ages 14 and older.) (Continued)

State or other		Beer			Wine			Spirits		All	beverages	
geographic area	Volume	Ethanol	Per capita	Volume	Ethanol	Per capita	Volume	Ethanol	Per capita	Ethanol	Per capita	U.S. decile
New Jersey	121 026	E 027	0.70	24.074	4 206	0.50	17.067	7 007	0.05	17 120	2 22	6
New Jersey New Mexico	131,936 40,147	5,937 1,807	0.79 1.06	34,074 3,929	4,396 507	0.59 0.30	17,267 3,382	7,097 1,390	0.95 0.81	17,429 3,703	2.33 2.16	6 8
New York	328,659	14,790	0.89	68,378	8,821	0.53	31,619	12,995	0.81	36,606	2.10	7
North Carolina .	197,559	8,890	1.05	28,721	3,705	0.33	13,501	5,549	0.76	18,144	2.13	8
North Dakota	20,614	928	1.51	1,600	206	0.34	1,943	799	1.30	1,933	3.15	1
Ohio	239,227	10,765	1.11	23,045	2,973	0.31	14,002	5,755	0.60	19,493	2.02	9
Oklahoma	72,757	3,274	1.03	4,839	624	0.31	5,008	2,058	0.65	5,957	1.87	10
Oregon	95,424	4,294	1.03	15,955	2,058	0.59	7,838	3,222	0.03	9,574	2.76	3
Pennsylvania	309,101	13,910	1.29	27,682	3,571	0.33	18,726	7,696	0.71	25,177	2.34	6
Rhode Island	18,566	835	0.93	4,069	525	0.58	2,380	978	1.08	2,339	2.59	4
South Carolina	105,524	4.749	1.14	8,133	1,049	0.25	8,108	3,332	0.80	9,130	2.19	7
South Dakota	23,913	1,076	1.14	1,614	208	0.23	1,747	718	1.03	2,002	2.19	2
Tennessee	121,699	5,476	0.99	13,660	1,762	0.32	10,890	4,476	0.81	11,714	2.11	9
Texas	636,031	28,621	1.27	61,573	7,943	0.35	39,600	16,275	0.72	52,840	2.34	6
Utah	32,023	1,441	0.61	3,661	472	0.20	3,213	1,321	0.56	3,234	1.36	10
Vermont	18,414	829	1.55	3,323	429	0.80	971	399	0.75	1,656	3.10	2
Virginia	150,304	6,764	0.96	26,642	3,437	0.49	11,478	4,717	0.67	14,918	2.12	8
Washington	126,914	5,711	0.93	24,557	3,168	0.52	11,739	4,825	0.79	13,704	2.24	7
West Virginia	39,866	1,794	1.17	1,294	167	0.11	1,724	708	0.46	2,669	1.74	10
Wisconsin	141,887	6,385	1.33	14,998	1,935	0.40	14,704	6,043	1.26	14,363	2.99	2
Wyoming	12,324	555	1.17	1,157	149	0.32	1,369	563	1.19	1,266	2.68	4
Regions												
Northeast	1,065,279	47,938	1.01	192,900	24,884	0.52	100,571	41,334	0.87	114,156	2.40	
Midwest	1,400,595	63,027	1.12	156,579	20,199	0.36	122,422	50,315	0.89	133,541	2.38	
South	2,449,752	110,239	1.09	289,625	37,362	0.37	198,266	81,487	0.80	229,088	2.25	
West	1,428,856	64,299	1.01	266,780	34,415	0.54	131,368	53,992	0.85	152,705	2.40	
U.S. total	6,344,482	285,502	1.06	905,883	116,859	0.43	552,626	227,129	0.84	629,490	2.34	

Table 3. Sources of alcoholic beverage sales or shipment data by State and beverage type, 2017.

State	Beer	Wine	Spirits
Alabama	Industry	Industry	State⁵
Alaska	State ¹	State ¹	State ¹
Arizona	Industry	Industry	Industry
Arkansas	State ²	State ²	State ²
California	State ³	State ³	State ³
Colorado	State ¹	State ¹	State ¹
Connecticut	State ¹	State ¹	State ¹
Delaware	State ¹	State ¹	State ¹
Dist. of Columbia	Industry	Industry	Industry
Florida	State ¹	State ¹	State ¹
Georgia	Industry	Industry	Industry
Hawaii	Industry	Industry	Industry
Idaho	State ²	State ²	State ⁵
Illinois	State ¹	State ¹	State ¹
Indiana	State ¹	State ¹	State ¹
lowa	State ³	State ³	State ³
Kansas	State ²	Industry	State ²
Kentucky	State ²	State ²	State ²
Louisiana	Industry	State ¹	State ¹
Maine	Industry	Industry	State ⁵
Maryland	State ¹	State ³	State ³
Massachusetts	State ¹	State ¹	State ¹
Michigan	State ¹	State ¹	State ⁵
Minnesota	State ¹	State ¹	State ¹
Mississippi	Industry	State ⁵	State ⁵
Missouri	State ²	State ²	State ²
Montana	State ¹	State ¹	State ³
Nebraska	Industry	Industry	Industry
Nevada	Industry	Industry	Industry
New Hampshire	Industry	State ³	State ³
New Jersey	State ³	State ³	State ¹
New Mexico	State ¹	State ¹	State ¹
New York	State ¹	State ¹	State ¹
North Carolina	State ²	State ²	State ⁵
North Dakota	State ¹	State ¹	State ¹

Table 3. Sources of alcoholic beverage sales or shipment data by State and beverage type, 2017. (Continued)

State	Beer	Wine	Spirits
Ohio	Industry	Industry	Industry
Oklahoma	Industry	Industry	Industry
Oregon	State ¹	State ¹	State ⁵
Pennsylvania	Industry	State ³	State ³
Rhode Island	State ¹	State ¹	State ¹
South Carolina	Industry	Industry	Industry
South Dakota	State ¹	State ¹	State ¹
Tennessee	State ²	State ²	State ²
Texas	State ¹	State ¹	State ¹
Utah	Industry	State ¹	State ¹
Vermont	Industry	State ⁴	State ⁵
Virginia	State ¹	State ¹	State ¹
Washington	Industry	Industry	State ³
West Virginia	Industry	Industry	State ⁵
Wisconsin	Industry	State ¹	State ¹
Wyoming	State ¹	State⁵	State⁵

Note: Industry shipment data are from the reports produced by the Beverage Information Group (2018*a, b, c*). State data are from each State's department of revenue, department of taxation, or alcoholic beverage commission, or the National Alcohol Beverage Control Association (NABCA).

¹ State monthly sales volume data.

² State monthly sales tax data.

³ State annual sales volume data.

⁴ State annual sales tax data.

⁵ NABCA annual sales volume data.

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
Alabama				·	
2017	1.06	0.26	0.67	1.99	9
2016	1.09	0.26	0.65	2.01	9
2015	1.12	0.26	0.64	2.01	9
2014	1.13	0.25	0.62	2.00	9
2013	1.14	0.25	0.60	1.99	9
2012	1.16	0.24	0.60	2.00	9
2011	1.16	0.24	0.59	1.98	9
2010	1.17	0.24	0.58	1.98	9
2009	1.19	0.22	0.57	1.98	9
2008	1.19	0.22	0.57	2.01	9
2007	1.23	0.22			
			0.55	2.00	9
2006	1.21	0.21	0.54	1.95	9
2005	1.18	0.20	0.53	1.91	9
2004	1.19	0.20	0.52	1.91	9
2003	1.19	0.19	0.52	1.90	9
2002	1.18	0.21	0.54	1.92	9
2001	1.16	0.17	0.53	1.86	9
2000	1.19	0.18	0.51	1.88	9
1999	1.18	0.17	0.51	1.87	9
1998	1.16	0.17	0.51	1.85	9
1997	1.14	0.16	0.52	1.82	9
1996	1.17	0.18	0.53	1.88	8
1995	1.14	0.16	0.53	1.82	9
1994	1.16	0.17	0.54	1.87	9
1993	1.14	0.17	0.56	1.86	9
1992	1.02	0.19	0.59	1.79	10
1991	1.00	0.17	0.59	1.76	10
1990	1.12	0.18	0.61	1.92	9
1989	1.12	0.17	0.61	1.90	9
1988	1.12	0.19	0.62	1.92	9
1987	1.11	0.18	0.62	1.91	9
1986	1.10	0.18	0.65	1.92	9
1985	1.07	0.17	0.67	1.92	9
1984	1.03	0.19	0.69	1.91	9
1983	1.01	0.17	0.72	1.90	10
1982	1.00	0.17	0.72	1.90	10
1981	1.00	0.19	0.72	1.91	10
1980	0.95		0.73	1.86	10
		0.16			
1979	0.96	0.12	0.82	1.90	10
1978	0.95	0.12	0.85	1.92	9
1977	0.97	0.12	0.82	1.92	9
Alaska					
2017	1.06	0.53	1.22	2.81	3
2016	1.15	0.56	1.23	2.94	2
2015	1.11	0.53	1.20	2.84	2
2014	1.11	0.52	1.16	2.79	3
2013	1.07	0.52	1.17	2.75	3
2012	1.17	0.53	1.13	2.83	2
2011	1.15	0.54	1.17	2.86	2
2010	1.23	0.55	1.25	3.03	1
2009	1.32	0.54	1.16	3.02	1
2009	1.32	0.5 4 0.49	1.09	3.02 2.78	2
∠∪∪0	1.20	0.49	1.09	2.18	

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
2007	1.13	0.44	0.96	2.53	4
2006	1.25	0.47	1.03	2.75	2
2005	1.23	0.43	0.98	2.64	2
2004	1.31	0.44	0.95	2.71	2
2003	1.27	0.37	0.79	2.43	4
2002	1.35	0.45	1.19	2.99	1
2001	1.32	0.38	0.96	2.67	2
2000	1.37	0.37	0.94	2.68	2
1999	1.40	0.38	0.95	2.74	1
1998	1.39	0.37	0.95	2.71	2
1997	1.31	0.36	0.88	2.56	2
1996	1.31	0.38	0.94	2.63	2
1995	1.45	0.39	1.02	2.86	1
1994	1.53	0.40	1.10	3.03	1
1993	1.31	0.32	0.92	2.55	2
1992	1.53	0.41	1.08	3.02	1
1991	1.54	0.43	1.14	3.11	1
1990	1.62	0.46	1.25	3.33	1
1989	1.52	0.44	1.19	3.15	1
1988	1.54	0.47	1.19	3.21	1
1987	1.60	0.52	1.26	3.38	1
1986	1.65	0.55	1.25	3.45	1
1985	1.63	0.56	1.48	3.68	1
1984	1.67	0.56	1.50	3.72	1
1983	1.71	0.59	1.65	3.95	1
1982	1.69	0.54	1.68	3.92	1
1981	1.68	0.56	1.79	4.02	1
1980	1.54	0.50	1.68	3.72	1
1979	1.48	0.46	1.63	3.58	1
1978	1.39	0.45	1.67	3.51	1
1977	1.19	0.42	1.69	3.30	2
Arizona					
2017	1.11	0.39	0.79	2.30	6
2016	1.14	0.40	0.79	2.33	6
2015	1.17	0.40	0.78	2.35	6
2014	1.18	0.40	0.79	2.38	5
					5
2013	1.13	0.42	0.81	2.36	
2012	1.14	0.45	0.84	2.44	5
2011	1.15	0.44	0.80	2.39	5
2010	1.23	0.41	0.76	2.39	5
2009	1.22	0.39	0.77	2.38	5
2008	1.30	0.41	0.77	2.48	5
2007	1.39	0.34	0.78	2.51	5
2006	1.34	0.38	0.79	2.51	4
2005	1.35	0.40	0.76	2.51	3
2004	1.40	0.34	0.71	2.44	4
2003	1.41	0.37	0.71	2.49	3
2002	1.46	0.33	0.69	2.48	3
2001	1.47	0.33	0.70	2.50	3
2000	1.48	0.31	0.71	2.50	3
1999	1.47	0.34	0.69	2.51	2
					2 2
1998	1.44	0.33	0.68	2.45	
1997	1.45	0.31	0.68	2.44	2
1996	1.52	0.33	0.73	2.58	2

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1995	1.47	0.29	0.68	2.44	3
1994	1.52	0.29	0.70	2.50	2
1993	1.58	0.27	0.76	2.62	2
1992	1.58	0.31	0.80	2.69	2
1991	1.58	0.35	0.78	2.71	
1990	1.59	0.37	0.80	2.77	2 3
1989	1.63	0.35	0.83	2.81	2
1988	1.60	0.41	0.86	2.87	2
1987	1.64	0.45	0.84	2.93	2
1986	1.74	0.45	0.90	3.09	2
1985	1.66	0.45	0.99	3.11	2
1984	1.55	0.44	1.05	3.04	3
1983	1.60	0.43	0.99	3.02	3
1982	1.71	0.39	0.98	3.07	3
1981	1.76	0.42	1.00	3.18	3
1980	1.68	0.36	0.97	3.01	4
1979	1.71	0.36	1.07	3.15	3
1978	1.66	0.35	1.03	3.04	3
1977	1.60	0.32	0.99	2.92	3
Arkansas					
2017	0.92	0.23	0.67	1.82	10
2016	0.93	0.22	0.65	1.80	10
2015	0.97	0.22	0.65	1.83	10
2014	0.96	0.21	0.62	1.79	10
2013	1.00	0.20	0.60	1.81	10
2012	1.00	0.20	0.60	1.81	10
2011	0.98	0.18	0.56	1.72	10
2010	1.02	0.19	0.57	1.77	10
2009	1.03	0.17	0.57	1.78	10
2008	1.05	0.17	0.55	1.77	10
2007	1.02	0.15	0.51	1.69	10
2006	1.05	0.16	0.54	1.75	10
2005	1.03	0.15	0.50	1.67	10
2004	1.04	0.15	0.49	1.68	10
2003	1.06	0.14	0.56	1.77	10
2002	1.09	0.14	0.53	1.75	10
2001	1.08	0.13	0.53	1.74	10
2000	1.09	0.12	0.53	1.74	10
1999	1.09	0.12	0.54	1.75	10
1998	1.10	0.11	0.51	1.73	10
1997	1.07	0.12	0.52	1.71	10
1996	1.07	0.12	0.53	1.72	10
1995	1.06	0.11	0.51	1.68	10
1994	1.06	0.13	0.46	1.65	10
1993	1.10	0.11	0.58	1.79	9
1992	1.13	0.12	0.65	1.90	9
1991	1.12	0.12	0.58	1.81	9
1990	1.12	0.13	0.61	1.86	9
1989	1.10	0.13	0.58	1.82	9
1988	1.09	0.14	0.54	1.78	10
1987	1.09	0.11	0.53	1.74	10
1986	1.08	0.09	0.49	1.65	10
1985	1.04	0.13	0.59	1.77	10
1984	1.03	0.12	0.64	1.80	10

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1983	1.03	0.13	0.63	1.79	10
1982	1.03	0.12	0.63	1.78	10
1981	1.06	0.12	0.68	1.86	10
1980	1.00	0.12	0.68	1.81	10
1979	0.90	0.09			
1978	0.95	0.09	0.55 0.71	1.54 1.76	10 10
1977	0.89	0.11	0.61	1.61	10
California	0.69	0.10	0.01	1.01	10
	0.04	0.50	0.70	0.00	0
2017	0.94	0.58	0.78	2.30	6
2016	0.96	0.59	0.78	2.33	6
2015	0.99	0.53	0.75	2.27	6
2014	1.00	0.60	0.73	2.32	6
2013	0.98	0.60	0.75	2.33	6
2012	0.98	0.63	0.74	2.35	6
2011	0.95	0.58	0.72	2.25	7
2010	0.97	0.49	0.71	2.16	8
2009	1.01	0.57	0.70	2.28	7
2008	1.05	0.55	0.70	2.30	7
2007	1.06	0.54	0.70	2.30	6
2006	1.02	0.56	0.70	2.29	6
2005	1.03	0.54	0.69	2.26	6
2004	1.07	0.52	0.67	2.25	6
2003	1.07	0.51	0.65	2.23	6
2002				2.23	6
	1.08	0.49	0.64		
2001 2000	1.09 1.12	0.48 0.48	0.63 0.64	2.20 2.24	6 6
1999	1.12	0.48	0.62	2.22	6
1998	1.11	0.49	0.61	2.21	6
1997	1.14	0.52	0.62	2.28	5
1996	1.13	0.50	0.64	2.27	5 5 5
1995	1.15	0.46	0.63	2.24	5
1994	1.09	0.47	0.68	2.24	5
1993	1.17	0.48	0.69	2.35	4
1992	1.28	0.51	0.75	2.54	3
1991	1.22	0.49	0.75	2.46	4
1990	1.32	0.59	0.87	2.78	2
1989	1.29	0.60	0.85	2.75	3
1988	1.32	0.67	0.88	2.75	
					3
1987	1.35	0.73	0.92	3.00	2 2 2 2 2 2
1986	1.35	0.78	0.95	3.08	2
1985	1.32	0.78	1.02	3.11	2
1984	1.37	0.73	1.06	3.16	2
1983	1.36	0.74	1.10	3.21	2
1982	1.37	0.72	1.13	3.22	3 2
1981	1.43	0.72	1.20	3.35	2
1980	1.41	0.71	1.24	3.36	2
1979	1.39	0.68	1.25	3.32	2
1978	1.33	0.67	1.29	3.28	2
1977	1.29	0.65	1.25	3.19	2
Colorado	-		-	-	
2017	1.14	0.52	1.19	2.85	3
2016	1.14	0.51	1.16	2.82	3
2015	1.12	0.51	1.15	2.78	3

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other	,	Per capita c		,	U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
2014	1.15	0.52	1.11	2.77	3
2013	1.20	0.50	1.11	2.81	3
2012	1.15	0.52	1.08	2.76	3
2011	1.20	0.49	1.05	2.73	3
2010	1.22	0.48	1.01	2.71	2
2009	1.23	0.46	1.01	2.70	3
2008	1.28	0.47	1.02	2.77	3
2007	1.30	0.47	1.01	2.78	2
2006	1.29	0.45	0.98	2.72	2
2005	1.31	0.42	0.99	2.72	2
2004	1.30	0.43	0.95	2.68	2
2003	1.33	0.40	0.87	2.60	2
2002	1.35	0.39	0.90	2.64	2
2001	1.42	0.41	0.96	2.78	1
2000	1.35	0.37	0.89	2.60	2
1999	1.33	0.37	0.75	2.45	3
1998	1.33	0.37	0.83	2.53	2
1997	1.30	0.37	0.81	2.48	2
1996	1.36	0.37	0.84	2.57	2
1995 1994 1993 1992	1.34 1.36 1.40 1.34	0.35 0.35 0.36 0.36	0.78 0.84 0.86 0.81	2.47 2.55 2.63 2.52	2 2 2 2 3
1991	1.39	0.35	0.87	2.61	3
1990	1.35	0.29	0.75	2.39	6
1989	1.42	0.38	0.85	2.64	3
1988	1.44	0.40	0.92	2.76	3
1987	1.45	0.45	0.94	2.84	3
1986	1.49	0.47	0.95	2.90	3
1985	1.48	0.50	1.18	3.17	2
1984	1.51	0.46	1.12	3.10	2
1983	1.57	0.46	1.12	3.15	3
1982	1.63	0.46	1.17	3.26	2
1981	1.62	0.44	1.26	3.32	2
1980	1.56	0.46	1.31	3.33	2
1979	1.63	0.46	1.33	3.42	2
1978 1977 Connecticut	1.60 1.40	0.46 0.36	1.39 1.19	3.46 2.95	2 3
2017	0.82	0.60	0.98	2.40	5
2016	0.84	0.62	0.98	2.44	5
2015	0.84	0.61	0.95	2.40	5
2014	0.84	0.60	0.92	2.36	6
2013	0.84	0.61	0.91	2.37	5
2012	0.86	0.61	0.91	2.38	6
2011	0.86	0.62	0.88	2.35	6
2010	0.88	0.60	0.87	2.35	5
2009	0.88	0.59	0.85	2.31	6
2008	0.93	0.58	0.85	2.36	6
2007	0.92	0.57	0.84	2.33	6
2006	0.93	0.56	0.81	2.30	6
2005	0.90	0.54	0.79	2.23	6
2004	0.93	0.53	0.79	2.25	6
2003	0.93	0.52	0.79	2.23	6

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption	·	U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
2002	0.95	0.50	0.75	2.21	6
2001	0.95	0.50	0.74	2.19	6
2000	0.94	0.49	0.74	2.18	7
1999	0.94	0.49	0.75	2.18	6
1998	0.96	0.49	0.76	2.21	5
1997	0.95	0.48	0.74	2.17	6
1996	0.91	0.46	0.72	2.09	7
1995	0.96	0.46	0.78	2.20	5
1994	0.99	0.43	0.78	2.20	6
1993	0.96	0.44	0.80	2.20	6
1992	1.01	0.45	0.83	2.30	6
1991	1.03	0.43	0.84	2.29	6
1990	1.09	0.45	0.92	2.46	6
1989	1.07	0.46	0.96	2.50	4
1988	1.12	0.50	1.05	2.67	4
1987	1.14	0.51	1.10	2.75	3
1986	1.11	0.51	1.14	2.76	4
1985	1.12	0.50	1.19	2.81	4
1984	1.10	0.49	1.19	2.78	5
1983	1.10	0.49	1.22	2.80	5
1982	1.04	0.49	1.21	2.74	6
1981	1.05	0.44	1.18	2.67	6
1980	1.06	0.43	1.20	2.69	6
1979	1.14	0.40	1.21	2.76	5
1978	1.09	0.38	1.21	2.69	6
1977	1.06	0.35	1.23	2.64	6
Delaware					
2017	1.15	0.72	1.74	3.60	1
2016	1.19	0.73	1.79	3.72	1
2015	1.18	0.72	1.74	3.65	1
2014	1.21	0.72	1.66	3.59	1
2013	1.25	0.72	1.63	3.59	1
2012	1.32	0.70	1.58	3.59	1
2011	1.34	0.69	1.52	3.55	1
2010	1.36	0.66	1.36	3.38	I
2009	1.32	0.65	1.34	3.31	1
2008	1.35	0.57	1.23	3.15	1
2007	1.38	0.59	1.23	3.19	1
2006	1.41	0.59	1.26	3.26	1
2005	1.42	0.58	1.24	3.25	1
2004	1.42	0.57	1.28	3.27	
2003 2002	1.38 1.39	0.57	1.18	3.12	
2001	1.39	0.52 0.49	1.10 1.07	3.01 2.94	
2000	1.36	0.48	1.05	2.89	1
					,
1999 1998	1.40	0.48	1.03	2.90	1 1
1998	1.41 1.37	0.47 0.46	1.03	2.91 2.81	
1996	1.37	0.45	0.99 0.94	2.78	
1995	1.30	0.40	0.94	2.62	2
1994	1.43	0.38	0.95	2.76	1
1993	1.46	0.35	0.95	2.76	1
1992	1.40	0.36	0.97	2.73	2
1991	1.40	0.35	0.95	2.70	2

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1990	1.44	0.37	1.14	2.95	2
1989	1.43	0.39	1.15	2.96	2
1988	1.46	0.41	1.21	3.08	1
1987	1.46	0.43	1.23	3.12	2
1986	1.46	0.45	1.25	3.16	2
1985	1.48	0.41	1.31	3.20	2
1984	1.52	0.39	1.29	3.20	2
1983	1.55	0.35	1.35	3.25	2
1982	1.54	0.34	1.38	3.26	2
1981	1.52	0.33	1.40	3.24	3
					3
1980	1.44	0.29	1.37	3.11	3
1979	1.35	0.26	1.31	2.92	4
1978	1.31	0.24	1.30	2.85	4
1977	1.30	0.23	1.33	2.86	4
District of Columbia					
2017	1.10	1.02	1.69	3.81	1
2017	1.13	1.02	1.70	3.85	
2015	1.14	1.02	1.67	3.83	1
2014	1.15	1.00	1.67	3.83	
2013	1.16	1.01	1.66	3.84	1
2012	1.18	1.01	1.65	3.84	1
2011	1.19	1.01	1.62	3.83	1
2010	1.22	1.00	1.61	3.83	1
2009	1.26	1.00	1.62	3.88	1
2008	1.35	1.01	1.64	4.00	1
2007	1.37	1.00	1.63	4.00	1 1
2006	1.38	0.96	1.60	3.94	1 1
2005	1.40	0.93	1.56	3.90	
2004	1.38	0.91	1.52	3.80	
2003	1.38	0.88	1.51	3.76	
2002	1.36	0.83	1.47	3.66	
2001	1.36	0.79	1.46	3.61	
2000	1.39	0.81	1.45	3.65	1
1999	1.38	0.78	1.36	3.52	1
1998	1.37	0.78	1.57	3.73	1
1997	1.42	0.80	1.61	3.83	1
1996	1.34	0.87	1.47	3.67	1
1995	1.49	0.77	1.52	3.79	1
1994	1.50	0.74	1.52	3.76	1
1993	1.51	0.73	1.54	3.78	1 1
1992	1.61	0.70	1.74	4.05	1
1991	1.42	0.61	1.85	3.89	1
1990	1.42	0.76	1.96	4.14	1
1989	1.39	0.82	1.72	3.92	1
1988	1.38	0.93	1.90	4.22	1
1987	1.41	0.95	2.26	4.62	
1986	1.45	1.00	2.09	4.54	1
					1
1985	1.44	1.00	2.35	4.80	
1984	1.51	1.07	2.59	5.17	1 1
1983	1.51	1.05	2.71	5.27	1
1982	1.46	0.99	2.88	5.33	1
1981	1.48	1.05	2.89	5.42	1
1980	1.49	0.99	2.94	5.41	1
1979	1.42	0.96	2.92	5.30	1

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1978	1.38	0.91	3.04	5.33	1
1977	1.35	0.86	3.16	5.37	1
Florida					
2017	1.07	0.52	1.04	2.63	4
2016	1.09	0.53	1.03	2.65	4
2015	1.11	0.51	0.98	2.60	4
2014	1.09	0.51	0.98	2.59	4
2013	1.28	0.49	0.95	2.72	3
2012	1.26	0.51	0.95	2.72	3
2011	1.13	0.49	0.93	2.54	4
2010	1.12	0.47	0.91	2.51	4
2009	1.19	0.48	0.91	2.58	4
2008	1.24	0.48	0.89	2.61	3
2007	1.28	0.48	0.92	2.68	3
2006	1.32	0.47	0.91	2.70	3
2005	1.33	0.46	0.91	2.70	2
2004	1.34	0.46	0.88	2.68	2
2003	1.31	0.44	0.86	2.61	2
2002	1.32	0.43	0.84	2.58	2
2001	1.32	0.40	0.82	2.54	2
2000	1.32	0.41	0.83	2.56	2
1999	1.33	0.40	0.80	2.53	2
1998	1.33	0.38	0.79	2.50	2
1997	1.36	0.37	0.80	2.53	2
1996	1.36	0.37	0.81	2.54	2
1995	1.34	0.35	0.82	2.50	2
1994	1.40	0.33	0.87	2.60	2
1993	1.44	0.33	0.92	2.68	2
1992	1.45	0.34	0.96	2.75	1
1991	1.43	0.34	0.92	2.69	2
1990	1.54	0.39	1.04	2.96	2
1989	1.51	0.39	1.00	2.89	2
1988	1.50	0.41	1.00	2.91	2
1987	1.50	0.42	1.03	2.95	2
1986	1.50	0.41	1.05	2.96	2
1985	1.47 1.46	0.41 0.40	1.16 1.23	3.04 3.09	3 2
1984 1983	1.55	0.39	1.23	3.16	_
1982	1.54	0.40	1.32	3.26	2 2
1981	1.54	0.39	1.37	3.30	3
1980	1.40	0.37	1.41	3.18	3
1979	1.38	0.34	1.41	3.14	3
1979	1.34	0.34	1.41	3.14	3
1977	1.27	0.31	1.40	2.99	3
Georgia					
2017	0.97	0.25	0.70	1.92	10
2016	0.99	0.25	0.70	1.95	9
2015	1.01	0.25	0.68	1.94	9
2014	1.02	0.25	0.69	1.96	9
2013	1.03	0.25	0.69	1.97	9
2012	1.05	0.25	0.68	1.98	9
2011	1.06	0.25	0.67	1.98	9
2010	1.08	0.25	0.65	1.98	9

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
2009	1.11	0.25	0.65	2.01	9
2008	1.16	0.25	0.65	2.06	8
2007	1.19	0.26	0.65	2.10	8
2006	1.19	0.26	0.65	2.10	8
2005	1.17	0.26	0.64	2.07	8
2004	1.19	0.27	0.65	2.11	8
2003	1.20	0.26	0.66	2.13	7
2002	1.21	0.26	0.66	2.13	7
2001	1.20	0.25	0.65	2.13	7
2000	1.21	0.25	0.69	2.16	7
1999	1.23	0.25	0.70	2.18	6
1998	1.22	0.23	0.70	2.15	6
1997	1.20	0.23	0.70	2.13	6
1996	1.24	0.24	0.71	2.18	6
1995	1.21	0.21	0.70	2.12	6
1994	1.17	0.21	0.77	2.14	7
1993	1.23	0.20	0.77	2.20	6
1992	1.22	0.21	0.79	2.23	7
1991	1.16	0.22	0.78	2.17	7
1990	1.22	0.23	0.76	2.31	7
1989	1.18	0.24	0.94	2.36	6
1988	1.21	0.26	0.92	2.39	7
1987	1.21	0.27	1.00	2.48	6
1986	1.21	0.27	0.94	2.43	7
1985	1.17	0.25	1.01	2.44	7
1984	1.18	0.24	1.06	2.48	7
1983	1.14	0.22	1.06	2.42	7
1982	1.12	0.21	1.04	2.36	8
1981	1.10	0.18	1.09	2.38	8
1980	1.06	0.19	1.08	2.33	8
1979	1.11	0.18	1.16	2.44	7
1978	1.09	0.18	1.21	2.48	7
1977	1.03	0.15	1.19	2.37	7
Hawaii					
2017	1.28	0.58	0.78	2.65	4
2016	1.29	0.57	0.78	2.64	4
2015	1.28	0.56	0.76	2.60	4
2014	1.27	0.54	0.77	2.58	4
2013	1.25	0.54	0.76	2.56	4
2012	1.26	0.53	0.75	2.54	5
2011	1.25	0.53	0.73	2.52	4
2010	1.25	0.52	0.71	2.48	4
2009	1.27	0.51	0.71	2.49	4
2008	1.33	0.51	0.72	2.56	4
2007	1.30	0.48	0.77	2.55	4
2006	1.28	0.47	0.77	2.52	4
2005	1.30	0.45	0.72	2.47	4
2004	1.38	0.43	0.70	2.50	3
2003	1.30	0.42	0.76	2.38	5
2002	1.27	0.42	0.62	2.28	5
2001	1.30	0.38	0.60	2.28	5
2000	1.33	0.39	0.60	2.32	4
1999	1.31	0.39	0.56	2.26	5
1998	1.32	0.37	0.54	2.22	5

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1997	1.38	0.40	0.56	2.33	4
1996	1.40	0.36	0.58	2.34	3
1995	1.41	0.34	0.57	2.32	4
1994	1.46	0.38	0.62	2.46	3
1993	1.49	0.37	0.65	2.51	3
1992	1.55	0.39	0.69	2.63	2
1991	1.57	0.40	0.70	2.67	2
1990	1.64	0.40	0.79	2.84	2
1989	1.56	0.43	0.80	2.79	2
1988	1.64	0.45	0.80	2.89	2
1987	1.59	0.41	0.77	2.76	3
1986	1.61	0.44	0.86	2.91	3
1985	1.61	0.42	0.88	2.91	3
1984	1.66	0.41	0.92	2.99	3
1983	1.89	0.44	1.13	3.45	1
1982	1.80	0.48	1.14	3.41	1
1981	1.74	0.44	1.16	3.34	2
1980	1.64	0.46	1.20	3.30	2
1979	1.51	0.42	1.21	3.14	3
1978	1.33	0.44	1.25	3.02	3
1977	1.55	0.35	1.21	3.11	2
Idaho					
2017	0.91	1.19	0.82	2.92	2
2016	0.93	1.19	0.81	2.93	2
2015	0.94	1.15	0.79	2.87	2
2014	0.93	1.13	0.77	2.83	2
2013	0.96	1.08	0.77	2.82	2
2012	0.98	1.02	0.77	2.77	2
2011	1.00	0.92	0.73	2.65	3
2010	1.06	0.90	0.72	2.68	3
2009	1.05	0.91	0.70	2.67	3
2008	1.15	0.81	0.69	2.64	3
2007	1.17	0.73	0.67	2.58	4
2006	1.14	0.74	0.65	2.53	4
2005	1.11	0.74	0.61	2.45	4
2004	1.14	0.72	0.57	2.43	4
2003	1.15	0.65	0.55	2.35	5
2002	1.16	0.64	0.53	2.33	4
2001	1.14	0.63	0.53	2.30	5
2000	1.13	0.65	0.52	2.30	5
1999	1.09	0.68	0.52	2.29	4
1998	1.15	0.33	0.51	1.99	7
1997	1.11	0.32	0.52	1.95	8
1996	1.13	0.30	0.52	1.96	8
1995	1.18	0.30	0.54	2.01	7
1994	1.24	0.35	0.53	2.12	7
1993	1.26	0.29	0.55	2.11	7
1992	1.32	0.31	0.57	2.20	7
1991	1.31	0.32	0.56	2.19	7
1990	1.36	0.33	0.58	2.27	7
1989	1.27	0.31	0.57	2.16	8
1988	1.28	0.37	0.59	2.24	7
1987	1.33	0.39	0.59	2.31	7
1986	1.36	0.39	0.62	2.37	7

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1985	1.36	0.36	0.71	2.43	7
1984	1.41	0.31	0.72	2.45	7
1983	1.45	0.30	0.77	2.52	7
1982	1.45	0.30	0.81	2.57	7
1981	1.54	0.33	0.83	2.69	6
1980	1.53	0.30	0.77	2.59	7
1979	1.51	0.27	0.82	2.60	6
1978	1.46	0.25	0.78	2.50	7
1977	1.47	0.22	0.78	2.47	7
Illinois					
2017	1.10	0.45	0.83	2.38	5
2016	1.11	0.43	0.77	2.31	6
2015	1.12	0.43	0.80	2.36	5
2014	1.12	0.42	0.78	2.32	6
2013	1.13	0.42	0.77	2.33	6
2012	1.15	0.43	0.77	2.36	6
2012	1.19	0.43	0.75	2.35	6
2010	1.22	0.40	0.74	2.35	5
2009	1.24	0.39	0.73	2.36	5
2008	1.23	0.38	0.74	2.34	6
2007	1.24	0.41	0.74	2.38	6
2006	1.24	0.37	0.74	2.35	6
2005	1.23	0.34	0.71	2.29	6
2004	1.24	0.32	0.67	2.22	6
2003	1.26	0.35	0.74	2.36	5
2002	1.28	0.33	0.65	2.26	5
2001	1.27	0.32	0.68	2.28	5
2000	1.28	0.32	0.63	2.24	6
1999	1.29	0.33	0.66	2.27	5
1998	1.27	0.34	0.64	2.25	4
1997	1.26	0.35	0.65	2.26	5
1996	1.27	0.35	0.68	2.30	4
1995	1.30	0.33	0.66	2.29	4
1994	1.32	0.34	0.69	2.35	4
1993	1.32	0.34	0.72	2.38	4
1992	1.34	0.35	0.74	2.43	4
1991	1.38	0.34	0.76	2.48	4
1990	1.43	0.36	0.82	2.62	4
1989	1.42	0.36	0.85	2.63	3
1988	1.45	0.38	0.87	2.70	3
1987	1.43	0.39	0.88	2.71	4
1986	1.42	0.39	0.91	2.72	5
1985	1.39	0.38	0.99	2.76	5
1984	1.41	0.37	1.02	2.80	4
1983	1.43	0.35	1.03	2.82	4
1982	1.42	0.35	1.07	2.84	5
1981	1.44	0.35	1.12	2.91	5
1980	1.42	0.33	1.23	2.99	4
1979	1.42	0.32	1.15	2.89	4
1978	1.35	0.31	1.17	2.83	4
1977	1.32	0.30	1.20	2.82	4
Indiana					
	0.6-	0.00		.	
2017	0.97	0.29	0.85	2.11	8

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
2016	0.98	0.29	0.89	2.17	8
2015	0.98	0.28	0.88	2.14	8
2014	0.98	0.27	0.80	2.05	8
2013	1.00	0.28	0.81	2.09	8
2012	1.02	0.28	0.79	2.08	8
2011	1.02	0.27	0.73	2.02	8
2010	1.03	0.26	0.74	2.03	8
2009	1.08	0.25	0.72	2.05	8
2008	1.10	0.24	0.73	2.08	8
2007	1.13	0.24	0.72	2.09	8
2006	1.09	0.25	0.66	2.00	9
2005	1.11	0.22	0.68	2.01	8
2004	1.14	0.22	0.65	2.01	8
2003	1.11	0.21	0.64	1.96	9
2002	1.13	0.20	0.60	1.93	9
2001	1.15	0.19	0.62	1.96	8
2000	1.16	0.20	0.61	1.98	8
1999	1.16	0.19	0.59	1.94	8
1998	1.14	0.19	0.58	1.91	8
1997	1.09	0.18	0.59	1.85	8
1996	1.09	0.20	0.57	1.86	9
1995	1.14	0.20	0.58	1.92	8
1994	1.15	0.20	0.59	1.94	8
1993	1.15	0.19	0.64	1.98	8
1992	1.16	0.20	0.58	1.95	9
1991	1.22	0.19	0.60	2.00	9
1990	1.26	0.20	0.63	2.09	8
1989	1.23	0.20	0.64	2.07	8
1988	1.25	0.21	0.67	2.13	8
1987	1.26	0.23	0.67	2.16	8
1986	1.26	0.23	0.67	2.17	8
1985	1.26	0.22	0.73	2.20	8
1984	1.27	0.21	0.73	2.21	8
1983	1.28	0.19	0.73	2.20	8
1982	1.29	0.19	0.76	2.24	8
1981	1.29	0.18	0.78	2.24	8
1980	1.26	0.17	0.77	2.21	8
1979	1.21	0.15	0.78	2.15	8
1978	1.18	0.15	0.78	2.12	8
1977	1.13	0.14	0.77	2.03	8
Iowa					
2017	1.27	0.24	0.89	2.40	5
2016	1.30	0.23	0.87	2.40	5
2015	1.31	0.22	0.83	2.36	5
2014	1.34	0.21	0.81	2.37	5
2013	1.33	0.22	0.79	2.34	6
2012	1.36	0.23	0.81	2.40	5
2011	1.38	0.21	0.78	2.37	5
2010	1.39	0.18	0.73	2.30	6
2009	1.42	0.18	0.72	2.31	6
2008	1.43	0.17	0.70	2.30	6
2007	1.41	0.17	0.67	2.25	7
2006	1.39	0.16	0.65	2.20	7
2005	1.40	0.16	0.61	2.16	7

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c		,	U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
2004	1.39	0.16	0.57	2.12	7
2003	1.38	0.15	0.54	2.07	8
2002	1.38	0.14	0.51	2.04	8
2001	1.36	0.13	0.50	1.99	8
2000	1.35	0.13	0.50	1.98	8
1999	1.34	0.13	0.48	1.95	8
1998	1.31	0.12	0.46	1.90	8
1997	1.28	0.12	0.45	1.85	9
1996	1.28	0.12	0.45	1.85	9
1995	1.26	0.11	0.44	1.80	9
1994	1.30	0.10	0.44	1.84	9
1993	1.28	0.11	0.48	1.87	9
1992	1.31	0.13	0.46	1.90	9
1991	1.32	0.16	0.52	2.01	8
1990	1.34	0.18	0.54	2.06	9
1989	1.30	0.19	0.52	2.01	9
1988	1.32	0.20	0.53	2.06	9
1987	1.34	0.22	0.59	2.14	8
1986	1.35	0.20	0.54	2.09	9
1985	1.33	0.14	0.58	2.06	9
1984 1983 1983	1.33 1.39 1.40 1.40	0.12 0.13 0.13	0.62 0.65 0.65	2.13 2.18 2.19	9 9 8 8
1981	1.44	0.13	0.69	2.26	8
1980	1.41	0.13	0.71	2.25	8
1979	1.40	0.11	0.71	2.22	8
1978	1.38	0.11	0.74	2.23	8
1977	1.33	0.10	0.74	2.17	8
Kansas					
2017	1.03	0.14	0.80	1.97	9
2016	1.02	0.14	0.75	1.92	10
2015	1.03	0.14	0.74	1.91	10
2014 2013 2012 2011	1.04 0.99 1.09 1.07	0.14 0.14 0.14 0.14	0.75 0.76 0.72 0.69	1.93 1.88 1.95	9 10 9 10
2010	1.13	0.14	0.68	1.90 1.95	9
2009	1.18	0.14	0.67	1.99	9
2008	1.22	0.14	0.65	2.01	9
2007	1.17	0.15	0.64	1.96	9
2006 2005 2004	1.14 1.14	0.18 0.18	0.61 0.57	1.94 1.89	9 9
2004	1.14	0.16	0.56	1.86	9
2003	1.16	0.17	0.56	1.89	10
2002	1.19	0.15	0.54	1.88	9
2001	1.12	0.15	0.53	1.80	9
2000	1.13	0.15	0.53	1.82	9
1999	1.12	0.15	0.54	1.81	9
1998	1.08	0.13	0.54	1.76	9
1997	1.07	0.12	0.48	1.67	10
1996	1.04	0.12	0.49	1.65	10
1995	1.04	0.12	0.50	1.66	10
1994	1.12	0.13	0.48	1.73	10
1993	1.09	0.14	0.52	1.75	10

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other			U.S. decile for		
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1992	1.09	0.14	0.55	1.78	10
1991	1.15	0.14	0.57	1.85	9
1990	1.13	0.13	0.53	1.79	10
1989	1.13	0.13	0.55	1.81	10
1988	1.13	0.22	0.57	1.92	9
1987	1.14	0.17	0.57	1.88	9
1986	1.14	0.17	0.60	1.91	9
1985	1.18	0.15	0.64	1.97	9
1984	1.19	0.14	0.63	1.96	9
1983	1.20	0.13	0.64	1.97	9
1982	1.22	0.13	0.67	2.03	9
1981	1.23	0.12	0.70	2.05	9
1980	1.22	0.11	0.61	1.95	9
1979	1.19	0.12	0.74	2.04	9
1978	1.15	0.12	0.65	1.91	10
1977	1.14	0.10	0.65	1.90	10
Kentucky					
2017	0.94	0.21	0.82	1.97	9
2016	0.97	0.22	0.79	1.98	9
2015	0.99	0.22	0.76	1.97	9
2014	0.94	0.21	0.72	1.88	10
2013	0.95	0.20	0.70	1.85	10
2012	0.97	0.20	0.70	1.87	10
2011	0.94	0.19	0.66	1.79	10
2010	1.00	0.18	0.66	1.83	10
2009	1.02	0.18	0.65	1.85	10
2008	1.03	0.17	0.65	1.85	10
2007	1.04	0.17	0.63	1.85	10
2006	1.04	0.17	0.62	1.82	10
2005	1.04	0.14	0.61	1.80	10
2004	1.07	0.17	0.57	1.81	10
2003	1.03	0.15	0.57	1.75	10
2002	1.08	0.14	0.54	1.77	10
2001	1.04	0.12	0.46	1.63	10
2000	1.07	0.14	0.53	1.74	10
1999	1.07	0.13	0.54	1.74	10
1998	1.08	0.13	0.53	1.74	10
1997	1.07	0.13	0.53	1.72	9
1996	1.09	0.13	0.54	1.76	9
1995	1.06	0.13	0.54	1.71	9
1994	1.08	0.11	0.55	1.73	10
1993	1.08	0.10	0.55	1.73	10
1992	1.04	0.10	0.56	1.71	10
1991	1.11	0.11	0.56	1.78	10
1990	1.12	0.11	0.60	1.83	10
1989	1.09	0.12	0.57	1.79	10
1988	1.10	0.12	0.60	1.82	10
1987	1.04	0.14	0.60	1.78	10
1986	1.10	0.14	0.63	1.86	10
1985	1.08	0.14	0.66	1.88	10
1984	1.06	0.13	0.68	1.87	10
1983	1.13	0.13	0.70	1.95	9
1982	1.14	0.12	0.72	1.99	9
1981	1.13	0.12	0.75	1.99	9

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		U.S. decile for			
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1980	1.08	0.10	0.73	1.91	10
1979	1.07	0.09	0.75	1.91	9
1978	1.04	0.09	0.75	1.88	10
1977	1.16	0.09	0.73	1.98	9
	1.10	0.09	0.73	1.50	9
Louisiana					
2017	1.23	0.33	0.99	2.56	5
2016	1.25	0.34	1.00	2.59	4
2015	1.27	0.33	0.98	2.59	4
2014	1.30	0.33	0.95	2.58	4
2013	1.34	0.32	0.93	2.58	4
2012	1.38	0.32	0.90	2.59	4
2011	1.39	0.30	0.88	2.57	4
2010	1.42	0.28	0.84	2.55	3
2009	1.50	0.28	0.85	2.63	3
2008	1.55	0.26	0.83	2.64	3
2007	1.57	0.27	0.81	2.66	3
2006	1.59	0.25	0.78	2.63	3
2005	1.47	0.24	0.76	2.41	5
2004	1.47	0.24	0.71	2.41	5
2003	1.41	0.25	0.72	2.38	4
2002	1.32	0.24	0.70	2.26	6
2001	1.49	0.23	0.69	2.41	3
2000	1.51	0.22	0.70	2.44	3
1999	1.52	0.24	0.69	2.45	3
1998	1.48	0.23	0.70	2.40	3
1997	1.51	0.23	0.71	2.44	2
1996	1.52	0.22	0.72	2.46	2
1995	1.51	0.21	0.73	2.46	2
1994	1.45	0.21	0.73	2.39	3
1993	1.53	0.21	0.72	2.47	3
1992	1.55	0.22	0.74	2.51	3
1991	1.52	0.21	0.73	2.46	4
1990	1.53	0.23	0.78	2.54	5
1989	1.47	0.24	0.74	2.45	6
1988	1.49	0.24	0.71	2.44	6
1987	1.40	0.25	0.77	2.41	7
1986	1.42	0.26	0.79	2.47	6
1985	1.37	0.28	0.87	2.52	6
1984	1.42	0.29	0.95	2.66	6
1983	1.44	0.31	1.03	2.77	5
1982	1.49	0.30	1.00	2.78	5
1981	1.49	0.28	1.02	2.79	6
1980	1.40	0.27	1.03	2.70	6
1979	1.32	0.25	1.04	2.61	6
1978	1.32	0.25	1.04	2.60	6
1977	1.27	0.25	1.00	2.51	6
Maine					
2017	1.35	0.44	1.05	2.84	3
2016	1.36	0.44	1.01	2.81	3
2015	1.37	0.44	0.97	2.78	
2014	1.36	0.42	0.93	2.71	3 3
2013	1.36	0.42	0.91	2.69	3
2012	1.34	0.42	0.89	2.65	4

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other	,	Per capita c		,	U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
2011	1.31	0.42	0.87	2.61	3
2010	1.30	0.42	0.84	2.56	3
2009	1.31	0.42	0.82	2.55	4
2008	1.33	0.42	0.81	2.56	4
2007	1.35	0.42	0.80	2.57	4
2006	1.34	0.42	0.78	2.54	4
2005	1.34	0.41	0.77	2.52	3
2004	1.26	0.41	0.76	2.44	4
2003	1.25	0.40	0.74	2.39	4
2002	1.23	0.40	0.70	2.33	5
2001	1.21	0.37	0.70	2.28	5
2000	1.17	0.38	0.68	2.23	6
1999	1.16	0.36	0.69	2.21	6
1998	1.14	0.33	0.69	2.16	6
1997	1.16	0.32	0.68	2.16	6
1996	1.21	0.32	0.69	2.22	5
1995	1.14	0.28	0.70	2.12	6
1994	1.13	0.27	0.77	2.18	6
1993	1.15	0.29	0.79	2.22	6
1992	1.16	0.29	0.78	2.23	6
1991 1990	1.18 1.21	0.30 0.31	0.77 0.82	2.25 2.34	6 6
1989	1.26	0.34	0.86	2.46	6
1988	1.29	0.36	0.91	2.55	5
1987	1.27	0.38	0.91	2.56	5
1986 1985	1.29 1.29	0.36 0.33	0.92 0.94	2.57 2.56	6 6
1984	1.25	0.31	1.02	2.57	6
1983	1.32	0.29	1.03	2.64	6
1982	1.30	0.30	1.02	2.62	6
1981	1.24	0.28	1.05	2.57	7
1980	1.32	0.28	1.06	2.66	6
1979	1.27	0.27	1.05	2.59	6
1978	1.28	0.26	1.03	2.57	6
1977	1.35	0.23	1.02	2.60	6
Maryland					
2017	0.81	0.40	0.92	2.13	8
2016	0.83	0.40	0.92	2.15	8
2015	0.85	0.39	0.89	2.14	8
2014	0.86	0.39	0.90	2.15	8
2013	0.88	0.39	0.90	2.17	8
2012	0.91	0.39	0.90	2.20	8
2011	0.92	0.39	0.89	2.19	8
2010	0.94	0.38	0.89	2.21	7
2009	0.96	0.36	0.86	2.19	8
2008	0.99	0.36	0.84	2.19	8
2007	1.01	0.36	0.84	2.20	7
2006	1.01	0.34	0.83	2.18	7
2005	1.02	0.34	0.81	2.16	7
2004	1.03	0.33	0.79	2.15	7
2003	1.03	0.32	0.77	2.12	7
2002 2001	1.06 1.06	0.31 0.30	0.76 0.75	2.12 2.11	7 7
2000	1.04	0.30	0.75	2.09	7
2000	1.04	0.50	0.13	۷.03	

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1999	1.04	0.30	0.74	2.08	7
1998	1.05	0.30	0.73	2.08	7
1997	1.08	0.29	0.73	2.11	7
1996	1.05	0.29	0.74	2.08	7
1995	1.06	0.28	0.74	2.09	7
1994	1.09	0.28	0.78	2.15	6
1993	1.10	0.28	0.80	2.19	7
1992	1.11	0.29	0.86	2.26	6
1991	1.15	0.30	0.89	2.33	6
1990	1.22	0.33	0.96	2.51	5
1989	1.20	0.34	0.97	2.52	4
1988	1.24	0.36	1.00	2.60	4
1987	1.28	0.38	1.06	2.71	4
1986	1.28	0.38	1.07	2.73	4
1985	1.30	0.36	1.14	2.73	4
1984	1.31	0.36	1.14	2.84	4
1983	1.34	0.35	1.20	2.89	4
1982	1.27	0.32	1.16	2.76	5
1981	1.39	0.34	1.33	3.06	4
1980	1.41	0.33	1.35	3.08	4
1979	1.43	0.31	1.39	3.13	3
1978	1.40	0.31	1.38	3.09	3
1977	1.36	0.30	1.38	3.05	3
Massachusetts	1.50	0.50	1.50	0.00	
	0.05	0.00	0.07	0.50	4
2017	0.95	0.66	0.97	2.58	4
2016	0.95	0.65	0.97	2.56	5
2015	0.96	0.65	0.91	2.52	5
2014	0.98	0.66	0.91	2.54	4
2013	1.00	0.66	0.89	2.56	5
2012	1.03	0.65	0.88	2.56	4
2011	1.02	0.64	0.88	2.54	4
2010	1.04	0.62	0.84	2.50	4
2009	1.03	0.62	0.85	2.49	4
2008	1.08	0.62	0.84	2.54	4
2007	1.11	0.62	0.87	2.59	4
2006	1.10	0.61	0.85	2.56	3
2005	1.07	0.59	0.85	2.51	3
2004	1.10	0.58	0.84	2.52	3
2003	1.10	0.56	0.82	2.49	3
2002	1.13	0.54	0.80	2.47	3
2001	1.13	0.52	0.79	2.44	3
2000	1.16	0.51	0.87	2.55	2
1999	1.09	0.51	0.79	2.39	4
1998	1.14	0.50	0.75	2.39	3
1997	1.13	0.49	0.76	2.39	3
1996	1.11	0.48	0.77	2.35	3
1995	1.13	0.44	0.78	2.35	3
1994	1.14	0.44	0.80	2.38	3
1993	1.14	0.44	0.80	2.38	4
1993	1.14	0.44	0.82	2.38	5
					3
1991	1.19	0.43	0.87	2.49	
1990	1.22	0.45	0.97	2.63	3
1989	1.24	0.46	1.00	2.70	3
1988	1.27	0.49	1.05	2.81	3

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1987	1.27	0.50	1.11	2.88	3
1986	1.29	0.52	1.11	2.92	3
1985	1.28	0.50	1.19	2.97	3
1984	1.29	0.50	1.23	3.02	3
1983	1.36	0.49	1.20	3.05	3
1982	1.35	0.50	1.22	3.07	3
1981	1.44	0.49	1.24	3.17	3
1980	1.46	0.45	1.26	3.18	3
1979	1.40	0.43	1.24	3.07	3
1978 1977	1.38 1.35	0.41 0.37	1.26 1.25	3.05 2.97	3 3
Michigan	1.55	0.57	1.20	2.51	
-	4.04	0.40	2.00	0.04	
2017	1.01	0.40	0.93	2.34	6
2016	1.04	0.39	0.91	2.34	6
2015	0.99	0.37	0.89	2.24	7
2014	1.05	0.39	0.88	2.32	6
2013	1.01	0.37	0.85	2.24	7
2012	1.08	0.35	0.84	2.27	7
2011	1.07	0.35	0.83	2.25	7
2010	1.09	0.33	0.81	2.23	7
2009	1.11	0.32	0.80	2.23	7
2008	1.13	0.30	0.79	2.22	7
2007	1.13	0.30	0.77	2.19	7
2006	1.13	0.29	0.76	2.18	7
2005	1.15	0.28	0.74	2.16	7
2004	1.16	0.27	0.72	2.15	7
2003	1.17	0.28	0.72	2.17	7
2002	1.19	0.25	0.69	2.17	7
2002	1.18	0.23	0.68	2.13	7
2000	1.20	0.24	0.68	2.13	7
1999	1.20	0.24	0.67	2.11	7
1998	1.20	0.22	0.68	2.10	7
1997	1.19	0.22	0.66	2.07	7
1996	1.22	0.22	0.66	2.09	7
1995	1.20	0.19	0.66	2.06	7
1994	1.23	0.20	0.67	2.10	7
1993	1.26	0.20	0.72	2.18	7
1992	1.26	0.22	0.74	2.21	7
1991	1.30	0.22	0.74	2.26	6
1990	1.33	0.28	0.80	2.42	6
1989	1.29	0.30	0.80	2.39	6
1988	1.32	0.32	0.84	2.48	6
1987	1.32	0.33	0.85	2.51	6
1986	1.33	0.33	0.90	2.57	5
1985	1.31	0.32	0.96	2.59	6
1984	1.33	0.31	0.98	2.61	6
1983	1.36	0.28	0.98	2.62	6
1982	1.35	0.39	0.99	2.73	6
1981	1.34	0.29	1.00	2.63	6
1980	1.34	0.28	1.02	2.65	6
1979	1.36	0.25	1.03	2.65	6
1978	1.43	0.25	1.05	2.74	5
1977	1.45	0.24	1.02	2.71	5

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area		U.S. decile for			
	Beer	Wine	Spirits	All beverages	all beverages
Minnesota				•	
2017	1.14	0.44	1.18	2.77	3
2016	1.15	0.44	1.17	2.77	3
2015	1.16	0.43	1.14	2.73	3
					2
2014	1.14	0.44	1.23	2.81	2
2013	1.13	0.43	1.16	2.72	3
2012	1.18	0.42	1.11	2.71	3
2011	1.13	0.34	1.00	2.47	5
2010	1.14	0.33	0.97	2.44	5
2009	1.19	0.37	1.04	2.59	4
2008	1.21	0.36	1.03	2.60	4
2007	1.23	0.36	1.01	2.60	3
2006	1.15	0.32	0.93	2.40	5
		0.33			4
2005	1.18		0.97	2.48	
2004	1.24	0.31	0.94	2.50	3
2003	1.22	0.29	0.91	2.43	3
2002	1.26	0.28	0.88	2.41	3
2001	1.25	0.26	0.88	2.39	4
2000	1.24	0.26	0.87	2.37	4
1999	1.23	0.27	0.86	2.36	4
1998	1.16	0.27	0.84	2.27	4
1997	1.20	0.27	0.84	2.31	4
1996	1.23	0.26	0.83	2.31	4
1995	1.29	0.25	0.83	2.38	3
					4
1994	1.27	0.25	0.83	2.35	
1993	1.24	0.24	0.84	2.33	5 5
1992	1.25	0.25	0.85	2.35	5
1991	1.30	0.24	0.81	2.35	5
1990	1.32	0.27	0.96	2.55	4
1989	1.29	0.27	0.89	2.46	6
1988	1.31	0.30	0.90	2.51	5
1987	1.32	0.32	0.94	2.58	5
1986	1.31	0.34	0.93	2.57	5
1985	1.31	0.31	1.06	2.68	5
1984	1.34	0.28	1.07	2.69	5
1983	1.38	0.27	1.10	2.74	6
1982	1.37	0.27	1.11	2.75	6
1981	1.39	0.27	1.18	2.84	5
1980	1.39	0.26	1.20	2.85	5
1979	1.36	0.24	1.17	2.77	5
1978	1.32	0.23	1.16	2.71	5
1977	1.31	0.21	1.16	2.67	5
Mississippi	-	-	-	-	
2017	1.25	0.18	0.78	2.20	7
2016	1.28	0.18	0.78	2.23	7
2015	1.31	0.17	0.77	2.25	7
2014	1.33	0.16	0.75	2.24	7
					7
2013	1.35	0.16	0.73	2.25	
2012	1.37	0.16	0.71	2.24	7
2011	1.36	0.16	0.71	2.22	7
2010	1.37	0.15	0.70	2.22	7
2009	1.41	0.15	0.70	2.26	7
2008	1.44	0.15	0.70	2.28	7

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area Beer Wine Spirits All beverages 2007	U.S. decile for all beverages 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
2006	7 7 7 7 7 7 7
2006	7 7 7 7 7 7 7
2005	7 7 7 7 7 7
2004	7 7 7 7 7
2003	7 7 7 7
2002 1.41 0.12 0.61 2.13 2001 1.40 0.11 0.60 2.11 2000 1.43 0.11 0.61 2.14	7 7 7
2001 1.40 0.11 0.60 2.11 2000 1.43 0.11 0.61 2.14	7 7
2000 1.43 0.11 0.61 2.14	7
1999	7
	ı
1998 1.39	7
1997 1.39	7
1996 1.42	6
1995 1.37 0.10 0.61 2.09	7
1994 1.28 0.08 0.63 2.00	7
1993 1.37 0.10 0.63 2.11	7
1992 1.35 0.09 0.63 2.08	8
1991 1.32 0.09 0.64 2.05	8
1990 1.34 0.09 0.65 2.08	8
1989 1.28 0.09 0.66 2.04	9
1988 1.30 0.09 0.67 2.06	9
1987 1.28 0.09 0.66 2.04	9
1986 1.28 0.10 0.69 2.07	9
1985 1.22 0.10 0.74 2.07	9
1984 1.20 0.11 0.77 2.08	9
1983 1.20 0.11 0.80 2.10	9
1982 1.18 0.11 0.81 2.10	9
1981 1.19 0.11 0.84 2.13	9
1980 1.13 0.10 0.86 2.09	9
1979 1.10 0.09 0.81 2.00	9
1978 1.11 0.10 0.88 2.09	8
1977 1.04 0.10 0.83 1.98	9
Missouri	
2017 1.13 0.39 1.01 2.53	5
2016 1.15 0.38 0.96 2.49	5
2015 1.17 0.39 0.97 2.53	4
2014 1.16 0.36 0.88 2.40	5
2013 1.19 0.36 0.89 2.44	5
2012 1.22 0.34 0.86 2.42	5
2011 1.22 0.34 0.86 2.42	5
2010 1.24 0.34 0.60 2.43 2010 1.27 0.32 0.81 2.41	5
2009 1.30 0.30 0.83 2.43	5
2008 1.32 0.30 0.80 2.42	5
2007 1.33 0.30 0.78 2.40	5
2006 1.33 0.28 0.76 2.37	5
2005 1.31 0.27 0.73 2.30	6
2004 1.33 0.27 0.72 2.32	5
2003 1.34 0.26 0.70 2.29	6
2002 1.36 0.25 0.67 2.27	5
2001 1.34 0.23 0.67 2.25	6
2000 1.35 0.23 0.67 2.25	5
1999 1.35 0.23 0.66 2.23	5
1998 1.33 0.23 0.63 2.18	6
1997 1.30 0.22 0.63 2.15	6
1996 1.31 0.22 0.57 2.10	7

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1995	1.31	0.20	0.62	2.14	6
1994	1.36	0.19	0.66	2.21	6
1993	1.33	0.20	0.67	2.20	6
1992	1.34	0.21	0.69	2.24	6
1991	1.35	0.22	0.64	2.20	7
1990	1.37	0.22	0.70	2.30	7
1989	1.36	0.23	0.70	2.28	7
1988	1.35	0.26	0.70	2.31	7
1987	1.38	0.28	0.73	2.39	7
1986	1.38	0.28	0.73	2.39	7
1985	1.34	0.26	0.77	2.37	7
1984	1.35	0.26	0.68	2.29	8
1983	1.38	0.22	0.78	2.38	8
1982	1.39	0.22	0.79	2.39	7
1981	1.41	0.22	0.84	2.46	7
1980	1.39	0.20	0.84	2.44	7
1979	1.36	0.20	0.86	2.42	7
1978	1.31	0.19	0.89	2.39	7
1977	1.23	0.19	0.83	2.24	8
Montana					
2017	1.61	0.51	0.98	3.11	2
2016	1.62	0.52	0.98	3.12	2
2015	1.63	0.51	0.96	3.10	2
2014	1.63	0.50	0.96	3.09	2
2013	1.64	0.49	0.95	3.08	2
2012	1.65	0.48	0.94	3.08	2
2011	1.61	0.47	0.90	2.98	2
2010	1.65	0.45	0.88	2.98	2
2009	1.64	0.45	0.87	2.96	2
2008	1.66	0.44	0.87	2.97	2
2007	1.66	0.43	0.85	2.94	2
2006	1.63	0.41	0.82	2.87	2
2005	1.59	0.42	0.77	2.78	2
2004	1.57	0.34	0.75	2.66	2
2003	1.56	0.33	0.72	2.62	2
2002	1.62	0.33	0.70	2.65	2
2001	1.58	0.30	0.68	2.56	2
2000	1.57	0.29	0.68	2.54	2
1999	1.56	0.28	0.67	2.51	2 2
1998	1.53	0.27	0.65	2.45	
1997	1.41	0.27	0.64	2.32	4
1996	1.55	0.26	0.64	2.45	3
1995	1.52	0.25	0.78	2.55	2
1994	1.57	0.24	0.70	2.51	2
1993	1.49	0.25	0.73	2.47	3
1992	1.59	0.26	0.75	2.61	2
1991	1.61	0.28	0.76	2.64	3
1990	1.61	0.29	0.77	2.67	3
1989	1.59	0.29	0.73	2.61	4
1988	1.61	0.32	0.77	2.70	4
1987	1.59	0.34	0.78	2.70	4
1986	1.60	0.34	0.82	2.76	4
1985	1.62	0.33	0.89	2.84	4
	1.71	0.32	0.93	2.97	3

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1983	1.80	0.32	0.99	3.11	3
1982	1.82	0.32	1.02	3.16	3
1981	1.90	0.33	1.05	3.27	3
1980	1.82	0.35	1.03	3.20	3
1979	1.83	0.41	1.05	3.29	2
1978	1.82	0.20	1.07	3.09	2
1977	1.82	0.20	1.10	3.11	2
Nebraska	1.02	0.20	0	0.11	_
2017	1.26	0.22	0.72	2.20	7
2016	1.30	0.22	0.72	2.23	7
2015	1.34	0.22	0.71	2.27	6
2014	1.37	0.21	0.71	2.30	7
2013	1.39	0.21	0.71	2.31	6
2012	1.41	0.21	0.69	2.31	7
2011	1.39	0.21	0.69	2.28	6
2010	1.40	0.21	0.67	2.28	6
2009	1.42	0.20 0.20	0.67	2.29	6 6
2008	1.45		0.68	2.33	
2007	1.43	0.20	0.67	2.31	6
2006	1.42	0.21	0.71	2.35	6
2005	1.41	0.20	0.68	2.29	6
2004	1.44	0.20	0.65	2.28	6
2003	1.43	0.19	0.63	2.24	6
2002	1.45	0.17	0.61	2.23	6
2001	1.43	0.16	0.60	2.20	6
2000	1.44	0.17	0.62	2.23	6
1999	1.42	0.17	0.60	2.19	6
1998	1.39	0.18	0.58	2.16	6
1997	1.35	0.18	0.56	2.09	7
1996	1.35	0.18	0.57	2.11	6
1995	1.35	0.19	0.57	2.10	7
1994	1.39	0.18	0.57	2.14	7
1993	1.37	0.18	0.59	2.14	7
1992	1.37	0.18	0.61	2.16	7
1991	1.40	0.18	0.61	2.19	7
1990	1.41	0.20	0.64	2.25	7
1989	1.41	0.20	0.64	2.26	7
1988	1.41	0.22	0.66	2.30	7
1987	1.43	0.23	0.67	2.33	7
1986	1.41	0.23	0.69	2.33	7
1985	1.41	0.22	0.76	2.39	7
1984	1.46	0.21	0.77	2.43	7
1983	1.50	0.21	0.80	2.51	7
1982	1.51	0.28	0.58	2.37	7
1981	1.57	0.20	0.88	2.65	6
1980	1.56	0.19	0.88	2.63	6
1979	1.52	0.18	0.89	2.59	7
1978	1.48	0.18	0.90	2.56	6
1976	1.46 1.46	0.16	0.90	2.54	6
Nevada	1.40	0.17	0.81	2.04	
2017	1.38	0.60	1.45	3.43	1
2017	1.30 1.41	0.60	1.45	3.43 3.47	1
2015	1.38		1.45		1
2013	1.30	0.66	1.29	3.33	l l

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other	·	Per capita c		,	U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
2014	1.41	0.66	1.30	3.37	1
2013	1.40	0.63	1.28	3.31	1
2012	1.41	0.62	1.24	3.27	1
2011	1.45	0.63	1.27	3.35	1
2010	1.49	0.60	1.21	3.30	1
2009	1.53	0.56	1.11	3.21	1
2008	1.63	0.61	1.29	3.53	1
2007	1.66	0.62	1.23	3.52	1
2006	1.71	0.65	1.28	3.63	1
2005	1.69	0.62	1.21	3.52	1
2004	1.73	0.63	1.25	3.61	1
2003	1.74	0.61	1.23	3.59	1
2002	1.74	0.60	1.22	3.56	1
2001	1.79	0.59	1.21	3.59	1
2000	1.79	0.62	1.26	3.67	1
1999	1.82	0.63	1.29	3.74	1
1998	1.80	0.58	1.23	3.62	1
1997	1.84	0.58	1.30	3.72	i i
1996	1.91	0.59	1.39	3.89	1
1995	1.87	0.58	1.39	3.84	1
1994	1.93	0.57	1.51	4.00	1
1993	1.95	0.58	1.54	4.07	1 1
1992	2.02	0.62	1.61	4.25	1
1991	2.05	0.63	1.63	4.31	1
1990	2.17	0.69	1.92	4.78	i i
1989	2.12	0.71	1.87	4.70	1
1988	2.12	0.71	1.95	4.70	1
1987	2.00	0.83	2.05	4.89	
1986	2.04	0.86	2.07	4.97	
1985	1.96	0.84	2.18	4.99	
1984	1.97	0.80	2.32	5.10	1
1983	1.96	0.78	2.43	5.18	
1982	2.00	0.77	2.50	5.27	1
1981	2.08	0.80	2.71	5.59	1
1980	2.06	0.78	2.90	5.75	1
1979			2.97		
1978	2.07 2.01	0.79 0.77	3.34	5.83 6.13	1
1977	1.99	0.77	3.56	6.32	1
New Hampshire	1.00	0.77	0.00	0.02	'
2017	1.84	0.00	2.02	171	4
2016		0.88		4.74 4.76	1
2015	1.87 1.88	0.88 0.88	2.00 1.96	4.76 4.72	
2014	1.69			4.72 4.54	1
2013	1.86	0.89 0.89	1.96 1.93	4.54 4.68	1
2012	1.90	0.86	1.89	4.65	1
2012	1.86	0.92	1.98	4.77	1
2010	1.81	0.92	1.85	4.77	1
2009	1.79	0.84	1.84	4.47	1
2008	1.78	0.81	1.79	4.39	1
2007	1.82	0.79	1.75	4.36	1
2006	1.73	0.78	1.77	4.28	1
2005	1.75	0.75	1.71	4.20	1
2004	1.74	0.73	1.67	4.14	1
2003	1.75	0.73	1.63	4.09	1
2000	1.73	0.7 1	1.00	ਜ.∪ਹ	<u> </u>

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
2002	1.75	0.70	1.64	4.09	1
2001	1.75	0.66	1.62	4.03	1
2000	1.78	0.65	1.63	4.06	1
1999	1.77	0.65	1.64	4.06	1
1998	1.77	0.55	1.67	3.99	1
1997	1.78	0.54	1.72	4.04	
1996	1.78	0.53	1.79	4.11	1
1995	1.73	0.50	1.79	4.02	1
1994	1.75	0.48	1.90	4.13	1
1993	1.83	0.54	2.01	4.38	1
1992	1.81	0.52	1.96	4.30	1
1991	1.85	0.49	1.96	4.30	1
1990	1.85	0.49	1.97	4.30	1
1989	1.87	0.50	2.00	4.38	1
1988	1.91	0.49	1.94	4.34	1
1987	1.93	0.50	1.99	4.42	1
1986	1.93	0.52	2.06	4.52	1
1985	1.99	0.53	2.22	4.74	1
1984	1.99	0.59	2.33	4.92	1
1983	2.17	0.56	2.36	5.09	1
1982	1.90	0.59	2.35	4.84	1
1981	1.89	0.59	2.43	4.91	1
1980	1.93	0.60	2.49	5.02	1
1979	1.94	0.61	2.56	5.10	1
1978	1.95	0.53	2.88	5.36	1
1977	1.86	0.49	2.88	5.23	1
New Jersey	1.00	0.40	2.00	0.20	'
•	0.70	0.50	0.05	0.00	0
2017	0.79	0.59	0.95	2.33	6
2016	0.82	0.59	0.92	2.33	6
2015 2014	0.83 0.84	0.60 0.62	0.92 0.92	2.35 2.37	6 6
2013	0.84	0.61	0.92	2.36	5
2012	0.88	0.60	0.90	2.39	5
2011	0.89	0.58	0.89	2.36	5
2010	0.92	0.57	0.86	2.35	6
2009	0.91	0.57	0.86	2.34	6
2008	0.93	0.55	0.86	2.35	6
2007 2006	0.93 0.95	0.55 0.54	0.86 0.85	2.33 2.33	6
2005	0.95	0.54	0.83	2.30	6 5
2004	0.96	0.52	0.82	2.30	6
2003	0.95	0.50	0.80	2.24	6
2002	0.98	0.49	0.30	2.24	6
2001	0.99	0.47	0.75	2.20	6
2000	0.97	0.47	0.76	2.20	6
1999	0.97	0.47	0.74	2.18	7
1998	0.98	0.46	0.71	2.15	6
1997	0.99	0.46	0.74	2.19	5
1996	1.00	0.44	0.76	2.20	6
1995	1.06	0.44	0.79	2.28	4
1994	1.04	0.43	0.79	2.27	5
1993	1.07	0.42	0.79	2.29	5
1992	1.07	0.44	0.83	2.34	5
1991	1.09	0.43	0.82	2.34	6

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				
	Beer	Wine	Spirits	All beverages	all beverages
1990	1.15	0.48	0.95	2.58	4
1989	1.13	0.50	0.95	2.58	4
1988	1.15	0.51	0.93	2.58	4
1987	1.18	0.54	1.00	2.72	4
1986	1.17	0.56	1.03	2.77	3
1985	1.17	0.55	1.07	2.79	4
1984	1.18	0.54	1.10	2.82	4
1983	1.20	0.52	1.13	2.85	4
1982	1.21	0.52	1.13	2.87	4
1981	1.21	0.51	1.15	2.87	5
1980	1.22	0.47	1.13	2.82	5
1979	1.18	0.43	1.10	2.71	6
1978	1.17	0.41	1.10	2.69	6
1977	1.16	0.40	1.13	2.69	5
ew Mexico					
2017	1.06	0.30	0.81	2.16	8
2016	1.11	0.31	0.85	2.26	7
2015	1.02	0.30	0.78	2.11	8
2014	1.29	0.31	0.82	2.42	5
2013	1.17	0.34	0.85	2.35	6
2012					6
-	1.24	0.33	0.79	2.36	
2011	1.32	0.31	0.73	2.35	6
2010	1.23	0.31	0.74	2.28	6
2009	1.34	0.31	0.72	2.38	5
2008	1.41	0.31	0.71	2.43	5
2007	1.39	0.30	0.70	2.39	5
2006	1.37	0.30	0.69	2.36	5
2005	1.47	0.29	0.66	2.42	4
2004	1.46	0.25	0.66	2.36	5
2003	1.52	0.27	0.61	2.40	4
2002	1.52	0.26	0.61	2.40	4
2001	1.54	0.25	0.61	2.39	4
2000	1.53	0.25	0.61	2.38	4
1999	1.53	0.25	0.59	2.36	4
1998	1.49	0.24	0.58	2.31	4
1997	1.51	0.24	0.58	2.33	3
1996	1.55	0.24	0.59	2.38	3
1995	1.56	0.24	0.60	2.40	3
1995) E
	1.46	0.19	0.60	2.25	5 3
1993	1.53	0.23	0.63	2.39	3
1992	1.56	0.25	0.66	2.47	4
1991	1.64	0.26	0.64	2.54	3
1990	1.68	0.28	0.68	2.64	3
1989	1.67	0.29	0.66	2.62	4
1988	1.66	0.33	0.68	2.67	4
1987	1.65	0.36	0.68	2.69	4
1986	1.66	0.36	0.71	2.73	4
1985	1.71	0.36	0.77	2.84	4
1984	1.72	0.28	0.76	2.76	5
1983	1.72	0.31	0.98	3.01	4
1982	1.72	0.34	0.93	2.99	4
1981	1.73	0.32	0.95	3.00	4
1001	1.70	0.02	0.00	0.00	1 7

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1979	1.64	0.29	0.97	2.91	4
1978	1.65	0.31	0.96	2.93	4
1977	1.62	0.31	0.95	2.88	4
New York					
2017	0.89	0.53	0.78	2.20	7
2016	0.90	0.53	0.78	2.20	8
2015	0.90	0.50	0.77	2.17	7
2014	0.89	0.53	0.76	2.19	8
2013	0.93	0.51	0.77	2.20	8
2012	0.91	0.51	0.75	2.16	8
2011	0.89	0.50	0.72	2.11	8
2010	0.89	0.48	0.71	2.09	8
2009	0.92	0.47	0.70	2.08	8
2008	0.93	0.47	0.68	2.08	8
2007	0.93	0.47	0.69	2.10	8
2006	0.89	0.46	0.66	2.10	8
2005	0.89	0.43	0.65	1.99	9
2004	0.92	0.43	0.62	1.96	9
2003	0.92	0.42	0.62	1.94	9
2002	0.95	0.40	0.59	1.92	9
	0.96	0.36			9
2001 2000	0.96	0.38	0.56 0.58	1.89 1.88	9
1999	0.93	0.37	0.56	1.85	9
1998	0.95	0.38	0.51	1.84	9
1997	0.86	0.36	0.56	1.79	9
1996	0.91	0.36	0.57	1.84	9
1995	1.00	0.38	0.57	1.95	8
1994	0.98	0.35	0.60	1.93	8
1993	1.00	0.35	0.62	1.97	8
1992	1.04	0.37	0.68	2.09	8
1991	1.09	0.37	0.69	2.14	7
1990	1.13	0.41	0.76	2.30	7
1989	1.11	0.42	0.81	2.34	7
1988	1.14	0.44	0.86	2.45	6
1987	1.14	0.47	0.90	2.51	6
1986	1.12	0.50	0.91	2.53	6
1985	1.14	0.49	0.98	2.61	5
1984	1.14	0.49	1.03	2.67	5
1983	1.23	0.49	1.05	2.77	5
1982	1.26	0.48	1.11	2.85	4
1981	1.25	0.46	1.12	2.83	5
1980	1.27	0.46	1.17	2.91	5
1979	1.21	0.44	1.17	2.83	5
1978	1.18	0.42	1.18	2.78	5
1977	1.18	0.39	1.18	2.75	5
North Carolina					
2017	1.05	0.44	0.65	2.13	8
2016	1.05	0.43	0.64	2.12	9
2015	1.05	0.42	0.63	2.10	8
2014	1.05	0.41	0.61	2.07	8
2013	1.04	0.40	0.60	2.04	9
2012	1.06	0.38	0.59	2.04	8
2011	1.05	0.37	0.58	2.01	9

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
2010	1.07	0.35	0.57	2.00	9
2009	1.10	0.34	0.57	2.01	9
2008	1.13	0.33	0.57	2.03	9
2007	1.15	0.34	0.56	2.04	9
2006	1.14	0.33	0.54	2.01	9
2005	1.13	0.30	0.54	1.96	9
2004	1.16	0.30	0.53	1.99	8
2003	1.21	0.27	0.52	2.00	8
2002	1.25	0.27	0.50	2.02	8
2001	1.24	0.25	0.51	2.02	8
2000	1.22	0.25	0.52	1.98	8
1999	1.21	0.24	0.51	1.96	8
1998	1.21	0.23	0.50	1.94	8
1997	1.22	0.23	0.52	1.97	7
1996	1.21	0.24	0.52	1.98	7
1995	1.12	0.24	0.52	1.87	9
1994	1.12	0.21	0.54	1.89	8
1994		0.21			
	1.14		0.56	1.92	9
1992	1.14	0.23	0.59	1.96	8
1991	1.11	0.24	0.60	1.96	9
1990	1.16	0.27	0.65	2.08	9
1989	1.13	0.27	0.66	2.05	8
1988	1.11	0.28	0.68	2.08	8
1987	1.11	0.28	0.71	2.09	9
1986	1.11	0.30	0.74	2.15	8
1985	1.10	0.27	0.76	2.13	8
1984	1.11	0.24	0.78	2.13	8
1983	1.11	0.22	0.80	2.12	9
1982	1.07	0.21	0.85	2.13	9
1981	1.10	0.21	0.86	2.16	9
1980	1.10	0.20	0.85	2.16	9
1979	1.04	0.21	0.84	2.09	9
1978	1.02	0.19	0.83	2.04	9
1977	0.98	0.19	0.81	1.98	9
North Dakota					
2017	1.51	0.34	1.30	3.15	1
2016	1.51	0.34	1.29	3.13	1
2015	1.58	0.35	1.33	3.26	1
2014	1.68	0.35	1.39	3.42	1
2013	1.69	0.32	1.38	3.39	1
2012	1.75	0.30	1.38	3.43	1
2011	1.66	0.26	1.26	3.18	1
2010	1.49	0.25	1.19	2.93	2
2009	1.59	0.24	1.13	2.96	2
2008	1.60	0.23	1.11	2.94	2
2007	1.53	0.23	1.06	2.82	2
2006	1.50	0.20	1.00	2.70	3
2005	1.48	0.18	0.94	2.60	3 3
2004	1.49	0.18	0.82	2.49	3
2003	1.53	0.17	0.86	2.56	2
2002	1.51	0.16	0.83	2.50	3
2001	1.46	0.15	0.83	2.42	3
2000	1.47	0.15	0.79		4
∠000	1.47	U. 15	0.79	2.40	4

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1999	1.48	0.15	0.78	2.41	3
1998	1.45	0.13	0.76	2.35	4
1997	1.40	0.13	0.77	2.30	4
1996	1.40	0.13	0.77	2.30	4
1995	1.36	0.16	0.77	2.28	4
1994	1.39	0.15	0.78	2.32	4
1993	1.37	0.15	0.84	2.36	4
1992	1.38	0.15	0.85	2.39	5
1991	1.43	0.16	0.86	2.39 2.44	4
					I .
1990	1.47	0.17	0.93	2.56	4
1989	1.41	0.17	0.86	2.44	6
1988	1.41	0.19	0.88	2.48	6
1987	1.37	0.21	0.89	2.47	6
1986	1.34	0.22	0.87	2.44	7
1985	1.34	0.19	0.96	2.50	7
1984	1.41	0.17	0.99	2.56	6
1983	1.49	0.17	1.05	2.71	6
1982	1.52	0.18	1.09	2.79	5
1981	1.53	0.18	1.14	2.85	5
1980	1.52	0.17	1.13	2.82	5
1979	1.46	0.16	1.10	2.72	5
1978	1.45	0.16	1.15	2.76	5
1977	1.35	0.15	1.12	2.62	6
Ohio					
2017	1.11	0.31	0.60	2.02	9
2016	1.15	0.31	0.58	2.03	9
2015	1.17	0.30	0.56	2.03	9
2014	1.19	0.30	0.54	2.03	9
2013	1.22	0.30	0.53	2.05	8
2012	1.23	0.29	0.51	2.03	9
2011	1.24	0.28	0.50	2.02	9
2010	1.29	0.25	0.48	2.02	8
2009	1.30	0.27	0.47	2.03	8
2008	1.33	0.26	0.46	2.05	9
2007	1.34	0.25	0.45	2.04	9
2006	1.33	0.24	0.44	2.01	8
2005	1.34	0.23	0.43	2.00	8
2004	1.34	0.22	0.42	1.97	9
2003	1.34	0.22	0.42	1.95	9
2002	1.35	0.21	0.39	1.95	8
2001	1.34	0.21	0.39	1.93	9
2000	1.34	0.21	0.38	1.91	9
1999	1.32	0.20	0.37	1.90	9
1998	1.32	0.19	0.44	1.94	8
1997	1.30	0.19	0.44		8
1996				1.89	
	1.36	0.18	0.43	1.97	8
1995	1.29	0.17	0.43	1.89	8
1994	1.31	0.16	0.37	1.85	9
1993	1.29	0.16	0.50	1.95	8
1992	1.32	0.17	0.50	1.98	8
1991	1.33	0.18	0.51	2.03	8
1990	1.34	0.22	0.53	2.09	8
1989	1.36	0.22	0.51	2.09	8
1988	1.35	0.24	0.55	2.13	8

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		U.S. decile for			
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1987	1.35	0.24	0.59	2.18	8
1986	1.32	0.25	0.60	2.18	8
1985	1.37	0.25	0.59	2.21	8
1984	1.41	0.25	0.61	2.27	8
1983	1.36	0.22	0.65	2.23	8
1982	1.40	0.22		2.28	8
			0.66		
1981	1.35	0.22	0.68	2.25	8
1980	1.39	0.21	0.72	2.33	8
1979	1.35	0.19	0.70	2.25	8
1978	1.19	0.20	0.70	2.08	9
1977	1.16	0.18	0.70	2.03	8
klahoma					
2017	1.03	0.20	0.65	1.87	10
2016	1.05	0.20	0.64	1.89	10
2015	1.07	0.19	0.62	1.89	10
2014	1.09	0.19	0.63	1.91	10
2013	1.12	0.19	0.62	1.93	9
2012	1.14	0.19	0.61	1.94	10
2011	1.14	0.19	0.59	1.92	9
2010	1.16	0.18	0.58	1.92	9
2009	1.17	0.18	0.58	1.93	9
2008	1.22	0.18	0.58	1.97	9
2007	1.17	0.17	0.57	1.91	9
2006	1.13	0.17	0.56	1.87	10
2005	1.09	0.16	0.55	1.80	10
2004	1.11	0.13	0.46	1.70	10
2003	1.06	0.13	0.74	1.93	9
2002	1.12	0.13	0.58	1.82	10
2001	1.11	0.12	0.43	1.65	10
2000	1.12	0.12	0.44	1.69	10
1999	1.11	0.12	0.44	1.68	10
1998	1.12	0.12	0.43	1.68	10
1997	1.10	0.12	0.43	1.65	10
1996	1.09	0.12	0.45	1.66	10
1995	1.10	0.12	0.44	1.66	10
1994	1.15	0.13	0.50	1.78	9
1993	1.11	0.11	0.48	1.70	10
1992	1.13	0.13	0.55	1.81	9
					10
1991 1990	1.09 1.12	0.13 0.14	0.54 0.55	1.76 1.81	10
1989	1.08	0.14	0.54	1.75	10
1988	1.07	0.14	0.52	1.73	10
1987	1.06	0.15	0.58	1.79	10
1986	1.06	0.15	0.62	1.84	10
1985	1.05	0.15	0.68	1.88	10
1984	1.00	0.16	0.74	1.91	10
1983	1.04	0.16	0.77	1.97	9
1982	1.15	0.16	0.82	2.14	9
1981	1.14	0.16	0.83	2.13	9
1981	1.14 1.07	0.16	0.83	2.13 1.94	9
1979	1.03	0.13	0.78	1.94	9
1978	1.05	0.14	0.80	2.00	9

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
Oregon					
2017	1.24	0.59	0.93	2.76	3
2016	1.24	0.60	0.92	2.76	3
2015	1.23	0.58	0.90	2.71	4
2014	1.24	0.57	0.90	2.70	4
2013	1.20	0.57	0.89	2.66	4
2012	1.21	0.57	0.89	2.66	4
2011	1.18	0.56	0.85	2.60	3
2010	1.19	0.49	0.83	2.51	4
2009	1.28	0.49	0.82	2.59	3
2008	1.22	0.49	0.83	2.54	4
2007	1.35	0.50	0.81	2.65	3
2006	1.32	0.49	0.78	2.59	3
2005	1.16	0.50	0.75	2.40	5
2004	1.23	0.49	0.72	2.44	4
2003	1.20	0.47	0.69	2.36	5
2002	1.22	0.46	0.66	2.34	4
2001	1.22	0.43	0.65	2.30	4
2000	1.20	0.44	0.64	2.28	5
1999	1.21	0.43	0.63	2.27	5
1998	1.20	0.43	0.61	2.25	4
1997	1.19	0.44	0.60	2.24	5
1996	1.23	0.44	0.61	2.27	5
1995	1.21	0.42	0.59	2.23	5
1994	1.23	0.37	0.62	2.21	6
1993	1.24	0.43	0.64	2.31	5
1992	1.29	0.46	0.67	2.41	4
1991	1.28	0.44	0.67	2.38	5
1990	1.32	0.47	0.73	2.51	5
1989	1.28	0.47	0.70	2.46	5
1988	1.29	0.52	0.72	2.52	5
1987	1.28	0.53	0.73	2.54	5
1986	1.28	0.55	0.74	2.57	6
1985	1.25	0.55	0.77	2.58	6
1984	1.28	0.53	0.82	2.63	6
1983	1.32	0.53	0.85	2.70	6
1982	1.32	0.52	0.88	2.72	6
1981	1.37	0.50	0.92	2.79	6
1980	1.36	0.50	0.94	2.81	5
1979	1.36	0.47	0.94	2.77	5
1978	1.32	0.46	0.96	2.74	5
1977	1.30	0.45	0.94	2.70	5
Pennsylvania					
2017	1.29	0.33	0.71	2.34	6
2016	1.31	0.33	0.72	2.36	5
2015	1.31	0.32	0.70	2.33	6
2014	1.32	0.32	0.70	2.34	6
2013	1.34	0.31	0.68	2.33	6
2012	1.36	0.31	0.67	2.34	6
2011	1.37	0.30	0.66	2.33	6
2010	1.37	0.29	0.64	2.30	6
2009	1.37	0.28	0.63	2.27	7
2008	1.36	0.26	0.61	2.23	7

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
2007	1.35	0.25	0.58	2.18	8
2006	1.32	0.23	0.55	2.10	8
2005	1.32	0.23	0.55	2.11	8
2004	1.30	0.23	0.53	2.06	8
2003	1.31	0.22	0.51	2.04	8
2002	1.35	0.21	0.49	2.06	8
2001	1.33	0.20	0.48	2.02	8
2000	1.29	0.20	0.47	1.96	8
1999	1.27	0.20	0.46	1.92	8
1998	1.21	0.18	0.45	1.85	9
1997	1.32	0.18	0.45	1.95	8
1996	1.26	0.17	0.45	1.88	8
1995	1.26	0.17	0.45	1.88	8
1994	1.28	0.18	0.47	1.93	8
1993	1.31	0.17	0.48	1.96	8
1992	1.30	0.18	0.51	1.99	8
1991	1.36	0.17	0.52	2.05	8
1990	1.42	0.18	0.55	2.15	8
1989	1.38	0.18	0.57	2.13	8
1988	1.41	0.19	0.54	2.14	8
1987	1.40	0.20	0.62	2.22	8
1986	1.40	0.21	0.64	2.25	8
1985	1.38	0.21	0.65	2.23	8
1984	1.38	0.21	0.67	2.26	8
1983	1.41	0.22	0.67	2.31	8
1982	1.44	0.23	0.70	2.37	8
1981	1.42	0.23	0.72	2.38	8
1980	1.45	0.22	0.71	2.39	7
1979	1.40	0.22	0.72	2.34	8
1978	1.35	0.21	0.73	2.30	8
1977	1.34	0.20	0.74	2.27	8
Rhode Island					
2017	0.93	0.58	1.08	2.59	4
2016	0.94	0.58	1.05	2.56	4
2015	0.96	0.57	0.99	2.52	5
2014	1.02	0.51	0.86	2.39	5
2013	1.00	0.58	0.98	2.56	4
2012	1.03	0.59	0.97	2.58	4
2011	1.04	0.58	0.94	2.56	4
2010	1.07	0.56	0.92	2.55	4
2009	1.07	0.55	0.85	2.47	5
2008	1.09	0.52	0.84	2.46	5
2007	1.10	0.53	0.82	2.45	5
2006	1.07	0.51	0.83	2.41	5
2005	0.98	0.49	0.82	2.29	6
2004	1.13	0.50	0.80	2.42	5
2003	1.13	0.51	0.80	2.45	3
2002	1.17	0.48	0.74	2.40	4
2002	1.17	0.46	0.70	2.36	4
2000	1.16	0.46	0.70	2.31	4
1999	1.14	0.45	0.69	2.28	4
1998	1.14	0.47	0.63	2.24	5
1997	1.22	0.44	0.64	2.30	4
1996	1.16	0.42	0.66	2.24	5

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1995	1.18	0.38	0.63	2.19	6
1994	1.23	0.38	0.66	2.27	5
1993	1.22	0.36	0.69	2.27	6
1992	1.24	0.39	0.70	2.33	6
1991	1.33	0.37	0.71	2.41	4
1990	1.31	0.44	0.79	2.54	5
1989	1.35	0.46	0.86	2.67	3
1988	1.38	0.49	0.96	2.82	3
1987	1.39	0.51	0.93	2.83	3
1986	1.40	0.53	0.92	2.85	3
1985	1.40	0.51	1.03	2.93	3
1984	1.37	0.52	1.03	2.92	3
1983	1.48	0.50	1.06	3.04	3
1982	1.34	0.55	1.04	2.94	4
1981	1.36	0.53	1.04	2.92	4
1980	1.46	0.53	1.13	3.13	3
1979	1.42	0.49	1.08	2.98	4
1978	1.37	0.48	1.13	2.98	4
1977	1.35	0.42	1.09	2.86	4
South Carolina					
2017	1.14	0.25	0.80	2.19	7
2016	1.18	0.25	0.80	2.23	7
2015	1.21	0.25	0.79	2.25	7
	1.23				7
2014		0.25	0.80	2.28	
2013	1.26	0.25	0.80	2.31	7
2012	1.28	0.25	0.79	2.32	6
2011	1.29	0.25	0.78	2.31	6
2010	1.31	0.24	0.76	2.31	6
2009	1.35	0.24	0.76	2.34	6
2008	1.39	0.24	0.76	2.40	5
2007	1.42	0.24	0.76	2.42	5
2006	1.45	0.24	0.76	2.45	5
2005	1.43	0.24	0.75	2.42	4
2004	1.39	0.24	0.76	2.38	5
2003	1.38	0.23	0.74	2.35	5
2002	1.40	0.22	0.67	2.30	5
2001	1.40	0.22	0.65	2.27	5
2000	1.49	0.22	0.72	2.43	3
1999	1.48	0.22	0.72	2.41	3
1998	1.44	0.21	0.72	2.37	3
1997	1.48	0.20	0.71	2.40	3
1996	1.38	0.21	0.71	2.30	4
1995	1.33	0.19	0.68	2.20	6
1994	1.38	0.17	0.74	2.29	4
1993	1.36	0.20	0.75	2.30	5
1992	1.34	0.20	0.79	2.33	5
1991	1.34	0.22	0.84	2.41	5
1990	1.44	0.25	0.92	2.61	4
1989	1.39	0.24	0.86	2.49	5
1988	1.38	0.26	0.90	2.54	5
1987	1.35	0.27	0.89	2.52	6
1986	1.31	0.27	0.93	2.52	6
1985	1.28	0.25	1.00	2.53	6
1984	1.27	0.24	1.01	2.52	7

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		onsumption		U.S. decile for	
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1983	1.27	0.20	1.02	2.49	7
1982	1.23	0.20	0.99	2.43	7
1981	1.24	0.19	1.04	2.48	7
1980	1.22	0.18	1.06	2.45	7
1979	1.18	0.16	1.12	2.45	7
1978	1.14	0.17	1.15	2.45	7
1977	1.12	0.16	1.09	2.37	7
South Dakota					
2017	1.54	0.30	1.03	2.86	2
2016	1.46	0.31	1.11	2.88	3
2015	1.49	0.29	1.03	2.81	3
2014	1.50	0.25	0.99	2.75	3
2013	1.53	0.28	1.02	2.82	2
2012	1.54	0.26	0.96	2.77	3
2012					2
-	1.52	0.28	0.97	2.77	
2010	1.53	0.24	0.92	2.69	3
2009	1.54	0.22	0.89	2.65	3
2008	1.57	0.22	0.87	2.66	3
2007	1.52	0.22	0.87	2.61	3
2006	1.51	0.19	0.79	2.50	4
2005	1.50	0.19	0.83	2.52	3
2004	1.51	0.18	0.76	2.45	4
2003	1.52	0.16	0.74	2.41	4
2002	1.51	0.15	0.67	2.34	4
2001	1.49	0.15	0.71	2.35	4
2000	1.46	0.15	0.69	2.30	5
1999	1.43	0.14	0.70	2.27	5
1998	1.41	0.13	0.68	2.23	5
1997	1.33	0.13	0.69	2.15	6
1996	1.33	0.13	0.68	2.15	6
1995	1.35	0.12	0.73	2.21	5
1994	1.38	0.12	0.73	2.24	5
1993	1.35	0.12	0.73	2.20	6
1992	1.37	0.15	0.74	2.26	6
1991	1.37	0.15	0.76	2.27	6
1990	1.36	0.13	0.80	2.34	6
1989	1.30	0.15	0.72	2.17	7
1988	1.25	0.16	0.79	2.21	8
1987	1.27	0.20	0.81	2.28	8
1986	1.26	0.20	0.83	2.29	8
1985	1.23	0.18	0.95	2.35	8
1984	1.28	0.17	0.90	2.35	7
1983	1.31	0.17	0.96	2.44	7
1982	1.29	0.18	0.97	2.44	7
1981	1.31	0.19	1.04	2.54	7
1980	1.30	0.18	1.07	2.56	7
1979	1.23	0.17	1.04	2.44	7
1978	1.20	0.17	1.05	2.42	7
1977	1.16	0.17	1.07	2.39	7
Tennessee					
2017	0.99	0.32	0.81	2.11	9
2016	1.02	0.33	0.79	2.14	8
2015	1.04	0.27	0.76	2.06	9

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other	,	Per capita c		,	U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
2014	1.04	0.26	0.73	2.02	9
2013	1.05	0.25	0.70	2.00	9
2012	1.07	0.25	0.68	2.00	9
2011	1.13	0.24	0.66	2.04	8
2010	1.04	0.22	0.61	1.88	10
2009 2008 2007 2006 2005 2004 2003	1.05 1.10 1.13 1.14 1.19 1.22 1.27	0.21 0.20 0.20 0.19 0.19 0.18 0.18	0.57 0.57 0.56 0.56 0.55 0.53 0.52	1.83 1.87 1.90 1.89 1.92 1.93	10 10 10 9 9 9
2002	1.17	0.17	0.51	1.86	9
2001	1.15	0.16	0.50	1.81	9
2000	1.19	0.16	0.51	1.85	9
1999	1.19	0.15	0.49	1.83	9
1998	1.19	0.15	0.50	1.84	9
1997	1.14	0.15	0.50	1.80	9
1996	1.14	0.15	0.51	1.80	9
1995	1.17	0.15	0.51	1.83	9
1994 1993 1992 1991 1990	1.18 1.20 1.21 1.19 1.22	0.15 0.14 0.14 0.13 0.14	0.53 0.54 0.56 0.54 0.60	1.86 1.87 1.90 1.87 1.96	9 9 9 9
1989 1988 1987 1986 1985	1.20 1.22 1.19 1.18 1.12	0.14 0.15 0.15 0.16 0.16	0.60 0.61 0.63 0.63 0.68	1.93 1.97 1.97 1.98 1.97	9 9 9 9
1984 1983 1982 1981	1.12 1.11 1.11 1.13 1.14 1.10	0.15 0.14 0.14 0.13 0.12	0.70 0.70 0.70 0.70 0.71 0.69	1.97 1.95 1.97 1.98 1.91	9 10 10 10 9
1979	1.10	0.11	0.70	1.91	10
1978	1.12	0.10	0.70	1.93	9
1977	1.07	0.10	0.69	1.86	10
Texas 2017 2016 2015	1.27	0.35	0.72	2.34	6
	1.30	0.34	0.69	2.34	6
	1.28	0.33	0.67	2.29	6
2014	1.25	0.33	0.65	2.23	7
2013	1.30	0.32	0.63	2.25	7
2012	1.33	0.32	0.63	2.28	7
2011	1.35	0.31	0.61	2.27	7
2010	1.35	0.29	0.59	2.23	7
2009 2008 2007 2006	1.41 1.43 1.41 1.43 1.43	0.28 0.27 0.27 0.26 0.25	0.58 0.58 0.56 0.55 0.53	2.26 2.28 2.24 2.24 2.20	7 7 7 7 7
2004	1.45	0.24	0.52	2.21	7
	1.46	0.23	0.51	2.19	7

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other	, 	Per capita c		,	U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
2002	1.49	0.22	0.50	2.21	6
2001	1.51	0.21	0.49	2.21	6
2000	1.53	0.22	0.50	2.25	5
1999	1.54	0.20	0.49	2.23	6
1998	1.52	0.20	0.50	2.21	5
1997 1996	1.56 1.57	0.19 0.20	0.47 0.49	2.22 2.26	5 5
1995	1.58	0.19	0.49	2.27	5
1994	1.60	0.20	0.51	2.31	4
1993	1.60	0.20	0.53	2.33	4
1992	1.65	0.24	0.55	2.45	4
1991	1.60	0.25	0.55	2.40	5
1990	1.64	0.26	0.58	2.47	6
1989	1.62	0.27	0.58	2.46	5
1988	1.61	0.28	0.59	2.47	6
1987 1986	1.62 1.67	0.29 0.31	0.61 0.65	2.52 2.63	6 5
1985	1.68	0.30	0.63	2.03 2.71	5
1984	1.73	0.28	0.79	2.80	4
1983	1.72	0.27	0.79	2.78	5
1982	1.83	0.18	0.84	2.84	4
1981	1.84	0.24	0.85	2.94	4
1980	1.75	0.22	0.80	2.77	6
1979	1.70	0.14	0.84	2.68	6
1978	1.64	0.14	0.82	2.60	6
1977	1.59	0.14	0.78	2.51	6
Utah					
2017	0.61	0.20	0.56	1.36	10
2016 2015	0.63 0.65	0.19	0.52	1.34	10 10
2014	0.66	0.20 0.19	0.54 0.52	1.40 1.37	10
2013	0.67	0.19	0.51	1.36	10
2012	0.69	0.19	0.50	1.37	10
2011	0.68	0.18	0.49	1.36	10
2010	0.70	0.18	0.47	1.35	10
2009	0.72	0.17	0.47	1.36	10
2008	0.76	0.17	0.47	1.41	10
2007	0.77	0.16	0.44	1.38	10
2006 2005	0.73 0.70	0.16 0.16	0.44 0.41	1.33 1.27	10 10
2004	0.76	0.15	0.39	1.30	10
2003	0.76	0.14	0.39	1.30	10
2002	0.77	0.14	0.39	1.30	10
2001	0.77	0.14	0.39	1.30	10
2000	0.75	0.14	0.40	1.29	10
1999	0.74	0.13	0.38	1.25	10
1998	0.77	0.13	0.37	1.27	10
1997	0.75	0.13	0.39	1.27	10
1996 1995	0.73 0.71	0.13 0.11	0.37 0.37	1.23 1.19	10 10
1994	0.71	0.09	0.38	1.19	10
1993	0.78	0.11	0.39	1.28	10
1992	0.79	0.12	0.42	1.33	10
1991	0.80	0.12	0.43	1.34	10

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1990	0.80	0.12	0.46	1.39	10
1989	0.81	0.13	0.47	1.41	10
1988	0.82	0.14	0.48	1.45	10
1987	0.84	0.15	0.49	1.49	10
1986	0.88	0.16	0.52	1.57	10
1985	0.89	0.15	0.53	1.57	10
1984	0.89	0.14	0.52	1.55	10
1983	0.89	0.14	0.51	1.54	10
1982	1.01	0.15	0.55	1.70	10
1981	1.02	0.15	0.59	1.75	10
1980	0.96	0.14	0.60	1.70	10
1979	0.94	0.15	0.59	1.68	10
1978	0.93	0.14	0.59	1.66	10
1977	0.94	0.13	0.57	1.64	10
Vermont					
2017	1.55	0.80	0.75	3.10	2
2016	1.57	0.79	0.73	3.09	2
2015	1.57	0.78	0.73	3.08	2
2014	1.56	0.78	0.72	3.06	2
2013	1.55	0.74	0.72	3.01	2
2012	1.51	0.70	0.71	2.93	2
2011	1.46	0.68	0.71	2.86	2
2010	1.44	0.64	0.71	2.80	2
2009	1.43	0.64	0.70	2.77	2
2008	1.45	0.63	0.71	2.79	2
2007	1.46	0.62	0.70	2.78	2
2006	1.45	0.60	0.69	2.73	2
2005	1.44	0.57	0.68	2.69	2
2004	1.34	0.55	0.66	2.56	3
2003	1.34	0.52	0.65	2.51	3 3
2002	1.34	0.51	0.63	2.48	3
2001	1.34	0.48	0.63	2.45	3
2000	1.32	0.49	0.63	2.43	3
1999	1.32	0.48	0.62	2.42	3
1998 1997	1.31	0.46	0.62 0.63	2.39	3 3
1997	1.29	0.45		2.37 2.42	3
1995	1.35 1.28	0.43 0.41	0.64 0.66	2.42	3
1994	1.34	0.42	0.74	2.50	3
1993	1.34	0.42	0.74	2.52	3 2
1992	1.35	0.44	0.78	2.57	3
1991	1.41	0.46	0.82	2.69	2
1990	1.47	0.48	0.85	2.80	2
1989	1.49	0.53	0.89	2.91	2
1988	1.54	0.57	0.95	3.05	2
1987	1.58	0.59	1.00	3.18	1
1986	1.57	0.60	1.06	3.22	1
1985	1.51	0.56	1.10	3.17	2
1984	1.49	0.49	1.16	3.15	2 2
1983	1.53	0.50	1.20	3.23	2
1982	1.48	0.50	1.24	3.22	2
1981	1.49	0.50	1.34	3.32	2
1980	1.43	0.48	1.38	3.29	2

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area		U.S. decile for			
	Beer	Wine	Spirits	All beverages	all beverages
1979	1.53	0.46	1.47	3.46	1
1978	1.50	0.46	1.56	3.52	1
1977	1.40	0.44	1.55	3.38	1
Virginia		0.		0.00	
-	0.00	0.40	0.07	0.40	
2017	0.96	0.49	0.67	2.12	8
2016	1.00	0.49	0.66	2.14	8
2015	1.00	0.48	0.65	2.13	8
2014	1.01	0.47	0.63	2.11	8
2013	1.02	0.46	0.62	2.10	8
2012	1.04	0.46	0.62	2.13	8
2011	1.05	0.46	0.61	2.12	8
2010	1.08	0.44	0.60	2.12	8
2009	1.10	0.42	0.58	2.11	8
2008	1.12	0.42	0.58	2.12	8
2007	1.13	0.41	0.57	2.10	8
2006	1.13	0.39	0.56	2.08	8
2005	1.13	0.38	0.54	2.05	8
2004	1.14	0.37	0.53	2.04	8
2003	1.14	0.36	0.52	2.02	8
2002	1.15	0.34	0.51	2.00	8
2001	1.15	0.32	0.50	1.97	8
2000	1.16	0.31	0.49	1.97	8
1999	1.18	0.32	0.48	1.97	8
1998	1.17	0.32	0.47	1.95	8
1997	1.11	0.29	0.48	1.88	8
1996	1.12	0.30	0.49	1.91	8
1995	1.15	0.29	0.50	1.94	8
1994	1.20	0.27	0.51	1.99	8
1993	1.24	0.27	0.54	2.05	8
1992	1.25	0.28	0.57	2.10	7
1991	1.20	0.28	0.58	2.06	8
1990	1.25	0.30	0.62	2.18	8
1989	1.23	0.31	0.65	2.18	7
1988	1.31	0.25	0.67	2.24	7
1987	1.39	0.25	0.70	2.35	7
1986	1.52	0.27	0.73	2.52	6
1985	1.45	0.30	0.79	2.54	6
1984	1.46	0.29	0.80	2.55	6
1983	1.47	0.27	0.82	2.56	6
1982	1.46	0.27	0.86	2.59	6
1981	1.23	0.27	0.89	2.39	7
1980	1.23	0.25	0.90	2.38	8
1979	1.21	0.25	0.90	2.36	8
1978	1.20	0.21	0.89	2.30	8
1977	1.17	0.21	0.89	2.27	7
Washington					
2017	0.93	0.52	0.79	2.24	7
2016	0.96	0.52	0.78	2.26	7
2015	0.97	0.53	0.77	2.27	7
2014	0.97	0.53	0.76	2.26	7
2013	0.95	0.53	0.76	2.24	7
2012	0.96	0.53	0.76	2.26	7
2011	0.97	0.54	0.75	2.25	7

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
2010	1.01	0.52	0.73	2.25	7
2009	1.10	0.51	0.74	2.34	6
2008	1.11	0.50	0.75	2.37	6
2007	1.14	0.50	0.74	2.38	6
2006	1.08	0.48	0.72	2.28	6
2005	1.11	0.55	0.68	2.34	5
2004	1.11	0.53	0.66	2.30	6
2003	1.07	0.47	0.68	2.21	6
2002	1.09	0.43	0.66	2.17	7
2001	1.09	0.40	0.65	2.15	7
2000	1.11	0.41	0.66	2.18	6
1999	1.11	0.40	0.63	2.14	7
1998	1.12	0.39	0.63	2.14	7
1997	1.09	0.42	0.63	2.15	6
1996	1.09	0.40	0.63	2.12	6
1995	1.17	0.40	0.63	2.12	6
1994	1.18	0.39	0.65	2.23	6
1993	1.19	0.39	0.69	2.27	5
1992	1.26	0.46	0.72	2.44	4
1991	1.23	0.43	0.73	2.39	5
1990	1.27	0.46	0.76	2.49	5
1989	1.25	0.47	0.76	2.47	5
1988	1.23	0.50	0.77	2.51	6
1987	1.24	0.56	0.79	2.59	5
1986	1.23	0.61	0.82	2.66	5
1985	1.21	0.59	0.87	2.67	5
1984	1.23	0.57	0.91	2.70	5
1983	1.29	0.54			
			0.94	2.76	5
1982	1.32	0.52	0.98	2.83	5
1981	1.38	0.54	1.04	2.96	4
1980	1.51	0.51	1.08	3.10	4
1979	1.39	0.47	1.08	2.94	4
1978	1.36	0.47	1.07	2.91	4
1977	1.34	0.45	1.06	2.85	4
West Virginia					
2017	1.17	0.11	0.46	1.74	10
2016	1.20	0.11	0.46	1.77	10
2015	1.21	0.11	0.47	1.78	10
2014	1.21	0.10	0.47	1.78	10
2013	1.24	0.10	0.46	1.80	10
2012	1.24	0.10	0.47	1.81	10
2011	1.22	0.10	0.46	1.78	10
2010	1.23	0.10	0.44	1.78	10
2009	1.23	0.10	0.44	1.77	10
2008	1.25	0.10	0.43	1.79	10
2007	1.23	0.10	0.42	1.75	10
2006	1.21	0.10	0.41	1.72	10
2005	1.23	0.10	0.40	1.73	10
2004	1.25	0.10	0.39	1.75	10
2003	1.23	0.10	0.38	1.72	10
2002	1.26	0.10	0.38	1.74	10
2002		0.10			10
	1.25		0.37	1.72	
2000	1.24	0.10	0.36	1.70	10

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1999	1.22	0.10	0.37	1.69	10
1998	1.18	0.09	0.36	1.64	10
1997	1.12	0.09	0.37	1.58	10
1996	1.12	0.09	0.37	1.58	10
1995	1.12	0.08	0.38	1.58	10
1994	1.17	0.08	0.39	1.64	10
1993	1.18	0.08	0.40	1.67	10
1992	1.16	0.09	0.41	1.66	10
1991	1.18	0.09	0.43	1.70	10
1990	1.20				
		0.10	0.42	1.72	10
1989	1.15	0.11	0.39	1.65	10
1988	1.15	0.12	0.41	1.68	10
1987	1.13	0.13	0.41	1.68	10
1986	1.12	0.13	0.42	1.67	10
1985	1.13	0.13	0.42	1.69	10
1984	1.13	0.12	0.45	1.70	10
1983	1.14	0.13	0.49	1.76	10
1982	1.11	0.14	0.55	1.80	10
1981	1.05	0.14	0.65	1.85	10
1980	1.00	0.09	0.72	1.81	10
1979	0.94	0.09	0.75	1.77	10
1978	0.93	0.09	0.76	1.78	10
1977	0.95	0.09	0.76	1.80	10
Wisconsin					
2017	1.33	0.40	1.26	2.99	2
2016	1.36	0.40	1.22	2.99	2
2015	1.39	0.39	1.20	2.98	2
2014	1.42	0.38	1.18	2.98	2
2013	1.45	0.38	1.17	3.00	2
2012	1.46	0.37	1.19	3.02	2
2011	1.46	0.37	1.16	2.99	2
2010	1.49	0.32	1.13	2.94	2
2009	1.49	0.31	1.16	2.96	2
2008	1.55	0.34	1.13	3.01	1
2007	1.56	0.33	1.11	3.00	1
2006	1.58	0.32	1.09	2.99	1
2005	1.58	0.31	1.07	2.95	1
2004	1.53	0.30	1.02	2.85	1
2003	1.53	0.29	1.00	2.82	2
2002	1.56	0.28	0.98	2.82	2
2001	1.54	0.26	0.95	2.75	2
2000	1.53	0.27	0.95	2.76	1
1999	1.53	0.26	0.92	2.72	2
1998	1.58	0.26	0.90	2.74	1
1997	1.57	0.25	0.89	2.71	1
1996	1.53	0.24	0.88	2.65	1
1995	1.64	0.23	0.87	2.73	1
1994	1.58	0.22	0.91	2.72	2
1993	1.59	0.22	0.89	2.71	_ 1
1992	1.59	0.25	0.90	2.74	2
1991	1.65	0.27	0.84	2.76	1
1990	1.74	0.31	1.03	3.07	1
					,
1989	1.72	0.31	0.96	2.99	1
1988	1.76	0.33	0.95	3.05	2

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		Per capita c	onsumption		U.S. decile for
geographic area	Beer	Wine	Spirits	All beverages	all beverages
1987	1.80	0.36	0.98	3.14	2
1986	1.88	0.34	0.96	3.18	2
1985	1.83	0.32	1.06	3.20	1
1984	1.87	0.31	1.03	3.21	1
1983	1.94	0.34	1.07	3.35	2
1982		0.34		3.30	2
	1.95		1.05		
1981	1.96	0.32	1.21	3.48	1
1980	1.95	0.31	1.19	3.45	1
1979	1.92	0.28	1.19	3.39	2
1978	1.83	0.28	1.20	3.31	2
1977	1.81	0.27	1.28	3.37	1
Vyoming					
2017	1.17	0.32	1.19	2.68	4
2016	1.18	0.32	1.17	2.67	4
2015	1.25	0.31	1.18	2.74	3
2014	1.25	0.31	1.16	2.72	3
2013	1.25	0.29	1.13	2.67	4
2012	1.32	0.28	1.13	2.73	3
2011	1.29	0.27	1.10	2.66	3
2010	1.33	0.27	1.06	2.66	3
2009	1.40	0.27	1.06	2.73	2
2008	1.50	0.27	1.09	2.87	2
2007	1.46	0.27	1.07	2.80	2
2006	1.44	0.26	1.03	2.72	2
2005	1.20	0.25	0.96	2.41	5
2004	1.42	0.24	0.92	2.58	2
2003	1.70	0.23	0.90	2.84	1
2002	1.46	0.23	0.88	2.57	2
2001	1.44	0.23	0.88	2.53	2
2000	1.42	0.22	0.86	2.50	3
1999	1.41	0.22	0.84	2.47	2
1998	1.37	0.17	0.81	2.36	3
1997	1.41	0.17	0.81	2.40	3
1996	1.35	0.17	0.81	2.33	4
1995	1.34	0.16	0.80	2.29	4
1994	1.42	0.18	0.83	2.43	3
1993	1.40	0.19	0.86	2.45	3
1992	1.44	0.20	0.91	2.56	3
1991	1.45	0.20	0.90	2.56	3
1990	1.48	0.22	0.93	2.63	3
1989	1.41	0.23	0.86	2.50	5
1988	1.45	0.24	0.87	2.56	5
1987	1.51	0.25	0.90	2.66	5
1986	1.51	0.27	0.96	2.73	4
1985	1.59	0.25	1.05	2.89	3
1984	1.61	0.23	1.06	2.89	4
1983	1.68	0.22	1.11	3.01	4
1982	1.78	0.24	1.20	3.22	3
					٥
1981	1.91	0.24	1.27	3.43	2
1980	1.85	0.24	1.32	3.41	2
1979	1.86	0.22	1.30	3.39	2
1978	1.81	0.22	1.35	3.38	2
1977	1.78	0.20	1.31	3.29	2

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other		U.S. decile for			
geographic area	Beer	Wine	Spirits	All beverages	all beverages
Northeast region				•	
2017	1.01	0.52	0.87	2.40	
2016	1.03	0.52	0.86	2.41	
2015	1.03	0.51	0.84	2.38	
2014	1.03	0.52	0.84	2.39	
2013	1.05	0.51	0.83	2.40	
2012	1.06	0.51	0.82	2.39	
2011	1.05	0.50	0.80	2.36	
2010	1.06	0.49	0.78	2.33	
2009	1.07	0.48	0.77	2.31	
2008	1.09	0.47	0.76	2.31	
2007	1.09	0.47	0.75	2.31	
2006	1.07	0.45	0.73	2.25	
2005	1.07	0.43	0.73	2.22	
2004	1.07	0.43	0.70	2.20	
2003	1.08	0.41	0.68	2.17	
2002	1.10	0.40	0.66	2.16	
2001	1.10	0.38	0.64	2.13	
2000	1.08	0.38	0.66	2.12	
1999	1.07	0.38	0.63	2.08	
1998	1.07	0.37	0.61	2.05	
1997	1.07	0.36	0.63	2.06	
1996	1.07	0.36	0.64	2.06	
1995	1.11	0.35	0.64	2.11	
1994	1.11	0.34	0.67	2.12	
1993	1.13	0.34	0.68	2.12	
1992	1.14	0.35	0.72	2.21	
1991	1.19	0.34	0.73	2.26	
1990	1.23	0.38	0.80	2.41	
1989	1.22	0.39	0.84	2.44	
1988	1.25	0.40	0.86	2.51	
1987	1.25	0.43	0.91	2.59	
1986	1.24	0.44	0.93	2.62	
1985	1.25	0.43	0.98	2.66	
1984	1.25	0.43	1.01	2.70	
1983	1.31	0.43	1.03	2.76	
1982	1.31	0.43	1.06	2.80	
1981	1.31	0.42	1.07	2.80	
1980	1.33	0.40	1.09	2.83	
1979	1.29	0.38	1.09	2.76	
1978	1.26	0.36	1.10	2.73	
1977	1.25	0.34	1.10	2.69	
Midwest region					
2017	1.12	0.36	0.89	2.38	
2016	1.14	0.35	0.87	2.37	
2015	1.15	0.35	0.86	2.36	
2014	1.16	0.34	0.84	2.35	
2013	1.17	0.34	0.83	2.34	
2012					
	1.20	0.33	0.82	2.35	
2011	1.21	0.32	0.79	2.31	
2010	1.23	0.30	0.77	2.30	
2009	1.25	0.30	0.76	2.32	
2008	1.27	0.29	0.76	2.33	

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

geographic area Beer Wine Spirits All beverages 2007	U.S. decile for all beverages
2006 1.27 0.28 0.72 2.27 2005 1.27 0.27 0.71 2.25 2004 1.28 0.26 0.68 2.22 2003 1.28 0.26 0.68 2.23 2002 1.30 0.25 0.64 2.19 2001 1.29 0.23 0.65 2.17 2000 1.29 0.24 0.63 2.16 1999 1.29 0.24 0.63 2.15 1998 1.28 0.23 0.63 2.14 1997 1.26 0.23 0.62 2.11 1996 1.28 0.23 0.62 2.12 1995 1.29 0.22 0.62 2.12 1994 1.30 0.22 0.63 2.14 1993 1.31 0.23 0.68 2.21 1991 1.35 0.23 0.67 2.18 1992 1.31 0.23 0.67	
2006	
2005	
2004 1.28 0.26 0.68 2.22 2003 1.28 0.26 0.68 2.23 2002 1.30 0.25 0.64 2.19 2001 1.29 0.23 0.65 2.17 2000 1.29 0.24 0.63 2.16 1999 1.29 0.24 0.63 2.15 1998 1.28 0.23 0.63 2.14 1997 1.26 0.23 0.62 2.11 1996 1.28 0.23 0.62 2.12 1995 1.29 0.22 0.62 2.12 1994 1.30 0.22 0.62 2.12 1994 1.30 0.22 0.63 2.14 1993 1.31 0.23 0.68 2.21 1991 1.35 0.23 0.67 2.25 1990 1.38 0.26 0.74 2.37 1989 1.36 0.26 0.72	
2003	
2002	
2001 1.29 0.23 0.65 2.17 2000 1.29 0.24 0.63 2.16 1999 1.29 0.24 0.63 2.15 1998 1.28 0.23 0.63 2.14 1997 1.26 0.23 0.62 2.11 1996 1.28 0.23 0.62 2.12 1995 1.29 0.22 0.62 2.12 1994 1.30 0.22 0.63 2.14 1993 1.30 0.22 0.67 2.18 1992 1.31 0.23 0.68 2.21 1991 1.35 0.23 0.67 2.25 1990 1.38 0.23 0.67 2.25 1990 1.38 0.23 0.67 2.25 1990 1.38 0.26 0.74 2.37 1988 1.38 0.26 0.72 2.35 1988 1.38 0.30 0.77 2.45 1986 1.38 0.30 0.78 2.46	
2000	
1999	
1998	
1997	
1996	
1995	
1994 1.30 0.22 0.63 2.14 1993 1.30 0.22 0.67 2.18 1992 1.31 0.23 0.68 2.21 1991 1.35 0.23 0.67 2.25 1990 1.38 0.26 0.74 2.37 1989 1.36 0.26 0.72 2.35 1988 1.38 0.29 0.75 2.41 1987 1.38 0.30 0.77 2.45 1986 1.38 0.30 0.78 2.46 1985 1.37 0.28 0.84 2.49 1984 1.40 0.27 0.84 2.52 1983 1.42 0.25 0.87 2.54 1982 1.42 0.27 0.88 2.57	
1993	
1993	
1992	
1991	
1990	
1989 1.36 0.26 0.72 2.35 1988 1.38 0.29 0.75 2.41 1987 1.38 0.30 0.77 2.45 1986 1.38 0.30 0.78 2.46 1985 1.37 0.28 0.84 2.49 1984 1.40 0.27 0.84 2.52 1983 1.42 0.25 0.87 2.54 1982 1.42 0.27 0.88 2.57	
1988	
1987 1.38 0.30 0.77 2.45 1986 1.38 0.30 0.78 2.46 1985 1.37 0.28 0.84 2.49 1984 1.40 0.27 0.84 2.52 1983 1.42 0.25 0.87 2.54 1982 1.42 0.27 0.88 2.57	
1986 1.38 0.30 0.78 2.46 1985 1.37 0.28 0.84 2.49 1984 1.40 0.27 0.84 2.52 1983 1.42 0.25 0.87 2.54 1982 1.42 0.27 0.88 2.57	
1985 1.37 0.28 0.84 2.49 1984 1.40 0.27 0.84 2.52 1983 1.42 0.25 0.87 2.54 1982 1.42 0.27 0.88 2.57	
1984 1.40 0.27 0.84 2.52 1983 1.42 0.25 0.87 2.54 1982 1.42 0.27 0.88 2.57	
1983 1.42 0.25 0.87 2.54 1982 1.42 0.27 0.88 2.57	
1982 1.42 0.27 0.88 2.57	
1981 1.42 0.26 0.93 2.61	
1980 1.42 0.24 0.96 2.63	
1979 1.40 0.23 0.95 2.58	
1978 1.35 0.22 0.95 2.52	
1977 1.32 0.21 0.96 2.49	
South region	
2017 1.09 0.37 0.80 2.25	
2015	
2014 1.11 0.35 0.75 2.22	
2013 1.16 0.34 0.74 2.24	
2012 1.18 0.34 0.73 2.25	
2011 1.16 0.33 0.71 2.21	
2010 1.17 0.32 0.70 2.19	
2009 1.21 0.31 0.69 2.21	
2008 1.25 0.31 0.68 2.23	
2007 1.26 0.31 0.68 2.24	
2006 1.27 0.30 0.67 2.23	
2005 1.26 0.29 0.65 2.20	
2004 1.27 0.29 0.64 2.19	
2003 1.27 0.27 0.64 2.18	
2002 1.28 0.26 0.62 2.16	
2001 1.29 0.25 0.60 2.14	
2000	
1999 1.30 0.25 0.60 2.15	
1998	
1997 1.30 0.24 0.00 2.13	
1997	

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area Beer Wine Spirits All beverages 1995	U.S. decile for all beverages
1994 1.31 0.22 0.64 2.16 1993 1.33 0.22 0.66 2.20 1992 1.33 0.23 0.69 2.26 1991 1.31 0.23 0.69 2.23 1990 1.36 0.26 0.74 2.36 1989 1.33 0.26 0.74 2.35 1988 1.34 0.27 0.74 2.35 1987 1.34 0.27 0.77 2.39 1986 1.36 0.28 0.79 2.43 1985 1.34 0.27 0.86 2.47 1984 1.34 0.27 0.90 2.51 1983 1.36 0.25 0.91 2.52 1982 1.37 0.23 0.94 2.54 1981 1.36 0.24 0.98 2.58	
1994	
1993	
1992	
1991	
1990	
1989	
1988	
1988	
1987	
1986	
1985	
1984	
1983 1.36 0.25 0.91 2.52 1982 1.37 0.23 0.94 2.54 1981 1.36 0.24 0.98 2.58	
1982 1.37 0.23 0.94 2.54 1981 1.36 0.24 0.98 2.58	
1981 1.36 0.24 0.98 2.58	
1980 1.30	
l ·	
1979 1.27 0.20 0.99 2.46	
1978 1.25 0.19 1.00 2.44	
1977 1.21 0.19 0.98 2.37	
West region	
2017 1.01 0.54 0.85 2.40	
2016 1.03 0.55 0.84 2.43	
2015 1.05 0.52 0.82 2.38	
2014 1.06 0.55 0.80 2.42	
2013 1.04 0.55 0.81 2.41	
2012 1.05 0.57 0.81 2.43	
2011 1.04 0.54 0.78 2.36	
2010 1.06 0.48 0.76 2.31	
2009 1.11 0.52 0.76 2.38	
2008 1.15 0.51 0.76 2.42	
2007 1.17	
2006 1.13 0.51 0.76 2.40	
2005 1.14 0.50 0.73 2.36	
2004 1.17 0.48 0.71 2.35	
2003 1.17 0.46 0.69 2.32	
2002 1.18 0.44 0.68 2.30	
2001 1.19 0.43 0.68 2.30	
2000 1.21 0.43 0.68 2.32	
1999 1.20 0.43 0.65 2.29	
1998 1.19 0.43 0.64 2.26	
1997 1.20 0.44 0.65 2.30	
1996 1.22 0.43 0.67 2.32	
1995 1.23 0.40 0.66 2.29	
1994 1.20 0.41 0.70 2.31	
1993 1.26 0.42 0.72 2.39	
1992 1.33 0.45 0.76 2.54	
1991 1.30 0.44 0.76 2.50	
1990 1.37 0.50 0.84 2.71	
1989 1.35 0.51 0.84 2.69	
1988 1.36 0.56 0.86 2.79	
1987 1.38 0.62 0.89 2.89	
1986	

Table 4. Per capita ethanol consumption for States, census regions, and the United States, 1977–2017. (Gallons of ethanol, based on population ages 14 and older.) (Continued)

State or other geographic area	Per capita consumption				U.S. decile for
	Beer	Wine	Spirits	All beverages	all beverages
1985	1.37	0.65	0.99	3.01	
1984	1.40	0.61	1.03	3.04	
1983	1.42	0.61	1.07	3.10	
1982	1.44	0.59	1.10	3.13	
1981	1.49	0.60	1.16	3.24	
1980	1.47	0.59	1.19	3.24	
1979	1.45	0.56	1.20	3.22	
1978	1.39	0.55	1.23	3.18	
1977	1.35	0.53	1.20	3.08	
U.S. total	1.00	0.00	1.20	0.00	
2017	1.06	0.43	0.84	2.34	
2016	1.08	0.43	0.83	2.35	
2015	1.09	0.42	0.81	2.32	
2014	1.10	0.43	0.80	2.32	
2013	1.12	0.42	0.79	2.33	
2012	1.13	0.42	0.78	2.34	
2011	1.12	0.41	0.76	2.29	
2010	1.14	0.38	0.74	2.26	
2009	1.17	0.39	0.73	2.29	
2008	1.20	0.38	0.73	2.31	
2007	1.21	0.38	0.72	2.31	
2006	1.20	0.37	0.71	2.28	
2005	1.20	0.36	0.70	2.25	
2004	1.21	0.35	0.68	2.24	
2003	1.21	0.34	0.67	2.22	
2002	1.23	0.33	0.64	2.20	
2001	1.23	0.31	0.64	2.18	
2000	1.23	0.31	0.64	2.19	
1999	1.23	0.31	0.63	2.17	
1998	1.22	0.30	0.62	2.15	
1997	1.22	0.30	0.62	2.15	
1996	1.23	0.30	0.63	2.16	
1995	1.24	0.29	0.63	2.15	
1994	1.25	0.28	0.65	2.18	
1993	1.26	0.28	0.68	2.23	
1992	1.29	0.30	0.00	2.30	
1991	1.29	0.30	0.71	2.30	
1990					
	1.34	0.33	0.77	2.45	
1989	1.32	0.34	0.78	2.43	
1988	1.33	0.36	0.79	2.49	
1987	1.34	0.38	0.83	2.55	
1986	1.35	0.39	0.84	2.58	
1985	1.33	0.38	0.91	2.62	
1984	1.35	0.37	0.94	2.65	
1983	1.37	0.36	0.96	2.69	
1982	1.38	0.36	0.98	2.72	
1981	1.39	0.35	1.02	2.76	
1980	1.37	0.34	1.04	2.75	
1979 1978	1.34 1.30	0.31 0.30	1.04 1.05	2.70 2.66	
1977	1.27	0.29	1.04	2.60	