<beverage booker=""></beverage>	
Use-case Specification: <empty cart=""></empty>	Date: <28/03/2020>

<Beverage Booker>

Use-Case: <Empty Cart>

1. Brief Description

When a customer

Wants to discard the items in their cart they empty their cart So that they can later add different items for purchase using the fill cart and checkout process

2. Actors

2.1. Customer

The customer is wanting to order food and/or beverages from the café via the app

3. Pre-Conditions

- 3.1. The customer has already added items to their cart using the Fill Cart Use-Case
- 3.2. The main menu is displayed

4. Normal Flow

The use case begins when the customer selects their cart from the main menu

Actor	System
	Display contents of user cart
User presses empty cart button	Prompt user to confirm emptying of cart
4. User selects Yes	5. Display cart with now empty contents

The use case ends.

5. Alternate Flows

5.1. User decides not to empty cart

If at step 4 of the normal flow the user selects No, then

Actor	System
	 Display contents of user cart

The use case ends.

<beverage booker=""></beverage>	
Use-case Specification: <empty cart=""></empty>	Date: <28/03/2020>

1. Key Scenarios

- 1.1. The customer successfully empties their cart
- 1.2. The customer decides not to empty their cart

2. Post-conditions

- 2.1. Normal flow where the cart contents are emptied

 The cart now displays empty contents and the cart total reflects this with a total of \$0.00
- 2.2. The cart is not emptied, and the contents and cart total stay the same

3. Special Requirements

3.1. <special requirement 1>