

欢迎参加Stages流程管理平台培训



培训签到



培训评价


Stages v7基础培训

建模

北京经纬恒润科技有限公司
2020年4月

本部分内容:



- ◆ 登录
- ◆ 创建工作空间
- ◆ 设置元模型
- ◆ 过程建模
- ◆ 移动
- ◆ 使用描述模板
- ◆ 添加可点击图片
- ◆ 过程版本管理
- ◆ 过程模块
- ◆ 练习




The image shows a login window for 'stages'. It has a title 'Log in' and the 'stages' logo. Below the title are two input fields: 'Username' with the placeholder text 'YourUsername' and 'Password' with masked characters. An orange 'Log in' button is at the bottom right.

访问Stages请登录 <http://10.190.67.127:8080>

- 用户名为您的单点账户名（与邮箱地址中名字部分相同）
- 密码与用户名相同







1. 进入Stages首页后，点击左边导航栏上方的工作空间名，展开工作空间导航栏。使用搜索找到playground工作空间。







2. 进入Playground工作空间，点开Administration中的workspaces，添加以你名字命名的测试工作空间。并将其加入MY收藏夹。

打开刚才创建的工作空间，打开process，选择“Start empty”创建新的过程模型






返回主页，打开Management，点击settings，选择Unified Configuration元模型。



在process导航栏中，点击 Workflow and activities 或者在中间展示栏中，点击蓝色框，进入工作流和工作活动建模区域。有多按钮可以轻松快速开始建模。




可以在流程图下方的sequence中定义各个activity的上下有关系。




可以一次创建多个统一type的元素，如 activity。


可以使用页面右上方的菜单中的Edit，对元素类型进行修改。




- Move用于调整上下级顺序（父元素与子元素关系）。
- Sort用于同一级别元素之间的顺序调整。




如需调整上下级关系，
则选中需要移动的元素，
并在右上角菜单中点击
move，移动至需要的层
级。



如需调整同一级别元素
顺序，则在右上角菜单
中点击Sort，并鼠标左
键选中需要移动的元素
并拖动至需要的位置后，
点击“Sort”按钮。




以工作产品为例。在process中打开work products，在导航栏右下方的+号中选择work product，添加工作产品。
为了完善模型结构，也可以为每一个workflow创建一个工作产品folder。







选中其中一个工作活动，工作流下方会显示此活动的相关元素，如工作产品，角色，阶段，指南等。

添加输出工作产品，输入工作产品名称，如果已经存在，则在下拉菜单中可以直接选择，如果不存在，选择新建。其他元素也使用相同方式创建关联关系。





元素可以有不同的类别，如RASIC五种角色划分，以及七种guidance划分。





在主页中打开Management，点击 Descriptions，在导航栏右下角的 + 号中选择description template，创建描述模板。

在描述文本框中选择插入描述模板，并选择相应的模板，点击添加。



A. 需要用于创建图像映射的工具/网站

推荐使用在线图像映射生成器image-map.net 创建图像映射。

How Does it Work?

With the help of our generator creating html imagemaps is free and easy. Simply start by selecting an image from your pc, or load one directly from an external website. Next up create your hot areas using either rectangle, circle or polygon shapes. Creating these shapes is as easy as pointing and clicking on your image. Don't forget to enter a link, title and target for each of them. Then once you're finished simply click Show Me The Code!

Select Image from My PC


-- OR --

Load Image from Website

选择Select Image
from My PC, 在本地
选择图片并上传

B. 复制要应用于图像映射的目标链接

打开描述文本框，点击链接图标，找到要连接的元素link并复制。



The screenshot shows a dialog box titled "User_1" with a close button (X) in the top right corner. Below the title bar, there are tabs for "INTERNAL" and "EXTERNAL". A search bar labeled "Search for process elements" is present. Below the search bar, there are three expandable sections: "Process", "Workflows and Activities" (with a "1" icon), and "Work Products" (with a "1" icon). The "Work Products" section is currently expanded, showing a "FOLDER" label. Below these sections, there are two input fields: "NAME" and "LINK". The "NAME" field contains the text "Work Products". The "LINK" field contains the text "[[[Artifact]INDEX[Work Products]]]". A red rectangle highlights the "LINK" field. At the bottom right of the dialog, there is an "Insert" button.

Select Image from My PC

-- OR --

Load Image from Website

Management Processes

Strategy ManagementBusiness PlanningCorporate Governance

Value Processes

ResearchProduct DevelopmentManufacturingSales & MarketingService & Support

Supporting Processes

FinanceHuman ResourcesInformation TechnologyPurchasingLegal

Active	Shape	Link	Title	Target
☒	Rect	Link	Title	---

+ Add New Area

Show Me The Code!

C. 切换到图像映射工具/网站

- 将link添加到对应的区域中
- 点击Show me the code!
- 复制<area>部分的所有代码

Generated Image Map Output

```
<!-- Image Map Generated by http://www.image-map.net/ -->



<map name="image-map">
  <area target="" alt="" title="" href="[[[Role]]INDEX[Info]]" coords="416,284,724,223" shape="rect">
</map>
```

Close




D. 返回Stages中

- 打开要添加图片的描述文本框
- 点击添加图片
- 上传图片，并将刚才复制的代码粘贴在image map框内
- 手动删除target= "" 代码



在management中选择process versions, 点击Add version按钮添加新的过程版本。



Add version

1 Check Readiness
2 Enter Properties
3 Create Version
4 Summary

READINESS

 The process is not ready for release.
Corrections recommended

[Cancel](#) [Next >](#)

FINDINGS

-  Invalid links
Finds unresolvable, ambiguous and invalid links in descriptions.
-  Short descriptions
Finds elements with empty or very short descriptions.
-  Long descriptions
Finds elements with overly long descriptions.
-  Unused roles
Finds roles that are not assigned to any activities.
-  Duplicate elements
Finds different elements with the same name.

Add version

 Check Readiness
2 Enter Properties
3 Create Version
4 Summary

[< Back](#)
[Cancel](#)
[Create >](#)

NAME*
STATE
version 1.0
Ready For Review
11/128

RELEASE AS VALID VERSION
☐


Process Versions

[PROCESS VERSIONS](#)
[VALIDITY](#)
[+ Add version](#)


 Working Version

 version 1.0
04/02/2020 11:42 PM by Superuser
Ready For Review


在进行Readiness自动检测后，建模人员可以决定进入下一步。
添加版本名称及状态，决定是否设置有效版本，并创建。




可以使用版本的右侧菜单，更改其状态，设置有效版本，或对需要的版本进行export导出备份。



在management的settings中，将process kind设置为process module



在playground工作空间中新建一个workspace，以add module新建过程



Add modules

1 Select mod

2 Confirm ver:

3 Add elements at

4 Choose start

5 Add module

Cancel

Next >

SELECT SOME MODULES TO GET YOU STARTED

Process modules are predefined processes or process parts that can be used for building a new process. You can choose them here.

user
User_1 Company > Playground

选择需要的process module，并选择需要的过程版本。

CONFIRM VERSIONS

Here you can set the appropriate version for each module separately. The Valid Version is set by default.

User_1 Company > Playground	Working Version ▾
--------------------------------	-------------------

ADD ELEMENTS AT ONCE

If this setting is activated, all elements of this process module will immediately be added. If the setting is deactivated, the elements of this process module will only be added when they are assigned to local elements. The latter is suggested if the process module has many elements and only few of them are actually used.

User_1

Company > Playground



选择是否立即添加过程模块中所有的元素。
如果开启选项，则立刻全部加入；
如果关闭选项，则在需要时，过程模块中的选项才会被加入（后者适用于过程模块中，只有少量元素被用到时的情况）。

如需使用过程模块的起始页，则勾选此项。



CHOOSE START PAGE

Start pages and metamodel will be used from the selected module.



User_1

Company > Playground



创建过程结束后，在management中的process modules中，可以看到引用的过程模块有哪些。由于之前未开启 at once选项，此处模块处于on demand状态。当引用过程模块有更新时，此处也可以根据需要进行更新。


Processes and Activities

- Verification and Validation
 - Prepare Test Plan
 - Create/Change Test Plan
 - Check Test Plan
 - Component Test
 - Create/Change Component Test Specification
 - Check Component Test Specification
 - Execute Component Test
 - Functional Test
 - Create/Change Functional Test Specification
 - Integration Test

根据左图信息，请正确使用workflow, activity和decision三种元素进行 verification and validation流程建模。


Verification and Validation

FLOW TABLE GRID



Component Test

FLOW GRID TABLE



将以下有用信息补充至已创建的流程中：

“The purpose of “Check Test Plan” is to review the Test Plan. Therefore, the Test Manager has to organize a review meeting with the following participants: Tester and Software Architect. During this meeting, all participants have to analyse the test plan regarding quality, goals and objectives, specific constraints. The Test Manager is responsible that this meeting is performed correctly.”

ROLES		
Responsible	1	^
👤 Test Manager		
Supporting	2	^
👤 Software Architect		
👤 Tester		

DESCRIPTION
The purpose of this activity is to review the test plan according to:
• quality • goals and objectives • specific constraints

创建以下工作产品，并与相关的工作活动相连接：

- Test Plan
- Component Test
- Specification Functional Test
- Component Test Report
- Integration Test Report

- 新建新的过程版本version 1，并设置为已发布的有效版本。
- 将本过程修改为process module类型
- 创建新的工作空间Module_yourname，使用Add module新建过程，并添加练习创建的过程模块，并自由测试on demand选项。

感谢聆听
欢迎提问