

# Meta-CY Quantum Computing: Spectral Graphs on Calabi–Yau Manifolds

Evgeny Monakhov  
LCC "VOSCOM ONLINE" Research Initiative  
<https://orcid.org/0009-0003-1773-5476>

2025

## 1. Central Idea

This work introduces a computational framework in which information carriers are defined not only as qubits or qudits but as wavefunctions on Calabi–Yau (CY) manifolds. The approach combines CY geometry with spectral graph theory.

### 1.1 CYbit

For a Calabi–Yau manifold  $M$  of complex dimension  $k$ , a *CYbit* is defined as

$$\psi \in L^2(M, \mathbb{C}^d), \quad (1)$$

with  $d$  being the local dimension (qudit-like).

### 1.2 CY Graphs

A system of CYbits can be represented by a graph  $G = (V, E)$  embedded in  $M$ . Edge weights are determined by distances and topological cycles:

$$w_{ij} = f(\text{dist}_M(p_i, p_j), \text{Top}(M)). \quad (2)$$

### 1.3 Spectral Laplacian

The Laplacian on such a graph encodes both metric and topological properties of  $M$ . Eigenvalues and eigenvectors define possible energy states and transitions.

## 2. Motivation

- Classical computers: bounded by  $10^{12}$  ops/s.
- Quantum computers:  $2^n$  states from qubits.
- Qudits:  $d^n$  states with  $d > 2$ .
- CYbits: exponential extension via CY structure.

### 3. Formal Structure

- Hilbert space:  $L^2(M, \mathbb{C}^d)$ .
- Graph representation: adjacency operator  $A$ .
- Hamiltonian:

$$H = -\Delta_{CY} + V + H_{\text{int}}$$

where  $\Delta_{CY}$  is the Laplacian on CY.

### 4. Scaling Potential

System	Local dimension	$n = 10$ sites
Qubits (2D)	2	$2^{10} \sim 10^3$
Qudits ( $d = 10$ )	10	$10^{10}$
CY-3D ( $m = 10$ )	$10^3$	$10^{30}$
CY-6D ( $m = 10$ )	$10^6$	$10^{60}$

### 5. Research Roadmap

1. Theoretical definitions: CYbits, CYlinks, Laplacians.
2. Mathematics: mirror symmetry, invariants, topology of CY.
3. Simulations: spectral numerics for torus  $T^2$ ,  $T^3$ .
4. Experimental: prototypes with  $d = 3 - 5$  photonic or ion states.
5. Long-term: scalable CY quantum computation.

### 6. Conclusion

This proposal formulates a new paradigm of quantum information: *Meta-CY Quantum Computing*. It unites CY geometry, topology, and spectral graphs to vastly extend computational capacity.

### Citation (BibTeX - EN)

```
@misc{CY_meta_quantum_2025,
  author      = {Evgeny Monakhov and LCC "VOSCOM ONLINE" Research Initiative},
  title       = {Meta-Quantum Computing on Calabi--Yau Manifolds},
  year        = {2025},
  publisher    = {Zenodo},
  doi         = {10.5281/zenodo.17050352},
  url         = {https://doi.org/10.5281/zenodo.17050352},
  orcid       = {0009-0003-1773-5476},
  url_orcid   = {https://orcid.org/0009-0003-1773-5476},
  organization = {https://voscom.online/}
```

}  
}