

What Women Should Know about High Blood Pressure

Keeping the heart healthy is important for women's health. This is especially true when it comes to hypertension, also known as high blood pressure. This is a condition when the force of the blood flowing through your blood vessels is higher than it should be. High blood pressure that isn't managed properly could lead to a heart attack, stroke or heart failure. Anyone can develop high blood pressure but there are some steps that a woman can take to prevent or manage this condition.

What are the risk factors?

There are some factors that can put you at higher risk for developing high blood pressure, including:

- High cholesterol
- High blood sugar
- Being overweight or obese
- Lack of physical activity
- Eating foods that are high in salt
- Drinking too much alcohol
- Smoking

Women also should be aware that pregnancy, birth control and menopause could increase the risk of developing high blood pressure. For women who are pregnant, having high blood pressure can be dangerous for both the mother and baby. So it's important to know these risk factors.



What are the symptoms?

One in three adults have high blood pressure. Many people don't have any symptoms, and many don't even know they have it. If you don't take care of it, high blood pressure can lead to serious and severe health problems. This is why it's important to have your healthcare provider regularly check your blood pressure.



What can you do?

You should talk to your healthcare provider to know if you have this condition or are at risk for it.

Some other steps you could take to improve your heart health include:

- **Be active.** Get 30 minutes of aerobic exercise at least five times per week. This could be as simple as going for a walk.
- **Make healthier food choices.** Eating foods low in salt and fat, and lowering your daily salt intake.
- **Manage your weight.** Being overweight puts you at greater risk for many health conditions.
- **Quit smoking.** Smoking is linked to a number of health conditions, but it can be hard to quit. You can call the toll-free Texas Tobacco Quit Line at 877-YES-QUIT (937-7848) for free and confidential one-on-one counseling and support services.

Please talk to a healthcare provider before starting any new exercise or diet program.

You can learn more about available blood pressure screenings and services at [HealthyTexasWomen.org](https://www.HealthyTexasWomen.org).



صحت مند ٹیکساس خواتین

خواتین کو ہائی بلڈ پریشر کے بارے میں کیا جاننا چاہیے

دل کو صحت مند رکھنا خواتین کی صحت کے لیے اہم ہے۔ یہ خاص طور پر ہائی بلڈ پریشر (جسے ہائپرٹینشن بھی کہا جاتا ہے) کے معاملے میں درست ہے۔ یہ ایک حالت ہے جب خون کی شریانوں میں بہنے والے خون کا دباؤ اس سے زیادہ ہو جاتا ہے جتنا ہونا چاہئے۔ اگر ہائی بلڈ پریشر کو صحیح طرح سے قابو نہ کیا جائے تو یہ دل کا دورہ، فالج یا دل کی ناکامی کا سبب بن سکتا ہے۔ کوئی بھی شخص ہائی بلڈ پریشر کا شکار ہو سکتا ہے، لیکن عورت کچھ اقدامات کر کے اس بیماری کو روک یا قابو میں رکھ سکتی ہے

خطرے کے عوامل کیا ہیں؟

کچھ عوامل ایسے ہیں جو آپ کو ہائی بلڈ پریشر میں مبتلا ہونے کے زیادہ خطرے میں ڈال سکتے ہیں، جیسے کہ

- زیادہ کولیسٹرول
- زیادہ خون میں شکر (بلڈ شوگر)
- زیادہ وزن یا موٹاپا
- جسمانی سرگرمی کی کمی
- زیادہ نمک والی غذائیں کھانا
- زیادہ الکحل پینا
- سگریٹ نوشی

خواتین کو یہ بھی معلوم ہونا چاہئے کہ حمل، مانع حمل ادویات (برتھ کنٹرول) اور رجونورٹی (مینوپاز) ہائی بلڈ پریشر کے خطرے کو بڑھا سکتے ہیں۔ حمل کے دوران ہائی بلڈ پریشر ماں اور بچے دونوں کے لئے خطرناک ہو سکتا ہے۔ اس لئے ان عوامل کو جاننا ضروری ہے۔

علامات کیا ہیں؟

ہر تین میں سے ایک بالغ کو ہائی بلڈ پریشر ہوتا ہے۔ اکثر لوگوں کو کوئی علامات نہیں ہوتیں اور بہت سے لوگ یہ بھی نہیں جانتے کہ انہیں یہ بیماری ہے۔ اگر اس کا علاج نہ کیا جائے تو ہائی بلڈ پریشر سنگین اور شدید صحت کے مسائل پیدا کر سکتا ہے۔ اسی وجہ سے ضروری ہے کہ آپ کا صحت کا فراہم کنندہ (ہیلتھ کیئر پرووائیڈر) باقاعدگی سے آپ کا بلڈ پریشر چیک کرے۔

آپ کیا کر سکتے ہیں؟

آپ کو اپنے صحت کے فراہم کنندہ سے بات کرنی چاہئے تاکہ آپ جان سکیں کہ آیا آپ کو یہ بیماری ہے یا اس کا خطرہ ہے۔ کچھ دوسرے اقدامات جو آپ دل کی صحت کو بہتر بنانے کے لئے کر سکتے ہیں

- فعال رہیں۔ ہفتے میں کم از کم پانچ دن 30 منٹ کی ایروبک ورزش کریں۔ یہ سادہ سا چلنا بھی ہو سکتا ہے۔
- زیادہ صحت مند غذائیں منتخب کریں۔ ایسی غذائیں کھائیں جن میں نمک اور چکنائی کم ہو، اور روزانہ نمک کی مقدار گھٹائیں۔
- وزن کو قابو میں رکھیں۔ زیادہ وزن کئی صحت کی بیماریوں کے خطرے کو بڑھا دیتا ہے۔
- سگریٹ نوشی چھوڑ دیں۔ سگریٹ نوشی کئی بیماریوں سے منسلک ہے لیکن اسے چھوڑنا مشکل ہو سکتا ہے۔ آپ ٹول فری ٹیکساس ٹوبیکو پر کال کر سکتے ہیں (937-7848) YES-QUIT-کونٹ لائن 877 جہاں آپ کو مفت اور رازدارانہ انفرادی مشاورت اور مدد فراہم کی جائے گی۔

براہ کرم کسی بھی نئی ورزش یا خوراک کے پروگرام کو شروع کرنے سے پہلے اپنے صحت کے فراہم کنندہ سے بات کریں۔

ملاحظہ کر سکتے ہیں۔ HealthyTexasWomen.org آپ بلڈ پریشر کی اسکریننگ اور خدمات کے بارے میں مزید جاننے کے لیے



Healthy Texas Women

What Women Should Know About High Blood Pressure

Keeping your heart healthy is vital for women's health. This is especially true when it comes to high blood pressure (also called hypertension). High blood pressure happens when the pressure of blood against the artery walls is higher than it should be. If left uncontrolled, it can lead to heart attack, stroke or heart failure. Anyone can get high blood pressure, but women can take steps to prevent it or keep it under control.

What Are the Risk Factors?

Some factors may put you at higher risk of developing high blood pressure, such as:

- High cholesterol
- High blood sugar (diabetes)
- Being overweight or obese
- Lack of physical activity
- Eating foods high in salt
- Drinking too much alcohol
- Smoking

Women should also know that pregnancy, birth control medicines, and menopause can increase the risk of high blood pressure. During pregnancy, high blood pressure can be dangerous for both mother and baby. That's why it's important to be aware of these factors.

What Are the Symptoms?

One in three adults has high blood pressure. Most people have no symptoms, and many don't even know they have the condition. If untreated, high blood pressure can cause serious and severe health problems. That's why it is important for your healthcare provider to check your blood pressure regularly.

What Can You Do?

You should talk with your healthcare provider to find out if you have this condition or are at risk.

Other steps you can take to improve your heart health include:

- **Stay active.** Get at least 30 minutes of aerobic activity, five days a week. Even simple walking counts.
- **Choose healthier foods.** Eat foods low in salt and fat, and reduce your daily salt intake.
- **Maintain a healthy weight.** Being overweight increases the risk of many health problems.
- **Quit smoking.** Smoking is linked to many diseases, but quitting can be hard. You can call the **free and confidential Texas Tobacco Quitline** at **877-YES-QUIT (937-7848)** for one-on-one counseling and support.

Always talk to your healthcare provider before starting any new exercise or diet program.

Learn More You can visit [HealthyTexasWomen.org](https://www.healthytexaswomen.org) to learn more about blood pressure screenings and health services.



Здоровые Техаса женщины

Что женщины должны знать о высоком кровяном давлении

Сохранение здоровья сердца важно для здоровья женщин. Это особенно верно, когда речь идёт о гипертонии, также известной как высокое кровяное давление. Это состояние, при котором сила крови, проходящей по вашим кровеносным сосудам, выше, чем должна быть. Неконтролируемое высокое давление может привести к сердечному приступу, инсульту или сердечной недостаточности. Любой человек может столкнуться с высоким давлением, но есть шаги, которые женщина может предпринять, чтобы предотвратить или контролировать это состояние.

Каковы факторы риска?

Некоторые факторы могут увеличить риск развития высокого давления, в том числе:

- высокий уровень холестерина
- высокий уровень сахара в крови
- избыточный вес или ожирение
- недостаток физической активности
- употребление пищи с высоким содержанием соли
- чрезмерное употребление алкоголя
- курение

Женщинам также следует знать, что беременность, противозачаточные средства и менопауза могут увеличить риск развития гипертонии. Для беременных женщин высокое давление может быть опасным как для матери, так и для ребёнка. Поэтому важно знать эти факторы риска.

Каковы симптомы?

У одного из трёх взрослых наблюдается высокое давление. Многие люди не имеют никаких симптомов и даже не знают, что у них есть эта проблема. Без лечения высокое давление может привести к серьёзным и тяжёлым проблемам со здоровьем. Именно поэтому важно, чтобы медицинский работник регулярно проверял ваше давление.

Что можно сделать?

Следует поговорить с медицинским работником, чтобы узнать, есть ли у вас это состояние или риск его развития.

Некоторые шаги, которые можно предпринять для улучшения здоровья сердца:

- **Будьте активны.** Выполняйте аэробные упражнения не менее 30 минут пять раз в неделю. Это может быть даже простая прогулка.
- **Выбирайте более здоровую пищу.** Ешьте продукты с низким содержанием соли и жиров, уменьшайте ежедневное потребление соли.
- **Контролируйте вес.** Лишний вес повышает риск многих заболеваний.
- **Бросайте курить.** Курение связано со многими проблемами со здоровьем, но отказаться от него может быть сложно. Вы можете позвонить на бесплатную телефонную линию Texas Tobacco Quit Line по номеру 877-YES-QUIT (937-7848) и получить бесплатные и конфиденциальные индивидуальные консультации и поддержку.

Перед началом любой новой программы упражнений или диеты обязательно поговорите с медицинским работником.

Вы можете узнать больше о доступных обследованиях и услугах для контроля давления на сайте HealthyTexasWomen.org.



Healthy Texas Women

What women should know about high blood pressure

Keeping your heart healthy is important for women's overall health. This is especially true when it comes to hypertension, also known as high blood pressure. This condition occurs when the force of blood flowing through your blood vessels is higher than it should be. Uncontrolled high blood pressure can lead to a heart attack, stroke, or heart failure. Anyone can face high blood pressure, but there are steps women can take to prevent or control it.

What are the risk factors?

Some factors may increase the risk of developing high blood pressure, including:

- high cholesterol
- high blood sugar
- being overweight or obese
- lack of physical activity
- eating foods high in salt
- excessive alcohol use
- smoking

Women should also know that pregnancy, birth control, and menopause can increase the risk of hypertension. For pregnant women, high blood pressure can be dangerous for both the mother and the baby. That's why it's important to be aware of these risk factors.

What are the symptoms?

One in three adults has high blood pressure. Many people don't have any symptoms and don't even know they have this problem. Without treatment, high blood pressure can lead to serious and severe health problems. That's why it's important for a healthcare provider to regularly check your blood pressure.

What can be done?

You should talk with a healthcare provider to find out if you have this condition or are at risk.

Some steps you can take to improve heart health:

- **Be active.** Do at least 30 minutes of aerobic exercise five times a week. Even a simple walk counts.
- **Choose healthier foods.** Eat foods low in salt and fat, and reduce daily salt intake.
- **Maintain a healthy weight.** Excess weight increases the risk of many diseases.
- **Quit smoking.** Smoking is linked to many health problems, but quitting can be hard. You can call the free Texas Tobacco Quit Line at 877-YES-QUIT (937-7848) for free and confidential individual counseling and support.

Before starting any new exercise or diet program, be sure to talk to your healthcare provider.

You can learn more about available screenings and services for blood pressure control at [HealthyTexasWomen.org](https://www.healthytexaswomen.org).

HEALTHY BONES, HEALTHY YOU

Healthy bones are so important for your overall wellness and quality of life! Bone diseases like osteoporosis make your bones weak and brittle, and they can strip you of your height, posture, mobility and independence. **80% of Americans with osteoporosis are women, and one in two women aged 50 and older will break a bone because of osteoporosis.** What's more concerning is you can't feel osteoporosis happening!

Thankfully, there are things you can do to help prevent osteoporosis (*primary prevention*) and also protect your bones from fractures and breaks if they have already started to weaken (*secondary prevention*).

Osteoporosis risk factors:

Uncontrollable: age*, gender, small body frame/low weight, ethnicity (white women have highest risk), medical history (thyroid problems, eating disorder, liver or kidney disease, inflammatory diseases), low estrogen (late onset puberty, ovary removal, early menopause), family history

Controllable: lack of calcium and vitamin D, lack of exercise, smoking, alcohol

**Your body stops making new bone and starts losing it with age. You reach peak bone mass by age 30 (peak amount varies by person depending on nutrition and exercise during adolescence), and you start taking from that bone in your mid-30s. The most dramatic decrease happens at menopause.*

Preventing osteoporosis (primary prevention):

Get enough calcium and vitamin D. Calcium and vitamin D are key for building strong, dense bones and keeping them strong.


Age:	Calcium/day:	Age:	Vitamin D/day:
adult <50	1,000 mg	adult <70	600 IU
50+	1,200 mg	70+	800 IU*

Sources of calcium: dairy products (milk, yogurt, cheese), certain green vegetables and nuts/seeds, calcium-fortified foods, supplements**

Sources of vitamin D: sunlight, fatty fish, fortified foods, supplements**

**up to 4,000 IU per day is safe for most adults*

***Ask a health care provider if you need a supplement, and which type/dose is right.*



(‘Preventing osteoporosis’ continued)

Exercise. Exercise makes bones and the muscles around them stronger. Do weight-bearing exercises like squats, walking, lifting weights, climbing stairs/elliptical, resistance bands, etc. 2-3 times/week.

Avoid smoking, and limit alcohol. Avoid smoking, or try to cut back or quit. Limit alcohol to one drink/day.

Preventing fractures (secondary prevention):

Know the status of your bones. A bone density test called DXA is recommended for women over the age of 65 or women ages 50-65 who have risk factors for osteoporosis. Try the Osteoporosis Risk Check too: riskcheck.osteoporosis.foundation/

Prevent falls. Wear shoes with good traction, use handrails on stairs, keep areas well-lit and free from clutter, cords, and rugs, use non-skid mats in the shower or tub, and use a walker/cane as needed.

Consider medication. Speak to a health care provider about medications that can help slow the breakdown of bone.

FOR MORE INFORMATION:

National Institutes of Health: <https://go4life.nia.nih.gov/>

National Osteoporosis Foundation: nof.org

Wisconsin Institute for Healthy Aging: wihealthyaging.org/stepping-on-consumer



Wisconsin Women's Health Foundation
608-251-1675 x 118 | wwhf.org

ЗДОРОВЫЕ КОСТИ, ЗДОРОВАЯ ВЫ

Здоровые кости очень важны для вашего общего самочувствия и качества жизни! Болезни костей, такие как остеопороз, делают ваши кости слабыми и хрупкими, и они могут лишить вас роста, осанки, подвижности и независимости. 80% американцев с остеопорозом – женщины, и одна из двух женщин в возрасте 50 лет и старше сломает кость из-за остеопороза. Ещё более тревожно то, что остеопороз невозможно почувствовать!

К счастью, есть вещи, которые вы можете делать, чтобы помочь предотвратить остеопороз (первичная профилактика), а также защитить кости от переломов и трещин, если они уже начали ослабевать (вторичная профилактика).

Факторы риска остеопороза:

Неконтролируемые: возраст*, пол, маленький скелет/низкий вес, этническая принадлежность (наибольший риск у белых женщин), медицинская история (проблемы с щитовидной железой, расстройства питания, заболевания печени или почек, воспалительные заболевания), низкий уровень эстрогена (позднее начало полового созревания, удаление яичников, ранняя менопауза), семейная история.

Контролируемые: недостаток кальция и витамина D, отсутствие физической активности, курение, алкоголь.

*Ваш организм перестаёт производить новую костную ткань и начинает её терять с возрастом. Вы достигаете пика костной массы к 30 годам (величина пика варьируется в зависимости от питания и физической активности в подростковом возрасте), а начиная с середины 30-х начинаете расходовать эту массу. Наиболее резкое снижение происходит во время менопаузы.

Предотвращение остеопороза (первичная профилактика):

Получайте достаточно кальция и витамина D. Кальций и витамин D имеют ключевое значение для построения крепких, плотных костей и их поддержания.

Возраст:	Кальций/день:	Возраст:	Витамин D/день:
взрослые <50	1,000 мг	взрослые <70	600 МЕ
50+	1,200 мг	70+	800 МЕ*

Источники кальция: молочные продукты (молоко, йогурт, сыр), некоторые зелёные овощи и орехи/семена, продукты с добавленным кальцием, добавки**

Источники витамина D: солнечный свет, жирная рыба, обогащённые продукты, добавки**

*До 4,000 МЕ в день безопасно для большинства взрослых.

**Проконсультируйтесь с врачом, нужна ли вам добавка и какой тип/дозировка подходят.

ДЛЯ БОЛЬШЕЙ ИНФОРМАЦИИ:

Национальные институты здоровья (NIH): <https://go4life.nia.nih.gov/>

Национальный фонд остеопороза: nof.org

Институт здорового старения Висконсина: wihealthyaging.org/stepping-on-consumer

Физическая активность.

Упражнения укрепляют кости и мышцы вокруг них. Делайте упражнения с нагрузкой на кости, такие как приседания, ходьба, поднятие тяжестей, подъём по лестнице/эллипс, резиновые ленты и т. д. 2–3 раза в неделю.

Избегайте курения и

ограничьте алкоголь. Не курите или постарайтесь сократить или бросить. Ограничьте алкоголь до одного напитка в день.

Предотвращение переломов (вторичная профилактика):

Узнайте состояние ваших костей. Тест на плотность костей, называемый DXA, рекомендуется женщинам старше 65 лет или женщинам 50–65 лет, которые имеют факторы риска остеопороза. Также попробуйте «Проверку риска остеопороза»: riskcheck.osteoporosis.foundation/

Предотвращайте падения.

Носите обувь с хорошим сцеплением, используйте перила на лестнице, поддерживайте хорошее освещение и порядок (убирайте беспорядок, провода и коврики), используйте нескользящие коврики в душе или ванне, а также ходунки/трость при необходимости.

Рассмотрите лекарства.

Поговорите с врачом о препаратах, которые могут помочь замедлить разрушение костной ткани.

Фонд здоровья женщин

Висконсина

608-251-1675 x 118 | wwhf.org

HEALTHY BONES, HEALTHY YOU

Healthy bones are very important for your overall well-being and quality of life! Bone diseases such as osteoporosis make your bones weak and brittle, and they can take away your height, posture, mobility, and independence. 80% of Americans with osteoporosis are women, and one out of two women aged 50 and older will break a bone due to osteoporosis. Even more concerning, osteoporosis cannot be felt!

Fortunately, there are things you can do to help prevent osteoporosis (primary prevention), as well as protect your bones from fractures and breaks if they have already started to weaken (secondary prevention).

Risk factors for osteoporosis:

Uncontrollable: age*, sex, small frame/low weight, ethnicity (highest risk in white women), medical history (thyroid problems, eating disorders, liver or kidney disease, inflammatory diseases), low estrogen (late puberty, removal of ovaries, early menopause), family history.

Controllable: lack of calcium and vitamin D, lack of physical activity, smoking, alcohol.

*Your body stops producing new bone tissue and begins to lose it with age. You reach peak bone mass by age 30 (the amount varies depending on diet and physical activity during adolescence), and from your mid-30s you begin to use up that mass. The sharpest decline occurs during menopause.

Preventing osteoporosis (primary prevention):

Get enough calcium and vitamin D. Calcium and vitamin D are key to building strong, dense bones and keeping them healthy.

Age	Calcium/day	Age	Vitamin D/day
adults <50	1,000 mg	adults <70	600 IU
50+	1,200 mg	70+	800 IU*

Calcium sources: dairy (milk, yogurt, cheese), some green vegetables and nuts/seeds, calcium-fortified foods, supplements**

Vitamin D sources: sunlight, fatty fish, fortified foods, supplements**

*Up to 4,000 IU per day is safe for most adults.

**Consult your doctor to see if you need a supplement and what type/dosage is appropriate.

MORE INFORMATION:

National Institutes of Health (NIH): <https://go4life.nia.nih.gov/>

National Osteoporosis Foundation: [nof.org](https://www.nof.org)

Wisconsin Institute for Healthy Aging: wihealthyaging.org/stepping-on-consumer

Physical activity. Exercise strengthens bones and the muscles around them. Do weight-bearing exercises such as squats, walking, weightlifting, climbing stairs/elliptical, resistance bands, etc., 2–3 times a week.

Avoid smoking and limit alcohol. Don't smoke, or try to cut down or quit. Limit alcohol to one drink per day.

Preventing fractures (secondary prevention):

Check your bone health. A bone density test called DXA is recommended for women over 65, or women 50–65 who have risk factors for osteoporosis. You can also try the “Osteoporosis Risk Check”: riskcheck.osteoporosis.foundation/

Prevent falls. Wear shoes with good traction, use handrails on stairs, maintain good lighting and a clutter-free space (remove cords, clutter, and rugs), use non-slip mats in the shower or bathtub, and use a walker/cane if necessary.

Consider medication. Talk to your doctor about medications that can help slow bone loss.

Wisconsin Women's Health Foundation

608-251-1675 x 118 | [wwhf.org](https://www.wwhf.org)