

# MusicFormats API guide

<https://github.com/jacques-menu/musicformats>

vv0.9.70 – September 20, 2023

Jacques Menu

## Minimal score



```
1 S_lpsrScore translateMsrToLpsr (  
2     const S_msrScore&          originalMsrScore,  
3     const S_msrOahGroup&      msrOpts,  
4     const S_lpsrOahGroup&     lpsrOpts,  
5     mfPassIDKind              passIDKind,  
6     std::string                passDescription,  
7     const S_mfcMultiComponent& multiComponent)  
8 {  
9     // ... ..  
10  
11     // create an msr2lpsrTranslator  
12     msr2lpsrTranslator  
13         translator (  
14             originalMsrScore);  
15  
16     // build the LPSR score  
17     S_lpsrScore  
18         resultingLpsr =  
19         translator.translateMsrToLpsr (  
20             originalMsrScore,  
21             multiComponent);  
22  
23     // ... ..  
24  
25     return resultingLpsr;  
26 }
```

# Contents

|            |  |           |
|------------|--|-----------|
| 1          | <a href="#">Acknowledgements</a> . . . . .                   | 3         |
| <b>I</b>   | <b><a href="#">MusicFormats API principles</a></b>           | <b>4</b>  |
| 2          | <a href="#">API principles</a> . . . . .                     | 5         |
| <b>II</b>  | <b><a href="#">The MXSR API</a></b>                          | <b>6</b>  |
| 3          | <a href="#">Creating scores with the MXSR API.</a> . . . . . | 7         |
| <b>III</b> | <b><a href="#">The MSR API</a></b>                           | <b>8</b>  |
| 4          | <a href="#">Creating scores with the MSR API</a> . . . . .   | 9         |
| <b>IV</b>  | <b><a href="#">The LPSR API</a></b>                          | <b>10</b> |
| 5          | <a href="#">Creating scores with the LPSR API</a> . . . . .  | 11        |
| <b>V</b>   | <b><a href="#">The BSR API</a></b>                           | <b>12</b> |
| 6          | <a href="#">Creating scores with the BSR API.</a> . . . . .  | 13        |
| <b>VI</b>  | <b><a href="#">Indexes</a></b>                               | <b>14</b> |

# List of Figures

## Chapter 1

# Acknowledgements

Many thanks to Dominique Fober, the designer and maintainer of the `libmusicxml2` library. This author would not have attempted to work on a MusicXML to LilyPond converter without his work being already available.

In particular, the conversion of MusicXML data to a tree is extremely well done directly from the MusicXML DTD, and that was a necessary step to produce LilyPond code. Dominique also provided a nice way to browse this tree with a two-phase visitor design pattern, which this author uses extensively in his own code. The interested reader can find information about that in [libmusicxml2.pdf](#), and more technical details in [mfmaintenanceguide.pdf](#).

`xml2ly` and some of the specific examples presented in this document started as this author's contribution to `libmusicxml2`, and was later moved to a separate GitHub repository for practical reasons.

## Part I

# MusicFormats API principles

## Chapter 2

# API principles

# **Part II**

## **The MXSR API**

## Chapter 3

# Creating scores with the MXSR API



---

# **Part III**

## **The MSR API**

## Chapter 4

# Creating scores with the MSR API

---

# Part IV

## The LPSR API

## Chapter 5

# Creating scores with the LPSR API

---

# **Part V**

## **The BSR API**

## Chapter 6

# Creating scores with the BSR API

---

# Part VI

## Indexes

# Main index

|                       |  |                   |
|-----------------------|--|-------------------|
| <b>A</b>              |  |                   |
| API .....             |  | <a href="#">1</a> |
| <b>D</b>              |  |                   |
| Dominique Fober ..... |  | <a href="#">3</a> |
| DTD .....             |  | <a href="#">3</a> |
| <b>L</b>              |  |                   |
| libmusicxml2 .....    |  | <a href="#">3</a> |
| LilyPond .....        |  | <a href="#">3</a> |
| <b>M</b>              |  |                   |
| MusicFormats .....    |  | <a href="#">1</a> |
| MusicXML .....        |  | <a href="#">3</a> |